

## SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## 3.5.1: Revenue generated from consultancy and corporate training for the Academic Year 2021-22

S. No	or restrictly	Name of the beneficiary/ corporate agency	Name of the beneficiary/ corporate agency	Revenue generated (INR in Lakhs)
1	K.Venkateswara Rao	Material test - 16 No's, Soil Test - 04 No's	Assistant Engineer, Machilipatnam	0.252
2	K.Venkateswara Rao	Material test - 09 No's, Soil Test - 01 No's	Endowment	0.226
3	K.Venkateswara Rao	Material test - 2 No's	GVR Premco Joint Venture	0.006
4	K.Venkateswara Rao	Material test - 4 No's	Mega Engineering Infrastructures Limited	0.056
5	K.Venkateswara Rao	Material test - 166 No's	Panchayat Raj	0.498
-6	K.Venkateswara Rao	Material test - 1 No's	R&B	0.003
7	K.Venkateswara Rao	Material test - 1 No's	RVK Energy Pvt.Ltd, Konkepudi,Pedana Mandal, Krishna District	0.003
8	Phani Kumar.V, Ch.Naga Bharath	Soil test - 2 No's	RVNL PMC: URS Scott Wilson India Limited	0.020
9	Phani Kumar.V, Ch.Naga Bharath	Soil test - 1 No's	RWS&S	0.010
10	Dr.S.R.K.Reddy, Dr.P.Kodanda Rama Rao	Design - 3 No's, Soil Test - 3 No's	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	0.600
11	Phani Kumar.V, Ch.Naga Bharath	Soil test - 1 No's	Sri P. V. Hari Haran, Chowtapally, Krishna District.	0.040
2	Dr.S.R.K.Reddy, Dr.P.Kodanda Rama Rao	Design - 6 No's, Soil Test - 6 No's	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari Distict.	1.200

		Lotal		12.475	
	-				
	-	NPTEL			
		AP HIGH COURT			
!		NPTEL			
		JEE Advance			
ļ	<u> </u>				
		AP LAWCET			
	Sri.B.Srinivasu Kumar	AP EDCET	1C3 ION	9.13	
3	Dr.P.Kodanda Rama Rao	APECET	TOSION	0.44	
		APICET		9.13	
i	_	Stircasting Machine with Ultrasonic vibrator  Vicker's Hardness, Optical Microscope, Muffle Frnace  ar Stircasting Machine  ar Stircasting Machine  ar Stircasting Machine  Tensineering, Gudiavada  RVR & JC College of Engineering, Guntur  Rama Chandra Collee of Engineering, Eluru  Rama Chandra Collee of Engineering, Vijayawada  Stircasting Machine  Stircasting Machine  JEE MAINS  KDCCB  APPSC  AP EAPCET  NPTEL  JEE MAINS  AP EAPCET  APICET  APICET			
į					
	1				
		NPTEL			
			Technology, Vijayawada		
2	Sri K Ch Kishor Kumar	Stir Casting Machine	SRK Institute of		
			Engineering, Machilipatnam		
1	Sri K Ch Kishor Kumar				
20	Sri K Ch Kishor Kumar	1	Rama Chandra Collee of		
. ブ	Sri K Ch Kishor Kumar		<del></del>		
19	Sri V Ch Viele V				
18	Sri K Ch Kishor Kumar				
	SIT IX OII RISHOI KUHRAT		Engineering, Eluru	0.43	
 17	Sri K Ch Kishor Kumar	Crimentine M. III			
16	Sri K Ch Kishor Kumar	Stircasting Machine		-	
15	Sri K Ch Kishor Kumar	Microscope, Muffle			
			Technology		
14	Sri K Ch Kishor Kumar				
13	Sri K Ch Kishor Kumar	Furnance, Optical Miscroscope, Hardness	Usha Rama College of Engineering and Technology		



Principal PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A, P

#### **ANNEXURE-I**

#### SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village :: GUDLAVALLERU

DEPARTMENT OF CIVIL ENGINEERING

#### **CONSULTANCY CELL**

Consultancy work during 01-07-2021 to 30-06-2022

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
1.	04-07-2021 MT - 382	Test results of the CC cubes for the construction of Grama Sachivalayam building Ground floor Roof Slab work at Thummalapalli (v) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Gudivada	300-00
2.	05-07-2021 MT-373	Test results of the CC cubes for the construction of Grama Sachivalayam building First Floor Slab work at Rachapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
3.	05-07-2021 MT-374	Test results of the CC cubes for the construction of Grama Sachivalayam building First Floor Slab work at Rachapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
4.	05-07-2021 MT-375	Test results of the CC cubes for the construction of Grama Sachivalayam building Footings work at Kaikaluru-5 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
5.	10-07-2021 MT - 377	Test results of the CC cubes for the construction of RythuBharosaKendram building Footings work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
6.	10-07-2021 MT - 378	Test results of the CC cubes for the construction of Grama Sachivalayam building footings work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-0
7.	13-07-2021 MT-379	Test results of the CC cubes for the construction of RythuBharosaKendram building Footings work at Lingala of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
8.	14-07-2021 MT - 383	Test results of the CC cubes for the construction of RythuBharosaKendram building Roof Slab work at Thummalapalli (v) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Gudivada	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
9.	16-07-2021 MT - 384	Test results of the CC cubes for the construction of Grama Sachivalayam building First floor Roof Slab work at Thummalapalli (v) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Gudivada	300-00
10.	17-07-2021 MT - 380	Test results of the CC cubes for the construction of Grama Sachivalayam building footings work at Perekegudem of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
11.	22-07-2021 MT - 386	Test results of the CC cubes for the construction of Grama Sachivalayam building Footings work at Byravapatnam of Mandavalli	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
12.	25-07-2021 MT-385	Test results of the CC cubes for the construction of Grama Sachivalayam building First Floor Slab work at Rachapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
13.	26-07-2021 GEC/MAIN T/ 2021	Report of Water analysis	The Estate Manager Gudlavalleru Engineering College, Gudlavalleru	
14.	26-07-2021 ST-256	RWS&S Section Gudlavalleru - for filter media sand at Ustepalli of Nandigama Mandal	K.V.N Sivaji, Assistant Engineer, RWS & S Department, Gudlavalleru Mandal	1000-00
15.	26-07-2021 MT - 387	Test results of the CC cubes for the construction of Grama Sachivalayam building First Floor Slab work at Kottada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
16.	27-07-2021 MT - 388	Test results of the CC cubes for the construction of Grama Sachivalayam building Footings work at Kaikaluru-5 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
17.	31-07-2021 MT - 389	Test results of the CC cubes for the construction of RythuBarosaKendram building Footings work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
18.	31-07-2021 MT - 390	Test results of the CC cubes for the construction of Grama Sachivalayam building Footings work at Tadinada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
19.	03-08-2021 MT - 391	Test results of the CC cubes for the construction of RythuBarosaKendram building Footings work at Lingala of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
20.	04-08-2021 MT - 392	Test results of the CC cubes for the construction of Grama Sachivalayam building Footings work at Chintapadu of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
21.	04-08-2021 MT-460	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Roof Slab work at Bhujabalapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
22.	06-08-2021 MT -396	Test results of the CC Cubes for the construction of Grama Scahivalayam building Ground floor Slab work at Peruru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
23.	09-08-2021 ST - 257	Sub soil investigation and Recommendation for the foundation of Drill site "MDAR" D/s, East Godavari District	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari Distict.	10,000-00
24.	09-08-2021 RF - 157	ONGC Rig foundation at "MDAR" D/s, East Godavari District	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari Distict.	10,000-00
25.	09-08-2021 ST - 258	Sub soil investigation and Recommendation for the foundation of Drill site "MDA" D/s, East Godavari District	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari Distict.	10,000-00
26.	09-08-2021 RF - 158	ONGC Rig foundation at "MDA" D/s, East Godavari District	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari Distict.	10,000-00
27.	10-08-2021 MT-447	Test results of the CC cubes for the construction of "CC Road and Drain from SirivellaKrishnarao road from EP.No.1/343 to EP.No.1/345" in 2nd Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
28.	15-08-2021 MT-402	Test results of the CC cubes for the construction of YSR Wellness Center building Pile Concrete work at Inglipakalanka of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
29.	16-08-2021 MT - 397	Test results of the CC Cubes for the construction of Grama Scahivalayam building Ground floor Slab work at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
30.	25-08-2021 MT-435	Test results for Providing fixing of outdoor gym equipment at Aheervadapuram park in 11th Division Rebound hammer test is with in the specification limits	Sri R.G. Vara Prasad, Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	3,000-00
31.	25-08-2021 MT-461	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Roof Slab work at Bhujabalapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, MandavalliMandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
32.	27-08-2021 MT - 403	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor Slab work at Peruru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
33.	27-08-2021 MT-450	Test results of the CC cubes for the construction of "Raising of CC Road from EP.No.1/343 to EP.No.1/352" near Jaganmohanarao House in 2 <sup>nd</sup> Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
34.	28-08-2021 MT-449	Test results of the CC cubes for the construction of "CC Road from EP.No.39/42-1 to EP.No.39/55-2" near Amrutha Samudraveni gari House in 48 <sup>th</sup> Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
35.	28-08-2021 MT - 400	Test report on water quality standards for Drining water	Megha Engineering and Infrastructures Limited Dokiparru, Gudlavalleru Mandal	5,000-00
36.	28-08-2021 MT - 401	Test report on water quality standards for mixing water for concrete	Megha Engineering and Infrastructures Limited Dokiparru, Gudlavalleru Mandal	,
37.	01-09-2021 MT-448	Test results of the CC cubes for the construction of "CC Road and Drain from SirivellaKrishnarao road from EP.No.1/343 to EP.No.1/345" in 2nd Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
38.	01-09-2021 MT-444	Test results of the CC cubes for the construction of "CC Drain from EP.No.34/164 to EP.No.34/165 and from EP.No.34/163 to D.No.8/72" in Godugupeta in 40 <sup>th</sup> Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	600
39.	06-09-2021 MT - 404	Test results of the CC cubes for the construction of GramaSachivalayam building Footings work at Mandavalli of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
40.	06-09-2021 MT - 405	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor Slab work at Gannavaram Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
41.	06-09-2021 MT - 406	Test results of the CC cubes for the construction of YSR Wellness Center building Pile Concrete work at Inglipakalanka Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
42.	10-09-2021 MT-445	Test results of the CC cubes for the construction of CC Road and CC Culvert at Mandulagudem area Karkhana Road in 50th Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
43.	13-09-2021 MT-407	Test results of the CC cubes for the construction of RythuBarosaKendram building Footings work at Singarayapalem of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
44.	14-09-2021 MT-408	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
45.	16-09-2021 MT-495	Test results of the Fine aggregate and Coarse aggregate for the construction of Renovation of Existing Urban Primary Health Centre at Chilakalapudi II 7th Division in Machilipatnam Municipal Corporation	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
46.	17-09-2021 MT-451	Test results of the CC cubes for the construction of "CC Roadand Drain from EP.No.1/374 AnandaPeta Road to EP.No.1/375" Raghava Reddy House in 2 <sup>nd</sup> Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
47.	18-09-2021 MT-428	Test results of the CC cubes for the construction of GramaSachivalayam building Footings work at Pandiripalligudem of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
48.	20-09-2021 MT-452	Test results of the CC cubes for the construction of "CC Roadand Drain from SirivellaKrishnarao road from EP.No.1/343 to EP.No.1/345" in 2 <sup>nd</sup> Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
49.	21-09-2021 MT-438	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Bomminampadu of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
50.	22-09-2021 MT-409	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Vaivaka of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
51.	23-09-2021 MT-416	Test results of the CC cubes for the construction of RythuBarosaKendram Centre Footings work at Vemavarappadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
52.	16-09-2021 MT-495	Test results of the Fine aggregate and Coarse aggregate for the construction of Renovation of Existing Urban Primary Health Centre at Chilakalapudi II 7th Division in Machilipatnam Municipal Corporation	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam.	1400-00
53.	24-09-2021 MT-410	Test results of the CC cubes for the construction of GRBK Centre Ground Floor Slab work at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
54.	24-09-2021 MT-413	Test results of the CC cubes for the construction of RythuBarosaKendram centre Roof Slab work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
55.	25-09-2021 MT-411	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
56.	27-09-2021 MT-412	Test results of the CC cubes for the construction of GramaSachivalayam building Footings work at Mandavalli of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
57.	01-10-2021 ST-259	Soil testing reports & Sub Soil Investigation and Recommendations for the Foundation of G+2 Housing, Chowtapally, Krishna District, A.P	Sri P. V. Hari Haran, Chowtapally, Krishna District.	4,000-00
58.	03-10-2021 MT-414	Test results of the CC cubes for the construction of RythuBarosaKendram Centre Footings work at Byravapatnam of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
59.	03-10-2021 MT-419	Test results of the CC cubes for the construction of RythuBarosaKendram building Footings work at Pallewada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
60.	05-10-2021 MT-415	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
61.	07-10-2021 MT-417	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Roof Slab work at Kudaravalli (v) of Nandivada Mandal	Sri.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
62.	08-10-2021 MT-429	Test results of the CC cubes for the construction of GramaSachivalayambuilding Footings work at Pandiripalligudem of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
63.	09-10-2021 MT-418	Test results of the CC cubes for the construction of RythuBarosaKendram building Roof Slab work at Kudaravalli (v) of Nandivada Mandal	Sri.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada Mandal	300-00
64.	10-10-2021 MT-420	Test results of the CC cubes for the construction of RythuBarosaKendram building Slab work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
65.	12-10-2021 MT-431	Test results of the CC cubes for the construction of GramaSachivalayam building Footings work at Korraguntapalem of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
66.	12-10-2021 MT-439	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Bomminampadu of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
67.	13-10-2021 MT-421	Test results of the CC cubes for the construction of GrammaSachivalayam building Ground Floor Slab work at Vaivaka of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
68.	13-10-2021 MT-422	Test results of the CC cubes for the construction of RythuBarosaKendram building Footings work at Vemavarappadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
69.	14-10-2021 MT-423	Test results of the CC cubes for the construction of RythuBarosaKendram building Ground Floor Slab work at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
70.	14-10-2021 MT-424	Test results of the CC cubes for the construction of RythuBarosaKendram building Roof Slab work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
71.	15-10-2021 MT-425	Test results of the CC cubes for the construction of GrammaSachivalayam building Second Floor Slab work at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
72.	16-10-2021 MT-493	Test results of the CC cubes for the construction of Renovation of Existing Urban Primary Health Centre at Chilakalapudi II 7th Division in Machilipatnam Municipal Corporation	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
73.	21-10-2021 MT-426	Test results of the CC cubes for the construction of Poojari quarters Block- 3 & 4,1st FloorSri Venkateswara Swamy Temple Buildings at Dokiparru of Gudlavalleru Mandal	Megha Engineering and Infrastructures Limited Dokiparru, Gudlavalleru Mandal.	300-00
74.	23-10-2021 MT-494	Test results of the Clay Bricks for the construction of Renovation of Existing Urban Primary Health Centre at Chilakalapudi II 7th Division in Machilipatnam Municipal Corporation	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
75.	24-10-2021 MT-468	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
76.	25-10-2021 MT-427	Test results of the CC cubes for the construction of RythuBarosaKendram Centre building Footings work at Pallewada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
77.	30-10-2021 MT-462	Test results of the CC cubes for the construction of GramaSachivalayam building First Floor Roof Slab work at Bhujabalapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
78.	01-11-2021 MT-430	Test results of the CC cubes for the construction of RythuBarosaKendram Centre building Slab work at Tamarakolli of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
79.	02-11-2021 MT-432	Test results of the CC cubes for the construction of GramaSachivalayam building Footings work at Korraguntapalem of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
80.	03-11-2021 MT-446	Test results of the CC cubes for the construction of "CC Drain at Agraharam road EP.No.25/153 to EP.No.25/155" in 25 <sup>th</sup> Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam.	600-00
81.	10-11-2021 MT-436	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Mandavalli of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
82.	10-11-2021 ST-260	Sub soil investigation and Recommendation for the foundation of Drill site "MSD-W" D/s, Krishna District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District	10,000-00
83.	10-11-2021 RF-159	ONGC Rig foundation at "MSD-W" D/s, Krishna District, A.P.	Sri P.Narayana Rao, Contractor,Narasapuram, West Godavari District	10,000-00
84.	10-11-2021 ST-261	Sub soil investigation and Recommendation for the foundation of Drill site "KLM-AA" D/s, West Godavari District, A.P	Sri P.Narayana Rao, Contractor,Narasapuram, West Godavari District	10,000-00
85.	10-11-2021 RF-160	ONGC Rig foundation at "KLM-AA" D/s, West Godavari District, A.P.	Sri P.Narayana Rao, Contractor,Narasapuram, West Godavari District	10,000-00
86.	10-11-2021 MT-466	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Byravapatnam of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
87.	13-11-2021 MT-472	Test results of the CC cubes for the construction of CC Culvert and approaches Narayanapuram road EP No 42/91 in 46th Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam.	300-00
88.	15-11-2021 MT-469	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
89.	18-11-2021 MT-440	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
90.	18-11-2021 MT-441	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Kaikaluru-4 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
91.	19-11-2021 MT-437	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Vaivaka of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
92.	20-11-2021 MT-463	Test results of the CC cubes for the construction of GramaSachivalayam building First Floor Roof Slab work at Bhujabalapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
93.	22-11-2021 MT-442	Test results of the CC cubes for the construction of GramaSachivalayam building First Floor Slab work at Bomminampadu of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
94.	24-11-2021 MT-470	Test results of the CC cubes for the construction of Y.S.R Wellness centre building Roof Slab Concrete	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		work at Pothumarru Village of Kalidindi Mandal	Sub Division, Mandavalli Mandal	
95.	30-11-2021 MT-467	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Byravapatnam of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
96.	01-12-2021 MT-443	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Mandavalli of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
97.	07-12-2021 MT-456	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
98.	08-12-2021 MT-457	Test results of the CC cubes for the construction of GramaSachivalayam building Ground Floor Slab work at Kaikaluru-4 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
99.	08-12-2021 MT-453	Report of Water analysis	The Estate Manager Gudlavalleru Engineering College Gudlavalleru, Krishna District, A.P.	
100.	09-12-2021 MT-458	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Slab work at Vaivaka of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
101.	11-12-2021 MT-459	Test results of the CC cubes for the construction of GramaSachivalayam building First Floor Slab work at Bomminampadu of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
102.	13-12-2021 MT-454	Test results of the CC cubes for the construction of GramaSachivalayam building First Floor Roof Slab work at Kudaravalli (v) of Nandivada Mandal	A.Harinadh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Gudivada	300-00
103.	13-12-2021 MT-471	Test results of the CC cubes for the construction of Y.S.R Wellness centre building Roof Slab Concrete work at Pothumarru Village of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
104.	13-12-2021 MT-455	Test results of the CC cubes for the construction of YSR Health Clinic building Roof Slab work at Kudaravalli (v) of Nandivada Mandal	A.Harinadh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada	300-00
105.	18-12-2021 MT-464	Test results of the CC cubes for the construction of GramaSachivalayam building Second Floor Roof Slab work at Mandavalli village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
106.	Test results of the CC cubes for the construction of GramaSachivalayam building Piles Concrete work at Takkellapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00	
107.	22-12-2021 ST-262	PROJECT: BZA – GDV – OTR, DOUBLING – PACKAGE – 1 Client: RVNL PMC: URS Scott Wilson India Limited		1,000-00
108.	22-12-2021 ST-263	PROJECT: BZA – GDV – OTR, DOUBLING – PACKAGE – 1 Client: RVNL PMC: URS Scott Wilson India Limited Agency:		1,000-00
109.	24-12-2021 MT-478	Test results of the CC cubes for the construction of R.B.K. building Piles Concrete work at Takkellapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
110.	27-12-2021 MT-465	Test results of the CC cubes for the construction of Wartsila Engine Foundation work at RVK Energy Pvt.Ltd, Konkepudi, Pedana Mandal	RVK Energy Pvt.Ltd,Konkepudi, Iandal, Krishna District	300-00
111.	27-12-2021 MT-473	Test results of the CC cubes for the construction of GramaSachivalayam building First floor Roof Slab work at Tamarakollu Village of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
112.	28-12-2021 MT-475	Test results of the CC cubes for the construction of Y.S.R. Wellness centre building Piles Foundation work at Takkellapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
113.	28-12-2021 MT-488	Test results of the CC cubes for the construction of Concrete used for Roof Slab of Dr YSR Urban Clinic (UPHC) at Sarada Nagar in 31st division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam.	300-00
114.	29-12-2021 ST-264	Sub soil investigation and Recommendation for the foundation of Drill site "PDP-AA" D/s, East Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District	10,000-00
115.	29-12-2021 RF-161	ONGC Rig foundation at "PDP-AA" D/s, East Godavari District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District	10,000-00
116.	09-01-2022 MT-474	Test results of the CC cubes for the construction of GramaSachivalayam building Second floor Roof Slab work at Mandavalli Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
117.	10-01-2022 MT-476	Test results of the CC cubes for the construction of GramaSachivalayam building Piles Concrete work at Takkellapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
118.	11-01-2022 ST-265	Sub soil investigation and Recommendation for the foundation of Drill site "MDAS" D/s, East Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District	10,000-00
119.	11-01-2022 RF-162	ONGC Rig foundation at "MDAS" D/s, East Godavari District, A.P.	Sri P.Narayana Rao, Contractor,Narasapuram, West Godavari District	10,000-00
120.	13-01-2022 MT-479	Test results of the CC cubes for the construction of R.B.K. building Piles Concrete work at Takkellapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
121.	18-01-2022 MT-480	Test results of the CC cubes for the construction of GramaSachivalayam building First Floor Roof Slab work at Tamarakollu Village of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
122.	18-01-2022 MT-481	Test results of the CC cubes for the construction of Y.S.R. Wellness centre building Piles Foundation work at Takkellapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
123.	27-01-2022 MT-497	Test results of the CC cubes for the construction of CC drains to internal roads in Arunodaya colony Ward No:7 in Machilipatnam Municipal Corporation at Machilipatnam	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
124.	28-01-2022 MT-482	Test results of the CC cubes for the construction of MTM C&W office road works at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
125.	28-01-2022 MT-486	Test results of the CC cubes for the construction of Y.S.R. Wellness centre building Roof Slab concrete work at Ingilipakalanka Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
126.	31-01-2022 MT-483	Test results of the CC cubes for the construction of MTM C&W office road works at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
127.	31-01-2022 MT-484	Test results of the CC cubes for the construction of MTM C&W office road works at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
128.	29-01-2022 SD-02	Vetting the design of fire safety building – submission of providing on re-design details of the building	Sri J. HARI GOPAL, GM (Civil), ONGC,SC-13, Godavari Bhavan, Base Complex, ONGC, Rajahmundry -533106, EastGodavari Dist., A.P	63,000-00
129.	15-02-2022 MT-485	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor slab work at Anamanapudi (v) of Nandivada Mandal	A.Harinadh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
130.	18-02-2022 ST-266	Soil testing reports & Sub Soil investigation and Recommendations for the foundation of Residential apartment (STILT+G+4), Bhimavaram, West Godavari district, A.P	Sri J.V. Rama Raju and J.V.Subba Raju, China Amiram, Bhimavaram, West Godavari District	4,000-00
131.	18-02-2022 ST-267	Soil testing reports & Sub Soil Investigation and Recommendations for The foundation Of Public Building (G+2), China Tadinada, Kalidindi Mandal, Krishna District, A.P	Sri J.V.P. Rama Raju, China Tadinada, Kalidindi Mandal, Krishna District	4,000-00
132.	18-02-2022 MT-487	Test results of the CC cubes for the construction of Y.S.R. Wellness centre building Roof Slab Concrete work at Ingilipakalanka Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
133.	18-02-2022 MT-489	Test results of the CC cubes for the construction of MTM C&W office road at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
134.	18-02-2022 MT-507	Test results of the CC cubes for the construction of YSR Health Clinic building Footings work at Pallewada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
135.	19-02-2022 MT-498	Test results of the CC cubes for the construction of CC drains to internal roads in Arunodaya colony Ward No:7 in Machilipatnam Municipal Corporation at Machilipatnam	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
136.	19-02-2022 MT-499	Test results of the CC cubes for the construction of CC drains to internal roads in Arunodaya colony Ward No:7 in Machilipatnam Municipal Corporation at Machilipatnam	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
137.	20-02-2022 MT-490	Test results of the CC cubes for the construction of MTM C&W office road at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
138.	21-02-2022 MT-508	Test results of the CC cubes for the construction of YSR Health Clinic building Footings work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
139.	21-02-2022 MT-491	Test results of the CC cubes for the construction of MTM C&W office road at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
140.	23-02-2022 MT-492	Test results of the CC cubes for the construction of MTM C&W office road at Machilipatnam	Sri Power Mech Projects Limited, Machilipatnam	300-00
141.	23-02-2022 ST-268	Sub soil investigation and Recommendation for the foundation of Drill site "KTE-AA"D/s, West Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District	10,000-00
142.	23-02-2022 RF-163	ONGC Rig foundation at "KTE-AA"D/s, West Godavari District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District	10,000-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
143.	28-02-2022 MT-496	Test results of the CC cubes for the Construction of Building Slab Work at KolliStyanarayana Reddy, Near Bus stand Opposite Ankammatalli Temple Pamarru	Kolli Satyanarayana Near Bus stand Opposite Ankamma talli Temple, Pamarru	300-00
144.	08-03-2022 MT-501	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works.	300-00
145.	09-03-2022 MT-502	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works.	300-00
146.	10-03-2022 MT-503	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works.	300-00
147.	11-03-2022 MT-504	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works.	300-00
148.	11-03-2022 MT-500	Water analysis Report for concrete	Kollipara. Ramanarasimha Rao D.No: 5/114 Beside Post office Road Gudlavalleru	2,000-00
149.	11-03-2022 MT-509	Test results of the CC cubes for the construction of YSR Health Clinic building Footings work at Pallewada of Kaikaluru Mandal -	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
150.	14-03-2022 MT-510	Test results of the CC cubes for the construction of YSR Health Clinic building Footings work at Tamarakollu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
151.	15-03-2022 MT-505	Test results of the Coarse aggregate for the Providing WBM road from E P No 41/128 to E P No 41/126 at Kummaragudem (battilu road) in 41st Division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam.	700-00
152.	16-03-2022 WWWE-01	Water analysis Report for concrete	Kollipara. Ramanarasimha Rao D.No: 5/114 Beside Post office Road Gudlavalleru	2,000-00
153.	21-03-2022 MT-506	Test results of the CC cubes for the Construction of Building Slab Work at KolliStyanarayana Reddy, Near Bus stand Opposite Ankammatalli Temple Pamarru	Kolli Satyanarayana Near Bus stand Opposite Ankamma talli Temple, Pamarru	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
154.	29-03-2022 MT-511	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
155.	29-03-2022 MT-515	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
156.	30-03-2022 MT-512	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
157.	31-03-2022 MT-513	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
158.	31-03-2022 MT-516	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
159.	25-02-2021 ST-215	Sub Soil Investigation and Recommendations for the Foundation of RaithuBorosaKendram and YSR Wellness Center at Ingilipakalanka, Mandavalli Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P	4,000-00
160.	16-06-2020 ST-216	Sub Soil Investigation And Recommendations for the Foundation of RaithuBorosaKendram and YSR Wellness Center at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P	4,000-00
161.	16-06-2020 ST-217	Sub Soil Investigation And Recommendations for the Foundation of Grama Sachivalayam, RaithuBorosaKendram and YSR Wellness Center at Kanukollu, Mandavalli Mandal, Krishna District Andhra Pradesh	Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P	4,000-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
162.	30-06-2020 ST-218	Sub Soil Investigation And Recommendations for the Foundation of Grama Sachivalayam, RaithuBorosaKendram and YSR Wellness Center at Gannavaram, Mandavalli Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P	4,000-00
163.	12-01-2021 ST-219	Sub Soil Investigation And Recommendations for the Foundation of Grama Sachivalayam, RaithuBorosaKendram And YSR Wellness Center at Tamarakollu, Mandavalli Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P	4,000-00
164.	26-06-2020 ST-220	Sub Soil Investigation And Recommendations for the Foundation of Grama Sachivalayam, RaithuBorosaKendram and YSR Wellness Center at Peddagonnuru, Mudinepalli Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P	4,000-00
165.	30-03-2022 MT-526	Test results of the CC cubes for the construction of "CC Drain from D.No.4/1002-2 E in Godugupet from EP No 34/123 to 34119 at kesavarao Thota division 39 of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
166.	31-03-2022 MT-514	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
167.	31-03-2022 MT-517	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
168.	31-03-2022 MT-518	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
169.	31-03-2022 MT-519	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
170.	31-03-2022 MT-520	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
171.	31-03-2022 MT-521	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
172.	31-03-2022 MT-522	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
173.	31-03-2022 MT-523	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
174.	31-03-2022 MT-524	Test results of the CC cubes for the construction MTM C&W office road works at Machilipatnam	Claint: Rail Vikas Nigam Ltd Consultancy: Avaree Associates Executing Agency: M/S Power Mech Projects Ltd Location: MTM Yard Modification Works	300-00
175.	31-03-2022 MT-525	Test results of the CC cubes for the Construction of Building Slab Work at KolliStyanarayana Reddy, Near Bus stand Opposite Ankammatalli Temple Pamarru	Kolli Satyanarayana, Near Bus stand Opposite Ankamma talli Temple Pamarru.	300-00
176.	15-04-2022 MT-532	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor Slab Concrete work at Varahapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
177.	21-04-2022 MT-548	Test results of the CC cubes for the construction of Providing CC drain to cross roads from thoudu factory road EP.No; 2/266 to 2/268 in 2 <sup>nd</sup> ward in Machilipatnam Municipal corporation	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation,Machilipatnam	300-00
178.	21-04-2022 MT-527	Test results of the CC cubes for the construction of "CC Drain from D.No.4/1002-2 E in Godugupet from EP No 34/123 to 34119 at kesavarao	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam.	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		Thota division 39 of Machilipatnam Municipal Corporation		0 \
179.	25-04-2022 MT-572	Test results of the CC cubes for the construction of "CC drain from CITU office to Railway station road behind Town hall in division No 18" of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
180.	02-05-2022 MT-542	Test results of the CC cubes for the construction of "Providing CC Road from bypass road to D No 15/421/7 in Narayanapuram in 46 <sup>th</sup> division of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
181.	05-05-2022 MT-533	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor Slab Concrete work at Varahapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
182.	11-05-2022 MT-531	Test results of the CC cubes for the construction of Dr.YSR Urban clinic building at Railpet, 13 <sup>th</sup> Division in Machilipatnam Municipal corporation	Sri R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
183.	11-05-2022 MT-561	Test results of the CC cubes for the construction of "Construction of CC drain from D No 4/400/6 to E No 32/186 & E P No 32/201 to E P No 32/197 in Rajupet in Division No 37 of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal CorporationMachilipatnam	300-00
184.	12-05-2022 MT-555	Test results of the CC cubes for the construction of "Providing CC Road from bypass road to Sivaganga Drain East side road in Division No 50 of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation, Machilipatnam	300-00
185.	20-05-2022 SD-03	Construction OF Fire Outpost At MSAA – EPS ONGC at Bantumilli, Krishna District, A.P	The Deputy General Manager (Civil) ONGC Ltd; Base Complex, Rajahmundry - 533106, A.P	98,000-00
186.	20-05-2022 NDT	Site Visit and non destructive testing on structural elements of OHSR at Ganganamma tank, Pamarru, Krishna D.T, A.P	Ganganamma tank, Pamarru, Krishna D.T, A.P	20,000-00
187.	24-05-2022 MT-571	Test results of the CC cubes for the construction of "Providing CC road from EP No 37/86 to E P No 37/89 near prasad Rao church in division No 42 of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation,Machilipatnam	300-00
188.	28-05-2022 MT-534	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor Slab Concrete	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		work at Koduru of Mudinepalli Mandal	Division, Mandavalli Mandal	
189.	01-06-2022 MT-562	Test results of the CC cubes for the construction of "Construction of CC drain from D No 4/400/6 to E No 32/186 & E P No 32/201 to E P No 32/197 in Rajupet in Division No 37 of Machilipatnam Municipal Corporation	Municipal Assistant Engineer, Municipal Corporation,Machilipatnam	300-00
190.	05-06-2022 MT-556	Test results of the CC cubes for the construction of Gramasachivalayam building footings Concrete work at Guruvaipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
191.	07-06-2022 MT-546	Testing GSB & WMM materials providing Bt road from Pasumarru ZP road to Veerabattina H.W of Pasumarru Village of Pamarru Mandal	SRI MVM GOPAL, Contractor, Pamarru (V&m), Krishna DT.A.P	5,000-00
192.	07-06-2022 MT-547	Testing GSB & WMM materials providing Bt road from Pasumarru ZP road to Veerabattina H.W of Pasumarru Village of Pamarru Mandal	SRI MVM GOPAL, Contractor, Pamarru (V&m), Krishna DT.A.P	5,000-00
193.	09-06-2022 MT-538	Test results of the CC cubes for the construction of R.B.K building footings Concrete work at Chigurukota of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
194.	09-06-2022 MT-540	Test results of the CC cubes for the construction of Grama Sachivalayam building footings Concrete work at Mudinepalli-2 of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
195.	11-06-2022 MT-549	Test results of the CC cubes for the construction of Providing CC road to cross roads from thoudu factory road EP.No; 2/266 to 2/268 in 2 <sup>nd</sup> ward in Machilipatnam Municipal corporation	R.G.Vara Prasad Assistant Engineer, Machilipatnam Municipal Corporation, Machilipatnam	300-00
196.	11-06-2022 MT-537	Test results of the CC cubes for the construction of R.B.K building Concrete work at Vadali of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
197.	11-06-2022 MT-536	Test results of the CC cubes for the construction of GramaSachivalayam building footing Concrete work at Vadali of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
198.	13-06-2022 ST-273	SUB SOIL INVESTIGATION And Recommendations for the foundation ofnresidential apartment (Stilt+G+4), Rajendranagar, Gudivada, Krishna Dt,A.P	Sri M. Srinivasa Rao, S/O M. Venkata Ratnam, D.No-10/154-D5-1, Rajendra NAGAR, GUDIVADA	4,000-00
199.	13-06-2022 MT-539	Test results of the CC cubes for the construction of R.B.K building footings Concrete work at Mudinepalli - 2 of Mudinepalli	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		Mandal		9 \
200.	14-06-2022 MT-550	Test results of the CC cubes for the construction of YSRC building footings Concrete work at Byravapatnam Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.	300-00
201.	16-06-2022 SD-04	Strengthening Measures To Existing Compound Wall For Arresting Seepage Of Sludge & Tilting Action Of Compound Wall With Cost Estimate At Kesanapalli GGS, ONGC, E.G DT., A.P	Sri J.Hari gopal, G.M(Civil), ONGC, Rajahmundry Asset, Base Complex,Rajahmundry, E.G.Dt., A.P.	30,000-00
202.	18-06-2022 MT-535	Test results of the CC cubes for the construction of GramaSachivalayam building Ground floor Slab Concrete work at Koduru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
203.	22-06-2022 SC - 01	Report on site visit, conducting non-destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class rooms of Z.P.H. School, V.kothapalem, Koduru Mandal, Krishna Dt.	Head Master, Z.P.H. School, V.kothapalem, Koduru Mandal, Krishna Dt.	20,000-00
204.	22-06-2022 SC - 02	Report on site visit, conducting non- destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class rooms of M.P.U.P.School, Koduru, Krishna Dt.	Head Master, M.P.U.P.School, Koduru, Krishna Dt.	20,000-00
205.	23-06-2022 SC - 03	Report on site visit, conducting non- destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class rooms of ZPHS (Boys) School, Akividu, West Godavari Dt.	Head Master, ZPHS (Boys) School, Akividu, West Godavari Dt	20,000-00
206.	23-06-2022 SC - 04	Report on site visit, conducting non- destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class rooms of AVSN MPL High school, Palakollu, West Godavari Dt.	Head Master, AVSN MPL High school, Palakollu, West Godavari Dt.	20,000-00
207.	23-06-2022 SC - 05	Report on site visit, conducting non- destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class rooms of MPL UPS (No.1) school, Tanuku, West Godavari Dt.	Head Master, MPL UPS (No.1) school, Tanuku, West Godavari Dt	20,000-00
208.	22-06-2022 MT-551	Test results of the CC cubes for the construction of Grama Sachivalayam	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub	300-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		building footings Concrete work at Chigurukota Village of Mudinepalli Mandal	Division, Mandavalli Mandal	
209.	25-06-2022 MT-558	Test results of the CC cubes for the construction of YSRWC building footings Concrete work at Kovvadalanka of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
210.	26-06-2022 MT-557	Test results of the CC cubes for the construction of Gramasachivalayam building footings Concrete work at Guruvaipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
211.	27-06-2022 MT-573	Test results of the CC cubes for the construction of Gramma Sachivalayam building Piles Concrete work at Ingilipaka Lanka of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
212.	28-06-2022 SC - 06	Report on site visit, conducting non- destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class roms of MPUP school, Kruthivennu(PP), Krishna Dt.	Head Master, MPUP school, Kruthivennu(PP), Kruthivennu Mandal, Krishna District	20,000-00
213.	28-06-2022 SC - 07	Report on site visit, conducting non- destructive tests, evaluation and recommendations for vertical expansion of existing school building for accommodating additional class rooms of MPUP school, Ramavarapudumodi, Krishna Dt.	Head Master, MPUP school, Ramavarapudumodi, Krishna District	20,000-00
214.	30-06-2022 MT-552	Test results of the CC cubes for the construction of Grama Sachivalayam building footings Concrete work at Mudinepalli-2 of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
215.	30-06-2022 MT-553	Test results of the CC cubes for the construction of R.B.K building footings Concrete work at Chigurukota of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
216.			Total Amount	608,200-00

Date: 14-03-2022

From

Kollipara. Ramanarasimha Rao D.No: 5/114 Beside Post office Road Gudlavalleru

To
The principal
S R Gudlavalleru Engineering College
Gudlavalleru
Krishna (district)
Andhra Pradesh

Sub: Request to issue report on water analysis for mixing in concrete

Sir

I bring you your kind notice that I want to construct a residential building in gudlavalleru. I need water analysis which is going to be used for mixing water in concrete. Hence, I request you to issue water analysis report on water sample which will be given on 15-03-2022 in Water and Wastewater Engineering Lab, Department of Civil Engineering. S R Gudlavalleru Engineering College. Consultancy fee will be paid on a day report to be issued.

Thank you

K. R. Morae Co

Forwarded Dr. CIRB

Why 15/2/22

# PERFORMANCE OF R.O PLANT ON WATER QUALITY SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

Date:04-04-2022

MMWE 02

Ref: SRGEC/MAINT/2022

From
The Estate Manager
Seshadri Rao Gudalvalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru

To
The Principal
Seshadri Rao Gudalvalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru

Sir,

Sub: Request for Report on Drinking water quality - Reg.

In order to know the performance of Seshadri Rao Gudlvalleru Engineering College Reverse osmosis( R O) plant, we need to require Reverse osmosis plant treated water quality standards. Hence, I request you to give permission to get test report from water and wastewater Engineering Laboratory, Dept of Civil Engineering, Seshadri Rao Gudlavalleru Engineering College.

Thanking You

Yours Sincerely

HOD CE FW AND Brown SESHADRI RAO
GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S., M.Tech., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISES, MIAPR, MCRSI

**Principal** 

Ref: SRGEC/Consultancy /CE/WWWE- 02

To
The Estate Manager
Seshadri Rao Gudlavalleru Engineering College
Gudlavalleru,
Krishna District, A.P.

Sir

Ref: With reference of a letter dated on 04-04-2022 given by Sri. Estate Manager Gudlavalleru, Krishna District, AndhraPradesh.

Sub: Report of Water analysis - Regarding.

With reference of the above, water was tested in WWWE Lab; tests were performed as per standard methods for the examination of water and wastewater (APHA) 23<sup>rd</sup> Edition, 2017.

Table:1 Characteristics of Water Sample

S No	Sample	Characteristic	Drinking water Standards as per IS:10500:2012	
	16		Permissible limits	Robalts
1		pH	6.5 -8.5	6.7
2	-	Dissolved solids mg/L	2000	285
3		Total alkalinity mg/L	600	12
4	RO plant	Hardness mg/L	600	85
5	water	Chlorides mg/L	1000	156
6	sample	Sulphates mg/L	400	40
7	] [	Nitrates mg/L	45	2
8		Ammonia mg/L	0.5	Níl
9		Iron mg/L	0.3	Nil
10		Flourides mg/L	1.5	Nil

K Peredin (K.Revathi) Lab Technician

(Dr. G.Reddy Babu) Lab Incharge (Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

Date: 06-04-2022

PRINCIPAL



Date. 18.08.2021

To,
The Principal,
Gudlavalleru Engineering College,
Gudlavalleru.

Sir,

Sub: - Request to find out water quality parameters for drinking & construction works at Dokiparru temple site – Regarding.

This is requesting you to arrange quality parameters for drinking & construction works of bore well water at our Dokiparru temple premises for the usage of Ro system (drinking water), Hot water supply system for devotees and for other various construction works.

In this regard, we intimate you that we shall pay the necessary charges incurred for this tests and requesting you to issue a certificate at the earliest.

Thanking you sir,

Yours sincerely

For Megha Engineering and Infrastructures Limited

1

Submitted to Work hate bridged to reduce to make the driving of the driving of the driving of the driving the driv

Subminion exempled (What safet) les weberns (www)

### PERFORMANCE OF R.O PLANT ON WATER QUALITY GUDLAVALLERU ENGINEERING COLLEGE

Date: 24/7/2021

REF: GEC/MAINT/2021

From The Estate Manager Gudlavalleru Engineering College Gudlavalleru

To The Principal Gudlavalleru Engineering College Gudlavalleru

Sir

Sub: Request for Report on Drinking water quality - Reg.

In order to know the performance of Gudlavalleru Engineering College Reverse osmosis (R O) plant, we need to require Reverse osmosis plant treated water quality standards. Hence, I request you to give permission to get test report from Water and Wastewater Engineering Laboratory, Dept of Civil Engineering, Gudlavalleru Engineering College.

Thanking you

The Wales Sample and The Appet Combe Tested and The Appet Combe Tested and Indicated.

Yours Sincerely

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D., TE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

incipal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 1st April, 2021

To

Sri P.Narayana Rao, Contractor, Narasapuram.

West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "SMAA-D"D/s, West Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 156

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "SMAA-D"D/s, West Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount Rs.10,000/-
ST-255	Sub soil investigation and Recommendation for the foundation of Drill site "SMAA-D" D/s, West Godavari District, A.P	Rs.10,000/-	
-RF-156	Rs.10,000/-		
(Rupees Twenty Thousand Only) Total		Rs.20,000/-	

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D., ITE, MIE, MCSI, MISRS, MIAPR, MCRSI

al

EF: GEC/ONGC/CONSULTANCY/2021

Date: 9th August, 2021

O

ri P.Narayana Rao, ontractor, larasapuram, Vest Godavari District.

iir,

tub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Pesign of ONGC Rig foundation at "MDAR"D/s, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 157

am herewith submitting five sets of Hard copies on Soil testing reports & Design letails of ONGC Rig foundation at "MDAR"D/s, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-257	Sub soil investigation and Recommendation for the foundation of Drill site "MDAR" D/s, East Godavari District, A.P		Rs.10,000/-
RF-157	ONGC Rig foundation at "MDAR" D/s, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

**PRINCIPAL** 

Encl: 5 sets of Design and Drawings
Copy to Consultancy Cell of GEC

Copy to Society file

CDVL CO

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

TE, MIETE, MIE. MCSI, MISRS, MIAPR, MCRSI

cipa

**REF: GEC/ONGC/CONSULTANCY/2021** 

Date: 9th August, 2021

To

Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports Design of ONGC Rig foundation at "MDA-Q"D/s East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 158

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDA-Q"D/s, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-258	Sub soil investigation and Recommendation for the foundation of Drill site "MDA-Q" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-158	ONGC Rig foundation at "MDA-Q" D/s, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2021

Date: 1st October, 2021

To Sri P. V. Hari Haran, Chowtapally, Krishna District.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports & Sub Soil Investigation and Recommendations for the Foundation of G+2 Housing, Chowtapally, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST - 259

I am herewith submitting Two sets of Hard copies on Soil testing reports & Sub Soil Investigation and Recommendations for the Foundation of G+2 Housing, Chowtapally, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-259	Soil testing reports & Sub Soil Investigation and Recommendations for the Foundation of G+2 Housing, Chowtapally, Krishna District, A.P	Rs.4,000/-	Rs.4,000/-
(Rupees Four Thousand Only) Total Re		Rs.4,000/-	

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy ceil: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Copy to Consultancy Cell of GEC

Copy to Society file

GOLV GONE

Recived 67
H. Rammollo 21

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Pr. G. V. S. N. R. V. PRASAD M.S., M. Teeb., Ph.D., MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 10th November, 2021

To Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "MSD-W"D/s Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 159

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MSD-W"D/s, Krishna District, A.P.

Si. No.	Name of Work	Consultancy charges	Total Amount
\$T-260	Sub soil investigation and Recommendation for the foundation of Drill site "MSD-W" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
RF-159	ONGC Rig foundation at "MSD-W" D/s, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK. Kaklnada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D., MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principaker: GEC/ONGC/CONSULTANCY/2021

Date: 10th November, 2021

To

Sri P.Narayana Rao, Contractor, Narasapuram. West Godavari District.

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "KLM-AA"D/s West Godavari District, A.P and Bill of charges - Reg.

Ref: Report RF - 160

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "KLM-AA"D/s, West Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-261	Sub soil investigation and Recommendation for the foundation of Drill site "KLM-AA" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-160	ONGC Rig foundation at "KLM-AA" D/s, West Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

NAME OF THE PROJECT – "YARD MODIFICATION WORKS AT MACHILIPATNAM AS PER THE REVISED ESP IN CONNECTION WITH DOUBLING OF RAILWAY LINE BETWEEN GUDIVADA-MACHILIPATNAM STATIONS ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY IN ANDHRA PRADESH STATE-ISSUE OF NOTIFICATION OF AWARD."

#### **CLIENTS**

#### RVNL VIJAYAWADA

#### CONTRACTOR

POWER MECH PROJECTS LTD

SOIL TEST REPORT SUBMITTED BY



CONSULTANCY CELL

\*\*DEPARTMENT OF CIVIL ENGINEERING\*\*

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P.

### GEOTECHNICAL LABORATORY: CIVIL ENGINEERING DEPARTMENT SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE:: GUDLAVALLERU TEST RESULTS

Tα

Date: 10-06-2021

The General Manager, GVR - Premco joint venture,

Gudivada.

Sub: - Yard Modification Works at Machilipatnam as per the revised ESP in connection with Doubling of Railway line Between Gudivada- Machilipatnam Stations on Vijayawada Division of South Central Railway in Andhra Pradesh Description of Sample(s):

Nature / Material

: Barrow Area Soil Sample for Suitability of Embankment.

Collected From

: Sample Collected from Nandamuru

Quantity Approx.

25Kgs

Packing Container

: Polythene Bags

Dt of Sample Receipt in the Lab: 08-06-2021

Report on test results of soils.

		Report on	test results	of soils.	·	
	NANDAMURU				- <del></del>	<u> —</u>
S. No	Name of the test	Test Method	Results	Units	Specifications as per MORT&H 5th Rev, Sec.300	Remarks
1	ОМС	IS:2720	1.804	g/cc	Min 1.631 g/cc	
	Liquid Limit (LL)	(Part-8)	11.8	%		1
2	Plastic Limit (PL)	IS:2720	20.54	%	Max 50%	
	Plasticity Index (PI)	(Part-5)	NP	%	-	÷*.
3		15,2720	NP	%	Max 25%	
4	Free Swell Index(FSI)  Grain Size Analysis	IS:2720 (Part-40)	12	%	Max 50%	The Soil is
7	Gravel T					suitable for
	Sand	IS:2720	1.30	%		Embankment
	Silt & Clay	(Part-4)	78.48	%		
_	CBR		20.22	%		
		IS:2720 (Part-16)	12.50	%	Min 5%	
	The test results apply only	to the samples sur	nnlied			

Note: The test results apply only to the samples supplied.

**INCHARGE** OF GTE LAB.

CONSULTANCY CELL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gellavalleru - 521 356, Krishna District, A.P. Gudlavalleru

H.O.D OF

-CIVIL ENGG.

Head of the Department Gudlavaileru Engineering College

Seshadri Rao Knowledge Village. Gudiavalleru - 521 356, Krishna District, A.P.

Gudlavalleru Engineering College Seshadri Rao Knowledge

NAME OF THE PROJECT – "YARD MODIFICATION WORKS AT MACHILIPATNAM AS PER THE REVISED ESP IN CONNECTION WITH DOUBLING OF RAILWAY LINE BETWEEN GUDIVADA-MACHILIPATNAM STATIONS ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY IN ANDHRA PRADESH STATE-ISSUE OF NOTIFICATION OF AWARD."

CLIENTS

RVNL VIJAYAWADA

CONTRACTOR

POWER MECH PROJECTS LTD

SOIL TEST REPORT SUBMITTED BY



CONSULTANCY CELL

\*\*DEPARTMENT OF CIVIL ENGINEERING\*\*

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P.

## GEOTECHNICAL LABORATORY: CIVIL ENGINEERING DEPARTMENT SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE:: GUDLAVALLERU TEST RESULTS

Date: 05-07-2021

To

The General Manager,

GVR - Premco joint venture,

Gudivada.

Sub: - Yard Modification Works at Machilipatnam as per the revised ESP in connection with Doubling of Railway line Between Gudivada- Machilipatnam Stations on Vijayawada Division of South Central Railway in Andhra Pradesh State-Issue of Notification of Award.

Description of Sample(s):

Nature / Material

: Barrow Area Soil Sample for Suitability of Embankment.

Collected From

: Sample Collected from JONNAL (Borrow Area)

Quantity Approx.

:25Kgs

**Packing Container** 

: Polythene Bags

Dt of Sample Receipt in the Lab: 04-07-2021

Report on test results of soils

! <del></del>	JONNAL								
S. No	The or the test	Test Method	Results	Units	Specifications as per MORT&H 5th Rev, Sec.300	Remarks			
1	MDD OMC	IS:2720	1.804	g/cc	Min 1.631 g/cc	<del></del>			
	<del></del>	(Part-8)	11.60	%	-	}			
2	Liquid Limit (LL)	IS:2720 (Part-5)	20.2	%	Max 50%	1			
	Plastic Limit (PL)		NP	%	-				
	Plasticity Index (PI)		NP	%	Max 25%				
3	Free Swell Index(FSI)	IS:2720 (Part-40)	15	%	Max 50%	The Soil is suitable for			
4									
	Gravel	IS:2720	1.10	%	n <sub>0</sub>	Embankment			
ŀ	Sand	(Part-4)	79.50	%					
	Silt & Clay		19.40	%					
5	CBR	IS:2720 (Part-16)	12.30	%	Min 5%				

Note: The test results apply only to the samples supplied.

OF GTE LAB. CONSULTANCY CELL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge

CIVIL ENGG.

Head of the Department

Gudiavalleru Engineering College

Seshadri Rao Knowledge Village

F13.1 ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal -

Gudlavalleru Engineering college

Gudlavalleru

ir no 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 16.04.2021

ib:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 1$ 19-93-2021 with M30 mix concrete for obtaining 28 days ( 16-04-2021) cube strength of the Concrete is used for First Floor Roof Slab of 'Construction of Gram

Culayam building at Vemavarappadu of Kaikaluru Mandal Est Cost Rs 40.00 shactioned under NREGS grant . Required payment will be made when the demand . . . . ea hon you, end.

4.11

Yours faithfully

PKI subdivision Mandavalli

Phone Na - 909059690627 Name: J. Raju

MT-360

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/RBK/reports/2019 dt 04-04-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-03-2021 with M30 mix concrete for obtaining the 7 days (04-04-2021) cube strength of the above concrete is used for Roof Slab of Construction of RBK Building at Chinthapadu Village of Mandavalli Mandal Estt Cost Rs.21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Descrip Executive Engineeer

PRI subdivision Mandavalli

July

MT-363

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/RBK/ reports/2019 dt 25-04-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-03-2021 with M30 mix concrete for obtaining the 28 days (25-04-2021) cube strength of the above concrete is used for **Roof Slab** of **Construction of RBK Building at Chinthapada Village of Mandavalli Mandal Estt Cost Rs.21.80 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Denuty Executive/Engineeer

PRI subdivision Mandavalli

Jean

Date: 17/04/2021

To,
The Department Head,
Gudlavalleru Engineering College,
GUDLAVALLERU.

Dear Sir,

Sub: Request to conduct Compressive strength Test of RCC M25 Concrete @ 14 days period.

We request your good self to conduct Compressive strength of RCC M25 grade concrete test for 14 days strength which was casted at Poojari quarter's block -1, 3rd Floor, Dokiparru Sri Venkateshwara Swamy Temple Buildings

Dokiparru-521 332.

Also request you to provide test reports as per the result at the earliest.

Testing Dete - 02-04-2021 Testing Dete - 16-04-2021 Thanking you sir, -16-04-2021

Yours sincerely,

For Megha Engineering and Infrastructure limited

**Authorized Signatory** 

ken

MT - 371 To,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, The Principal
Gudlavalleru Engineering college
Gudlavalleru

Mandavalli.

Lr no / JTO/PRISD/Mandavalli/GS/reports/2019 dt 30-06-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

-Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos ) of size 150x150x150mm casted on 24-06-2021 with M30 mix concrete for obtaining the 7 days (30-06-2021) cube strength of the above concrete is used for **Footings** of **Construction of Grama Sachivalayam Building at Byravapatnam of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

3

Forwarded to Sri KUR Science MT -373

From

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

Τo,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 04-07-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 27-06-2021 with M30 mix concrete for obtaining the 7 days (04-07-2021) cube strength of the above concrete is used for First Floor Slab of Construction of Grama Sachivalayam Building at Rachapatnam of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.V. 9. T. ? - O Sal w. M Senior Assistant

Forward to

Sin XXX action 5

measured to

keeper

MT-374

Τo,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision,

Gudlavalleru

Mandavalli.

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 04-07-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 28-06-2021 with M30 mix concrete for obtaining the 7 days (04-07-2021) cabe strength of the above concrete is used for **First Floor Slab** of **Construction of Grama Sachivalayam Building at Kottada of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

Y.N. 18.R./ Potande. P. Senior Assistant

Forwarded to so kette for veery freeze

MT-375 TO

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer,
Panchyat Raj Subdivision,
Mandavalli.

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 05-07-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 29-06-2021 with M30 mix concrete for obtaining the 7 days (05-07-2021) dube strength of the above concrete is used for **Footings** of **Construction of Grama Sachivalayam Building at Kaikaluru-5 of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.v.z. To. Oscara . A. Senior Assistant

Forwarded to Sri Kyle for recursory recursory

## MT-347

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavaileru

Er no 72/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 10-07-2021 Sir,

Sub:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-07-2021 with M30 mix concrete for obtaining the 7 days (10-07-2021) cube strength of the above concrete is used for Footings of 'Construction of Rythu Barosa Kendram building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

10108/004 Deputy Executive Engineeer

PRI subdivision

Mandavalli

forwarded to

MT-378

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

The Principal

Gudłavalleru Engineering college

Gudłavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 10-07-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 03-07-2021 with M30 mix concrete for obtaining the 7 days (10-07-2021) cube strength of the above concrete is used for **Footings** of **Construction of Grama Sachivalayam Building at Tadinada of Kalidindi Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.N.S. 75.3 Pocana NW Senior Assistant

Forwarded to recent Six x V Parties

4

NT-379

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

RBK Lr no 72/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 13-07-2021 Sir,

Sub:- PRI subdivision - Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results - regarding

Ref:- 1... Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-07-2021 with M30 mix concrete for obtaining the 7 days ( 13-07-2021 ) cube strength of the above concrete is used for Footings of 'Construction of Rythu Barosa Kendram building at Lingala of Mandavalli Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

puty Executive Engineear PRI subdivision

Mandavalli

Forwarded to SH KUR

Sn P.Suresh Babu M.Tech.

Deputy Executive Engineer

Panchyat Raj Subdivision

To,

the Principal

Gudlavailera Engineering college

Gudlavalleru

Ur no

/ JTO/PRISD/Mandavallr / GS bldg / reports/2021 dt 17-07-2021

Sir.

Sub: PRT subdivision = Mandavalle = submission of + abes of M30 concrete = required 7 days strength results = regarding

Ref. 1. Remoi 25/C1/2020 dt 01 05-2020 of the District Collector /DPC MGNREGS Krishna

Lam submitting the chire samples (3 nos) di-size 150x150x150nim casted on 11.07-2021 with MB0 mix concrete for obtaining the 7 days (17.07-2021) cube strength of the above concrete is used for **Footings of "Construction of Gram Sachivalayam building at Perekegudem of Mandavalli Mandat Est Rs 40.00 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end-

5

Yours faithfully

REPoty Executive Engineeer PRI subctivision

Mandavatii

Farwarded 6 Scri KUR

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Gudivada

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 27-06-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 31-05-2021 with M30 mix concrete for obtaining the 28 days ( 27 -06 -2021) cube strength of the above concrete is used for VRCC M30 for Roof slab 'Construction of YSR Health Clinic building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Gudivada

Forwarded & Sp. Dela

To,

Sri A.Harinadh-Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Gudivada.

The Principal,

Gudlavalleru Engineering college,

Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 04-07-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-06-2021 with M30 mix concrete for obtaining the 28 days ( 7-07-2021) cube strength of the above concrete is used for VRCC M30 for Ground floor Roof slab 'Construction of Grama sachivalayam building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Gudivada

Friwarded to Sinkul From.,

To,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada.

The Principal, Gudlavalleru Engineering College. Gudlavallru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 14-07-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 17-06-2021 with M30 mix concrete for obtaining the 28 days ( 17-07 -2021) cube strength of the above concrete is used for VRCC M30 for Roof slab 'Construction of RBK building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 21.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end-

Yours faithfully

Deputy Executive Engine PRI subdivision

Gudivada

Forwarded to

To,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, The Principal,
Gudlavalleru Engineering co<del>ll</del>ege,
Gudlavalleru.

Gudivada.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 16-07-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 10-07-2021 with M30 mix concrete for obtaining the 7 days ( 16 -07 -2021) cube strength of the above concrete is used for VRCC M30 for First floor Roof slab 'Construction of Grama sachivalayam building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudivada

Journaled to Str Kels MT-385

From

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision,

Mandavalli.

To,

The Principal

Gudlavalleru Engineering college

Gudiavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 25-07-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector ./DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 27-06-2021 with M30 mix concrete for obtaining the 28 days (25-07-2021) cube strength of the above concrete is used for First Floor Slab of Construction of Grama Sachivalayam Building at Rachapatnam of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Ferwarded to Sri KVR autions for menong autions

Y.V. 3, 70.3, Posonov. No Senior Assistant

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli.

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

/ JTO/PRISD/Mandavatii/GS / reports/2019 dt 22-07-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150 nm casted on 24-06-2021 with M30 mix concrete for obtaining the 28 days (22-07-2021) cube strength of the above concrete is used for Footings of Construction of Grama Sachivalayam Building at Byravapatnam of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Forwarded to Six KVR Jelly

HT-387

From

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer, Panchyat Raj Subdivision,

Mandavalli.

To.

The Principal

Gudlavalleru Engineering college

Gudlavalleru

/ JTO/PRISD/Mandavalli/GS/Reports/2019 dt 26-07-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 28-06-2021 with M30 mix concrete for obtaining the 28 days (26-07-2021) cube strength of the above concrete is used for First Floor Slab of Construction of Grama Sachivalayam Building at Kottada of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

(Sd/-xxxxxxxx)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y. V. S. T. S. P Starw. M. Senior Assistant

Forwarded to Striker July

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision,

Gudlavalleru

Mandavalli.

/ JTO/PRISD/Mandavalli/GS/Reports/2019 dt 27-07-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 29-06-2021 with M30 mix concrete for obtaining the 28 days (27-07-2021) cube strength of the above concrete is used for Footings of Construction of Grama Sachivalayam Building at Kaikaluru-5 of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

(Sd/-xxxxxxxxx)

Deputy Executive Engineeer PRI subdivision Mandavalli

//Lc.f.b.o.//

Y.V.J.R.J. Orcard. M Senior Assistant

Farwarded to Sti KVR

MT- 389

From ,

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalieru

Lr no 72/ 3TO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 01-08-2021 Sir,

Sub:- PRT subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 28 days strength results -- regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-07-2021 with M30 mix concrete for obtaining the 28 days ( 01-08-2021 ) cube strength of the above concrete is used for **Footings** of **'Construction of Rythu Barosa Kendram building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant**. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

forwarded to Sti KUF freez

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli. MT-390

The Principal

To,

Gudlavalleru Engineering college Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 01-08-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 03-07-2021 with M30 mix concrete for obtaining the 28 days (01-08-2021) cube strength of the above concrete is used for **Footings** of **Construction of Grama Sachivalayam Building at Tadinada of Kalidindi Manda!** Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

Y. V. S. R. 3\_ Object a. The Senior Assistant

Farmanded & Son KVR

MT-391

To,

Sri P.Suresh Babu M.Tech.,

вари м. чест.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no 72/ JTO/PRISD/Mandavalli / Gram Suchivalayam/ reports/2019 dt 03-08-2021 Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-07-2021 with 1430 mix concrete for obtaining the 28 days ( 03-08-2021 ) dube strength of the above concrete is used for Footings of Construction of Rythu Barosa Kendram building at Lingala of Mandavalli Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalii

Forwarded to Str KVR

MT-392\_

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kalidindi/ Gram Sachivalayam/ reports/2019 dt 04-08-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-07-2021 with M30 mix concrete for obtaining the 7 days (94-08-2021) and cube strength of the above concrete is used for **Footings** of **Construction of Gram Sachivalayam Building at Chintapadu of Mandavalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive/Engineeer

PRI subdivision Mandavalli

Forwarded to ST FYR

MT- 396

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mudinepalli/GS/Reports/2019, dt 07-08-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 30-07-2021 with M30 mix concrete for obtaining the 7 days (00-08-2021) and cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Gram**Sachivalayam Building at Peruru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

MUW (M

Deputy Executive Engineeer

PRI subdivision Mandavalli

Jarwanded & Sir XUR FROM

Sri P. Suresh Babu M.Tech, Deputy Executive Engineer, Panchayat Raj Subdivision. Mandavalli. To
The Principal,
Gudlavalleru Engineering College
Gudlavalleru.

Lr no : /JTO/PRISD/Mandavalli/Gram Sachivalayam/Reports/2019 dt 14/08/2021 Sir

Sub :- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding.

Ref :- Rc no 26/C1/2020 dt 01/05/2020 of the District Collector / DPC MGNREGS Krishna.

I am submitting the cube samples (3nos ) of size 150 X 150 X 150 mm casted on 09/08/2021 with M30 mix concrete for obtaining the 7 days (16/08/2021) cube strength of the above concrete used for Ground floor slab of construction of Granm Sachivalayam building at Gannavaram village of Mandavalli Mandal.

Estd cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineer PRI sub division

Mandavalli

Farwarded to grip kup

MT-386 398,399.

From

ित मिला हरि

D.N.Kumar,
Assistant Engineer,
Endowments Department
Vijayawada

To

The Principal
Gudlavalleru Engineering College,
Gudlavalleru Village- 521356,
Krishna District.

Sub:-Endowments Department – Works - M 20 Nominal mix – Sri Venkateswara Swamy Temple-Godugupeta, Machilipatnam Town , Krishna District-Cubes of footings - For want of necessary test report – Submitted-regarding.

@@@

I request that please conduct necessary required tests i.e. 7 days and 28 days and issue certificates for the cubes of M 20 mix which were obtained from the site of the work of Re construction of temple of Sri Venkateswara Swamy Temple at Godugupeta, Machilipatnam Town, The necessary payments will be paid by us.

Type of Sample:

Cement Concrete Cubes

Test Method Adopted: IS 516-1959 (Reaffirmed 2004)

SI.No	Date of Casting	la × Mix	For test Result	Compressive Strength
. 1	21.042021	M20	7 Days	
2	21.042021	M20	28 Days	

Your's faithfully

Assistant ENGINEER

Encl: Cubes for 7 and 28 days

Copy to the Executive Officer of subject temple

forwarded KNR

keen

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no

/ JTO/PRISD/Mandavalli / GS bldg / reports/2021 dt 14-08-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-08-2021 with M30 mix concrete for obtaining the 7 days (14-08-2021) cube strength of the above concrete is used for Pile concencrete for the wor " Construction of YSR wellness center at INglipakalanka of Mandavalli Mandal Est Rs 21.80 Lakhs sanctioned under NREGS grant vide  $\operatorname{ref}(1)$  cited . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandavalli

Erwarded to

MT-403

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no · /JTO/PRISD/Mudinepalli/GS/Reports/2019 dt:27-08-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 30-07-2020 with M30 mix concrete for obtaining the 28 days (27-08-2021) cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Gram Sachivalayam Building at Peruru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

MT-404

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 05-09-2021

Sir,

Sub: - PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results -- regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 29-08-2021 with M30 mix concrete for obtaining the 7 days (05-09-2021) cube strength of the above concrete is used for **Footings Concrete** of **Construction of Grama Sachivalayam Building at Mandavalli of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to Sri Kul **FROM** 

Sri P. Suresh Babu M.Tech, Deputy Executive Engineer, Panchayat Raj Subdivision. Mandavalli. To

The Principal,
Gudlavalleru Engineering College
Gudlavalleru.

Lr no : /JTO/PRISD/Mandavalli/Gram Sachivalayam/Reports/2019 dt 0 0/09/2021 Sir

Ref :- Rc no 26/C1/2020 dt 01/05/2020 of the District Collector / DPC MGNREGS Krishna.

I am submitting the cube samples (3nos ) of size 150 X 150 X 150 mm casted on 09/08/2021 with M30 mix concrete for obtaining the 28days (06/09/2021) cube strength of the above concrete used for Ground floor slab of construction of Granm Sachivalayam building at Gannavaram village of Mandavalli Mandal.

Estd cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineer
PRI sub division

Mandavalli

Comanded to

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no

/ JTO/PRISD/Mandavalli / GS bldg / reports/2021 dt 06-09-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-08-2021 with M30 mix concrete for obtaining the 28 days ( 06-09-2021) cube strength of the above concrete is used for **Pile conconcrete for the wor " Construction of YSR wellness center at INglipakalanka of Mandavalli Mandal Est Rs 21.80 Lakhs** sanctioned under NREGS grant vide ref(1) cited . Required payment will be made when the demand received from your end

Yours faithfully

Deputy/Executive Engineeer

PRI subdivision

Mandaválli

Fewarded to Kreen

MT-457

Τo,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mudinepalli/GS/Reports/2019, dt 12-09-2021

Sir,

Sub:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results -- regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-09-2021 with M30 mix concrete for obtaining the 7 days (12-09-2021) and cube strength of the above concrete is used for **Footing Concrete** of **Construction of R<sub>i</sub>B.K. Centre Building at Singarayapalem of Mudinepalli Mandal Est Cost Rs 21.80 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

TO CE for NOTA

BOD CE for NOTA

ONLY

ONL

Farmanded 6 Sin xur Scen

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal MT-408

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kalidindi/GS/Reports/2019, dt 14-09-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-09-2021 with M30 mix concrete for obtaining the 7 days (14-09-2021) and cube strength of the above concrete is used for Ground Floor Slab of Construction of Gram Sachivalayam Building at Tadinada of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to Soi KUR

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

MT-409

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mudinepalli/GS/Reports/2019, dt 22-09-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 15-09-2021 with M30 mix concrete for obtaining the 7 days (22-09-2021) and cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Gram Sachivalayam Building at Vaivaka of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandavalli

Forwarded to Shruk Seen

MT-410

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/RBK/Reports/2019 dt 24-09-2021

Sir,

Sub:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 17-09-2021 with M30 mix concrete for obtaining the 7 days (24-09-2021) cube strength of the above concrete is used for Ground Floor Slab of Construction of GRBK Cenre Building at Gannavaram of Mandavalli Mandal Estt Cost Rs.21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y. V. S. T. S. Porom M. Senior Assistant

Farmaded 16 SixUR

MT-411

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision,

Gudlavalleru

Mandavalli.

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 25-09-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 18-09-2021 with M30 mix concrete for obtaining the 7 days (25-09-2021) cube strength of the above concrete is used for **Second Floor Slab** of **Construction of Grama Sachivalayam Building at Gannavaram of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y. V. J. R. 9. PSONOLIN

Senior Assistant

Forwarded to Six KVR

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision,

Mandavalli.

MT-412

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019 dt 26-09-2021

Sir,

Sub:- PRI subdivision - Mandavel'i - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 29-08-2021 with M30 mix concrete for obtaining the 28 days (26-09-2021) cube strength of the above concrete is used for **Footings Concrete** of **Construction of Grama Sachivalayam Building at Mandavalli of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

90 et 20/9/1/

Ferwanded to Soi KVR

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

MT-413

The Principal

To.

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kalidindi/RBK/Reports/2019, dt 24-09-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

1 am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 17-09-2021 with M30 mix concrete for obtaining the 7 days (24-09-2021) and cube strength of the above, concrete is used for Roof SlabConcrete of Construction of R.B.K. Centre Building at Tadinada of Kalidindi Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

uty Executive Engineeer PRI subdivision

Mandavalli

Forwarded to Sri FUR

3

MT-414

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

Gudlavalleru Engineering college

Gudlavaileru

The Principal

Lr no /JTO/PRISD/Mudinepalli/GS/Reports/2019 dt:03-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 1$ 06-09-202 with M30 mix concrete for obtaining the 28 days (03-10-2021) cube strength of the above concrete is used for Footing Concrete of Construction of R.B.K., Centre Building at Byravapatnam of Mandavalli Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to Sri KVR freen.

MIT- 415

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudiavalleru

Lr no /JTO/PRISD/Kalidindi/GS/Reports/2019 dt:05-10-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-09-2021 with M30 mix concrete for obtaining the 28 days (05-10-2021) cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Gram**. **Sachivalayam Building at Tadinada of Kalidindi Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to Sto KUR MT- 416

From

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/RBK/Reports/2019, dt 23-09-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-09-2021 with M30 mix concrete for obtaining the 7 days (23-09-2021) and cube strength of the above concrete is used for Footing Concrete of Construction of R.B.K. Centre Building at Vemavarappadu of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Forwarded to Sx KUR Skeen

To,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada.

The Principal,
Gudlavalleru Engineering college,
Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 07-10-2021

Sir,

Sub:- \* PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 14 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 24-09-2021 with M30 mix concrete for obtaining the 14 days ( 07 -10 -2021) cube strength of the above concrete is used for VRCC M30 for Ground floor Roof slab 'Construction of Grama sachivalayam building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudivada

Forwarded to great

Sri A.Harinadh Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Gudivada.

To.

The Principal,

Gudlavalleru Engineering college,

Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 09-10-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 14 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 26-09-2021 with M30 mix concrete for obtaining the 14 days ( 09 -10 -2021) cube strength of the above concrete is used for VRCC M30 for Roof Slab 'Construction of RBK building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 21.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudivada

Environded to

614 -1H 'o1

Deputy Executive Engineer, Sri P.Suresh Babu M.Tech.,

Panchyat Raj Subdivision

Lr no / JTO/PRISD/Kaikaluru/RBK/Reports/2019, dt 03-10-2021

ʻliS.

From

7 days strength results - regarding PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required

Gudlavalleru

The Principal

Gudlavalleru Engineering college

Krishna Ref:- 1, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

MREGS grant . Required payment will be made when the demand received from your end Building at Pallewada of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under of the above concrete is used for Footings Concrete of Construction of R.B.K. Centre 26-09-2021 with M30 mix concrete for obtaining the 7 days (03-10-2021) and cube strength I sm submitting the cube samples ( 3 nos ) of size 150x150mm casted on

Deputy Kecutive/Engineeer

Yours faithfully

Mandavalli noisivibdus IAN

Sheened wit

MT- 420 To,

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer,
Panchyat Raj Subdivision

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/RBK/Reports/2019, dt 10-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1.. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-10-2021 with M30 mix concrete for obtaining the 7 days (10-10-2021) and cube strength of the above concrete is used for **Slab** for **Construction of R.B.K. Centre Building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

1

Cermanded to

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision MT-424

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Mudinepalli/GS/Reports/2019 dt:13-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1; Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 15-09-2021 with M30 mix concrete for obtaining the 28 days (13-10-2021) cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Gram** § **Sachivalayam Building at Vaivaka of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

4

Ferwarded to Sh tur

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlava!leru

Lr no /JTO/PRISD/Kaikaluru/RBK/Reports/2019 dt:13-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-09-2020 with M30 mix concrete for obtaining the 28 days (13-10-2021) cube strength of the above concrete is used for Footing Concrete of Construction of R.B:K., Centre Building at Vemavarappadu of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Forwarded to

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer,
Panchyat Raj Subdivision,
Mandavalli.

MT-423

The Principal
Gudlavalleru Engineering coilege
Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/RBK/Reports/2019 dt 14-10-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

To,

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 17-09-2021 with M30 mix concrete for obtaining the 28 days (14-10-2021) cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of RBK Centre Building at Gannavaram of Mandavalli Mandal Estt Cost Rs.21.80 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.V. S. T. S. Pozara: V. Senior Assistant

For warded &

Srr P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

HT- 424

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kalidindi/RBK/Reports/2019 dt:14-10-2021

Sir,

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1- Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 17-09-2020 with M30 mix concrete for obtaining the 28 days (14-10-2021) cube strength of the above concrete is used for **Roof Slab Concrete** of **Construction of R.B.K. Centre Building at Tadinada of Kalidindi Mandal Est Cost Rs 21.80 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

RI subdivision Mandavalli

Forwarded to St. Breen

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer, Panchyat Raj Subdivision,

Mandavalli.

MT-425 The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

/ JTO/PRISD/Mandavalli/GS/Reports/2019 dt 15-10-2021

Sir,

Sub:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 28 days strength results - regarding

Ref:- 1, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (3 nos) of size 150x150x150mm casted on 18-09-2021 with M30 mix concrete for obtaining the 28 days (15-10-2021) cube strength of the above concrete is used for Second Floor Slab of Construction of Grama Sachivalayam Building at Gannavaram of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

1.v.s. R.s. Ofice a. On

Senior Assistant

Forwarded 6 Sriture Jeen

MT- 427 TO,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/RBK/Reports/2019 dt:24-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 61-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 26-09-202 with M30 mix concrete for obtaining the 28 days (24-10-2021) cube strength of the above concrete is used for Footings Concrete of Construction of R.B.K. Centre Building at Pallewada of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

RI subdivision Mandavalli

Forwarded to Sin LVR Scen HT - 428

From

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/GS/Reports/2019, dt 18-09-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150 x 150 x 150 mm casted on 11-09-2021 with M30 mix concrete for obtaining the 7 days (18-09-2021) and cube strength of the above concrete is used for Footing Concrete of Construction of G.S. Building at Pandiripalligudem of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Forwarded to Str KUR

MT- 429.

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/GS/Reports/2019 dt:08-10-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11-09-2020 with M30 mix concrete for obtaining the 28 days (08-10-2021) cube strength of the above concrete is used for **Footing Concrete** of **Construction of G.S. Bailding at Pandiripalligudem of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

MT- 430

The Principal

To.

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/RBK/Reports/2019 dt:31-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 \text{mm}$  casted on 03-10-2021 with M30 mix concrete for obtaining the 28 days (31-10-2021) cube strength of the above concrete is used for Slab for Construction of R.B.K. Centre Building at Tamarakolli of Kaikaluru Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded &

MT-43: To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavaileru

Lr no / JTO/PRISD/Mudinepalli/GS/Reports/2019, dt 12-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-10-2021 with M30 mix concrete for obtaining the 7 days (12-10-2021) and cube strength of the above concrete is used for **Footing Concrete** of **Construction of G.S. Building at Korraguntapalem of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

'R1 subdivisio Mandavalli

1

Forwarded to

MT- 432

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no /JTO/PRISD/Mudinepalli/GS/Reports/2019 dt:02-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-10-2021 with M30 mix concrete for obtaining the 28 days (02-11-2021) cube strength of the above concrete is used for **Footing Concrete** of **Construction of G.S. Building at Korraguntapalem of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to See Seen

### MUNICIPAL ADMINISTRATION DEPARTEMENT

From
Sri R.G.Vara Prasad.
Assistant Engineer
Machilipatnam Municipal corporation
Machilipatnam.

To
The Principal
Gudlavalleru Engineering college
Gudlavalleru.

#### Roc .No. 9728/E1/2021, Dated: 25. 08.2021

Sir,

Sub:- Works - Machilipatnam Municipal Corporation - Providing fixing of outdoor gym equipment at ASHEERVADAPURAM Park in 11th Division of Machilipatnam Municipal corporation - VRCC M20 cube report - Requested - Regarding.

Ref:- Letter of Acceptance dt: 10.2.2021.

~~\*~~

I am here with sending the following samples for VRCC M20 cubes for the work of "Providing fixing of outdoor gym equipment at ASHEERVADAPURAM Park in 11th Division of Machilipatnam Municipal corporation". I request you to kindly issue the strength test results for 14 days.

1. Date of casting: dt 11.8.2021

Thanking you Sir,

2

Yours Faithfully,

Assistant Engineer

Machilipatnam Municipal corporation

Encl:-M20 cubes -2 Nos.

Forwarded to

MT-436 To.

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Gudiavalleru Engineering college

Panchyat Raj Subdivision

Gudiavalleru

The Principal

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019, dt 1/2-11-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-11-2021 with M30 mix concrete for obtaining the 7 days (10-11-2021) and cube strength of the above concrete is used for Second Floor Slab of Construction of G.S. Building at Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

PRI subdivision

Mandavalli

& Farwarded to know kur

MT- 43+ To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mudinepalli/GS/Reports/2019, dt 19-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-11-2021 with M30 mix concrete for obtaining the 7 days (19-11-2021) and cube strength of the above concrete is used for **Second Floor Slab** of **Construction of G.S. Building at Vaivaka of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer /PRI subdivision

Mandavalli

Forwarded to Son XVR

MT-438

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mudinepalli/GS/Reports/2019, dt 21-09-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1; Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-09-2021 with M30 mix concrete for obtaining the 7 days (21-09-2021) and cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Gram Sachivalayam Building at Bomminampadu of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

Forwarded to bit EVR

To,

Sri P.Suresh Babu M.Tech.,

The Principal Gudlavalleru Engineering college Deputy Executive Engineer,

Panchyat Raj Subdivision

Gudlavalleru

Lr no /JTO/PRISD/Mudinepalli/GS/Reports/2019 dt:12-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-09-2021 with M30 mix concrete for obtaining the 28 days (12-10-2021) cube strength of the above concrete is used for Ground Floor Slab of Construction of Gram Sachivalayam Building at Bomminampadu of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Fallanded to Six LVR Seela

HT- 440

The Principal

To.

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/GS/Reports/2019, dt 18-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 10-11-2021 with M30 mix concrete for obtaining the 7 days (18-11-2021) and cube strength of the above concrete is used for Ground Floor Slab of Construction of Grama Sachivalayam Building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRT subdivision Mandavalli

//t.c.f.b.o.//

Senior Assistant

Farwarded to Sri KVR

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

MT - 441

The Principal

To.

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/GS/Reports/2019, dt 18-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11-11-2021 with M30 mix concrete for obtaining the 7 days (18-11-2021) and cube strength of the above concrete is used for Ground Floor Slab of Construction of Grama Sachivalayam Building at Kaikaluru-4 of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.v. 9 R.S. Notoer . M Senior Assistant

Forwarded to Sri KVR

MT-442

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no 1 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt 22-11-2021 Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 1$ 14-11-2021 with M30 mix concrete for obtaining the 7 days ( 22-11-2021 ) cube strength of the above concrete is used for First floor slab of 'Construction of Gram Sachivalayam building at Bomminampadu of Mudinepalli mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandavalli

forwarded to Str KUR Kee.

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision MT-ULL

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/GS/Reports/2019 dt:01-12-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-11-2021 with M30 mix concrete for obtaining the 28 days (01-12-2021) cube strength of the above concrete is used for **Second Floor Slab** of **Construction of G.S. Building at Mandavalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NRE55 grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive/Engineeer

PRI subdivision Mandavaili

Forwarded to Sri XVR

# MT- 444

# MUNICIPAL ADMINISTRATION DEPARTEMENT

From
Municipal Assistan

Municipal Assistant Engineer

**Municipal Corporation** 

Machilipatnam

To

The Principal

Gudlavalleru Engineering College,

Sheshadri Rao Knowledge Village,

Gudiavalleru.

### Roc .No. 385(13)/ 2021-E1, Dated: 1.08 .2021

Sir,

Sub: Works - Machilipatnam Municipal Corporation - Providing CC Drain from EP.No.34/164 to EP.No.34/165 and from EP.No.34/163 to D.No.8/72 in Godugupeta in 40th Division of Machilipatnam Municipal Corporation - Proportion for M-10 mix (1:3:6) cube strength result- Requested - Regarding.

...\*

J am submitting the cube samples (3 No's) of size 150X150X 150mm casted on 04.08.2021 with M10 mix correct for obtaining the 7 days (11.08.2021) and 28 days (01.09.2021) cube strength of the above concrete is used for "Providing CC Drain from EP.No.34/164 to EP.No.34/165 and from EP.No.34/163 to D.No.8/72 in Godugupeta in 40th Division of Machilipatnam Municipal Corporation, Est Cost Rs.1.95 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

Yours Faithfully,

Municipal Asst. Engineer Municipal Corporation

Machilipatnam

Encl: 1. Required Material.

Forwarded to

. MT - 445

# MUNICIPAL ADMINISTRATION DEPARTEMENT

From Municipal Assistant Engineer Municipal Corporation Machilipatnam To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

# Roc .No. 385(13)/ 2021-E1, Dated: 10 .09 .2021

Sir,

Sub: Works - Machilipatnam Municipal Corporation - Providing CC Road and CC Culvert at Mandulagudem area Karkhana Road in 50th Division of Machilipatnam Municipal Corporation - Submission of cubes of M30 Concrete - Required 14 days strength results - Reg.

I am submitting the cube samples (3 No's) of size 150X150X 150mm casted on 28.08.2021 with M30 mix correct for obtaining the 14 days (10.09.2021) cube strength of the above concrete is used for "Providing CC Road and CC Culvert at Mandulagudem area Karkhana Road in 50th Division of Machilipatnam Municipal Corporation, Est Cost Rs.2.00 Lakhs sanctioned

under Municipal General Fund. Required payment will be made when the

demand received from your end.

Yours Faithfully,

1 Coceel

Municipal Asst. Engineer Municipal Corporation Machilipatnam

Encl: 1. Required Material.

Forwarded to SixUR

MT-446.

#### MUNICIPAL ADMINISTRATION DEPARTEMENT

From Municipal Assistant Engineer Municipal Corporation Machilipatnam To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

# Roc .No. 385[13]/ 2021-E1, Dated: 12. 10.2021

Sir,

Sub: Works - Machilipatnam Municipal Corporation - Construction of CC drain at Agraharam road Form E P No 25/153 to E P No 25/155 in 25th Division of Machilipatnam Municipal Corporation - Proportion for M-10 mix (1:3:6) cube strength result- Requested - Regarding.

I am submitting the cube samples (3 No's) of size 150X150X 150mm casted on 06.10.2021 with M10 mix correct for obtaining the 7 days (12.10.2021) and 28 days (03.11.2021) cube strength of the above concrete is used for "Construction of CC drain at Agraharam road Form E P No 25/153 to E P No 25/155 in 25th Division of Machilipatnam Municipal Corporation, Est Cost Rs.1.95 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

-----

Yours Faithfully,

Municipal Asst. Engineer Municipal Corporation Machilipatnam

Encl: 1. Required Material.

Conserved to

# HT-447 & MT-448

# MUNICIPAL ADMINISTRATION DEPARTEMENT

From Municipal Assistant Engineer Municipal Corporation Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru,

# Roc .No. 907/ 2021-E1, Dated: 10 .08 .2021

Sir,

Sub: Works – Machilipatnam Municipal Corporation – Providing CC road and drain from sirivella krishnarao road from E P No 1/343 to 1/345 in 2<sup>nd</sup> Division of Machilipatnam Municipal Corporation – Proportion for M-10 mix (1:3:6) cube strength result– Requested – Regarding.

I am submitting the cube samples (3No's) of size 150x150x 150mm casted on 03.08.2021 with M10 mix correct for obtaining the 7 days (10.08.2021) and 28 days (01.09.2021) cube strength of the above concrete is used for "Providing CC road and drain from sirivella krishnarao road from E P No 1/343 to 1/345 in 2nd Division of Machilipatnam Municipal Corporation, Est Cost Rs.2.93 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

~~\*~~

Yours Faithfully,

Encl: 1. Required Material.

Forwarded to Sti KUR Steen Municipal Asst. Engineer
Municipal Corporation
Machilipatnam

From
Municipal Assistant Engineer
Municipal Corporation
Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

#### Roc .No.385/18/2021-E1, Dated: 28.08.2021

Sir,

Sub: Works - Machilipatnam Municipal Corporation - Providing CC road from E P No 39/42-1 to E P No 39/55-2 near amrutha Samudraveni gari House in 48th Division of Machilipatnam Municipal Corporation - Submission of cubes of M30 Concrete - Required 21 days strength results - Reg.

~~\*~~

I am submitting the cube samples (3No's) of size 150x150x150mm casted on 07.08.2021 with M30 mix correct for obtaining the 21 days (28.08.2021) cube strength of the above concrete is used for "Providing CC road from E P No 39/42-1 to E P No 39/55-2 near Amrutha Samudraveni gari House in 48th Division of Machilipatnam Municipal Corporation, Est Cost Rs.4.96 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

Yours Faithfully,

( Osserul

Municipal Asst. Engineer Municipal Corporation

Machilipatnam

Encl: 1. Required Material.

Forwarded to Sti KUR

From
Municipal Assistant Engineer
Municipal Corporation
Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

### Roc .No.385/9/2021-E1, Dated: 27.08.2021

Sir,

Sub: Works – Machilipatnam Municipal Corporation – Raising of CC road from E P No 1/343 to E P No 1/352 near jaganmoharlarao house in 2<sup>nd</sup> Division of Machilipatnam Municipal Corporation – Submission of cubes of M30 Concrete – Required 21 days strength results - Reg.

~~\*~~

I am submitting the cube samples (3No's) of size 150x150x150mm casted on 06.08.2021 with M30 mix correct for obtaining the 21 days (27.08.2021) cube strength of the above concrete is used for "Raising of CC road from E P No 1/343 to E P No 1/352 near Jaganmohanarao house in 2<sup>nd</sup> Division of Machilipatnam Municipal Corporation, Est Cost Rs.1.74 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

Yours Faithfully,

Municipal Asst. Engineer Municipal Corporation Machilipatnam

Encl: 1. Required Material.

Favorand to So FUR

From Municipal Assistant Engineer Municipal Corporation Machilipatnam To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

### Roc .No.385/33/2021-E1, Dated: 17.09.2021

Sir,

Sub: Works - Machilipatnam Municipal Corporation - Providing CC road and drain E P No 1/374 Anandapeta road to E P No 1/375 Raghava Reddy house in 2<sup>nd</sup> Division - Submission of cubes of M30 Concrete - Required 21 days strength results - Reg.

I am submitting the cube samples (3No's) of size 150x150x150mm casted on 27.08.2021 with M30 mix correct for obtaining the 21 days (17.09.2021) cube strength of the above concrete is used for "Providing CC road and drain E P No 1/374 Anandapeta road to E P No 1/375 Raghava Reddy house in 2<sup>nd</sup> Division of Machilipatnam Municipal Corporation, Est Cost Rs.2.54 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

Yours Faithfully,

Mu Mu

Municipal Asst. Engineer Municipal Corporation Machilipatnam

Encl: 1. Required Material.

Farwarded to Sir KUR

H7-459

#### MUNICIPAL ADMINISTRATION DEPARTEMENT

From Municipal Assistant Engineer Municipal Corporation Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

#### Roc .No.907/2021-E1, Dated: 20 .09.2021

Sir,

Sub: Works – Machilipatnam Municipal Corporation – Providing CC road and drain from sirivella krishnarao road from E P No 1/343 to 1/345 in 2<sup>nd</sup> Division of Machilipatnam Municipal Corporation – Submission of cubes of M30 Concrete – Required 21 days strength results - Reg.

~~\*~~

I am submitting the cube samples (3No's) of size 150x150x150mm casted on 31.08.2021 with M30 mix correct for obtaining the 21 days (20.09.2021) cube strength of the above concrete is used for "Providing CC road and drain from Sirivella Krishnarao road from E P No 1/343 to 1/345 in 2nd Division of Machilipatnam Municipal Corporation, Est Cost Rs.2.93 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

Yours Faithfully,

Municipal Asst. Engineer
Municipal Corporation
Machilipatnam

Encl: 1. Required Material.

FAWARded to SHILVR Keen MT-454

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision,

To.

The Principal. Gudlavalleru Engineering college, Gudlavalleru.

Gudivada.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 02-12-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 18 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 1$ 05-11-2021 with M30 mix concrete for obtaining the 18 days ( 02 -12 -2021) cube strength of the above concrete is used for VRCC M30 for first floor Roof slab 'Construction of Grama sachivalayam building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudivada

My compat lites on wonset like on Execution enquire end propose inport

MT-455

From .

Sri A. Harinadh Babu B. Tech., Deputy Executive Engineer, Panchyat Raj Subdivision. Gudivada.

To,

The Principal, Gudlavalleru Engineering college, Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 04-12-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-11-2021 with M30 mix concrete for obtaining the 28 days ( 04 -12 -2021) cube strength of the above concrete is used for VRCC M30 for Roof slab 'Construction of YSR Health Clinic building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineed PRI subdivision

Gudivada

To Lab crement with

The Corresport with

The Corresport with

The Corresport with the confidence of t

Sri P.Suresh Babu M.Tech...

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

To.

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/GS/Reports/2019 dt:07-12-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (  $3\ nos$  ) of size 150x150x150mm casted on 10-11-2021 with M30 mix concrete for obtaining the 28 days (07-12-2021) cube strength of the above concrete is used for Ground Floor Slab of Construction of Grama Sachivalayam Building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

XV19,23 Down 2 Senior Assistant

Forwarded &

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision MT-UST

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/GS/Reports/2019 dt:08-12-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

To,

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11-11-2021 with M30 mix concrete for obtaining the 28 days (08-12-2021) cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Grama Sachivalayam Building at Kaikaluru-4 of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/- x \times x \times x \times x)$ 

Deputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

Y.V. 9, 97.9, Porem - M Senior Assistant

Forwarded to Str KVR

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision MT- 458

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Mudinepalli/GS/Reports/2019 dt:09-12-2021

Sir,

Sub:- PRI subdivision – Mandavalii – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-11-2021 with M30 mix concrete for obtaining the 28 days (09-12-2021) cube strength of the above concrete is used for **Second Floor Slab** of **Construction of G.S. Building at Vaivaka of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

forwarded to

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavaller-u Engineering college

Panchyat Raj Subdivision

Gudlavaller-u

Lr no 02 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt 11-12-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $15^{\circ}0 \times 150 \times 150 \text{mm}$  casted on 14-11-2021 with M30 mix concrete for obtaining the 28 days (11-1.2.2021) cube strength of the above concrete is used for First floor slab of Construction of Gram Sachivalayam building at Bomminampadu of Mudinepalli mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end .

Yours faithfully

Deputy Executive Engineeel

PRI subdivision Mandavalji

Farranded to

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

MT-460

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/GS/Reports/2019, dt 04-08-2021

Sir,

Sub:- PRI subdivision ~ Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

To,

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-07-2021 with M30 mix concrete for obtaining the 7 days (04-08-2021) and cube strength of the above concrete is used for **Ground Floor Roof Slab** of **Construction of Grama Sachivalayam Building at Bhujabalapatnam of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/- x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

V.V. 9. R.J., Poten an. M Senior Assistant

Farwarded to Sri KVR Shely

MT-461 To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/GS/Reports/2019 dt:25-08-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1., Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-07-2021 with M30 mix concrete for obtaining the 28 days (25-08-2021) cube strength of the above concrete is used for **Ground Floor Roof Slab** of **Construction of Grama Sachivalayam Building at Bhujabalapatnam of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/- x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.V.9, R.S. Docator - Ow Senior Assistant

Farwarded to free free

MT-462- To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kaikaluru/GS/Reports/2019, dt 30-10-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 23-10-2021 with M30 mix concrete for obtaining the 7 days (30-10-2021) and cube strength of the above concrete is used for **First Floor Roof Slab** of **Construction of Grama Sachivalayam Building at Bhujabalapatnam of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/- x \times x \times x \times x)$ 

Deputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

Y. V. 19 TR. 19 . Dollar , The Senior Assistant

Farwarded to Sri KVR Secon

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

MT-463

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/GS/Reports/2019 dt:20-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 23-10-2021 with M30 mix concrete for obtaining the 28 days (20-11-2021) cube strength of the above concrete is used for **First Floor Roof Slab** of **Construction of Grama Sachivalayam Building at Bhujabalapatnam of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/- \times \times \times \times \times \times \times)$ 

Deputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

1.V., S. 12.3, Potanu-On Senior Assistant

Frank Soikert Soikert

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

117-464

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

/ JTO/PRISD/Mdvl / GS Mandavalli reports/2021 dt 18-12-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11-12-2021 withM30 mix concrete for obtaining the 7 days ( 18-12-2021) cube strength of the above concrete is used for Secondfloor Roof slab 'Construction of Grama sachivalayam building at Mandavalli village in Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

M8-466

To.

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavailleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019, dt 10-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 02-11-2021 with M30 mix concrete for obtaining the 7 days (10-11-2021) and cube strength of the above concrete is used for **Second Floor Slab** of **Construction of G.S. Building at Byravapatnam of Mandavalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Mandavalli

2

Folwarded to Sri KVR

MT-467

To,

Sri P.Suresh Babu M.Tech..

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/GS/Reports/2019 dt:30-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 02-11-2021 with M30 mix concrete for obtaining the 28 days (30-11-2021) cube strength of the above concrete is used for **Second Floor Slab** of **Construction of G.Š. Building at Byravapatnam of Mandavalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineee

RI subdivision Mandavalli

2

Farwarded to Sti KVR

MT- 468

To,

Sri P.Suresh Babu M.Tech.,

Basis Francis Francis

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavaileru Engineering college

Gudlavaileru

Lr no / JTO/PRISD/Kalidindi/RBK/Reports/2019, dt 24-10-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 18-10-2021 with M30 mix concrete for obtaining the 7 days (25-10-2021) and cube strength of the above concrete is used for **Second Floor Slab** of **Construction of Grama Sachivalayam Building at Tadinada of Kalidindi Mandai Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

(Sd/- x x x x x x x x)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y, V, S, R, 2 DJAW . D Senior Assistant

Forwarded to See Live

HT- 469

Τo,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer ,

Fech., The Principal
Sineer, Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no /JTO/PRISD/Kalidindi/RBK/Reports/2019 dt:15-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 18-10-2021 with M30 mix concrete for obtaining the 28 days (15-11-2021) cube strength of the above concrete is used for **Second Floor Slab** of **Construction of Grama Sachivalayam Building at Tadinada of Kalidindi Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y.V. P. P. Wow. Jr Senior Assistant

Fernanded to Solve

MT-470

To,

Sri P.Suresh Babu M.Tech.:

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Kalidindi/WC/Reports/2019, dt 24-11-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-11-2021 with M30 mix concrete for obtaining the 7 days (24-11-2021) and cube strength of the above concrete is used for Roof Slab Concrete of Construction of Y.Ş.R. Wellness Centre at Pothumarru Village of Kalidindi Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

 $(Sd/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

V. V. 3, R. 3. Polaran on Senior Assistant

Forwarded to Sri KUR Seen

From |

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer Panchyat Raj Subdivision HT-471

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no /JTO/PRISD/Kalidindi/WC/Reports/2019 dt:13-12-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

To,

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-11-2021 with M30 mix concrete for obtaining the 28 days (13-12-2021) cube strength of the above concrete is used for Roof Slab Concrete of Construction of Y.S.R. Wellness Centre at Pothumarru Village of Kalidindi Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

(Sd/-xxxxxxxx)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Y. N. S. R. S. Pozara. Ow Senior Assistant

Forwarded to Sti KUR Keen

MT-472

### MUNICIPAL ADMINISTRATION DEPARTEMENT

From Municipal Assistant Engineer Municipal Corporation Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru.

Roc .No.4822/E1/2021, Dated: 13-11-2021

Sir,

Sub: Works - Machilipatnam Municipal Corporation - Providing CC culvert and approaches at Narayanapuram road E P No 42/91 in 46th Division of Machilipatnam Municipal Corporation - Submission of cubes of M30 Concrete - Required 7 day's strength results - Reg.

I am submitting the cube samples (3No's) of size 150x150x150mm casted on 06.11.2021 with M30 mix correct for obtaining the 7 days (13.11.2021) cube strength of the above concrete is used for "Providing CC culvert and approaches at Narayanapuram road E P No 42/91 in 46th Division of Machilipatnam Municipal Corporation, Est. Cost Rs.1.78 Lakhs sanctioned under Municipal General Fund. Required payment will be made when the demand received from your end.

A. .. \* . . . .

Yours Faithfully,

6 Cum

Municipal Asst. Engineer Municipal Corporation Machilipatnam

6 ween

Encl: 1. Required Material.

Forwarded to Six KUR Skeen

HT-472

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavaileru Engineering college

Gudiavalleru

Lr no / JTO/PRISD/Kaikaluru/GS/Reports/2019, dt 27-12-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 19-12-2021 with M30 mix concrete for obtaining the 7 days (27-12-2021) and cube strength of the above concrete is used for **First Floor Roof Slab** of **Construction of Grama Sachivalayam Building at Tamarakollu Village of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

(Sd/-xxxxxxxx)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

y v 19.72 9. Powar . On

Senior Assistant

Forwarded to Sor KUR Sheep MT-474

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudiavalleru

/ JTO/PRISD/Mdvl / GS Mandavalli reports/2021 dt 09-01-2022

Sîr,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete

- required Mays strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC

MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11-12-2021 withM30 mix concrete for obtaining the 28 days ( 09-01-2022) cube strength of the above concrete is used for Secondfloor Roof slab 'Construction of Grama sachivalayam building at Mandavalli village in Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to Sri KVR

MT-475

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudiavalleru

Lr ло / JTO/PRISD/Mandavalli/YSRWC/Reports/2019, dt 28-12-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 20-12-2021 with M30 mix concrete for obtaining the 7 days (28-12-2021) and cube strength of the above concrete is used for Files Foindation of Construction of Y.S.R. Wellness Centre Building at Takkellapadu of Mandavalli Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

RI subdivision Mandavalli

Forward of 18 Sells

MT-476

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/GS/Reports/2019 dt:09-01-2022

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-12-2021 with M30 mix concrete for obtaining the 28 days (09-01-2022) cube strength of the above concrete is used for **Files Concrete** of **Construction of G.S. Building at Takkellapadu of Mandavalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

RI subdivision Mandavalli

Forwarded to Sof FUR

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision MT-477

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/GS/Reports/2019, dt 20-12-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

To,

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-12-2021 with M30 mix concrete for obtaining the 7 days (20-12-2021) and cube strength of the above concrete is used for **Files Concrete** of **Construction of G.S. Building at Takkellapadu of Mandavalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Folward to See & See &

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision MT-478

The Principal
Gudlavalleru Engineering college

Gudlavalleru

To,

Lr no / JTO/PRISD/Mandavalli/RBK/Reports/2019, dt 24-12-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-12-2021 with M30 mix concrete for obtaining the 7 days (24-12-2021) and cube strength of the above concrete is used for **Files Concrete** of **Construction of R.B.K. Building at Takkellapadu of Mandavalli Mandal Est Cost Rs 21.80 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Parward of Kult

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer

Panchyat Raj Subdivision

MT-479

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/RBK/Reports/2019 dt:13-01-2022

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-12-2021 with M30 mix concrete for obtaining the 28 days (13-01-2022) cube strength of the above concrete is used for **Files Concrete** of **Construction of R.B.K. Building at Takkellapadu of Mandavalli Mandal Est Cost Rs 21.80 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

1

Corwarded &

MT- 4950

To,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRISD/Kaikaluru/GS/Reports/2019 dt:16-01-2022

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3~nos ) of size 150x150x150mm casted on 19-12-2021 with M30 mix concrete for obtaining the 28 days (16-01-2022) cube strength of the above concrete is used for First Floor Roof Slab of Construction of Grama Sachivalayam Building at Tamarakollu Village of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

(Sd/-xxxxxxxx)

Deputy Executive Engineeer PRI subdivision Mandavalli

//t.c.f.b.o.//

Comanded to

Y. V. 9. 72, J. Oscalcal . W Senior Assistant

HT-484

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/YSRWC/Reports/2019 dt:17-01-2022

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 20-12-2021 with M30 mix concrete for obtaining the 28 days (17-01-2022) cube strength of the above concrete is used for **Files Foindation** of **Construction of Y.S.R. Wellness Centre Building at Takkellapadu of Mandavalli Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant**. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Corwanded to



# MT-482 MI-483 & MT-484

Date:- 28-01-2022

To, PRINCIPAL. GUDLAVALLERU ENGINEERING COLLEGE **GUDLAVALLERU.** 

Dear Sir.

Sub: Yard Modification works at machilipatnam as per the revised ESP in connection with doubling of railway line between Gudivadda -Machilipatnam stations on Vijayawada Division of south central railway in Andra Pradesh state - Request for cube testing.

Dear Sir.

Here we are sending cubes which are casted in MTM railway works, Please conduct the test and provide the test reports. [ [ & w office load works at MFM]

Grade of concrete -- M25

Date of casting=21-1-2022 (7 Days reports)

Date of casting=23-1-2022 (7 Days reports)

Date of casting=24-1-2022 (7 Days reports)

Total sets - 3, (each set 3cubes)

We will pay relented testing charges.

P.Lakshminarayana (Deputy Manager)

Farwarded to Six LUP

POWER MECH PROJECTS LIMITED

All 180 (Set , 50 1-5) | DHEAS (SES) CHICKEN ORMPANT

JAS-ANZ

Regul & Corporate Office : Pull No. 77. Little Entires, Opp. 101es. Readingual Hydrodinia 500081 (along mys. feetig

Fine 040.30444405 E-mail Interpretation millatte commission to secretary, addition the







Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

MT-486

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/YSRWC/Reports/2019, dt 28-01-2022

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 21-01-2022 with M30 mix concrete for obtaining the 7 days (28-01-2022) and cube strength of the above concrete is used for **Roof Slab Concrete** of **Construction of Y.S.R. Wellness Centre Building at Ingilipakalanka of Mandavalli Manda! Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant**. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineee

PRI subdivision Mandavalli

Sol Carward to

MT-487 To,

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer
Panchyat Raj Subdivision

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/YSRWC/Reports/2019 dt:18-02-2022

Sir,

Sub:- PRI subdivision ~ Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 21-01-2022 with M30 mix concrete for obtaining the 28 days (18-02-2022) cube strength of the above concrete is used for Roof Slab Concrete of Construction of Y.S.R. Wellness Centre Building at Ingilipakalanka of Mandavalli Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to Sir FUR

From Municipal Assistant Engineer Municipal Corporation Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru,

Roc .No. 5833/E1/2020, Dated 28. 2.202

Sir,

Sub: -Works -Construction of Dr YSR Urban Clinic (UPHC) at Sarada

Nagar in 31st division of Machilipatnam Municipal Corporation 
Submission of Cubes of M20 Concrete required 28 days Strength
Results- Regarding.

~~\*~~

I am submitting the Cube Samples (3no's) of size 150X150X150 mm. casted on 30/11/2021 with M-20 grade concrete for obtaining the 28 days (28/12/2021) cube strengths of the above concrete used for Roof Slab of "Construction of Dr YSR Urban Clinic (UPHC) at Sarada Nagar in 31st division of Machilipatnam Municipal Corporation" Est cost: 80.00 lakhs sanctioned under National Urban Health Mission (NUHM). I request you to kindly issue necessary test certificates.

Yours Faithfully,

Municipal Asst. Engineer

**Municipal Corporation** 

Machilipatnam

Encl: 1. Cube samples (3no's)

KANGROUND STATUS LOOK



## MT-489, MT-490, MT-491 & MT-492.

To,
PRINCPAL,
CIVIL DEPARTMENT,
GUDLAVALLERU ENGINEERING COLLEGE
GUDLAVALLERU.

Dear Sir,

**Sub**: Yard Modification works at machilipatnam as per the revised ESP in connection with doubling of railway line between Gudivadda –Machilipatnam stations on Vijayawada Division of south central railway in Andra Pradesh state – **Request for cube testing**.

Dear Sir,

MTMC&W Office Road

Here we are sending cubes which are casted in MTM railway works, Please conduct the

 We will pay relented testing charges.
 24 01 22 21 02 22 23 02 22

Client: Rail Vikas Nigam Ltd Consultancy: Aarvee Associates

Exexuting Agency: M/S Power Mech Projects Ltd

Location: MTM Yard Modification Works

P. Lakshmi Narayana (Deputy Manager) 4

For worked to



AND SO THE SET THE A DUSAS TAKES PERTIFIED COMPANY



Regul & Corporate Office: Flot No. 77, Jubiles Enclove, Opp. Hac. Madhepor. Hyden about 50008: Talangene. India Citi. 1174:140AP1645MLC032154

Phone 0.03-26-33-33-33 Pos : 0.40-35-34400 re-mm : mfo : powermeck.cod Within a powermeck.cod







#### MUNICIPAL ADMINISTRATION DEPARTEMENT

From Sri R.G.Vara Prasad. Assistant Engineer Machilipatnam Municipal corporation Machilipatnam.

To
The Principal
Gudlavalleru Engineering college
Gudlavalleru.

Sir,

Sub:- Works - Machilipatnam Municipal Corporation - Renovation of Existing
Urban Primary Health Center at Chilakalapudi II 7th Division in
Machilipatnam Municipal Corporation - VRCC M20 cube report, sieve
analysis - Requested - Regarding.

Ref:- Letter of Acceptance dt: 18.5.2021.

I am here with sending the following samples for VRCC M20 cubes, sieve analysis for 1:4:8, country Brick strength test for the work of "Renovation of Existing Urban Primary Health Center at Chilakalapudi II 7th Division in Machilipatnam Municipal Corporation". I request you to kindly issue the necessary strength test results

----

- 1.Date of casting: dt 18.9.2021. 300/~
- 2. Brick strength test dt 23.10.2021. 300/-
- 3. sieve analysis for 40mm, sand dt 16.9.2021. \u00/-

PAWER AND TO PERCO

Thanking you Sir,

Yours Faithfully,

Machilipatnam Municipal corporation

From

Kolli, Sathya narayana Reddy
Near Bus efand
Oppsite Ankamma talli Jemple.
PAMARRU

To The principal Chudlevellow Grennewry College Chudlevellow

Fam submitting the cube samply (3 no s) of size (150 surosus) mm

Cested on 22/02/2022 with M. 25 Mix concrete for obtaining

the 7days (01/03/2022) cube strength to the above conenet
is used for Casting of a building slab work at

kalli sathye narmyana Reder, plan Raytstand, opports Ankammatalli
temple PAMERO

yours frithbully k. summer feddy

forwarded to Sriker

Date: 06-03-2022

From

Kollipara. Ramanarasimha Rao D.No: 5/114 Beside Post office Road Gudlavalleru

To
The principal
S R Gudlavalleru Engineering College
Gudlavalleru
Krishna (district)
Andhra Pradesh

Sub: Request to issue report on water analysis for mixing in concrete

Sir

I bring you your kind notice that I want to construct a residential building in gudlavalleru. I need water analysis which is going to be used for mixing water in concrete. Hence, I request you to issue water analysis report on water sample which will be given on 07-03-2022 in Water and Wastewater Engineering Lab, Department of Civil Engineering. S R Gudlavalleru Engineering College. Consultancy fee Rs.2000 will be paid on a day report to be issued.

Thank you

**Yours Sincerely** 

My 1/03/52

The water and prepare to suport

#### MUNICIPAL ADMINISTRATION DEPARTEMENT

From Municipal Assistant Engineer Municipal Corporation Machilipatnam

To
The Principal
Gudlavalleru Engineering College,
Sheshadri Rao Knowledge Village,
Gudlavalleru,

Roc .No. 4128/E1/2021, Dated:15.03.2022

Sir,

Sub: -Works - Machilipatnam Municipal Corporation - Providing WBM road from E P No 41/128 to E P No 41/126 at Kummaragudem (battilu road) in 41st Division of Machilipatnam Municipal Corporation- GSB (Granular Sub Base Grade III Material), 40 mm Metal Grade II - Test Certificate - Requested - Regarding.

~~\*~~

This Corporation is laying "Providing WBM road from E P No 41/128 to E P No 41/126 at Kummaragudem (battilu road) in 41st Division of Machilipatnam Municipal Corporation" by using GSB (Granular Sub Base Grade III Material), 40 mm Metal Grade II.

I am herewith sending the material for GSB (Granular Sub Base Grade III Material) , 40 mm Metal Grade II and I request you to kindly issue necessary test certificates.

Encl:

1. Grade 2 HBG Material

2. GSB (Granular Sub Base Grade III Material

Yours Faithfully,

Municipal Asst. Engineer Municipal Corporation Machilipatnam

Forwarded to

SESHADRI RAO
GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S., M. Tech., Ph.D., MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

**Principal** 

Ref: SRGEC/Consult/CE/MT-505

Date: 15-03-2022

To Municipal Assistant Engineer, Municipal Corporation, Machilipatnam.

Sir,

Sub: Test results of the Coarse aggregate for the Providing WBM road from E P No 41/128 to E P No 41/126 at Kummaragudem (battilu road) in 41st Division of Machilipatnam Municipal Corporation - Regarding.

\* \* \*

With reference to your letter dt. 15-03-2022, we have conducted the following tests on coarse aggregate sample which are supplied by you. The Test results are as follows:

Aggregate Type	Description of tests	Result	
Coarse Aggregate (40mm)	Finesse Modulus of coarse aggregate (As per IS code IS 2386-1963 Part-1)	7.87	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K. Venkateswara Rao)

(Dr.A.Sreenivasulu)

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

Lab Incharge

Head of Civil Engineering

TO

The Principal

SR Gudlevalleru Erojinening Coplege,

Gudlevalleru

Subir Test Y.

2 Submitting the cube Sample (3nd) of Size(ISOXIVOXISO)mi

Cayted on 22-02-2022 with mix M 25 Mix Concrete for obtaining the 28 days (21-03-2022) and curse strength of the above concret is used to Book construction of Building Slab work at leasting sattementare Redds, when Buy Stander Opposit Ankanena talli temph pamarry.

Your's bath fully

K. Satt a narrayana

Near Rustand

Offoste Ankanna talk temple

Pamarru

Farwarded to So Luk

SESHADRI RAO

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavaileru.ac.in, office@gecgudlavaileru.ac.in, Web: www.gecgudlavaileru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S., M. Tach., Ph.D., MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI Principal

Ref: SRGEC/Consult/CE/MT-506

To Kolli Satyanarayana Near Bus stand Opposite Ankamma talli Temple Pamarru. Sir,

Test results of the CC cubes for the Construction of Building Slab Work at Kolli Sub:-Stvanaravana Reddy, Near Bus stand Opposite Ankamma talli Temple Pamarru -Regarding.

With reference to your letter dt.21-03-2022 we have conducted the compressive strength test on M 25 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of	Date of	Date of Testing	Compressive Strength (N/mm²)		Average Strength	
concrete	Casting		1	2	3	(N/mm <sup>2</sup> )
M 25	22-02-2022	21-03-2022	33.68	33.94	33.76	33.79

This is for your kind information,

Thanking you,

Yours faithfully,

Date: 21-03-2022

Tested by

A Alla

(A.Jilani) Lab Technician (K. Venkateswara Rao)

Lab Incharge

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

**PRINCIPAL** 

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr No / JTO/PRISD/Mandavalli / Gram Sachivalayam /Pallewada/ Reports/2020 dt 18.02.2022

Sir,

**Sub:-** PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc No 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11.02.2022 with M30 mix concrete for obtaining the 7 days ( 18.02.2022) cube strength of the above concrete is used for **Footings** of 'Construction of YSR Health Clinic building at Pallewada of Kaikaluru Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Forwarded &

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

'KI subdivision Mandavalli

18 02 an

To,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr No / JTO/PRISD/Mandayalli / Gram Sachivalayam /Tamarakollu/ Reports/2020 dt 20.02.2022 Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required

Ref:- 1. Rc No 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13.02.2022 with M30 mlx concrete for obtaining the 7 days ( 20.02.2022) cube strength of the above concrete is used for Footings of Construction of YSR Health Clinic building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your

Yours faithfully

Executive Engineeer

RI subdivision Mandavalli

2002-2022

Forwarded to Stri tut

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ Pallewada/reports/2019 dt 11.03.2022

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc No 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11.02.2022 with M30 mix concrete for obtaining 28 days 11.03.2022) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building at Pallewada of Kaikaluru Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours\_faithfully

Deputy Executive Engineeer
PRI subdivision

rkı subaivisi Mandavalli

11-03.00

Forwarded to Str YVR

To,

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer
Panchyat Raj Subdivision

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ Tamarakollu/reports/2019 dt 13.03.2022

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc No 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13.02.2022 with M30 mix concrete for obtaining 28 days 13.03.2022) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building at Tamarakollu of Kaikaluru Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

13,02202

3

Frundad &



#### MT-514 MT-512, MT-513 & MT-514.

To, PRINCIPAL, CIVIL DEPARTMENT. **GUDLAVALLERU ENGINEERING COLLEGEGUDLAVALLERU.** 

Dear Sir.

Sub: Yard Modification works at machilipatnam as per the revised ESP in connection with doubling of railway line between Gudivadda -Machilipatnam stations on Vijayawada Division of south central railway in Andra Pradesh state - Request for cube testing.

Dear Sir,

Here we are sending cubes which are casted in MTM railway works, Please conduct the test and provide the test reports.

Grade of concrete -- M25

Date of opsting=01-03-2022 (28 days reports) Date of costing=02-03-2022 (28 days reports) Date of casting=03-03-2022 (28 days reports) Date of casting=04-03-2022 (28 days reports)

Total sets -4, (each set 3cubes) We will pay relented testing charges.

Client: Rail Vikas Nigam Ltd Consultancy: Aarvee Associates

Exexuting Agency: M/S Power Mech Projects LtdLocation:

MTM Yard Modification Works

P. Lakshmi Narayana(Deputy

Manager)



AN ISO 9601, ISO 14001 & OHSAS 18601 CERTIFIED COMPANY

Regd. & Corporate Office: Plot No. 77, Jubilee Enclave, Opp. Hitex. Modhapur, Hyderabad-500081 Telongona, India CIN - U74140AP1999PLC03215&

Phone : 049-30444444

Fax 940-30444400 E-mail: Info@powermech.net Websile www.powermechprojects.in









#### HT-515 HT-516- HT-517.

To,
PRINCIPAL,
CIVIL DEPARTMENT,
GUDLAVALLERU ENGINEERING COLLEGE
GUDLAVALLERU.

Dear Sir,

**Sub:** Yard Modification works at machilipatnam as per the revised ESP in connection with doubling of railway line between Gudivadda –Machilipatnam stations on Vijayawada Division of south central railway in Andra Pradesh state – **Request for cube testing**.

Dear Sir,

Here we are sending cubes which are casted in MTM railway works, Please conduct the test and provide the test reports.

Grade of concrete -- M25

Date of costing=22-03-2022 (7 days reports)
Date of costing=24-03-2022 (7 days reports)
Date of costing=25-03-2022 (7 days reports)

Total sets -3, (each set 3cubes)
We will pay relented testing charges.

Client: Rail Vikas Nigam Ltd Consultancy: Aarvee Associates

Exexuting Agency: M/S Power Mech Projects Ltd

Location: MTM Yard Modification Works

P. Lakshmi Narayana (Deputy Manager)

GO KUR



AN ISO 9001, ISO 14001 & OHSAS 18001 CERTIFIED COMPANY







CIN - U74140AP1999PLC032158

Phone : 040-30444444 Fax : 040-30444400

E-mail: info@pawermech net Website: www.powermechprojects.in









#### MT-518, MT-519 & MT-520

To, PRINCPAL CIVIL DEPARTMENT, **GUDLAVALLERU ENGINEERING COLLEGE GUDLAVALLERU.** 

Dear Sir.

Sub: Yard Modification works at machilipatnam as per the revised ESP in connection with doubling of railway line between Gudivadda -Machilipatnam stations on Vijayawada Division of south central railway in Andra Pradesh state - Request for cube testing.

Dear Sir.

Here we are sending cubes which are casted in MTM railway works, Please conduct the test and provide the test reports.

Grade of concrete -- M25 Total sets - 3 (Each set 3cubes)

26/03/22 02/04/22

We will pay relented testing charges.

27/03/22 03/04/22 28/03/22 04/04/22

Client: Rail Vikas Nigam Ltd Consultancy: Aarvee Associates

Exexuting Agency: M/S Power Mech Projects Ltd

Location: MTM Yard Modification Works

P. Lakshmi Narayana (Deputy Manager)

POWER MECH PROJECTS LIMITED

AN ISC 9001, ISO 14001 & OHSAS 18001 CERTIFIED COMPANY

JAS-ANZ



Regd. & Corporate Office : Plot No. 77, Jubilee Enclove, Opp. Hitex, Madhapur, Hyderobad 500081

Talongone, India

CIN: U24140AP1999FLC032156

Fox : 040-30444400 E-mail : info@powerravch.net Wabsile: www.powermechprojects.in







## REPORT ON M - 10, M - 15, M - 20, M - 25, M - 30 GRADE CONCRETE MIX DESIGNS

Name of Work: - Yard Modification Works At Machilipatnam As Per The Revised Esp In Connection With Doubling Of Railway Line Between Gudivada Machilipatnam Stations On Vijayawada Division Of South Central Railway In Andhra Pradesh State-Issue Of Notification Of Award.

#### Client

Rail Vikas Nigam Ltd

#### Consultant

AARVEE ASSOCIATES ARCHITECTS ENGINEERS & CONSULTANTS PVT.LTD

Contractor

Power Mech Projects Ltd

TEST REPORT
SUBMITTEDBY



CONSULTANCY CELL

\*\*DETARIMENT OF CIVIL ENGINEERING\*\*

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

SESHADRI RAO KNOWLEDGE VILLAGE

GUDLAVALLERU – 521 356.

From

MT-529 TO,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr ло / JTO/PRISD/Mandavalli/GS bldg/Reports/2019, dt 04-02-2022

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-01-2022 with M30 mix concrete for obtaining the 7 days (04-02-2022) and cube strength of the above concrete is used for **Roof Slab Concrete** of **Construction of YSR Wellness Centre Building at Vernavarappadu of Kaikaluru Manda! Est Cost Rs.17.50 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandavalli

3

MT-530 . To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer

Gudiavalleru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lr no /JTO/PRISD/Mandavalli/GS bldg/Reports/2019 dt:26-02-2022

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-01-2022 with M30 mix concrete for obtaining the 28 days (26-02-2022) cube strength of the above concrete is used for **Roof Slab Concrete** of **Construction of YSR Wellness Centre Building at Vemavarappadu of Kaikaiuru Mandal Est Cost Rs.17.50 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

3

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

No. 415

Date: 15-04-12021

Received an Amount Rs....6,000/\_\_\_\_\_

(Rupees. Six Thornsond ... Profees only ...)

from Sri/Smt. P. Suresh ... Bobu. M. tech

DEE PRI Sub Division, Mandovalli.

towards. C.C. Cubel GO. Nas. MT. 229. NT. 230 HT- 36 MT- 239, MT- 246, MT247, MT-260, MT-263, MT-265

MT-277, MT-311, MT-332 MT-333 MT351 to 356

MT-362

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 416

Date: 15-04-2021

Received an Amount Rs300/
(Rupees Hundred Rupees only)
from Sri/Smt. A. Haringdh. Bobu Black.
DEE, Pro Sub Division, Gudivodo
towards
MT-361

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No.

Date: 19/04/2021

Received an Amount Rs600/
(Rupees. Six Hundrand Pyrand only)
from Sri/Smt
prochagat Fail Subolivision
towards

Faculty Incharge Consultancy Cell

SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 413

Date: 20/04/2021

Received an Amount Rs900/
(Rupees
from Sri/Smt
- Terreson to wed in what who have married Vol
towards

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

No. 419

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell
RECEIPT

No. 420

Date: 24-66-2021

Received an Amount Rs600/
(Rupees. Six hundred Ruffeet only.)
from Sri/Smt. P. Swesh Baban DE England
Form Gub B. V. Sion promodo Velli promoted.
towards
6.NO'S

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## **Consultancy Cell**

RECEIPT

No. 421

Date: .2.5-0.5-2021

Received an Amount Rs
(Rupeess:xwww.red
from Sri/Smt. P. Suxe. Sh. Bother D. E. E. Roy lay
Row subdivision, Mandavolli
towards HT -36.7.4 HT -36.8.(66 (uba)
6 NO'S

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

No. 422

Date: .30 .- 06 - 2021

Received an Amount Rs. 6.00/...

(Rupees. Six Hundred Fures only)

from Sri/Smt. P. Suxesh Baby DEE.

Presided Vision Mandavalli...

towards. MT. 369 & MT. 370

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 423

Date: .03. .9.7. 2021

Received an Amount Rs300
(Rupees Three hundred Propeed Try)
from Sri/SmtPSureshBabu.,DE.E.,
The subdivision Mando Volli
towardsM.T3.7.1
Ectober 3.NOS

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 424

Date: 53-07-2021

Received an Amount Rs300/
(Rupees
from Sri/Smt
TP+ who Division Hondo Voli
towards3.7.2
cc Cubed ZNO's

Faculty Incharge Consultancy Cell

#### GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

**Consultancy Cell** 

## RECEIPT

No. 425

Date: 09-07-204

Received an Amount Rs. 9.00/
(Rupees. Hine Hundred Papeel only)
from Sri/Smt. P. SwashBabu DEE. P.P.
towards
9 Nas

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



Date: 14 -0 7 - 20 21

Received an Amount Rs. 12. 500/
(Rupees 1000 ve Thousand Five 1000 de from Sri/Smt. 5.8. v. Rechty Deeperst

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell

## RECEIPT

Date: .17.-.07.-2021

427

Received an Amount Rs....300/------

(Rupees...Three...Hundred...Rupees...)

from Sri/Smt...P. suresh. Babu, D.E.E.

. Represub Division, Mandavalle

towards.....Cc...Cabel 3-NO'S MT-377

......

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 428

Date: 17-7-2021

Received an Amount Rs300/
(Rupees. Three Hundred Rupees only
from Sri/Smt. P. Swell B. Obu; DEE, PRI
. Sub distor Manda valli
towardsc.c., Gubes 3. No's
M1-3-70

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell

RECEIPT

No.

Date: ...17-.07-2021

Received an Amount Rs300/-
(Rupees. There Hund red Rup comby
from Sri/SmtP. Surully Babu, DEE,
PRI sub division, Mandavalli
towards. co
MT-379

Faculty Incharge Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

No. 5430

Date: .... 7- 2021

Received an Amount Rs300
(Rupees three thundred Pupea only
from Sri/Smt
PRI subdivision, Mandavalli.
towardscc. wha 3.NO.S.
M1- 380

Faculty Incharge

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

## RECEIPT

No. 431

Date: .20-07-2021

Received an Amount Rs
(Rupees. Twelve Hundred Rupees only
from Sri/SmtAHarinalhBabu, DEE,
PRI subdivision, Gudivada
towardscccubel12 Nois
HT-381, HT-382, HT-38.3.4. MT-384

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

### RECEIPT

No. 432

Date: 2.8/0.7/2024

Received an Amount Rs300/-
(Rupees hundred Rufell only
from Sri/Smt. P. suresh Bobu, DEE,
.P.RI sub division, Manda valli
towardsMT-385

Faculty Incharge

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

### RECEIPT

Date : .. 11/08/2021

Received an Amount Rs....2.,100/-(Rupees. Two thousand one hundred) Pufey from Sri/Smt. P. Suryh Baby, DE.E., .. PRI. sub di Vision, Handavalli. towards.....cc...cubes 21. No's MT-386, MT-387, MT-388, MT-389, MT-38 MT-3918 MT-392. Principal

Faculty Incharge

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



## Consultancy Cell RECEIPT

Date: 11-08-201

Received an Amount RsLooo/
(Rupees. one. Thousand Rupeel only)
from Sri/Smt K. V. N. Sivari, Asst. Engined
KWSE S Department Gudlovallery. Mand
towardssondfiltermedia
ST-256
alik

Faculty Incharge Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell
RECEIPT

No. 435

Date: 24-08-2021

Received an Amount Rs....5000/---

(Rupees. Five thousand Rupees only)

from Sri/Smt. Megha.... Engineering. &....

Infrastructures. Limited., Dokiparru, temple site.

construction water at DOKI Para Temple site.

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESNADRIRAG KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT



Date: 20-08-2021

Received an Amount Rs600/
(Rupees. Six. Hundred Rupees only)
from Sri/Smt. P sureth. Babu, DEE, PRI
subdivision. Mandayalli.
towards toward. s cc cubel
MT-3964 MT 397

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

No. 437

Date: .28-8-2021

Received an Amount Rs. 1.7,100./
Rupees. Seventeen. Thomand. and hundred
from Sri/Smt. Dep. entment. Visayawada
towards. Later Testing (MT. 393, MT-394,
MT. 395, MT. 398, & MT. 399.

Faculty Incharge Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

No.

438

Date: ..13-09-2021

Received an Amount Rs....15.00/

(Rupees Fifteen Hundred Rupees only

from Sri/Smt...P. suxesh.... Babu, DEE,

PRI subdivision, Mandevalli.

towards cc cubes MT-402,

MT-403, MT-404, MT-4054 MT-406

Faculty Incharge

Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESNADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 439

Date: 04-40-2021

Received an Amount Rs....2,700/-----

(Rupees. Two: thousand seven Hundred Parfeel

from Sri/Smt...P. .. Swesh ... Babu, .. DEE,

.P. .... Subdivision, Handa Valli....

towards...cc...cubes, MI-407, MI-408, MI-409

.. HT-410; MT-41+, MT-4+2, MT-413, MI-4144

MT-415. 27 NOS.

Faculty Incharge

Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



## RECEIPT

No.

440

Date: .5~10-2021

Received an Amount Rs4,000/-
(Rupees Four Thousand Dupees only)
from Sri/Smt P.y. How Hower Chowless !!
Krishma District
towardssail. Testing 5.T-259
***************************************

Faculty Incharge

Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 441

Date: 25.-10-2021

Received an Amount Rs Good
(Rupees 5+ * Hundred Rupees only)
from Sri/SmtAHowingdh.eobu, DEE,
PRI sub . Division , Gudi vado Mandal
towards

Faculty Incharge Consultancy Cell

## SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

#### Consultancy Cell RECEIPT

Date: .2.5-10-2021

Received an Amount Rs. 2, 400/---(Rupees... Two Theregand former Hundred Rupe) from Sri/Smt. P. Swish Babu, DEE. PRI sub Division; Monda Valle Mandal. +1-421-41-422,117-423, MT-424, MT-4257 24 NOS

Consultancy Cell

#### GUDLAVALLERU ENGINEERING COLLEGE BESHADRIRAG KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 443

Date: 25-10-2021

Received an Amount Rs300/
(Runees — 1 /
(Rupees. Herebyed Pupersonly
from Sri/Smtmeghour Engineering 4? Infrastre
charet limited . De kipacow, Gudla watter no
towardscercobesMT-420
V 26 Ks
VXV

Faculty Incharge Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell



## RECEIPT

Received an Amount Rs. 12.00
from Sri/Cont
from Sri/SmtP. gureth Babu: DEE,
· PRI Sub-Di-yistom Morneke Valle Handa.
towards
EN 86 16 12 NO'S

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 445

Date: 1.7 .-. 11 -- 2021

Received an Amount Rs.....200/------

(Rupees. one Thousand Truchurcher fulfason

from Sri/Smt. P. Suresh . Gabu, ... DE. E., ...

PPI .. 5 ub Division Handavalli Mandal

towards .... MT-431-, HT-432-, HT-43-3-3-8-41-434

..... 12. No. 5 ... toward 5 ... ( c... cubes.

Faculty Incharge Consultancy Cell

SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU

### Consultancy Cell

### RECEIPT

No. 445

Date: 17-11-2021

Received an Amount Rs3000/
(Rupees Three Thousand Pupeu only
from Sri/SmtR-G. Varo Prajad AE.,
achilipat rom Hunicipal corporation, Hadilipatres
towards pebound Hammer Test
MI-435
1/1/18

Faculty Incharge Consultancy Cell

### **GUDLAVALLERU ENGINEERING COLLEGE** SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

Date: 04-12-2021

Received an Amount Rs....2400/\_\_\_\_

(Rupees. Two whoward four hundred R.) preson

from Sri/Smt. P. Stored In Bushing DEE, PRI

Sub Division, Handavalli Mandal.

1-438 MT-439 MT-440, MT-441-MT-442

Faculty Incharge Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

Date: 07.-12.-2021

Received an Amount Rs. 3.300/(Rupees.Three. thowsand Three Lundred Repeated from Sri/Smt. Municipal Assistant Lagraser, Hunicipal

.corporation .... Machilipatnam

towards. CC. Cithel MT-444, MT-445 MT-447

.HT-448 .HT-449 MT-450 HT-451 F.MT-452.

Faculty Incharge

Consultancy Cell

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

451 RECEIPT

No.

Date 3-12-2021

Received an Amount Rs. 600/
(RupeessigHundred Dupees only
from Sri/Smt.AHorinodhBabu, DEE
F.RI. Sub Division Gudivaria
towardsccaubes
HTT 4.5.5.

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 5 452

Date: 28-12-2021

Received an Amount Rs. 2,400/

from Sri/Smt To and Jour hundred Ruper

from Sri/Smt. p. suresh Babu, D. E.E.

PRI sub Division, Handavalli

towards...cc. cubes; MT-456; MT-45.7;...

MT-458; MT-459; MT-460; MT-461; MT-461

2 MT-463.

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

Date:30-12-202

Received an Amount Rs600/
(Rupees. siz Handred Repett only)
from Sri/Smt P. guresh Babu, DEE,
PRI Sub Division Handavalli
towardscc.cubuMT-464-2
MT466.

Faculty Incharge

V. Slei

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 454

Date: 30-12-2024

Faculty Incharge

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell RECEIPT

No.

Date: 11-01-2022

Received an Amount Rs300/-
(Rupees Three hundred Rupsel ml.
from Sri/Smt. Hunicipal. Assistant From
Hun cipal. Colosation . Maclilia
towards
MT-472

Faculty Incharge

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

0. 456 Date: 11-01-2022

Received an Amount Rs...2.100/-(Rupees. Two. - thousand. one hundred Pupus) from Sri/Smt.P. suxelf....Babu, DEE,.... PRT. Sub Division Handavalli. towards .... (.... Cube MI-467. MT-468. MT-469 M7-470 MT-471, MI-4738...

Faculty Incharge Consultancy Cell

#### SESHADRIRAD KNOWLEDGE VE LAGE GUDLAVALLERU

Consultancy Cell

#### RECEIPT



Date: 19 01-22

Received an Amount Rs... 2, 100/-

(Rupees javo the word and and fundament

from Sri/Smt...P. Sureth Bable DEE.

PRI Subpivision Mandavalli Marelal

Ma-478, MI-479, MI-480. A. MI-481

cc cubes

Faculty Incharge

Consultancy Cell

SESHADRIRAG KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell
RECEIPT

No. 45.

Date 29-01-2021

Received an Amount Rs900/-
(Rupees. Nine hund red Rupeu only)
from Sri/Smt. Power mech. Projecti.
timited Machilipatnam
towardse.ccubes
MI-118 0 11-118-0
86 /3 M.I484

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 460

Date: 25-02-2022

Received an Amount Rs
(Rupees: handred Rupees only
from Sri/Smt. P. Suresh Gabu, DEE, PRI.
sub Division Mandavalli Mandal
towardse. cubes
MT-486-4 MT-487
101.10

Faculty Incharge Consultancy Cell

#### SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT



Date: 25-02-2021

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

### RECEIPT

No. 462

Date: 25/2/2011

Received an Amount Rs300/	• • • • • •
(Rupees. Three hundred Rupees or	ndy)
from Srismt Haringel . Assistand Engin	DEX;
Muricipal corporation, Machilipatnam.	
towardscccubcl	
MI-488	

Faculty Incharge

Consultancy Cell

SESHADRIRAG KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

RECEIPT

No. 463

Consultancy Cell

Date 25-02-2024

Received an Amount Rs!200/
(Rupees. Twelve hundred Repensanly.)
from Sri/Smt. Powex. Hech. Provects
. Ital , MT.M. Yard Modification walks
towardscoco.bu
MT-489; MT-490, MT-491. 8. MT-492
Faculty Incharge Principal

#### GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 464

Consultancy Cell

Date: 11-3-2022

Received an Amount Rs.. 2,000 (Rupees. Two thousand .. Rupeet only.) from Sri/Smt. polliparo Pomo: novesimbe Po D. NO. 5/114, Buide post office God lavallerus water enalytim for concrete Faculty Incharge

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 465

Consultancy Cell

Date: 15-3.-.2027.

Received an Amount Rs. 2.,000
(Rupees wo Thousand Rupees only
from Sri/Smt. pollipara: Romanovasimha le
DINO: 5/14, Beside post office, Gude valle
towards
water Arrabysis for comerate
Faculty Incharge Principal
Faculty Incharge Principal

Consultancy Cell

### RECEIPT

No. 466

Date: 19-3-2022

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

No. 467

Date: .19-3-20-20

Received an Amount Rs300
(Rupees Three hondred Rupees andy)
from Sri/Smt. 16 Saturnavadana Redu.
Near builtand, opp. Antomatali Temple, Pamera
towardsco. cubet
MT- 496

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

### Consultancy Cell

### RECEIPT

No. 468

Date: 19-03-100

Received an Amount Rs. 9,00/
(Rupees. Tupersonly)
from Sri/Smt. P.G.V. Fredod, A.E. HT.H.
Hower con corporation, Many
towardsco
MT-497, MT-498 & MT-499

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

### Consultancy Cell

### RECEIPT

No. 489

Date: 43-03-2022

Received an Amount Rs
(Rupees one thousand two hand ved Rupes only
from Sri/Smt. M/S Power Mech Prosected

Hackele patnam Yord Modification worky

towards.....Ca. Cubel

HT-501, MT-502, MT-503 & MT-504

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 45

Date: 23-03-2022

Received an Amount Rs4.,000/	
(Rupees Four Thousand Rupees only	
from Sri/Smt.T.V.P. Rama Pauly 4. J. J. Sutton	*
Pasu, china Amoram, Bhimavaxam, W-GE	- therese
towards Soil Test	1.0
ST-266	

Faculty Incharge Consultancy Cell

#### GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

**Consultancy Cell** 

### RECEIPT

No. 471

Consultancy Cell

Date: 23-03-2021

Received an Amount Rs. 4,000
(Rupees Four Thousand Rupees only
from Sri/Smt. J.V.P. Rama Raju, Olina Todinada, Kalidindi (M.D), Krishna D.T
towards soil Test
ST-267.
Faculty Incharge Principal

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

No. 472

Date: 23-63-2022

Received an Amount Rs. 24,000/-

(Rupees. Twenty four Thousand Rupees only

from Sri/Smt. Deputy Executiv Engineer

PRESub Division, Mandavalle Handal

towards soil Test

ST-215 to ST-220

Faculty Incharge Consultancy Cell



# GUDLAVALLERU ENGINEERING COLLLGE

SESHABRIRAO NIOWI EDGE VILLAGE GUDLAVALLERU

Consultancy Cell

# RECEIPT

No.473

Date: 25-03-22

Receive	ed an Amount Rs3.00/
(Rupee	S. Three hurdred Rupees only
	i/Smt. Kalli-satyanarayana News
	mkamatalle Temple Farmartt
	s
	MT-506

Faculty Incharge Consultancy Cell Principal



No. 474

Date: .25-3-22.

•••••
ndy)
۱۳۰۰
<b>M</b>
•••••

Faculty Incharge Consultancy Cell Principal

# GUDLAVALLERU ENGINEERING COLLEGE

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No.

Date: 25-03-2022

Faculty Incharge Consultancy Cell

1 01. KB

Principal

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 10/10/21

#### RECEIPT

Name of the College

: Usha Roma college of Engineening & Tech.

Name of the Student(s)

: B. KIRANBABO

Utilized Laboratory

: RED, (Material restriglas)

Name of the Equipment Utilized

: Fornance, ophial microsupe, Hardness

Amount charged toward utilizing the equipment: RS 1800 /-

Lab Technician

Lab In-charge

Head of the Department Mechanical Engineering SethMili Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District A D.

00-02T - 025XE - E - 905800M 00-02T - 025 + E - Munbral 00-00E - 60EX 1-1 - themter the

Technical 4. Mondowsh

Mechanical Engineering
Seshadri Rad
Findlavalleru Engineering College
Seshadri Rad Knowledge Village
Gudlavalleru - 521 359, Krishna Dader 3

Seshadri Lao Gudlavalleru Engin Ting College

(An A nomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

RECEIPT

Date: 25/03/22

Name of the College

: V.k.R V.N.B & A.G. K college of Engineering

Name of the Student(s)

: K. Durga Bhanu

R. Swrendra N. Chaibanya D. Sai Ram

Sk. Saleem Bouha

Utilized Laboratory

: RED laboratory

Name of the Equipment Utilized

: Vicker's Handness, optical microscope, muffle furnace

Amount charged toward utilizing the equipment: PS 1500/-

Lab Technician

Ic an layer kan Me Department Mochanical Engineering Bashadri Rao

Gusta Lengineering Collect Search H.M.F.Knowledge Village Gudlavellura - 521 356, Krishna District. A.F. Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 6/04/2022

RECEIPT

Name of the College

: RVR&JC college of engineening

Name of the Student(s)

: Rivenkatesh

Utilized Laboratory

: Strocas R&D Caboratory

Name of the Equipment Utilized

: strongting machine

Amount charged toward utilizing the equipment : 23000/-

Kobala Lab Technician

Can Keylazi Kan Lab In-charge Head of the Department Mechanical Engineering

Sashadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356 Kright Di

(3)

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: [0] 1] 22

### RECEIPT

Name of the College

: Tatya Sahab Kole Institute of EngrEtech.

: B. V. Linga Raju

Name of the Student(s)

Utilized Laboratory

Name of the Equipment Utilized

: RED Labo ( stim costing : Stroncosting u/c auth whom somic Unbrider)

Amount charged toward utilizing the equipment:

K-cu Kaylan lan-Lab In-charge

Head of the Department Mechanical Engineering

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavallery - 521 356 King Committee

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: 18/04/2022

### RECEIPT

Name of the College

: Ramachandra college de E199, Eluru.

Name of the Student(s)

B. Sairteja, A. Yeswanth, k. vijoyablastar J. Chairthanga of Mechanical department

Utilized Laboratory

Name of the Equipment Utilized

stir casting marking.

Amount charged toward utilizing the equipment:

3,000/\_

Head of the Department Mechanical Engineering

S在Medi Rao Gudlavalleru Engineering College Seshadri Rao Knowledna Village

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 6 5 22

RECEIPT

Name of the College

Rama chandra chegeot Engg. Dr. Santa Rao, phani Kumer

Name of the Student(s)

Utilized Laboratory

Name of the Equipment Utilized

Casting, UTM, Micro bordmen, micro stoke

Amount charged toward utilizing the equipment : 7000)

Kichell Lab Technician

Head of the Department Mechanical Engineering Seshadri Rao

Gudlavalldtu/Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

### Seshadri Ras Gudlavalleru Engineerin, College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 7/5/22

#### RECEIPT

Name of the College

Rain-chandre Weget Eng.

Name of the Student(s)

D. Phani Chandhar Reddy (1855 (Ao 329) Ch. Joshan Narendhar (1855 (Ao 318)

Utilized Laboratory

RED Cel

Name of the Equipment Utilized

certing, butwace, UTM

Amount charged toward utilizing the equipment:

RS43001- AF

Head of the Department Mechanical Engineering Seshadri Rao

Lab In-charge

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 10/5/22

#### RECEIPT

Name of the College

Rama chandra allegeof Engg. Ch. Durga Proven (19 m E 5 A 0342)

Name of the Student(s)

T. Semil (19ME 5A0339)

SIC Shahid (18 MEI A0369)

Utilized Laboratory

: RED Leb

Name of the Equipment Utilized

: Welding, micro hordness, Inefact

Amount charged toward utilizing the equipment: R1750 -

Lab In-charge

H.M.E. Dunson Seshado Rao

Clusteration Engineering Consue

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

RECEIPT

Date: 13/5/22.

Name of the College D.M.S. SVH COLLEGE OF Eng.

Name of the Student(s) CHILAKANTI SAR RAM

Name of the Equipment Utilized Stir Castry, Got UTM, Micro hadren, Amount charged toward utilizing the equipment: Rs 9,0001
Head of the Department

Seshadri Rao Gudlavallery Engineering College Seshadri Rao Knowledge Village

Mechanical Engineering

ようきっと、しかっととし、ことなったるとではできたいて、アンド

# Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

RECEIPT

Date: 13 5 22

Name of the College

Name of the Student(s)

: SR K Institute of Teh, VJA T. Yaswandh, J. Rakesh, M. Jayakmyling 18x4: 100326, 308, 312, 306

Utilized Laboratory

: R & D Lab

Name of the Equipment Utilized

: stir certing machine

Amount charged toward utilizing the equipment: \( \) \

Head of the Department Mechanical Engineering

Seshadri Rao

Gudlavalleru Engineering Collega Seshadri Rah Ma Ewiedge Village

10. CM Keylon Jen

Lab In-charge

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumlc.in Web: www.gecgudlavalleru.ac.in

### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE,

Professor of Civil Engineering

Vice Principal - Administration

	ERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU AI	NUHRA PRADESH 5
MAIL ID: principal@gecg		
lace of Supply: Maharash	fra	
an Prints Private Limited, 67, Raja Industrial Estate, lumbai - 400 080.	lavoice #: JEM2007214	AP16
1.	Invoice Date: 27th JUI Assessment Name : JE Assessment Date : 20th	E MAINS
itention nail	SMB Finance smb.finance@tcs.com	
Description	The statement of the st	
12	HSN/SAC Code	TOTAL (INR)
penses towards conducti 21 tal	ng JEE MAINS exam on 20th,22nd & 25th JULY 998599	74,500.00
	7, G 4 6 7	74,500.00
	TOTAL	
	TOTAL SECTION AND ADDRESS OF THE PROPERTY OF T	74,500.00
ture of Center Head		74,500.00
: AAATA3093K	Signature of ROM	

Vice Principal-Administra Non-Gudlavalleru Engineering College Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356 Gudlavalleru - 521 356, Kriehna District. A.P.

Seshadri Rao

Seshadri Rao Knowledge Village



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 14-July-2021 JEEMA200721AP16

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details Assessment Name	JEE Mains
Assessment Date(s)	20-July-2021 22-July-2021 25-July-2021
Assessment Shift(s) &Time(s)	Shift-1 09:00AM-12:00PM Shift-2 03:00PM-06:00PM
Project Address	Gudlavallerú Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number JEEMA200721AP16 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Seshadri Rao

Gudlavalleru Engineering College

Vice Principal-Administration Seshadri Rao Knowledge Village Gudlavalleru Engineering College lavalleru - 521 356, Krishna District. A.P. Reshadri Rac Knowledge Village, Gudlavelleru-521356



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 14-July-2021 JEEMA200721AP16

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Shift4 Count Count	# of Shifts	Amount Rs.
20-July-2021	150	150		2	7,500.00
22-July-2021	0	150		1	7,500.00
25-July-2021	150	150		.2	7,500.00
(Annexure A): Amo	unt for Nod	es Utilizatio	on (Single &Multiple)		22,500.00
(Annexure B): Amo	unt for Man	power Utili	zation(Single & Multip	ole)	20,000.00
(Annexure C): Amo	unt for Add	itional Man	power Utilization (Sin	gle & Multiple)	25,200.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple) (Annexure D): Amount for Surveillance Record Facility (Single & Multiple)					0.00
e pojej sakonovini s (Alain					67,700.00

Total Exam Days:3

Mannower / Facility Requirement Table

Manpower / Facility Requirement Table	
Manpower / Facility Title	Walter Brown
Test Center Administrator	1 : Test Center
IT Admin	1:250 Candidates
IT Assistant	1 : 250Candidates
Invigilators.	1 : 30 Candidates( Min 2 per Room)
Support / Volunteers (Inclusive Electrician)	1 : 100 Candidates
Registration Managers	1 : 30 Candidates
Security Guards	1 : 100 Candidates
Cleaning Staff	3 :·125 Candidates
Thermo Gun Staff	. 1: 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Peon	2 : 100 Candidates

#### Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	3000.00
IT Admin	3000.00
IT Assistant	1600.00
Invigilators	10000.00
Support / Volunteers	2400.00
	20,000,00

6000.00

Seshadri Rao dlavalleru Engineering College

Manpower (Additional) Amount Rs. Registration Managers Security Guards

Annexure "C"

2400.00 Cleaning Staff. 4800.00 Thermo Gun Staff 2400.00 Crowd Management 3600.00 Barcode Scanner Staff 2400.00 3600.00 25,200,00

Annexure "D"	ri Rao Knowledge Villa
Surveillance Facility	Amount Rs.
Surveillance Camera Record	0
Note: Surveillance Camera Facili	ity to Record
Rs.10/- per node for one day	

 Fuel Charges for Generator: Rs.4.5/A Per Candidate
 Note: In case the number of days/reces specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

Total

Page 2 of 2

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.sc.ln

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbal - 400 080.

Reference Involce #: JEM200721AP16 Reference Invoice Date: 27th JULY 2021

Assessment Name : JEE MAINS

Assessment Date : 20th,22nd & 25th JULY 2021

Attention

ONID LITIGITICS
smb.finance@tcs.com

Email	smb.fi	nance@tcs.com				
Description	. 90	HSN/SAC Co	de	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting JEE MA	AINS exam on 20th	JULY 2021				
Nodes (count)		W	998599	150	50	7,500.00
Expenses towards conducting JEE MA	AINS exam on 22n	d JULY 2021				
Nodes (count)			998599	150	50	7,500.00
Expenses towards conducting JEE MA	AINS exam on 25th	JULY 2021	h			·
Nodes (count)			998599	150	50	7,500.00
itores (conin)		87 ( B)		3	· · ·	-
Supervisor Support Charges for:	-	1		12 m	1 1	
Supervisors Support Charges for.				* ×	100	
Test Center Administrator for Day 1			998599	1	1125	1,125.00
			998599	i	1125	1,125.00
IT Admin for Day 1			998599	i	600	600.00
IT Assistant for day 1		ե				3,750,00
Invigilators for day 1		ε.	998599	5	750	
Registration Managers for Day 1			998599	5	450	2,250.00
Security Guards for Day 1			998599	2	450	900.00
Support Staff for Day 1	**		998599	2	450	900.00
Peons for Day 1			998599	3	450	1,350.00
Cleaning Staff for Day 1		98 *	996599	4	450	1,800,00
Thermo Gun Staff for Day 1			998599	2	450	900.00
Crowd Management for day 1			998599	3	450	1,350.00
Barcode Staff for Day 1			998599	2	450	900.00
			- 1		1 1	
Test Center Administrator for Day 2			998599	1	750	750.00
IT Admin for Day 2			998599	1	750	750.00
IT Assistant for day 2			998599	1	400	400.00
Invigilators for day 2			998599	5	500	2,500.00
Registration Managers for Day 2		-	998599	5	300	1,500.00
Security Guard for Day 2		È	998599	2	300	600.00
				2	300	600.00
Support Staff for Day 2			998599			
Peons for Day 2			998599	3	300	900.00
Cleaning Staff for Day 2		* .	998599	3 4	300	1,200.00
Thermo Gun Staff for Day 2		1	998599	2	300	600.00
Barcode Staff for Day 2		100	998599	2 .	300	600.00
Crowd Management for day 2	(2)		998599	3	300	900,00
Test Center Administrator for Day 3	10		998599	1	1125	1,125.00
IT Admin for Day 3			998599	1	1125	1,125.00
IT Assistant for day 3	.*	5	998599	1	600	600.00
Invigilators for day 3			998599	5	750	3,750.00
Registration Managers for Day 3			998599	5	450	2,250.00
Security Guards for Day 3			998599	2	450	900.00
Support Staff for Day 3	1		\$98599	2	450	900.00
Peons for Day 3		•	998599	3	450	1,350.00
Cleaning Staff for Day 3			998599	4	450	1,800.00
Thermo Gun Staff for Day 3			998599	2	450	900.00
Barcode Staff for Day 3			998599	2	450	900.00
Crowd Management for day 3			998599	3	450	1,350,00
				-		2
Food Expenses			998599	750	2	1,500.00
Stationary Expenses			<b>998</b> 599	750	2	1,500.00
Genset and/or Fuel Charges for Day 1			998599		1	1,500.00
Genset and/or Fuel Charges for Day 2			998599			800.00
Genset and/or Fuel Charges for Day 3			998599			1,500.00
Total					] 1	74,500.00
,		188		TOTAL	T' 1	74,500.00
				INIUE		17,000.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Signature of ROM

Gudlayalleru Engineering College Sanprints GST#: 27ANGSTWILLZEDIGE VILLEGE

Gudiavalleru - 521 356, Krishna District, A.P.

Vice Printipal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 28-July-2021 KDCCB020821AP05

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by **Facilities Agreement** dated **15-Sep-2017**between Tata Consultancy Services Ltd. and **Gudlavaileru Engineering College** ("Agreement").

Project Details	
Assessment Name	KDCCB PACS & Staff Assistant & Assistant Manager
Assessment Date(s)	02-August-2021
	03-August-2021
Assessment Shift(s) &Time(s)	KDCCB PACS & Staff Assistant
	Shift-1 10.00 AM - 11.05 AM
	Shift-2 12.30 PM – 01.35 PM
	Shift-3 03.00 PM – 04.05 PM
	Assistant Manager
	Shift-1 10.00 AM - 11.05 PM
Project Address	Shift-2 12.30 PM - 01.35 PM
	Gudlavalleru Engineering College,
	Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356, 521225
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
Caroll 6 - O	drider the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number KDCCB020821AP05 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

· K

FOR TATA CONSULTANCY SERVICES

IQAC



For Gudlavalleru Engineering College

PRINCIPAL

Gudlavalleru Engineering College Reghadri Ngo Knowledge Village Gudlavalleru 1521 850 Art

> PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 28-July-2021 KDCCB020821AP05

A STATE OF THE PARTY OF THE PAR	Walk of the state		WHI CYUIC	"A" \		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
2-Aug-2021	109	110	110			
3-Aug-2021	138	138	Δ		3	5,500.00
(Annexure A): Amount for Nodes Utilization (Single & Multiple)						6,900.00
(Annexure B): Amount for Manpower Utilization(Single & Multiple)					12,400.00	
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)  (Annexure D): Amount for Surveille					15,450.00	
(Annexure D): Amount for Surveillance Record Facility (Single & Multiple)  Total Amount (Annexure): A. B. C.					19,050.00	
Total Amount (Ann	exure's A+B	+C+D)	cord Facilit	y (Single & I	Multiple)	0.00
Total Exam Davi						46,900.00

Manpower / Facility Requirement Table

Manpower / Facility Title     Test Center Administrator	Requirement Ratio
IT Admin	1 : Test Center
IT Assistant	1 : 250 Candidates
Invigilators	1: 250Candidates
Support / Volunteers (Inclusive Electrician)	1:30 Candidates
Registration Managers	1 : Per Venue
Security Guards	1:'30 Candidates
Cleaning Staff	1 : 100 Candidates
Thermo Gun Staff	3: 125 Candidates
Crowd Management	1 : 125 Candidates
Barcode Scanner Staff	2 : 125 Candidates
Peon	1: 125 Candidates
	2: 100 Candidates

Annexure "B"

7 THIVXUIC	Ь
*Manpower Title	Amount Rs.
Test Center Administrator	2625.00
IT Admin	2625.00
IT Assistant	1400.00
Invigilators	7750.00
Support / Volunteers	
Total	1050.00

PRINCIPAL

Seshadri Rao 15,450.00 udlavatleru Engineering College

Annexure "C". Manpower (Additional) Amount Rs. Registration Managers 4650.00 Security Guards 2100.00 Cleaning Staff 3600.00 Thermo Gun Staff 1500.00 Crowd Management 2550.00 Barcode Scanner Staff 1500.00 Peon 3150.00 Total 19,050.00

Annexure "D"	Seshadri Rao Knowledge Village
Surveillance Facility	y Amount Rs. strict A.P.
Total	
	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified about may increase or decrease. Billing agreed on a ENGINEERIA Pro-Rata basis.

PRINCIPAL

.Gudlavalleru Engil प्रिकामिक College Seshadri Rao Knowledge William Gudievalleru - 521 356, A.P.

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in.

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, **Professsor of Civil Engineering** 

Vice Principal - Administration

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudiavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited. 167, Raja Industrial Estate.

Mumbai - 400 080.

Reference Reference

PRICE PERI

Invoice #: KDCB020821AP05 Invoice Date: 13th Aug 2021

Assessment Name : KDCCB PACS & Staff Assistant & Assistant Manager

Assessment Date: 02nd & 03rd Aug 2021

Attention Email

SMB Finance

smb.finance@lcs.com

Description	Це	V/SAC Code	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting KD				Ottit	101Me (mix)
Expenses towards conducting INL Modes (count)	COD FACS & SIGH MESISTANI	998599	110	50	5,500.00
wodes (count) Expenses towards conducting KD	CCB Accident Manager ave		110	ĐU	5,500.00
expenses towards conducting INL Nodes (count)	CCB Assistant Manager exa		138		5 00D 00
vodes (count)		998599	) 138	50	6,900.00
Commenters Comments Chairman Sant			1	4	
Supervison Support Charges for:				3.53	
Fest Center Administrator for Day 1	and the second	998599		1500	1,500.00
T Admin for Day 1		998599	F. 1	1500	1,500.00
T Assistant for day 1		. 998599	1 1 1 1	800	800.00
nvigilators for day 1		998599	4	1000	4,000.00
Registration Managers for Day 1		998599	4	600	2,400.00
Security Guards for Day 1		998599	2	600	1,200.00
Support Staff for Day 1		998599	1	600	600.00
Peons for Day 1	Acres Carlo	998599	3	600	1,803.00
Cleaning Staff for Day 1	F-7	998599	3	600	1,800.00
hermo Gun Staff for Day 1	Y .	998599	1	600	600.00
crowd Management for day 1	5.7	998599	2	600	
Barcode Staff for Day 1		998599	4		1,200.00
•	100 pt	the state of the s	10 to 10	600	600.00
est Center Administrator for Day 2	1	998599	₹3.5.1	1125	1,125,00
T Admin for Day 2		998599	1	1125	1.125,00
T Assistant for day 2		998599	. 1	600	600.00
nvigilators for day 2		998599	. 5	750 %	3,750.00
Registration Managers for Day 2		998599	5	450	2,250.00
Security Guard for Day 2		998599	2	450	900.00
Support Staff for Day 2		998599	- 1	450	450.00
eons for Day 2		998599	3	450	1,350,00
leaning Staff for Day 2		998599	4	450	1,800.00
hermo Gun Staff for Day 2		998599	, 2	450	900.00
Sarcode Staff for Day 2		998599	2	450	900.00
Growd Management for day 2		998599	3	450	
,-		000000	4	430	1,350.00
ood Expenses		998599	605	2	4.040.00
stationary Expenses		998599	605	2	1,210.00
17		330333	000	4	1,210.00
ienset and/or Fuel Charges for Da	v 1	998599			0.000.00
enset and/or Fuel Charges for Da	v 2	998599	1		2,200.00
	<i>,</i> –	220039			1,500.00
otal	1-	- 1			35
	V Du				53,020.00
	TOAC	× (g	TOTAL		
					62 A2A AB

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sure of ROM

tina District. A

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Guald availaru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 368 A B

1/1

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumlc.in Web: www.gecgudlavalleru.ac.in

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAİL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Invoice #: KDCB020821AP05

Invoice Date: 13th Aug 2021 Assessment Name: KDCCB PACS &

Staff Assistant & Assistant Manager

Assessment Date: 02nd & 03rd Aug 2021

Attention Email SMB Finance

smb.finance@tcs.com

Descrip	otion	7. ASS 455 E	HSN /SAC Code	TOTAL (INR)
Expenses towards Manager exam on (	conducting KDCCB PACS 22nd & 03rd Aug 2021	6 & Staff Assistant & Assista	nt 998599	53,020.00
Total		3		53,020.00
		U Carrier	6	
		TOTAL		53,020.00

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

PRINCIPA

<del>Seshadri Ra</del>

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356 Krishna District. A.P.

PRINCIPAL

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, A.P.

1/2

TOAC





#### **WORK ORDER**

Gudlavalleru Engineering College (1284)
Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradestr, India 52:1356

Date 4-Aug-2021 ∧PPBC000821AP38

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tale Consultancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details	
Assessment Name	APPSC DEPT
Assessment Date(s)	06-August-2021
	08-August-2021
	09-August-2021
	12-August-2021
Assessment Shift(s) &Time(s)	Shift-1 09:00AM-12:00PM
	Shift-2 02:00PM-05:00PM
Project Address	Gudlavalleru Engineering College (1284)
	Gudlavalleru-Addada Road, Vijayawada, Kriatina District,
	Gudlavalleru, Andhra Pradesh, Indla, 1/2 (1963)
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APPSC060821AP36 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For TATA CONSULTANCY SERVICES

For thisdayallare Engineering College

10

IQAC

GDVL GDVL GOV

Dr. P. KODANDA RAMA RAM

Dr. Vice Principal - Administration

Gudlavalleru Englishering College

Salah Ra Kondan Mark Gulandan - St. In

PRINCIPAL
Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356, Krishna District. A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhru Predbeh, India 621368

> Date: 4-Aug-2021 APP8C060821AP36

Annexure "A"

Assessment Date(s) 06-August-2021	Shift1 Count 160 281	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
06-August-2021		0	and the second of the second		THE REST OF THE PERSON NAMED IN COLUMN	
	701					8,000.00
08-August-2021	201	273			j was a same	1,4050.00
09-August-2021	112	123	1.		· · · · · · · · · · · · · · · · · · ·	6,150.00
12-August-2021	124	234	4			11,700 00
(Annexure A): Amoun	t for Nod	es Utilizatio	in (Single &	Multiple)	manufacture of the state of the	39,900.00
(Annexure B): Amoun	t for Man	power Utili	zation(Singl	e & Multiple	The last of the standing resource of the standing	36,075,00
Annexure C): Amoun	t for Add	tional Man	oower Utiliz	ation (Singl	o & Multiple)	29,700.00
(Annexure D): Amoun	t for Surv	ellance Re	cord Facility	y (Single &	Mullipla	0.00
noenatuojanik (Alines) (	11 <u>0</u> 0 (1/10)(1/10 (1/10 (1/10 (1/10 (1/10 (1/10 (1/10 (1/10 (1/10 (1/10 (1/10)(1)(1/10 (1/10)(	(e): (e): (e):	A Participation of the Control of th	- 10 m		0.013(67/3(6))

Total Exam Days :4

Manpower / Facility Requirement Table

Requirement Ratio
t Test Conter
1 260 Candidates
1 : 260Candidates
1 : 30 Candidatos
1   100 Candidates
1 30 Candidates
Adequate count as per center  Not Required

Annexure "B"

Manpower Title	Amount Re.
Test Center Administrator	4,176 00
IT Admin	5,260.00
IT Assistant	2,800.00
Invigilators	19,260 00
Support / Volunteers	4,650.00
Total	\$607,00

Annexure "C"

Manpower (Additional)	Amount Rs.
Registration Managers	11,550.00
SD Manpower	18,150.00
Total	29,700.00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Record	0.00
	U.UL
Total 4	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Dilling agreed on a Pro-Rata basis.



P. KODANDA RAMA RA PRINCIPAL
Seshadri Rao
Vice Principal
Vice Principa

Gudiavalleru - 521 356, Krishna District. A.P.

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishma District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. Riste Government)
Accredited by NAAC with 'A' Condo

Phone Nos. 08674-273737, 273888, Mobile: +91 70368ff6216 Fix 16 D667 ( 273967 e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, krr@gecgudiavallerumb.in Web www.geogudiavalleru.ac.in

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

DDRESS: GUDLAVALL	LERU ENGINEERING COLLEG ERU-ADDADA ROAD VIJAYAY	VADA KRISHNA DISTR	CT GUDLAVALI KRU ANDI	ITA PHADIMII 821356	
MAIL ID: principal@gec	gudlavalleru.ac.ln		- mar ham X shaqay Edibiniyası	JIMP CG.I.	
ace of Supply: Maharas	shtra		Savangsi editi indikadan kyrilim ari v	Seben me jergeiff, mepriet die page jegen der gegen.	
San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.			Invoice # #1 10Mg(4174 (6 Invoice Data: 24th Ann 4174 Assessment Hanns: Aftalats DRPARI MENTAL		
			Assessment Date: 06th,	Mili,090i & 12th Aug 20	
ttention (mail	SMB Finance amb finance@tcs.co	<u>m</u>			
			History of the second	(OTAL INR)	
Description	The state of the s		19/3/3/19/2	المسابقة المنظمية المنظمة المنظمة المنظمة والمنظمة والمنظمة والمنظمة المنظمة المنظمة والمنظمة والمنظمة والمنظمة المنظمة المنظمة المنظمة المنظمة المنظمة والمنظمة والمنظمة والمنظمة والمنظمة والمنظمة والمنظمة والمنظمة والمنظمة	
towarde cond	ucting APPSC DEPARTMENT	AL exam on	998899	1,16,707.00	
Sth,08th,09th & 12th Au	ig 2021				
igni, oo mil a oo i a i a i a i a i a i a i a i a i					
Total				1,16 707.00	
i ota i					
				والمستقد والمستر والمراشية والمستراب والمستراب	
	W. F. Fr.	TOTAL		1,10,707.00	
	2007	all property and the second	The state of the s		
		Signature of RC	DIV	Mary of the second of the second seco	
Onto Hond			Bampinia PXII 4" XXIV	MATTAL.	
Signture of Center Head			DRUMINA LAGRA LAGRA		
PAN- AAATA3093K	cipal Gudlavaller Engg Colleg	8	Sanprints GST #: 27AA		

100

TOAC

DY. CO

Br. Mce Pour Manual Contract of the Contract o

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gutilavulleru)

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VUAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANGHIIA IMADENI 881 1886

EMAIL ID: principal@gecgudiavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbal - 400 080.

Referenc Involce #: APERROR21AP36 Referenci Involce Date: 49th Aug 2021 Assessment Name: APPSC DEPARTMENTAL Assessment Date: 08th,08th,09th & 18th Aug.

Attention Email

SMB Finance smb.finance@tcs.com

			म्बद्धाः स्थाप	
Description HS	SN/SAC Code	QUANTITY		16:141 0000
Expenses towards conducting APPSC DEPARTMENT			UNIT.	
Nodes (count)	998599		50	≈ 0.00 <b>0 σσ</b>
Expenses towards conducting APPSC DEPARTMENT			V''	0,000 00
Nodes (count)	998599		60	CHIPOLOG
Expenses towards conducting APPSC DEPARTMENT				
Nodes (count)	998599		Вo	0,400.00
Expenses towards conducting APPSC DEPARTMENT			I	27 1100 1100
Nodes (count)	998599		50	FC 700,000 ==
Test Center Administrator for Day 1	998599	1 1	760	750,00
T Manager for Day 1	998599	1	780	780.00
T Assisstant for Day 1	998599	1	400	40D.00
nvigilators for Day 1	998599	6	000	3,000.00
Registration Managers for Day 1	998599	6	300	1,600.00
Support Staff for Day 1	998599	2	300	00,00
SD Volunteers for Day 1	998599	9	300	2,700.00
Fest Center Administrator for Day 2	998599	1 1	1128	1,125.00
T Manager for Day 2	998599	2	1125	2.260 00
T Assisstant for Day 2	998599	2	000	1 200.00
nvigilators for Day 2	998599	10	780	/ 500 00
Registration Managers for Day 2	998599	10	450	4 800 00
Support Staff for Day 2	998599	3	450	6 360 00
SD Volunteers for Day 2 @ 2 Shifts	098599	16	460	2 400 00
SD Volunteers for Day 2 @ 1 Shifts	998599	1	300	. sio oo
Fest Center Administrator for Day 3	998599	-1	1126	1.178.00
T Manager for Day 3	998599	1	£170	1.126.00
T Assisstant for Day 3	998599	1	Oth	) D(CQE)
nvigilators@Shifts 2 for Day 3	998599	4	760	₹000,00
nvigilators@Shift 1 for Day 3	998599	1	500	690,00
Registration Managers@Shifts 2 for Day 3	998599	4	480	0.000,00
Registration Managers@Shift 1 for Day 3	998599	1	300	:00.00
Support Staff for Day 3	998599	2	450	· 000.00
D Volunteers for Day 3	998599	6	450	2.700.00
est Center Administrator for Day 4	998599	- 1 1	1126	125.00
Manager for Day 4	998599	i i	1125	1 128.00
Γ Assisstant for Day 4	998599	1	800	90 000
nvigilators for Day 4 @ 2 Shifts	998599	5	750	3,750.00
nvigilators for Day 4 @ 1 Shifts	998599	3	500	1,600.00
legistration Managers for Day 4 @ 2 Shifts	998599	5	480	2.250.00
legistration Managers for Day 4 @ 1 Shifts	998599	3	300	000.00
support Staff for Day 4 @ 2 Shifts	998599	2	480	00.00
Support Staff for Day 4 @ 1 Shifts	998599	1	300	J00.00
D Volunteers@ 2 Shifts for Day 4	998599	7	450	3E 16(0.0 <b>Q</b> )
D Volunteers@ 1 Shift for Day 4	998599	7	300	2 100 00
supervison Support Charges for:		ľ		PRINCIP
ood Expenses tationary Expenses	998599	1307	2	7.614.0 <b>Seshadri</b> R
tationary Expenses I C A C	998599	1307	9	Cudiahidan
			-	Gudlavalleru Engine

Seshadri Rao Knowledge Village

Gudlavallerii 521 356, Krishna District A.P.

Vice Principal Administration

Vice Principal Administration

Gudlavallerii Engineering College

Total	тс	TAL ,	1,16,707,00
Genzet and/or Fuel Charges for Day 3 Genzet and/or Fuel Charges for Day 4		358 4.0	1,811.00 1,16,707.00
Genset and/or Fuel Charges for Day 1 Genset and/or Fuel Charges for Day 2	998699 998699 998699	554 4.0	400.04 4 493.04 6 600.00

PAN: AAATA3093K

PAN: AAATA3093N Beneficiary name: Principal Gudiavaller Engg College Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Samplifica PAN AL AAIOB07761.

Samprints GST #: 3YAARCS0770L120



Gudlavalleru Enviropenty Called Var Gudlavalleru Enviropenty Called Var Gudlavalleru Var Gu

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Arklhra Pradesh, India, 521356

> Date: 14-Aug-2021 EAPCET190821AP43

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, D, OA D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details	reaction to the control of the contr
Assessment Name	AP EAPCET
Assessment Date(s)	19-August-2021
*	20-August-2021
	23-August-2021
	24-August-2021
	25-August-2021
Assessment Shift(s) &Time(s)	Shift-1 09:00AM-12:00PM
	Shift-2 03:00PM-06:00PM
Project Address	Gudlavalleru Engineering College (1914)
•	Gudlavalloru Addede Deet Vii
	Gudlavalleru, Andhra Pradesh, India, 521350
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not concluct any other online assessment(s) during the usage period.

Please mention the Work-Order Number EAPCET190821AP43 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you,

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

P. KODANDA RAMA RAO Vice Principal - Administration Gudlavallery Enrinearing College School Ro Markey Villege, Guid Notice - St. J. A.

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering Cotlege Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### WORK ORDER

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

> Date: 14-Aug-2021 EAPCET190821AP43

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
19-August-2021	233	230			2	11,650.00
20-August-2021	- 235	231			2	11,750.00
23-August-2021	231	232			2	11,600.00
24-August-2021	230	232			2	11,600.00
25-August-2021	231	230			2	11,550.00
(Annexure A): Amo					Access modelled of the complete for the first of the complete	58,150.00
(Annexure B): Amo	ount for Man	power Utiliz	ation(Singl	e & Multiple		51,000,00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)			48,000.00			
(Annexure D): Amount for Surveillance Record Facility (Single & Multiple)			0,00			
(Gely-Intolling (Annie xultage V. V. Ser (Gel a))				1,64,750,00		

Total Exam Days:5

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 260 Candidates
IT Assistant	1 260Candidates
Invigilators	1 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : 100 Candidates
Registration Managers	1 : 40 Candidates
Cleaning Staff	3 : 126 Candidales
Thermo Gun staff	1 : 125 Candidates
Barcode Gun Staff	1 : 125 Canbidates
Crowd Management	2: 125 Candidates

Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	5,620.00
IT Admin	6,626.00
IT Assistant	3,000.00
Invigilators	30,000.00
Support / Volunteers	6,750.00
Total	51,000,00
	nnexure "D"

Manpower (Additional)	Amount Rs.
Registration Managers	13,500.00
Cleaning Staff	13,500.00
Thermo Gun staff	4,500.00
Crowd Management	9,000.00
Barcode Gun Staff	4,500.00
Total	45,000.00

3 00			Surveillance Facility
J.UU	C	Record	Surveillance Camera
	- Marie III	men hemader of state of the sta	
	بادره المراجع عمر حجوات المحاد		What is an in topic?
	INCIDAL	D	
	RINCIPAL Shadri Reo		

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Gudlavalleru Engineering College

Note:In case the number of days/nodes specified above may increase or declarate Rap Knowledge Village
Pro-Rata basis.

Gudiavalleru - 521 356, Krishna District. A.P.

The Kantin Matton Congression of the second of the second

West Supplies the All Page 2 of 2

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 366, Krimbina Olistriot, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fina No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavalleru.min in Web www.gecgudlavalleru.ec.in

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, **Professor of Civil Engineering** 

Vice Principal - Administration

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDRIKA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited,

167, Raja Industrial Estate,

Mumbal - 400 080.

Involce #: MAPT19###1AP43

Invoice Date: 02nd Nep 1021

Assessment Name: AP #APCRT

Assessment Date : 19th, 20th, 23rd, 24th & 25th Aug

2021

Attention

SMB Figance

Email smb.finance@tcs.com

Description	HSN /SAC COUN	(O) (AL (INR)
Expenses towards conducting AP EAPCET exam on 19th,20th,23rd,24th & 25th Aug 2021	998811#	1,73,027.80
Total		1,73,627.50
TOTAL		1,73,827.80

ignture of Center Head

Signature of ROM

PAN: AAATA3093K Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

iFSC: SBIN0001461

Sanprints PAN #: AAIC 0770L

Samprints ONT N. 27AA00807701.120

P. KODANDA RAMA RAC Vice Principal - Auministration Gudavalleru Engineering College Capadi Par Kronkota Allake Graphagan - 21 72

PRINCIPA

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District, A.P.

#### Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERIJ ANDIRKA PRADEBIL NJE 1806

EMAIL ID: principal@gecgudiavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate, Mumbal - 400 080.

Involce 4: EAPT100891AP45 Reference Reference - Involce Date: 02nd 8ep 2021

Assessment Name: AP BAPCET Assessment Date: 19th,20th,23rd,24th &

28th Aug 2021

Attention Email

SM8 Finance smb.finance@tcs.com

			PRIDE PER	
Description	HSN/SAC Code	QUANTITY	UN)T	TOTAL (INR)
Expenses towards conducting AP EAPCET exam on 19	th AUG 2021			
Nodes (count)	998599	233	80	11,650 00
Expenses towards conducting AP EAPCET exam on 20				
Nodes (count)	998599	235	60	11,750 (6)
Expenses towards conducting AP EAPCET exam on 23				,
lodes (count)	998599	232	60	11,600.00
Expenses towards conducting AP EAPCET exam on 24				
Nodes (count)	998599	232	60	11,000.00
Expenses towards conducting AP EAPCET exam on 25 Nodes (count)		004	50	44 840 00
rodes (count)	998599	231	(N)	11,650 00
Supervison Support Charges for:				
Fest Center Administrator for Day 1	998599	1	1 (26	1,126.00
T Manager for Day 1	998599	1	1128	1,128.00
T Assisstant for Day 1	998599	1	HOD	600.00
nvigilators for Day 1	998599	8	760	6,000.00
Registration Managers for Day 1	998599	6	460	2,700.00
Support Staff for Day 1	998599	3	460	1,350.00
Cleaning Staff for Day 1	998599	6	480	2,700.00
hemal Gun Staff for Day 1	998599	2	460	900 (IU
crowd Management for Day 1	998599	4	-180	1,000,00
Barcode Gun Staff for Day 1	998599	2	-160	900.00
Fest Center Administrator for Day 2	9985991	1	1128	1,125.00
Т Manager for Day 2	998599	i	1126	1,125.00
T Assissant for Day 2	998599	i	800	00.008
nvigilators for Day 2	998599	á	760	8,000 00
Registration Managers for Day 2	998599	6	150	2,/00 011
Support Staff for Day 2	998599	3	150	1,350 00
Cleaning Staff for Day 2	998599	6	180	2,700 00
hemal Gun Staff for Day 2	998599	2	150	900.00
rowd Management for Day 2	998599	4	100	1,800,00
arcode Gun Staff for Day 2	998599	2	100	00,000
est Center Administrator for Day 3	998599	1	1404	4 iAm Da
Manager for Day 3	998599	1	1126	1,125.00
Assisslant for Day 3	998599	- i I	900	1,128.00
ivigilators for Day 3	998599	8	750	600,00
egistration Managers for Day 3	998599	č	(60	6,000 00
upport Staff for Day 3	998599	3	150	2,700 00
leaning Staff for Day 3	998599	8	450	1,380 00
hemal Gun Staff for Day 3	998599	2	450	2,700 00
rowd Management for Day 3	998599	4		900.00
arcode Gun Staff for Day 3	998599	2	450 450	1,600 00
and Combined district of the Combined State		_	,	
est Center Administrator for Day 4	998599	1	1125	1,125.00
Manager for Day 4	998599	, 1	1125	1,125 00
Assissant for Day 4	998599	1	800	800.00
ivigilators for Day 4	998599	8	750	0,000,00
egistration Managers for Day 4	998599	6	460	2,700 00
upport Staff for Day 4	998599	3	480	1,380 00
leaning Staff for Day 4	998599	8	480	2,700 00



Gudlavalleru - 521 356, Krishaa Distance - Senadri Rao Gudlavalleru - 521 356, Krishaa Distance - Senadri Rao Knowledge Village Gudlavalleru Engineering College Gudlevalleru - 521 356, Krishna District. A.P.

_		· · · · · · · · · · · · · · · · · · ·	F 1100.00
998599		1.00-1	900.00
998598		7	1,800.00
998599	2	450	900.00
		1 1	
998599	1		1,128.00
996599	1	4198	1,126 (10
998599	1	609	000 00
	8	780	0,000,00
		480	2,700.00
			1,350,00
			2,700.00
			800 DD
******			1,800,00
****		3.0	900 00
998599	2	900	900 00
		1 1	
		1	
- 1		1	
998599	2315	1 1	4,630.00
998599	2315	1 1 1	4,620.00
******			
		1 1	2,083.50
******			2,097.00
*			
		1 1	2,083.50
998599		, -	2,079.00
998599	461	4,6	2,074.80
- 1			
1		1	1,73,627 80
	TOTAL		1,73,627,80
	998599 998599 998599 998599 998599 998599 998599 998599 998599 998599	998599 4 998599 2 998599 1 998599 1 998599 8 998599 6 998599 6 998599 2 998599 4 998599 2 998599 2 998599 4 998599 2315 998599 463 998599 466 998599 466 998599 466 998599 463	998599 463 4 6 998599 463 998599 463 998599 463 998599 462 4 6 998599 461 4 6 998599 461 4 6 998599 461 4 6 998599 461 4 6 998599 462 4 6 998599 462 4 6 998599 462 4 6 998599 461 4 6 998599 461

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Saujilinia PAN # AARGSOTTOL

Banpointa GRT # - X7AAIGB0770L1Z0

Dr. P. KODANDA RAMA RAO

Dr. P. KODANDA RAMA RAO

Vice Principal - Administration

Gudiavalleru Engineering Collegie

Gudiavalleru Engineering Gudanieu - 571 156

Geradi Rao Konnedo: Village, Gudanieu - 571 156

Geradi Rao Konnedo: Village, Gudanieu - 571 156



Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 16-Aug-2021 NPTEL220821AP05

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Am month A. B. C& D. Leilow. This Work Order shall be governed by Facilities Agreement dated 15-8op-2017 between Tale Connectancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details	
Assessment Name	NPTEL
Assessment Date(s)	22-August-2021
Assessment Shift(s) &Time(s)	Shift-1 09.00 AM - 12:00 PM Shift-2 02:00 PM - 05:00 PM
Project Address	Gudlavalleru Engineering College (1284)
	Gudlavalleru-Addada Road, Vijayavzada, Krishna District, Gudlavalleru, Andhra Pradesh, Imila, 52 L356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Involce or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not construct any other online assessment(s) during the usage period,

Please mention the Work Order Number NPTEL220821AP05 for all ) are believe correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Englneering College

TOAC

GON GON SO

Dr. P. KODANDA RAMA RAY)
Vice Principal - Admitish mining
Gudlavalleru Engineering College
Seladi Ra Knowledy Village Legisy Managery

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Prodesh, India, 521356

> Date: 16-Aug-2021 NPTEL220821AP05

Annexure "A"

Marketon and Assessment of the Control of the Contr		NO. OF THE RESERVE OF THE PARTY				
√ Assessment 	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# 1st Whilten	Amount Rs,
22-Aug-2021	117	116			2	5,850.00
(Annexure A): Amo	unt for Nod	es Utilizatio	n (Single &	Multiple)		5.850.00
(Annexure B): Amo	unt for Man	power Utili	zation(Singl	e & Multiple	ol .	8,300,00
(Annexure C): Amo	unt for Add	itional Man	power Utiliz	ation (Singl	o & Muffele)	3,150.00
(Annexure D): Amo	unt for Sur	reillance Re	cord Facilit	v (Single &	Millian	0.00
ន្តសមាក្នុងកាលក្រាត់ <b>្រូវ</b> ការ៉ា	YOU'V WATE					15,300,00
T-4-1 E D	4		I EE EG COO	See Land Control of the Control of t	ti i ti difatatali a 1974 la	A TOTAL STREET, STANFOLD

Total Exam Days :1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Hatle
Test Center Administrator	1 Tasl Conto
IT Admin	1 250 Candidates
IT Assistant	1 250Candidates
Invigilators	1 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 Test Center
Cleaning Staff	3 126 Capalidates
Thermo Gun Staff	1 128 Candidates
Crowd Management	2 136 Cardidoles
Barcode Scanner Staff	1 126 Candidates

Annexure "B"

Manpower Title	Ampunt (t <sub>ff</sub>
Test Center Administrator	
IT Admin	1120.00
IT Assistant	600.00
Invigilators	3000.00
Support / Volunteers	450.00
Total	6,30(1.00)

Annexure "C"

Amount Rs.
1350.00
450.00
900.00
450.00
3,150.00

Annexure "D"

Surveillance Facility	Amount Rs.
the state of the s	
the second secon	5 - 10 S Committee and
1	S 111 challenges on the contract of
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or the remort [10][inq approach on a Pro-Rata basis.

Seshadri Rao

Vice Paradoli Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P. 194dlavalieru Engineering College

Sectado Rao Knowledge Village, God (1990) - 17 150

# **GUDLAVALLERU ENGINEERING COLLEGE**

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 366 | Kristina Chatron, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. Blatte (Fovernment)
Accredited by NAAC with 'A' Oracle

Phone Nos. 08674-273737, 273888, Mobile: +91 70386@216 Fex No. ()8674-273957 e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, krr@gecgudiavallerumio.in Web: www.gecgudiavalleru.ac.in

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

_ <u>'                                   </u>	Bif	of Supply			
LISP NAME : GUDLAVALLE ADDRESS : GUDLAVALLER	RU ENGINEERING COLLEGE IU-ADDADA ROAD YIJAYAWADA I	KRISHNA DIST	TRICT GUDLAVALI FINU ANI	1111) A 1448/OD: B16 0 2136	
EMAIL ID: principal@gecgue	ilavatleru,ac.in				
Place of Supply: Maharashtr				th made. Now we want	
San Prints Private Limited.			and a second little of specific property and the specific property and		
167, Raja Industrial Estate, Mumbai - 400 080.			Invoice #: NP1L320821APUb Invoice Date: 29th AUG 2021 Assessment Namu : NPTEL		
			Assessment Date: 20mil	AUG 1021	
Attention Email	SMB Finance smb.finance@tcs.com		8		
Description			HSN /SAO OF	DAUN	
expenses towards conductions	g NPTEL exam on 22nd AUG 202	1	9911809	17,732.00 17,732.00	
	Karata-	000			
		TOTAL		17,732.00	
			and by property and bearing the same and the	el el 4 m to de tel 10 - de mandre directel par que l'act i 10 de parametrale	
Inture of Center Head N: AAATA3093K	Sic	nature of ROM			
oneficiary name: Principal Gudlavaller Engg College oneficiary Account No: 11588343210 SC: SBIN0001461		Sanprints PAN #: AAIC807701. Sanprints GST #: 27AAIC867701.170			

A

IQAC

Dr. P. KODANDA RAMA RAY)
Vice Principal - Administration
Vice Principal - Administration
Gudlavalleru Engineering College
School Ray Krankay Village, Gudlavallani
School Ray Krankay Village, Gudlavallani
School Ray

PRINCIPAL Seshadri Rao

Gudiavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District. A.P.

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, (Budhevellerg)

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PIJADLENI III LIBB

EMAIL ID: principal@gecgudiavalleru.ac.in

Place of Supply: Maharashtra San Prints Private Limited,

167, Raja Industrial Estate,

Mumbal - 400 080.

Reference Reference

Involue #: NPTL#20#21AP05 Involve Date: 29th AUG 2021

(1) (A.C.) 类似外 (1) (2) (2) (4)

Assessment Name : NPTBL

Assessment Date : 87nd AUG 2021

Attention Ēmail

SMB Finance

smb.finance@tcs.com

			TERRITOR PERSON	( 4191 - Meledenii ii skrip par raegymaangyssa
Description	HSN/SAC Code	QUANTITY	UNIT	TOTAL (IHR)
Expenses towards conducting NPTEL exam Nodes (count)	on 22nd AUG 2021 998599	117	(i()	fr (Dfdt ant)
Supervison Support Charges for:	*			
Test Center Administrator	898699	1	1126	1,120-00
IT Assistant	B98599	1	1128	1,128.00
Invigilators	998599 998599	1	000 760	600 (0)
Support Staff	998599	1	46D	3,000.00 480.00
Cleaning Staff	998599	3	460	1,360.00
Thermo Gun Staff	998599	ĭ	460	480 00
Crowd Management	998599	2	400	800 OD
Barcode Staff	998599	1	450	450 00
Food Expenses	998599	233		
Stationary Expenses	898599	233		488.00 488.00
Genset and/or Fuel Charges	998599			1,600.60
Total .				17,732.00
		TOTAL		17,431,00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Signature of ROM

Sauprinte PAN #: AAIC60770L

Dr. P. KODANDA RAMA RAO Vice Principal - Administration Ance Lucibes - Mannings College Conference Light College Conference Light College

PRINCIPAL Seshadri Rao

Gudiavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE,

Professsor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID; principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra San Prints Private Limited.

167, Raja Industrial Estate, Mumbal - 400 080;\*

Invoice #: JEM260821AP11 Invoice Date: 14th Sep 2021 Assessment Name : JEE MAINS

Assessment Date : 26th,27th,31st AUG &

01st SEP 2021

Attention Email

SMB Finance

smb.finance@tcs.com

	3.0	William III	HSN /SAC Code	TOTAL (INR
xpenses towards EP 2021	conducting JEE MAIN	/S exam on 26th,27th,31st AUG & 0	1st 998599	61,920.00
otal			44	
			107	61,920.00
2 1		Mary a sour	0	
	- V	TOTAL	198	61,920.00

Signture of Center Head PAN: AAATA3093K

Signature of ROM

Sanprinta PAN #: AAICS0770L

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints GST #: 27AAICS0770L120



Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knomladga Villaga, Gudlavalleru-521356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavatleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate, Mumbal - 400 080,

Invoice #: ICT170921AP24 Invoice Date: 19th Sep 2021 Assessment Name: AP ICET

Assessment Date: 17th & 18th Sep 2021

Attention Email SM8 Finance smb.finance@tcs.com

Description	1 2 3		14 - 14 - 19	HSN /SAC Code	TOTAL (INF.)
	0	24		70	
xpenses towards condu	acting AP ICET exam	n on 17th & 18th	Sep 2021	998599	41,380.00
		4	154 ( )		
otal		73.4		12.77	41,380.00
		X2-10-		1	
	= -1.59	100		Frank	
	5,00	N. W.	TOTAL	Section 1	41,380.00
				The state of the s	

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

M

Vice Principali-Administration
Gudlavalleru Engineering College
Gudlavalleru Engineering Gudlavalleru 521558

GDVL OCIO

IQAC

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P. LISP NAME: GUIDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudiavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbal - 400 080.

Reference Invoice #: ICT170921AP24 Reference Invoice Date: 19th Sep 2021

Assessment Date : 17th & 18th Sep 2021

Assessment Name: AP ICET

Attention

SMB Finance

smb.fi	nance@tcs.com			
Description p	ISN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting AP ICET exam on 17th Se Nodes (count) Expenses towards conducting AP ICET exam on 18th Se	009800	124	50	6,200.00
Nodes (count)	998599	124	50	6,200.00
Supervison Support Charges for:				
Test Center Administrator for Day 1 IT Manager for Day 1	996599 998599	1	1125	1,125.00
IT Assisstant for Day 1	998599	1	1125	1,125.00
Invigilators for Day 1	998599	1	600	600.00
Registration Managers for Day 1	998599	5 3	750	3,750.00
Support Staff for Day 1	998599	2	450	1,350.00
Cleaning Staff for Day 1	998599	3 .	450 450	900.00
Themal Gun Staff for Day 1	998599	1	450	1,350.00
Clowd warragement for Day 1	998599	2	450	450.00
Barcode Gun Staff for Day 1	998599	î i	450	900.00 450.00
Test Center Administrator for Day 2	998599	1	1125	1,125.00
IT Manager for Day 2	998599	1	1125	1,125.00
IT Assisstant for Day 2 Invigilators for Day 2	996599	1 *	600	600.00
Registration Managers for Day 2	998599	5	750	3,750.00
Support Staff for Day 2	998599	3	450	1,350.00
Cleaning Staff for Day 2	998599	2	450	900.00
Themal Gun Staff for Day 2	998599	3	450	1,350.00
Crowd Management for Day 2	998599	1	450	450.00
Barcode Gun Staff for Day 2	998599	2	450	900,00
- 32	998599	1	450	450.00
Food Expenses	998599	495	2	500.00
Stationary Expenses	998599	495	2	990.00 990.00
Genset and/or Fuel Charges for Day 1	998599	- 1	- 1	4 500.00
Genset and/or Fuel Charges for Day 2	998599	- 1	[	1,500.00 1,500.00
Total		ĺ		41,380.00
		TOTAL		41,3110.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAIC:S0770L1Z0



Vice Principal-Administration

Vice Principal-Administration

Gudlavalleru Engineering College

Gudlavalleru-521:56

Seshadri Reo Knowledge Village, Gudlavalleru-521:56



PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 15-Sep-2021 ICET170921AP24

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	APICET .
Assessment Date(s)	17-Sep-2021 18-Sep-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-11:30AM Shift-203:00PM-05:30PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number ICET170921AP24 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

1

IQAC OULHGINEER GDVL

Vice Principal Administration
Gudlavalleru Engineering College
Seshadri Pao Knowledge Villaga, Gudlavalleru-52161

PRINCIPAL
Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village

Gudlavalieru - 521 356, Krishna District, A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 15-Sep-2021 ICET170921AP24

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
17-Sep-2021	123	124	No. of Concession, Name of Street, or other Designation, or other		2	0.000.00
18-Sep-2021	124	124				6,200.00
10 00 p 2021	124	124			2	6,200.00
(Annexure A): Amo		V Transact				
(Annavira D). A.	unit for Noa	es utilizatio	n (Single &	Multiple)		12,400.00
(Annexure B): Amo	unt for Man	power Utili:	zation(Single	& Multiple	)	15000.00
(Annexure C): Amo	unt for Add	tional Man	oower Utiliza	tion (Singl	e & Multiple)	9,000.00
(Annexure D): Amo	unt for Surv	eillance Re	cord Facility	(Single &	Multiple)	0.00
Total Amount (Ann	exure's A+B	+C+D)			The Children Control Carlo	36,400.00

Total Exam Days :2:

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio	
Test Center Administrator	1 : Test Center	
IT Admin	1 : 250 Candidates	
IT Assistant :	1 : 250Candidates	
Invigilators	1 : 30 Candidates	
Support / Volunteers (Inclusive Electrician)	1: 100 Candidates	
Registration Managers	1:40 Candidates	
Cleaning Staff	3: 125 Candidates	
Thermo Gun Staff	1 : 125 Candidates	
Crowd Management	2 : 125 Candidates	
Barcode Scanner Staff	1 : 125 Candidates	
Surveillance Camera Facility to Record	Not Required	

Annexure "B"

Manpower Title	- Amount Rs.
Test Center Administrator	2250.00
IT Admin	2250.00
IT Assistant	1200.00
Invigilators	7500.00
Support / Volunteers	1800.00
Total	15000.00

Annexure "C"

Amount Rs.
2700.00
2700.00
900.00
1800.00
900.00
9,000.00

Annexure "D"

Surveillance Facility Surveillance Camera Record	Amount Rs.
Note: Surveillance Camera Facility Rs.10/- per node for one day	y to Record

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.



han District A.P. Gudlavalleru

Page 2 of 2



### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 01-Sep-2021 EAPCET030921AP26

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	AP EAPCET
Assessment Date(s)	03-Sep-2021 07-Sep-2021
Assessment Shift(s).&Time(s)	Shift-109:00AM-12:00PM Shift-203:00PM-06:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period.

Please mention the Work Order Number EAPCET030921AP26 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Villaga, Gudlavalleru

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village Gudfavalleru - 521 358, Krishna District, A.P. Page 1 of 2



## **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 01-Sep-2021 EAPCET030921AP26

Annexure "A"

The second of the second secon	A MANAGEMENT OF THE RESIDENCE OF THE RES	THE RESERVE OF THE PROPERTY OF			CHEST AND DESCRIPTION OF THE STATE OF THE ST	
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
03-Sep-2021	216	217			2	10,850.00
	0	0				_
07-Sep-2021	247				1	12,350.00
(Annexure A): Amo						23,200.00
(Annexure B): Amo	unt for Man	power Utili:	zation(Singl	e & Multiple	e) a sa s	17500.00
(Annexure C): Amo	unt for Add	itional Man	power Utiliz	ation (Sing	le & Multiple)	15,300.00
(Annexure D): Amo	unt for Surv	reillance Re	cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Ann	exure's A+E	+G+D)				56,000.00

Total Exam Days:2

Manpower / Facility Requirement Table

	Requirement Ratio
Test Center Administrator	1 : Test Center
lT Admin	1: 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators	1:30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : 100 Candidates
Registration Managers	1 : 40 Candidates
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

-Manpower Title	Amount Rs.
Test Center Administrator	1875.00
IT Admin	1875.00
IT Assistant	1000.00
invigilators	10500.00
Support / Volunteers	2250.00
Total	17500.00

PRINCIPAL

Seshadri Rao

Sudlavalleru Engineering College Seshadri Rao Knowledge Village

Amount Rs. Manpower (Additional) Registration Managers 4800.00 Cleaning Staff 4500.00 Thermo Gun Staff 1500.00 Crowd Management 3000.00 Barcode Scanner Staff 1500.00

Annexure "D." Amount Rs. Surveillance Facility Surveillance Camera Record Note: Surveillance Camera Facility to Record

Rs.10/- per node for one day

Total

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Pro-Rata basis.

Total

Annexure "C"



15,300.00

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Villago, Gydlavellen 52131

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

## Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited. 167, Raja Industrial Estate, Mumbai - 400 080.

Invoice #: EAPT030921AP28 Invoice Date: 14th Sep 2021 Assessment Name: AP EAPCET

Assessment Date: 03rd & 07th Sep 2021

Attention Email

SMB Finance smb.finance@tcs.com

Description HSN /SAC Code TOTAL (INR) Expenses towards conducting AP EAPCET exam on 03rd & 07th Sep 2021 998599 61,780.00 Total 61.780.00 TOTAL 61,780.00

lanture of Center Head PAN: AAATA3093K

Signature of ROM

Sanprints PAN #: AAICS0770L

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints GST #: 27AAICS0770L1Z0



Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-52135.

> PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudayallery, 521 356, Krishna District A.P.

USP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS ; GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited,

167, Raja Industrial Estate,

Mumbal - 400 080.

Reference

Invoice #: EAPT030921AP26

Reference Invoice Date: 14th Sep 2021

Assessment Name: AP EAPCET

Assessment Date: 03rd & 07th Sep 2021

Attention Email

SMB Finance

smb.finance@tcs.com

				PRICE PER	
Description	HSN/SAC Co	ode '	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting AP EAPCET exam	n on 03rd Sep 2021				
Nodes (count)		998599	217	50	10,850.00
Expenses towards conducting AP EAPCET exam	n on 07th Sep 2021			I I	
Nodes (count)		998599	247	50	12,350.00
Supervison Support Charges for:					
Test Center Administrator for Day 1		998599	1	1125	1,125.00
T Manager for Day 1		998599	્ર 1	1125	1,125.00
T Assisstant for Day 1	6	998599	1	600	600.00
nvigilators for Day 1	s n fig.	998599	Β.	750	6,000.00
Registration Managers for Day 1	•	998599	6	450	2,700.00
Support Staff for Day 1		996599	3	450	1,350.00
Cleaning Staff for Day 1		998599	6	450	2,700.00
Themal Gun Staff for Day 1		998599	2	450	900.00
Crowd Management for Day 1		998599	4	450	1,800.00
Barcode Gun Staff for Day 1		998599	2	450	900.00
est Center Administrator for Day 2		998599	1	750	750.00
T Manager for Day 2		998599	1	750	750.00
T Assisstant for Day 2		998599	1 .	400	400.00
nvigilators for Day 2		998599	9	500	4,500.00
Registration Managers for Day 2		998599	7	300	2,100.00
Support Staff for Day 2		998599	3	300	900.00
Cleaning Staff for Day 2		998599	6	300	1,800,00
hemal Gun Staff for Day 2		998599	2	300	600.00
Crowd Management for Day 2		998599	4	300	1,200,00
Barcode Gun Staff for Day 2		998599	2	300	600.00
		1	2	""	000.00
ood Expenses		998599	680	2	1,360.00
Stationary Expenses		998599	, 680	2	1,360.00
100	00			1 1	11020100
* 3	1 (	Į.		L	
enset and/or Fuel Charges for Day 1	•	998599	433	4.5	1,948.50
ienset and/or Fuel Charges for Day 2		958599	247	4.5	1,111.50
		000000	241	1 7.5	1,111.90
otal		Į			61,780.00
			TOTAL	1 1	61,780.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: \$BIN0001461

Signature of ROM

Sanprints PAN #: AARCSO 701011 Res Gudlavalleru Engineering College Sanprints SSI # a ATAM SSP WAS Wedge Village

Gudlavalleru - 521 356, Krishna District, A.P.



Vice Principal-Administratio: Gudlavalleru Engineering College Seshadri Rao Knowledge Yillaga, Gudlavalleru-52135.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FTE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 EMAIL ID: principal@gecgudlavalleru.ac.in Place of Supply: Maharashtra San Prints Private Limited. 167, Raja Industrial Estate. Invoice #: NETPG110921AP13 Mumbal - 400 080. Invoice Date: 29th Sep 2021 Assessment Name: NEET PG Assessment Date: 11th Sep 2021 Attention SMB Finance Email smb\_finance@tcs.com Description HSN /SAC Code TOTAL (INR) Expenses towards conducting NEET PG exam on 11th Sep 2021 998599 16,200.00 Total 16,200.00 TOTAL 16 200 00 Signture of Center Head Signature of ROM PAN: AAATA3093K Sanprints PAN #: AAICS0770L Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210 Sanprints GST#: 27AAICS0770L1Z0 IFSC: SBIN0001461

1her

GDVL COOL TO THE STATE OF THE S

Dr. P. KODANDA RAMA RAO

Dr. P. KODANDA RAMA RAO

Vice Principal - Administration

Gudlavalleru Engineering College

Gudlavalleru Engineering Gudarateri - 521 356

Gestatri Rao Knowiestyn Village, Gudarateri - 521 356

PRINCIPAL

Seshadri Rao

Gudiavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District. A.P.

#### Аплехиге

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VUAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate. Mumbal - 400 080.

Invoice #: NETPG110921AP13 Invoice Date: 29th Sep 2021 Reference Assessment Name: NEET PG

Assessment Date: 11th Sep 2021

Attention Email

SMB Finance smb.finance@tcs.com

**				IPRICE PER	
Description	HSN/SAC	Code	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting NEET PG exam or	n 11th Sep 202	1			
Nodes (count)		998599	100	50	5,000.00
	85			1 .	
Supervison Support Charges for:				}	3.00 N.01
Test Center Administrator		000000			
T Manager		998599 998599	1	750	750.00
T Assisstant		998599	1	750	750.00
nvigilators		998599	9	400 500	400.00
Support Staff		988599	2	300	4,500.00
Security Guard		998599	2		600,00
Electrician		998599	1	300	600.00
eons		998599	-	300	300.00
IHMO Staff		998599	2	300	600.00
hemal Gun Staff			2	300	600.00
Barcode Gun Staff		998599	2	300	600.00
Strong Carl Gall		998599	1	300	300,00
	8	134	13	' 1	
and Evenance	10.5	1	s		a
ood Expenses tationary Expenses	•	998599	100	2 *	200.00
adonary Expenses		998599	100	2	200.00
enset and/or Fuel Charges	10	998699			800 do
•		200000		,	800.00
otal		Į			16,200.00
			TOTAL		15,200.00

Signture of Center Head

PAN: AAATA3093K

Signature of ROM

Sanprints PAN #: AAJCS0770L

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343218

IFSC: SBIN0001461

Sanprints GST #: 27AAICS0770L1Z0



P. KODANDA RAMA RAO Vice Principal - Administration

Gudlavalleru Engineering College

Gudlavalleru Engineering College Grandvanier u z ryn rechning - 51 3%

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 09-Sep-2021 NEETPG110921AP13

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details Assessment Name	NEET PG
Assessment Date(s)	11-Sep-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:30PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NEETPG110921AP13 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

New

IQAC GDVL

Dr. P. KCD AND RAMA RAO
Vice Principal - Administration
Vice Principal - Administration
Gudlavalleru Engineering College
Gudlavalleru Engineering College
Gudlavalleru Engineering - 91 356
Section Res Knowledge Village Gudavalani - 91 356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



## **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 09-Sep-2021 NEETPG110921AP13

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
11-Sep-2021	100			Godile	1	5,000.00
			·			-
(Annexure A): Amo	unt for Nod	es Utilizatio	n (Single 8	Martina		
(Annexure B): Amo	ount for Man	power Utili	ration(Single	e & Multiple	11.5	5,000.00
(Annexure C): Amo	unt for Add	itional Mani	oower Utiliz	ation (Singl	e & Multiple)	7000.00 3,000.00
(Annexure D): Amo	ount for Sun	reillance Re	cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Ann	exure's A+B	+C+D)				15,000.00

Total Exam Days :1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators	1 : 12 Candidates
Support / Volunteers	, 2:,100 Candidates
Security Guards	2 : 100 Candidates
Electrician	1 : Test Center
Thermo Gun Staff	2 : Test Center
HHMD Frisking	1 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Peon	2 : 100 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	750.00
IT Admin	750.00
IT Assistant	400.00
Invigilators	4500.00
Support / Volunteers	600.00
Total	7000.00

Annexure "C"

Manpower (Additional)	Amount Rs.
HHMD Frisking	600.00
Electrician	300.00
Thermo Gun Staff	600.00
Security Guards	600.00
Barcode Scanner Staff	300.00
Peon	600.00
Total	3,000.00

Annexure "D"

Surveillance Facility Surveillance Camera Record	Amount Rs.
Note: Surveillance Camera Fac Rs.10/- per node for one day	ility to Record
Total	. 0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Pro-Rata basis



DANDA RAMA RAC vice Principal - Administration Gudlavalleru Engineering College what Rae Knowledge Village, Gudavalleru 191 356

Principal Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavelleru - 52 P399, Ranh 2 District. A.I

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 EMAIL ID: principal@gecgudlavalleru.ac.in Place of Supply: Maharashtra San Prints Private Limited. 167. Raja Industrial Estate, Invoice #: ECET190921AP25 Mumbai - 400 080. Invoice Date: 24th SEP 2021 Assessment Name: AP ECET Assessment Date: 19th SEP 2021 Attention SMB Finance. Email smb.finance@tcs.com Description HSN /SAC Code TOTAL (INR) Expenses towards conducting AP ECET exam on 19th SEP 2021 008500 48,565.00 Total 48,665.00 TOTAL 48,665,00 Signture of Center Head gnature of ROM PAN: AAATA3093K Sanprints PAN #: AAICS0770L Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210 Sanprints GST #: 27AAICS0770L1Z0 IFSC: SBIN0001461

IQAC

THE

P. L

Vice Principal-Administration. Gudlavalleru Engineering College Seshadi Rao Knowledge Villaga, Gudlavalleru-521356 PRINCIPAL

Seshadri Rao

Gudiavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District, A.P.



LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VUAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industriai Estate,

Mumbal - 400 080.

Reterence

Reference

Invoice #: ECET190921AP25 Invoice Date: 24th SEP 2021

Assessment Name: AP ECET

Assessment Date: 19th SEP 2021

Attention Email

SMB Finance smb.finance@tcs.com

Description		HSN/SAC Co	de	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting AP	ECET exam on 1	19th SEP 2021				10197 (1111)
Nodes (count)		17-10	998599	320	50	16,000.00
					1 1	
		- 1	_	5	I. I	
Supervison Support Charges for:	Ţ.	The second second	21	c 4		
Test Center Administrator			998599	7	1125	4.405.00
T Admin			998599	2	1125	1,125.00
Assistant			998599	2		2,250.00
nvigilators			998599		600	1,200.00
legistration Managers		r,		11	750	8,250.00
upport Staff			998599	8	450	3,600.00
Cleaning Staff			998599	4	450	1,800.00
hemo Gun Staff			998599	В	450	• 3,600,00
			998599	3	450	1,350.00
crowd Management		77	998599	6	450	2,700.00
arcode Staff			998599	3	450	1,350.00
			ľ			
					1 1	
			- 1			
ood Expenses					1 1	
			998599	640	2	1,280.00
tationary Expenses			998599	640	2	1,280.00
					[ ]	
enset and/or Fuel Charges			998599	640	4.5	2.880.00
-				- 10	1 ***	2,000.00
otal						
anyones v	** · · · · · · · · · · · · · · · · · ·		*	7	l'	48,665.00
* ·	- 3	4: -	. [	4	1 : 1	
(2.2)				TOTAL;	1 1	48,665.00

Signture of Center Head

PAN: AAATA3093K

Beneficlary name: Principal Gudlavaller Engg College Beneficlary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST#: 27AA|CS0770L1Z0



Vice Principal-Administratic Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru 52132-

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavaileru - 521 356, Krishna District, A.P.



# WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 17-Sep-2021 APEGET190921AP25

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Assessment Name	AP ECET
Assessment Date(s)	19-Sep-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM Shift-203:00PM-06:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road Vii
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate
Payment	Mumbai - 400 080.  100% Payment within 30 days of receipt of Invoice or as agree under the Agreement.
mail for Communication	ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APECET190921AP25 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

IQAC GROWEERAS

Vice Principal-Administration Gudlavalleru Engineering College

Seshadri Rao Knowledge Village, Gudlavalleru-5213319

PRINCIPAL

Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 358, Krishna District, A.P.



# **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 17-Sep-2021 APECET190921AP25

Annexure "A"

Assessment Date(s) 19-Sep-2021	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	. Amount Rs.
10 00 p 202 l	320	320	. •		2	16,000.00
Annexure A); Amo	unt for Nod	es Villizatio	n (Single &N	luitole)		Self-reason and the self-r
Annexure C): Amo	unt for Man	power Utiliz	tation(Single	& Multiple		16,000.00 14625.00
otal Amount (Anne	Xure's A+B	PHILADICAL	cord Facility	(Single & I	Multiple)	12,600.00 0.00
Total Exam Days	:1					43,225.00

Manpower / Facility Requirement Table

Manpower / Facility Title	•
Test Center Administrator	Requirement Ratio
IT Admin	1 : Test Center
IT Assistant	1 : 250 Candidates
Invigilators	1:250Candidates
Support / Volunteers (Inclusive Electrician)	1:30 Candidates
Registration Managers	1 : 100 Candidates *
Cleaning Staff	1: 40 Candidates
Thermo Gun Staff	3 : 125 Candidates
Crowd Management	1 : 125 Candidates
Barcode Scanner Staff	2: 125 Candidates
Surveillance Camera Facility to Record	1: 125 Candidates
dentity to Record	Not Required
Charles Mary 1	

Annexure "B"

Amexur	eB
Manpower Title	Amount Rs.
Test Center Administrator	
IT Admin	1125.00
IT Assistant	2250.00
Invigilators	. 1200.00
	8250.00
Support / Volunteers	1800.00
iotal	14625.00

Annexure "C"

Manpower (Additional)	
Pegiptrotia- N	Amount Rs.
Registration Managers	3600.00
Cleaning Staff	3600.00
Thermo Gun Staff	1350.00
Crowd Management	
Barcode Scanner Staff	2700.00
Total	1350.00
Literal	12,600.00
· a FUO Chara ( o	

Annexure "D"

Surveillance Facility	A
Surveillance Camera Record	Amount Rs.
Note: Surveillance Camera Facility to F Rs. 10/- per node for one day	Record
Total	0.00
date	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate
 Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

GOVI OF

P. V. S.

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Vilaga, Gudlavalleru-5213 PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P. Page 2 of 2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167. Raia Industrial Estate,

Mumbai - 400 080.

Invoice #: EDET210921AP21

Invoice Date: 27th SEP 2021 Assessment Name: AP EDCET

Assessment Date : 21st SEP 2021

Attention

Email

SMB Finance

smb.finance@tcs.com

Description ®		7.3 <u>(2011)</u>	HSN /SAC Code	TOTAL (INR)
хрелses towards conductin	g AP EDCET exam o	on 21st SEP 2021	998599	10,980.00
Total	2 0		3	10,980.00
		TOTAL		10,980.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM
Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

IQÃC



Vice Principal-Administration
Gudlavalleru Engineering College
Seshadi Pad Knowledge Village, Gudlavalleru-52135.

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District. A.P.

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited,

167, Raja Industrial Estate, Mumbal - 400 080.

Attention Email

Invoice #: EDET210921AP21 Reference Invoice Date: 27th SEP 2021 Assessment Name : AP EDCET Assessment Date : 21st SEP 2021

Reference

SMB Finance smb.finance@lcs.com

11			1 1	PRICE PER	
Description	HSN/SAC	Code	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting AP EDCET	exam on 21st SEP 20				
Nodes (count)		998599	70	50	3,500.00
	*.			,	
N THE STATE OF THE		- 1			
Supervison Support Charges for:					4
Test Center Administrator		998599	1	750	750.00
ゴ Admin		998599	t	750	750.00
IT Assistant		998599	1	400	400.00
Invigilators		998599	3	500	1,500,00
Registration Managers		998599	2	300	600.00
Support Staff		998599	1 ]	300	300.00
Cleaning Staff		<b>99</b> 8599	3	300	900.00
Thermo Gun Staff Crowd Management		998599	1	300	300.00
Barcode Staff		998599	2	300	600.00
percode Sibil		998599	1	300	300.00
Food Expenses		998599	> 70	-2	140.00
Stationary Expanses	· 1	998599	. 70	2	140.00
Genset and/or Fuel Charges		998599			800.00
	4				•
Total		ĺ		ļ	10,980.00
			TOTAL		10,980.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

Seshadri Rao

Vice Principoi - A Gudiavalleru Engineering College
Gudiavalleru: Engineering College
Gudiavalleru: Engineering College
Seshadri Rao Knowledge Village
Gudiavalleru-52135



### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 19-Sep-2021 EDCET210921AP21

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	AP EDCET
Assessment Date(s)	21-Sep-2021
Assessment Shift(s) & Time(s)	Shift-109:00AM-12:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbal - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com .

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number EDCET210921AP21 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

lice Principal-Administralic Gudlavalleru Engineering Colleg Seshadri Rao Knowledge Village, Gudlavalleru-5213U

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudiavalleru - 521 356, Kriprag District 24.P.



### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 19-Sep-2021 EDCET210921AP21

Anneyure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
21-Sep-2021	70			•	1	3,500.00
						_
(Annexure A): Amo						3,500.00
(Annexure B): Amo	ount for Man	power Utiliz	ation(Sing	le & Multiple		3700.00
(Annexure C): Amo	ount for Add	itional Man	oower Utiliz	ation (Singl	e & Multiple)	2,700.00
(Annexure D): Amo			cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Ann	exure's A+E	3+(C#D)				9,900.00

Total Exam Days:1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : 100 Candidates
Registration Managers	1: 40 Candidates
Cleaning Staff	3: 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	750.00
IT Admin	750.00
IT Assistant	400.00
Invigilators	1500.00
Support / Volunteers	300.00
Total	3700.00

Annexure "C"

Manpower (Additional)	Amount Rs.
Registration Managers	600.00
Cleaning Staff	900.00
Thermo Gun Staff	300.00
Crowd Management	600.00
Barcode Scanner Staff	300.00
Total	2,700.00

Annexure "D"

Surveillance F Surveillance Ca		Amount Rs
Note: Supreille	noo Comoro English	uto Dossel
More: On Acilia	nce Camera Facilit le for one day	y to Record

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Pro-Rata basis.

<del>Sesh</del>adri Rao

Vice Principal-Administration Engineering College auri Rac Knowledge Village Gudlavalleru Engineering Colle: 521 356, Krishna District. A.P. Seshadri Pao Knewledge Villaga, Gudlavallaru-521.

Page 2 of 2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

		Bill of Supply	Υ	
LISP NAME : GUDLAV ADDRESS : GUDLAV	/ALLERU ENGINEERING C ALLERU-ADDADA ROAD V	OLLEGE IJAYAWADA KRISHNA DISTI	RICT GUDLAVALLERU AN	IDHRA PRADESH 52
	87	7 A e		
3.69		(2)		
EMAIL ID: principal@g	gecgudlavalleru.ac.in		(2)	
Place of Supply: Maha	rashtra			
San Prints Private Lim	rited,		<del></del>	<u> </u>
167, Raja Industriai Es Mumbai - 400 080.	itate,	21 (3	Invoice #: LACET2209; Invoice Date: 27th SE Assessment Name : Al	P 2021
		and the second second	Assessment Date : 22r	d SEP 2021
Attention Email	SMB Finance smb.finance@	tcs.com		• .
Description		MASON.	HSN /SAC Code	TOTAL (INR)
	# BIT &		1 112	TOTAL MING
	LANGE TO SECOND	44	TI	
Expenses towards con	ducting AP LAWCET exam	n on 22nd SEP 2021	998599	16,474.00
	(4.5	F3 - F3-54 -	13.3	·
		A Company of the Comp		
rotal .	Tage		at s	16,474.00
	17			
		TOTAL		15,474.00
			1,70	
	Sec. 15	The Paris of the		
		O CHAIR	1.2	(2)
ignture of Center Head		Signature of ROM		
AN: AAATA3093K		274 A A Long S In A Sec.		S0770L
AN: AAATA3093K loneficiary name: Prin eneficiary Account No	cipal Gudlavaller Enga Co	274 A A Long S In A Sec.	Sapprints PAN #: AAIC	
AN: AAATA3093K leneficiary name: Prin	cipal Gudlavaller Enga Co	275 A 6 100 5 To 1 500		
AN: AAATA3093K loneficiary name: Prin eneficiary Account No	cipal Gudlavaller Engg Co	275 A 6 100 5 To 1 500	Sapprints PAN #: AAIC	

Roth

Vice Principal-Administration Gudlavalieru Engineering College Seshadi, Rao Knowledge Village, Gudavalleru-52135

> PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Invoice #: LACET220921AP27 Reference Invoice Date: 27th SEP 2021

Assessment Name : AP LAWCET Assessment Date: 22nd SEP 2021

Attention Email

SMB Finance smb.finance@tcs.com

Description	HSN/SAC Co	de QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting AP LAWCI Nodes (count)		98599 131	50	6,550.00
Supervison Support Charges for:		'		¥ .
Test Center Administrator IT Admin IT Assistant Invigilators Registration Managers Support Staff Cleaning Staff Thermo Gun Staff Crowd Managernent Barcode Staff	9: 9: 9: 9: 9: 9: 9:	98599 1 98599 1 98599 5 98599 4 98599 2 98599 4 98599 1 98599 1	750 750 400 500 300 300 300 300 300 300	750.00 750.00 400.00 2,500.00 1,200.00 600.00 1,200.00 300.00 600.00
Food Expenses Stationary Expenses	ž i	8599 131 8599 131	2 2	262.00 262.00
Genset and/or Fuel Charges	99	8599		800.00
otal			'	16,474.00
		TOTAL		16,474.00

Signture of Center Head Signature of ROM PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L120



Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Vice Principasualdyallery 521,356, Krishna District. A.P. Gudlavallery Francisco 10

Gudlavalleru Engineering Collectus Seshadri Rao Knowledge Villaga, Gudlavalleru-5213.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 20-Sep-2021 LAWCET220921AP27

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	AP LAWCET
Assessment Date(s)	22-Sep-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-11:30AM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number LAWCET220921AP27 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Vice Principal-Administra. Gudlavalleru Engineering Colleg. Seshadri Rao Knowledge Villaga, Gudlavallen 1-52 135.

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna Distr



### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 20-Sep-2021 LAWCET220921AP27

#### Annexure "A"

The second second	A-T-TANK	riiiioxuio	***		
Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
131				1	6,550.00
					-
unt for Nod	oe litilizatio	n /Single 2	Tricala		
	es ounzaut	III CARIGIE O	Multiple)		6,550.00
unt for Man	power Utiliz	ration(Singl	e & Multiple	e)	5000.00
unt for Add	itional Man	oower Utiliz	ation (Singl	e & Multiple)	3,600.00
unt for Surv	reillance Re	cord Facilit	v (Single &	Multiple)	0.00
exure's A+B	8+C+D)				15,150.00
	131 unt for Nod unt for Man unt for Add unt for Sur	Count Count 131  unt for Nodes Utilizatio unt for Manpower Utiliz unt for Additional Man	Shift1 Shift2 Shift3 Count Count Count 131  unt for Nodes Utilization (Single & unt for Manpower Utilization(Singlunt for Additional Manpower Utilizunt for Surveillance Record Facility	Shift1 Shift2 Shift3 Shift4 Count Count Count 131  unt for Nodes Utilization (Single & Multiple) unt for Manpower Utilization(Single & Multiple) unt for Additional Manpower Utilization (Single & unt for Surveillance Record Facility (Single & unt for Surveillan	Shift1 Shift2 Shift3 Shift4 Count Count Count Tount  131 1  unt for Nodes Utilization (Single & Multiple) unt for Manpower Utilization(Single & Multiple) unt for Additional Manpower Utilization (Single & Multiple) unt for Surveillance Record Facility (Single & Multiple)

Total Exam Days :1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin .	1 : 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : 100 Candidates
Registration Managers	1 : 40 Candidates
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Surveillance Camera Facility to Record	Not Required

### Annoviiro "R"

Allilexule D					
"Manpower Title	Amount Rs.				
Test Center Administrator	750.00				
JT Admin	750.00				
IT Assistant	400.00				
Invigilators	2500.00				
Support / Volunteers	600.00				
Total	5000.00				

Annexure "C"

Manpower (Additional)	Amount Rs.
Registration Managers	1200.00
Cleaning Staff	1200.00
Thermo Gun Staff	300.00
Crowd Management	600.00
Barcode Scanner Staff	300.00
Total	3,600.00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Record	0
Note: Surveillance Camera Fac Rs.10/- per node for one day	cility to Record
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavatleru - 521 359 gelebrof (2 strict. A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK. Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, krr@gecgudiavallerumic.in Web: www.gecgudiavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M. Tech., Ph.D., FIE, C.Eugg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra San Prints Private Limited.

167, Raja Industrial Estate, Mumbai - 400 080.

Invoice #: APCB260921AP09

Invoice Date: 23rd OCT 2021 Assessment Name: APCOB & NPTEL

Assessment Date: 26th SEP 2021

Attention Email

SMB Finance

smb.finance@tcs.com

Descri	iption		HSN /SAC Code	TOTAL (INR)
xpenses toward:	s conducting APC	DB & NPTEL exam on 26th SEP 2021	998599	<b>21,7</b> 04. <del>0</del> 0
otal				21,704.00
		TOTAL		21,704.00

Signture of Center Head PAN: AAATA3093K

Signature of ROM

Sanprints PAN #: AAICS0770L

Beneficiary name: Principal Gudiavaller Engo College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints GST#: 27AAICS0770L1Z0



Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalletu - 521 356, Krishna District, A.P.

Dr. P. KODANDA RAMA RAO

Vice Principal - Administration Gudiavallena Engineering College Sedraki Rao Kreulsina Vilana, Gorandiau - 521 350 LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@geogudiavaileru.ac.in

Place of Supply: Maharashtra San Prints Private Limited,

167, Raja Industrial Estate,

Mumbal - 400 080.

Reference

Invoice #: APCB260921AP09

Reference Invoice Date: 23rd OCT 2021

Assessment Name: APCOB & NPTEL Assessment Date: 26th SEP 2021

Attention Email

SMB Finance

smb.finance@tcs.com

				PRICE PER	
Description	HSN/SAC C	ode	QUANTITY	UNIT	TOTAL (INR)
xpenses towards conducting APCOB(Shift	t 1 & shift 2) & NPTEL(Shift	1 & shift 2) e			
fodes (count)		998599	126	50	6,300.00
				1	
lift,		- 1		1 1	
	2		14		
iupervison Support Charges for:					
est Center Administrator		998599	1	1125	1,125.00
T Admin		998599	. 1	1125	1,125.00
T Assistant		998599	1	600	600.00
nvigilators		998599	5	750	3,750.00
Registration Managers for APCOB		998599	3	450	1,350.00
Support Staff		998599	. 1	450	450.00
Security Guard for APCO8		998599	1	450	450.00
Peons for APCOB		998599	2	450	900.00
Cleaning Staff		998599	3	450	1,350.00
Thermo Gun Staff		998599	1	450	450.00
Crowd Management		998599	2	450	900.00
Barcode Staff		<b>9985</b> 99	1	450	450.00
		į			
Food Expenses		998599	251	. 2	502.00
Stationary Expenses		998599	251	2	502.00
= = =	,			25 "	******
Senset and/or Fuel Charges	÷ .	AB0500	3	l'	/ 545.54
senset and/or nuet Charges	• 4	998599		920	1,500.00
	•				
				1	
otal					21,764.00
			TOTAL		21,704.00

Signture of Center Head PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Signature of ROM

Sanprints GST#: 27AAIC\$0770L1Z0



Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru 7521 356, Krishna District, A.P.

Dr. P. KODANDA RAMA RAO

Vice Principal - Administration Gudlavalleru Engineering College Sehelii Rae Knowledge Wileys, Gudarateru - 521 336



# WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** 

GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

> Date: 24-Sep-2021 APCOB260921AP09

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and GUDLAVALLERU ENGINEERING COLLEGE("Agreement").

Project Regults	
Assessment Name	APCOB & NPTEL
Assessment Date(s)	26-Sep-2021
Assessment Shift(s) &Time(s)	NPTEL
	Shift-1 09:00AM-12:00PM
·	Shift-2 02:00PM-05:00PM
	APCOB
	Shift-1 09:30AM-10:55 PM
	Shift-2 02:00PM-05:05 PM
Project Address	GUDLAVALLERU ENGINEERING COLLEGE.
	GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA
	DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APCOB260921AP09 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES .

For GUDLAVALLERU ENGINEERING COLLEGE

IQAC

GDVL GO

Seshadri Rao

Gudlavalleru Engineering College
Seshadri Ras Knowledge Village

Or Gottlavalleru - 52 f 356 Nrisigne MAIQLAP

Vice I research - Administration Gudlave Transcriptnessing College School Rea Mostog: Ways, Culpolan - 51 35



#### **WORK ORDER**

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

> Date: 24-Sep-2021 APCOB260921AP09

Annexure "A"

			FILLIANGIA	- 1		
Adequesiment Orate(e)	្តី ទីសេវីទៅ ••សេវេស្	Shift2 Count	Shifts Count	Shift4 Count	# of Shins	Amount Rs.
26-Sep-2021	90	90			2	4,500.00
26-Sep-2021	36	35			2	1,800.00
						-
(Annexure A): Amo	ount for Nod	es Utilizatio	n (Single &	Multiple)		6,300.00
(Annexure B): Amo	ount for Man	power Utili	zation(Sing	e & Multiple	e)	7050.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)				le & Multiple)	5,850.00	
(Annexure D): Amo	ount for Sur	veillance Re	cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Ann						19,200.00

Total Exam Days :1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators :	1 : 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : per Venue
Registration Managers for APCOB	1 : 30 Candidates
Security Guards for APCOB	1 : 100 Candidates
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 ; 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Peons for APCOB	2 : 100 Candidates

Annexure "B"

	· · · · · · · · · · · · · · · · · · ·
Manpower Title	Armount Rs.
Test Center Administrator	1125.00
IT Admin	1125.00
IT Assistant	600,00
Invigilators	3750.00
Support / Volunteers	450.00
Total ·	7050.00

Annexure "C"

Williewate O	
Margover (Additional)	Amount Rs.
Registration Managers	1350.00
Cleaning Staff	1350.00
Thermo Gun Staff	450.00
Crowd Management	900.00
Barcode Scanner Staff	450:00
Security Guards	450.00
Peons	900.00
Total	5,850.00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Record	0
Note: Surveillance Camera Facilit	y to Record
Rs.10/- per node for one day	

PRINCIPAL Seshadri R0.00 Total

 Fuel Charges for Generator: Rs.4.5/- Per Candidate Note:In case the number of days/nodes specified above may increase or decreases Billing agreemented village

Gudlavalleru Engineering College

Gudlavallery - 521 356, Krishna District. A.P.

Affr

Pro-Rata basis (1) 🕰 🤇

Vice in the second of Page 2 of 2 Gudiavaliero Empleoring College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village; GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited,

167, Raja Industriat Estate, Mumbai - 400 080.

Invoice #: JEAD031021AP12 Invoice Date: 25th OCT 2021 Assessment Name: JEE ADVANCED

Assessment Date: 03rd OCT 2021

Attention

Email

SMB Finance

smb.finance@tcs.com

		HSN /SAC Code	TOTAL (INR)
VANCED exam on 03rd	OCT 2021	998599	34,892,00
			34,892.00
1000 A			
	3		
\$ 30 EX	TOTAL	111111111111111111111111111111111111111	34,892.00
	VANCED exam on 03rd		VANCED exam on 03rd OCT 2021 998599

Signture of Center Head

PAN: AAATA3093K

Signature of ROM

Sanprints PAN #: AAICS0770L

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints GST #: 27AAICS0770L1Z0

IQAC



BIN

Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village

Seshadri Rao Knowledge Village
Gudlavalleru - 521256, Krishna District, A.P.

Vice Principal - Administration Gudiavalleru Engineering College Setuti Ruo Knowledge Village, Gudanalau - St. 355 LISP NAME: GUDLAVALIERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080,

Reference

Invoice #: JEAD031021AP12

Reference Invoice Date: 25th OCT 2021 Assessment Name: JEE ADVANCED

Assessment Date: 03rd OCT 2021

Attention

Email

SM8 Finance

smb.finance@tcs.com

Description	Цехпех	C Code	Child binning:	PRICE PER	
xpenses towards conducting JEE ADVANCED	TONION	2024	QUANTITY	UNIT	TOTAL (INR)
Nodes (count)	A GVBIII OU ASIG OCT	2021 998599	176	50	8,800,00
Supervison Support Charges for:					
FCA for IR Mock Day on 2nd Oct 2021		998599	1	750	750.00
T Manager for IR Mock Day on 2nd Oct 2021		998599	1	750	750.00
nvigilator for IR Mock Day on 2nd Oct 2021		998599	, 6	, 500	3,000.00
Fest Center Administrator		1.			
T Admin		998599	1	1125	1,125,00
T Assistant		<b>9985</b> 99	1	1125	1,125.00
		998599	1	600	600.00
nvigilators		998599	6	750	4,500,00
Registration Managers		998599	, 6	450	2,700,00
Support Staff		998599	1	450	450.00
Security Guard	!	998599	2 🛒	450	900.00
reons		998599	4	450	1,800.00
Cleaning Staff		998599	5	450	*
hermo Gun Staff		998599	2	450	2,250.00
Crowd Management		998599	3	450	900.00
Barcode Staff		998599	2		1,350.00
		880089	2	450	900.00
201					
ood Expenses		998599	352	2	704.00
tationary Expenses		<b>9985</b> 99	352	2	704.00
enset and/or Fuel Charges		998599	352	4.5	1,584.00
				1.0	1,30%.00
		T.	E.		
otal		r			34,892.00
		1	TOTAL		34,692.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAIGS0770L

Sanprints GST #: 27AAICS0770L1Z0

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Or. P. Gudlavallary - 529 256 Kelchpa District A.P.

Vice Principal - Administration Gudiavalleru Engineering College Sechadri Rap Knowledge Village, Gustavalleru - 521 356

#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 01-Oct-2021 JEEADV031021AP12

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project describe	
Assessment Name	JEE Advanced
Assessment Date(s)	03-Oct-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM Shift-202:30PM-05:30PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number JEEADV031021AP12 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you/

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavatteru - 521 356, Krishna District, A.P.

Dr. P. KODANDA RAMA RAD

Vice Principal - Administration Gudlavalleru Engineering College Scholn Ras Knallage Vilage, Gudanileu - St. 156



## WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 01-Oct-2021 JEEADV031021AP12

Annexure "A"

CONTROL OF STREET	Sam/	5090773	Shift3		TOTAL CARRENTS AND ASSETTED	TO THE RESERVE TO THE PARTY OF
Assessment Date(a)	Soluti	Shift2 Count	Count	Shift4 Count	# of Sinites	Amaginis Res.
03-Oct-2021	176	176			2	8,800.00
*******************************		<u></u>	<u></u>	····		***************************************
(Annexure A): Amo	ount for No	les Utilizatio	n (Single &	Multiple)		8,800.00
(Annexure B): Ame	ount for Mai	npower Utili	zation(Sing	e & Multiple	?)	12300.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)				10,800.00		
(Annexure D): Ame	ount for Sur	veillance Re	cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Ann	exure's A+	B+C+D)			NAME OF THE OWNER OWNER OF THE OWNER	31,900.00

Total Exam Days:1

Mannower / Excility Requirement Table

Memorouse / Equility Titles	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1: 250 Candidates
IT Assistant	1: 250Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers ·	1 : Test Center
Registration Managers	1 : 30 Candidates
Security Guards	1 : 100 Candidates
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Peons	2 : 100 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Alliovanic	
Manpower Title	Amount Rs.
Test Center Administrator	1875.00
IT Admin	1875.00
IT Assistant	600.00
Invigilators	7500.00
Support / Volunteers	450.00
Total :	12300.00

Annexure "C"

Williernie C	
Heigiewar (windinen)	Amount Rs.
Registration Managers	2700.00
Cleaning Staff	2250.00
Thermo Gun Staff	900.00
Crowd Management	1350.00
Barcode Scanner Staff	900.00
Security Guards	900.00
Peons	1800.00
Total	10,800.00

Annexure "D"

Surveillance Facility	Amount Ke
Surveillance Camera Record	0
Note: Surveillance Camera F Rs.10/- per node for one day	acility to Record

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note: In case the number of days/nodes specified above may increase or decrease. Knowledge Village Gudlavatleru - 521 356, Krishna District. A.P.

Total



Dr. P. KODANDA RAMA RAO

Nice Principal - Administration Page 2 of 2 Gudlavalienu Engineering College Sochadri Ran Krissiscige Misere, Goderaffero - 521 156

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

# Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE. Profession of Civil Engineering

Vice Principal - Administration

Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 EMAIL ID: principal@gecgudlavalleru.ac.ln Place of Supply: Maharashtra San Prints Private Limited, Invoice #: NPTL231021AP04 167, Raja Industrial Estate. Invoice Date: 30th OCT 2021 Mumbal - 400 080. Assessment Name: NPTEL Assessment Date: 23rd & 24th OCT 2021 SMB Finance Attention smb.finance@tcs.com Email TOTAL (INR) HSN ISAC Code Description 27,984,00 998599 Expenses towards conducting NPTEL exam on 23rd & 24th OCT 2821 27.084.00 Total 27.084.00 TOTAL Signature of ROM Signture of Center Head Sanprints PAN #: AAICS0770L PAN: AAATA3093K Beneficiary name: Principal Gudlavaller Engg College Samprints GST #: 27AAICS0770L1Z0 Beneficiary Account No: 11568343210 IFSC: SBIN0001461

ENGINEERING CONTRACTOR

Dr. P. KODANDA RAMA RAO Vice Principal - Administration Seshadri Rac

Gudlavalleru Engineering College Sestudri Portviowiedge Village

PRINCIPAL avallers - 521 365, Krishna District

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Reference

Invoice #: NPTL231021AP04 Invoice Date: 30th OCT 2021

Assessment Name: NPTEL

Assessment Date: 23rd & 24th OCT 2021

Attention Email

SMB Finance smb.finance@tcs.com

	•			PRICE PER	
Description	HSN/SAC Code	2	QUANTITY	UNIT	TOTAL (INR)
xpenses towards conducting NPTEL exam of	on 23rd OCT 2021			1	0.000.00
lodes (count)		998599	78	50	3,900,00
xpenses towards conducting NPTEL exami	on 24th OCT 2021	1			
(odes (count)		998599	58	. 50 '	2,900.00
4 JB:	•		1 .		
upervison Support Charges for:	.*				
est Center Administrator for Day 1		998599		1125	1,125.00
T Manager for Day 1		998599	1	1125	1,125.00
T Assisstant for Day 1		998599	1	600.	600.00
nvigilators for Day 1		998599	3	750	2,250.00
Support Staff for Day 1		998599	1	450	450.00
Cleaning Staff for Day 1		998599	3	450	1,350.00
Themal Gun Staff for Day 1		998599	1	450	450.00
Crowd Management for Day 1		998599	2	450	900.00
Barcode Gun Staff for Day 1		998599	1	450	450.00
Fest Center Administrator for Day 2		998599	1	1125	1,125.00
T Manager for Day 2		998599	- 1	1125	1,125.00
T Assisstant for Day 2		998599	4.0	600	600.00
	28	998599		750	1,500,00
Invigilators for Day 2		998599		450	450.00
Support Staff for Day 2		998599		450	1,350.00
Cleaning Staff for Day 2		998599	E .	450	450.00
Themal Gun Staff for Day 2		998599		450	450.00
Crowd Management for Day 2			1 '	450	450.00
Barcode Gun Staff for Day 2		<b>99859</b> 9	ļ '	450	480.00
				/ks	8 4.0
			. =		
2 SV		000000	271	2	542.00
Food Expenses	·	998599		2	542.00
Stationary Expenses		<b>99</b> 8599	271	1	542.00
		Sanche			1,500.00
Genset and/or Fuel Charges for Day 1		998599		1	1,500.00
Genset and/or Fuel Charges for Day 2	•	998599			1,500.00
Total					27,084.00
		ř	TOTAL		27,084.00

Signlure of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAIC\$0770L1Z0

Dr. P. Kodanda rama rao Principal Administration

llein Engineering College

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudiavalleru - 521 356, Krishna District, A.P.

## WORK ORDER ->

Gudiavalleru Engineering Coilege (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 20-Oct-2021 NPTEL231021AP04

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

รับอุเล อัลเกโซ Assessment Name	NPTEL
Assessment Date(s)	23-Oct-2021 24-Oct-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM Shift-202:00PM-05:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NPTEL231021AP04 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR YEATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Dr. P. KODANDA RAMA-RAD Vice Principal - Administration Seshadri Rad

Codlavaileru Engineering College Sashadri Rao Knowledge Village there 421 359. Krishma District A.2

PRÍNCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

### TAYA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 20-Oct-2021 NPTEL231021AP04

'Annexure "A"

			MIHIEXUIC	^	The second secon	CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
Assessment (Denete)	Spilia	Shift2 Count	Shifts Count	Salité Count	# of Smile	Amount \$5.
23-Oct-2021	77	78	*	and	2	3,900.00
24-Oct-2021	58	58			2	2,900.00
						_
Annayure Al. Ami	ount for Noc	les Utilization	on (Single &	Multiple)		6,800.00
(Annexure A): Amount for Nodes Utilization (Single &Multiple) (Annexure B): Amount for Manpower Utilization(Single & Multiple)				10350.00		
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)				5,850.00		
(Almexure C). Am	Julie 101 Muc	Manaa D	operd Facili	tu (Sinala &	Multiple)	0.00
(Annexure D): Amount for Surveillance Record Facility (Single & Multiple)				23,000.00		
Total Amount (Ani	nexure's A+I	B+C+D)	W			20,000,00

Total Exam Days :2

Marineway / Famility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1:250Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers	1 Per Center
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

FILLIONALA	The state of the s
Manpower Title	Amount Rs.
Test Center Administrator	2250.00
IT Admin	2250.00
IT Assistant	1200,00
Invigilators	3750.00
Support / Volunteers .	900.00
Total	10350.00

Annexure "C"

Annexure C		
	Amount Rs.	
Cleaning Staff	2700.00	
Thermo Gun Staff	900.00	
Crowd Management	1350.00	
Barcode Scanner Staff	900.00	
Total	5,850.00	
ANNUAL TO A SHOP OF THE PARTY O		

Annexure "D"

Amount Rs.
0
-
y to Record
0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note: In case the number of days/nodes specified above may increase of decrease. Billing agreet sale

Pro-Rata basis.

Seshadri Rao Gudlevalleru Engineering College Dr. P. KODSetbear Rabika Williage Village Vice Prinsiplavallerin 501:359,196hna District. A.P.

. Seshadri Raq Gudlavalieru Engineering College Osensdri Rao Knowledge Village From Fort 258 Krishna Pirurial, A.P. **GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State.Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

	RU-ADDADA ROAD YIJAYAWADA KRISHNA DISTR	IN CODERVALLERO AND	DINA FRADESH 321	
EMAIL ID: principal@gecgi	udavallaru sa In			
		<u> </u>		
lace of Supply: Maharash		. 10		
San Prints Private Limited, 67, Raja Industrial Estate,		Invoice #: APHC271121/	AD47	
Numbai - 400 D80.		Invoice Date: 01st DEC 2021 Assessment Name : AP HIGH COURT		
		Assessment Date : 28th	NOV-2021	
Attention Email	SMB Finance smb finance@tcs.com			
Description		HSN /SAC Code	TOTAL (INR)	
		£ 12.00 1 1 2.00		
Vocace towards confusi	AD UICH COURT			
Apenaca towards contuct	ing AP HIGH COURT exam on 28th NOV 2021	998599	42,357.00	
			42,357.00	
otal	7. 14.			
otal		2 3	N N	
otal	TOTAL	2 3	42,357.00	
otal	TOTAL		42,357.00	

IQAC



THE

Dr. P. KOBANDA RAMA RAO

Or. P. KOBANDA RANA FOR Vice Principal - Administration

Gustavalleru Engineering Cultage
Schall for Konlake Vings, Gulavaleri - 91 36

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.

# TATA CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 25-Nov-2021 APHCS271121AP47

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Assessment Name	AP High Court	
Assessment Date(s)	28-Nov-2021	
Assessment Shift(s) &Time(s)	Shift-108:00AM-10:00AM Shift-212:00PM-2:00PM Shift-304:00PM-06:00PM	
Project Address	Gudlavalteru Engineering College,	shna District,
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.	
Payment	100% Payment within 30 days of receipt of Invoice under the Agreement.	e or as agreed
Email for Communication	Ion.assessment@tcs.com	

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APHCS271121AP47 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

IQAC GOVL

THE

Dr. P. KODANDA RAMA RAO

Vice Principal - Administration Gudlavailleru Engineering College School No. Northby View, Gubaday - 521 381

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 358, Krishna District, A.P.



# TATA CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 25-Nov-2021 APHCS271121AP47

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
	0		THE PERSON NAMED IN COLUMN			
28-Nov-2021	214	214	214		3	10,700.00
(Annexure A): Amo	unt for Nod	es litilizatio	n (Single 9			
(Annexure B): Amo	unt for Man	nower Hill	m (Smgre &	Minimbie)		10,700.00
Anneyure Cl. Amo	unt for Add	power utiliz	zation(Singi	e & Multiple		13600.00
(Annexure C): Amo	unt for Audi	Rollal Man	ower Utiliz	ation (Single	e & Multiple)	12,600.00
(Annexure D): Amo	unt for Surv	eiliance Re	cord Facilit	y (Single & I	Multiple)	0.00
Total Amount (Ann	A STATE OF THE PARTY OF THE PAR	+C+D)				36,900.00

Total Exam Days :1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250 Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : 100 Candidates
Registration Managers	1 : 30 Candidates
SD Manpower	Adequate manpower required
Surveillance Camera Facility to Record	Not Required

Annexure "R"

, III	
	Amount Rs.
The second secon	1500.00
	1500.00
3	800.00
	. 8000.00
·····	1800.00
150 miles	13600.00

Annexure "C"

Manpower (Additional)	Amount Rs.
Registration Managers	4800.00
SD Staff	7800.00
Total	12,600.00

Annexure "D"

Surveillance Facility	Am	ount Rs.
Surveillance Camera Record		0
Note: Surveillance Camera Facil	lity to Posse	nd .
	ity to Necol	u ,
Rs.10/- per node for one day Total		

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Seshadri Rao

P. KODANDA RAMA RAO fice Principal - Administration Guillavalieru Engineering College

Gudlavalleru Engineering Collegial to troubly: Vibr. Bulluler - 21 35 Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudiavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Reference

Invoice #: APHC271121AP47

Reference Invoice Date: 01st DEC 2021 Assessment Name : AP HIGH COURT

Assessment Date: 28th NOV 2021

Attention Email

SMB Finance smb.finance@tcs.com

Description	HSN/SAC Codé		QUANTITY	PRICE PER UNIT	TOTAL (INR	1
Expenses towards conducting AP HIGH COURT e Nodes (count)	xam on 28th NOV 2021			-	TOTALTINA	,
rodes (codiff)		998599	214	50	10,700.00	
			3	ļ. <b>I</b>		
an *	i i					
upervison Support Charges for:			* .			
est Center Administrator		998599	1	1500		
「Admin		998599	1		1,500.00	
「 Assistant		998599	1	1500	1,500.00	
nvigilators		998599	8	800	800.00	
tegistration Managers		998599	. 8	1000	8,000,00	
Support Staff		998599		600	4,800.00	
D Volunteers			3	600	1,800.00	
	F	998599	13	600	7,800.00	
		ŀ	-	!		
		1		l i		
		4.				
ood Expenses						
tationary Expenses		998599	642	2	1,284.00	
reserved evhering	= _	998599	642	2	1,284.00	-
			. 10	- 1	200	
enset and/or Fuel Charges					W	
eneer and/or riter charges	9 2	998599	642	4.5	2,889.00	
		- 1			100	
		1000	>	. 1		
otal	$\tilde{t}_{\infty}$	100	20 00			
7604			(9)	a .	42,357.00	
			TOTAL		42,357.00	

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudiavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAIC\$0770L

Sanprints GST #: 27AAICS0770L1Z0



dr. P. Kodanda kama rad Vice Principal - Administration

Gudlavalleru Engineering College Sestedi Rao Knowledge Village, Gudlavalleru - 521 356

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavallerti - 52† 356, Krishna District. A.P.

PRINCIPAL

Seshadri Rao

#### YAYA CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 24-Mar-2022 NPTEL260322AP05

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A. B. C& D below. This Work Order shall be governed by Facilities Agreement dated 24-Mar-2022 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Catalls	
Assessment Name	NPTEL
Assessment Date(s)	27-Mar-2022
Assessment Shift(s) &Time(s)	Shift-1 09:00AM-12:00PM Shift-2 02:00PM-05:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NPTEL260322AP05 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Orders

Thanking you:

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

Dr. P. KODANDA RAMA RAO-Vice Principal - Administration

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudavalleru - 521 356



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 24-Mar-2022 NPTEL260322AP05

Annexure "A"

			AIIIICAUIC			
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shifi4 Count	# of Shifter	
27-Mar-2022	30	28			2	1,500.00
······································						
		<u> </u>				-
(Annexure A): Amo	ount for Nod	es Utilizatio	n (Single &	Multiple)		1,500.00
(Annexure B): Amo					)	4050.00
(Annexure C): Amo						1,800.00
(Annexure D): Amo						0.00
Total Amount (Ann	CALL STREET, CALL	ment to me what her district the second		X		7,350.00
The state of the s		market and the same and			20 to 20 20 20 A A A A A A 20 12 20 20 A A A A A A A A A A A A A A A A	the Matigha and the Authority of the Company of the

Total Exam Days:1

Mannower / Facility Requirement Table

Mangowar / Pacifity Title	- Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
!T Assistant	1 : 250Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : Per Venue
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1 ; 125 Candidates

Annexure "B"

Wanpower Title	Amount Rs.
Test Center Administrator	1125.00
IT Admin	1125.00
IT Assistant	600.00
Invigilators	750.00
Support / Volunteers	450.00
Total	4050.00

Annexure "C"

Manpower (Additional)	Amount Rs.
Cleaning Staff	450.00
Thermo Gun Staff	450.00
Crowd Management	450.00
Barcode Scanner Staff	450.00
Total	1,800.00

Annexure "D"

Surveillance Facility Amount to Note: Surveillance Camera Facility to Record Rs.10/- per node for one day

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a greed on a Gudlavalleru Engineering College Pro-Rata basis. Seshadri Rao Knowledge Village

Total

Gudlavalleru - 521 356, Krishna District, A.F.



Dr. P. KODANDA RAMA RAO Vice Principal - Administration

Gudlavalleru Engineering College Sestudri Rae Knowledge Village, Godlavalleru - 521 355 **GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7036666216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE, Professor of Civil Engineering

Vice Principal - Administration

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUOLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

Saπ Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Invoice #: NPTL260322AP05 Invoice Date: 10th APR 2022

Assessment Name: NPTEL

Assessment Date: 27th MAR 2022

Attention Email SMB Finance

smb.finance@tcs.com

Description	HSN /SAC Code	TOTAL (INR)
Expenses towards conducting NPTEL exam on 27th MAR 2022	998599	9,082.00
Total	3 0	9,082.00
TOTAL	4 6	\$,082.00

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

JFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAIC\$0770£1Z0

PRINCIPAL

Seshadri Rao

Gudlavaileru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

IQAC



ABUS

Dr. P. KODANDA RAMA RAO
Vice Principal - Administration
Gudlavalleru Engineering College
Sehadi Rao Knowledge Village, Gudavalleru - \$21,356

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 7038866216 Fax No. 08674-273957 e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, krr@gecgudlavallerumic.in Web: www.gecgudlavalleru.ac.in

#### Dr. P. KODANDA RAMA RAO

M.Tech., Ph.D., FIE, C.Engg., MISTE,

**Professor of Civil Engineering** 

## Vice Principal - Administration

Annexure

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Reference

Invoice #: NPTL260322AP05

Reference Invoice Date: 10th APR 2022

Assessment Name: NPTEL

Assessment Oate : 27th MAR 2022

Attention Email SMB Finance

smb.finance@tcs.com

	VI W W 1920		PRICE PER	·
Description	HSN/SAC Code	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting NPTEL exam on 27th N	IAR 2022	-		
Nodes (count)	998599	30	50	1,500 00
Supervison Support Charges for:		2	(5)	
Test Center Administrator	998599	1	1125	1 125 00
IT Admin	998599	1	1125	1.125.00
IT Assistant	998599	1	600	600.00
Invigilators	998599	1	750	750 00
Support Staff	998599	-0.1	450	450 00
Cleaning Staff	998599	1	450	450.00
Thermal Gun	998599	7.1	450	450.00
Bar Gun	998599	1 1	450	450 00
Crowd Management	998599	1	450	450.00
Food Expenses	998599	58	2	116.00
Stationary Expenses	998599	58	2	116.00
Genset and/or Fuel Charges	998599			1,500.00
sonset analytical onlings	330333		ı	1,300.00
Total				9,082.00
		TOTAL		9,082.00

Signture of Center Head Signature of ROM

PAN: AAATA3093K Beneficiary Name: Principal Gudlavaller Engg College

Beneficiary Name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROW

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudiavatieru - 521 356, Krishna District. A







Dr. P. KODANDA RAMA RAO
Vice Principal - Administration

Gudlavalleru Engineering College Sehadi Ras Kronledge Village, Gudavakeu - 521 356

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Invoice #: NPTL230422AP09

Reference Invoice Date: 30th APR 2022

Assessment Name: NPTEL

Assessment Date: 23rd & 24th APR 2022

Attention Email

SMB Finance smb.finance@tcs.com

			PRICE PER	
Description	HSN/SAC Code	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting NPTEL exam on 23r				
Nodes (count)	998599	177	50	8,860,00
Expenses towards conducting NPTEL exam on 24th				
Nodes (count)	998599	96	50	4,800 00
Supervison Support Charges for:				
Test Center Administrator for Day 1	998599	1	1125	1 125 00
IT Manager for Day 1	998599	1	1125	1,125.00
IT Assisstant for Day 1	998599	1	600	809.00
Invigilators for Day 1	998599	e :	750	4,500,00
Support Staff for Day 1	998599	1	450	450.00
Cleaning Staff for Day 1	998599	5	450	2,250.00
Themal Gun Staff for Day 1	998599	2	45G	900 CO
Crowd Management for Day 1	998599	3	450	1,350.00
Barcode Gun Staff for Day 1	998599	2	450	900 00
Test Center Administrator for Day 2	998599	1	1125	1.125.00
T Manager for Day 2	998599	1 1	1125	1.125.00
TAssisstant for Day 2	998599	1	600	600.00
nvigitators for Day 2	998599	4	750	3,000.00
Support Staff for Day 2	998599	≥ 1	450	450.00
Cleaning Staff for Day 2	998599	3	450	1 350 00
Themal Gun Staff for Day 2	998599	1	459	450 00
Crowd Management for Day 2	998599	2	450	900.00
larcode Gun Staff for Day 2	998599	1	450	450.00
ood Expenses	998599	544	2	1.088.00
Stationary Expenses	998599	544	2	1,038.00
Senset and/or Fuel Charges for Day 1	998599	353	4.5	1.588.50
Senset and/or Fuel Charges for Day 2	998599			1,500.00
otal				41,564.58
		TOTAL	ļ	41,564 50

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Sanprints PAN#: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

PRINCIPAL Seshadri Rag

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudřávatleru - 521 356, Krishna District, A.P.

DI. P. KODANDA RAMA Vice Principal - Administration

GDLV

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate.

Mumbai - 400 080.

Invoice #: NPTL230422AP09

Invoice Date: 30th APR 2022

Assessment Name: NPTEL

Assessment Date: 23rd & 24th APR

Attention

Email

SM8 Finance

smb\_finance@tcs.com

Description	HSN /SAC Code	TOTAL (INR)
Expenses towards conducting NPTEL exam on 23rd & 24th APR 2022	998599	41,564.50
Cotel		41,564.50
TOTAL		41,564.50

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

R. 12

Sanprints GST#: 27AAICS0770L1Z0

Dr. P. KODANDA RAMA RAO Vice Principal - Administration Sechadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavallere - 521 356, Krishna District, A. P.

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### VIVA CONSULTANCY STRUCTES

### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 20-Apr-2022 NPTEL230422AP09

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 20-Apr-2022 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Program Districts	
Assessment Name	NPTEL
Assessment Date(s)	23-Apr-2022 24-Apr-2022
Assessment Shift(s) &Time(s)	Shift-1 09:00AM-12:00AM Shift-2 02:00AM-05:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NPTEL230422AP09 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

IQAC

KAIL

Dr. P. KODANDA RAMA RAO Vice Principal - Administration Seshadri Rao

Gudlavaileru Engineering College Seshada Reo ka pubbiga

Gudlavalleru - 521 356, Krist 1

PRINCIPAL

Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356, Krishna District, A.P.

Page 1 of 2

#### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 20-Apr-2022 NPTEL230422AP09

Annexure "A"

Mosole o Hirtain) Desertos	કોમાં <i>દિ</i> ઉભાગ	Smile Many	Stalijk Goggj	Singe Junese	Activities	्रा अंग्रिक्ट्रीय
23-Apr-2022	177	176	i diet .		2	8,850.00
24-Apr-2022	96	95	4		2	4,800.00
Committee of the commit			· · · · · · · · · · · · · · · · · · ·			
(Annexure A): Amo	unt for Nod	es Utilizatio	n (Single &	Multiple)		13,650.00
(Annexure B): Amo	unt for Man	power Utiliz	zation(Singl	e & Multiple	)	14100.00
(Annexure C): Amo	unt for Addi	tional Man	ower Utiliz	ation (Single	e & Multiple)	8,550.00
(Annexure D): Amo	unt for Surv	eillance Re	cord Facilit	y (Single & I	Multiple)	0.00
Total Amount (Ann	exure's A+B	+C+D)			And the second s	36.300.00

Total Exam Days:2

Manpower / Facility Requirement Table

Amegorian Positive 1990	Regulfellenter Bright
Test Center Administrator	1 : Test Center
IT Admin	1: 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators	1:30 Candidates
Offline Spoc	1 : Test Center ( If Offline
	Candidates Scheduled in Center)
Support / Volunteers (Inclusive Electrician)	1 : Test Center
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1: 125 Candidates
Crowd Management	2 : 125 Candidates
Barcode Scanner Staff	1; 125 Candidates
Survey Comments of the survey	1, 125 Candidates

Annexure "B"

Tempora Tile	Angeign Co.
Test Center Administrator	2250.00
IT Admin	2250.00
IT Assistant	1200.00
Invigilators	7500.00
Support / Volunteers	900.00
Total	14100.00

Annexure "C"

Beringengere gereinigen ing	Agrengriji fa.
Cleaning Staff	3,600.00
Thermo Gun Staff	1350.00
Crowd Management	2250.00
Barcode Scanner Staff	1350.00
Total	8,550.00

Annexure "D"

Surveillender Ziedlich	tii jie.
Note: Surveillance Camera Facility to Record Rs.10/- per node for one day	
and the state of t	
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.





Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.

Seshadri Flao

Gudlavalleru Engineering College Page 2 of 2 Seshadri Rao Knowledge Village

Gudlavallarır - 524 358 Krichne Mei

SESHADRI RAO

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudlavalleru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited,

167, Raja industrial Estate,

Mumbai - 400 080.

Invoice #: AP\$140522AP96

Invoice Date: 22nd MAY 2022 Assessment Name: APPSC AE

Assessment Date: 15th MAY 2022

Attention

Email

SMB Finance

smb\_finance@tcs.com

Description	HSN /SAC Code	TOTAL (INR)
Expenses towards conducting APPSC AE exam on 15th MAY 2022	998599	43,569.00
Yotal .		43,569.00
TOTAL		43,569.00

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary name: Principal Gudlavatler Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Samprints GST #: 27AAICS0770L1Z0

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

Budfavalleru - 521 356, Krishna District, A.P.

Dr. P. KODAMDA RAMA RAO Vice Principal - Administration

Seshadri Raq

Gudlavalleru Engineering College Seshadri Rao Kriowledge Village Gudlavalleru - 521 356, Krishna Distrigt, A.P.

TOAC



THE

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@gecgudiavaileru.ac.in

Place of Supply: Maharashtra

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Reference

Invoice #: APS140522AP96

Invoice Date: 22nd MAY 2022

Assessment Name: APPSC AE Assessment Date: 15th MAY 2022

Attention Email

SMB Finance

sinb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
xpenses towards conducting APPSC AE ex-	m on 15th MAY 2022			
odes (count)	598599	282	50	14,100,00
	960			
upervison Support Charges for:				
est Center Administrator	998599	1	1125	1.125 00
Manager	988599	2	1125	2,250.00
Assisstant	998595	2	600	1,200 00
vigilators	998593	10	750	7,500.0G
egistration Managers	998599	10	450	4 500,00
upport Staff	998599	4	450	1,800,00
D Manpower	998599	14	450	6,300 00
		4		
			8	
food Expenses	998599	564	2	1,128.00
tationary Expenses	998599	564	2	1,128.00
Senset and/or Fuel Charges	998599	564	4.5	2,538.00
-				
otal				43,569.00
		TOTAL		43,569.00

Signture of Center Head PAN: AAATA3093K

Signature of ROM

Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN#: AAICS0770L

Sanprints GST #: 27AAICS0770L120

Dr. P. KOSeshadri Raoma RAO Guddavalleru Engineering Cottege Seshadri Rao Knowledge Village

Gudelalleila-505.356: Kesima District A.P.

IOAC

#### TAYA CONSULTANCE SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 11-May-2022 APPSC140522AP96

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 11-May-2022between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	APPSC AE
Assessment Date(s)	15-May-2022
Assessment Shift(s) &Time(s)	Shift-109:30 AM-12:00 PM
	Shift-202:30 PM-05:00 PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APPSC140522AP96 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

GDLV GDLV

AMP.

Or. P. KODANDA RAMA RAM Vice Principal - Administration Second Rep

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District A.P.

PRINC

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 836, krishna District, A.P.

#### TATA CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 11-May-2022 APPSC140522AP96

			Annexure "A"		***************************************
Assessment Date(s)	Spitts Count	Shift2 Count	Andre Jack Agang Garas	ज आतालः	Articological
	0				SAME AND ALTERNATION OF THE PARTY OF T
15-May-2022	282	282		2	14 100 00
			uuunuun agaangi		· · · · · · · · · · · · · · · · · · ·
			on (Single &Multiple)		14,100.00
			zation(Single & Multipl		13875.00
			power Utilization (Sing		10,800.00
(Annexure D): Amo	ount for Surv	eillance R	ecord Facility (Single &	Multiple)	0.00
Total Amount (Ann	exure's A+B	+C+D)			38,775.00

Total Exam Days:1 Manpower / Facility Requirement Table

Test Center Administrator	Require accidents
IT Admin	1 : 250 Candidates
IT Assistant	1: 250Candidates
Invigilators	1 : 30 Candidates
Registration Manager	1 30 Candidates
Support / Volunteers (Inclusive Electrician)	1 : 75 Candidates
SD Manpower	Adequate Count as per Center
Surveillance	Not Required

Annexure "B" Manpower Title ount Res Test Center Administrator 1125.00 IT Admin 2250.00 IT Assistant 1200.00 invigilators 7500.00 Support / Volunteers 1800.00 Total 13875.00

An	P3 /5	we	120	44 ( 12)

mineral v	
Manpower (Additional)	Amount is
Registration manager	4,500.00
SD Manpower	6300.00
Crowd Management	0.00
Barcode Scanner Staff	0.00
Total	10,800.00

Annexure "D"

Survey the steeling ...... Note: Surveillance Camera Facility to Record Rs. 10/- per node for one day

Total

Fuel Charges for Generator: Rs.4.5/- Per Candidate

PRINCIPAL Note:In case the number of days/nodes specified above may increase or decrease Billisteshadri Rao Pro-Rata basis.

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

Dr. P. RODANDA RAMARAO Vice Principa Administration

€ ani Rao Gudlavalle u L. ginaering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

# SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Sethadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriehne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@geogudlavalleru.sc.in, office@geogudlavalleru.sc.in, Web: www.geogudlavalleru.sc.in

# 3.5.1: Revenue generated from consultancy and corporate training for the Academic Year 2020-21

S. No		Name of the beneficiary/ corporate agency	Name of the beneficiary/ corporate agency	Revenue generated (INR in Laklis)
i	K.Venkateswara Rao	Material Test - 11 No's	Endowment	0.33
2	K.Venkateswara Rao	Material test - 8 No's	GVR Premoo Joint Venture	0.021
3	K. Venkateswara Rao	Material Test - 5 No's, Soil Test - 1 No's	Megha Engineering Intrastructure Limited	0.0535
4	Phani Kumar.V. Ch.Naga Bharath	Soil test - UNo's	Muncipal Corporation, Machilipatnam	0.08
	Or.S.R.K.Reddy, Dr.P.Kudanda Rama Rao	Design - 3 No's	ONGC	0.65
6	Phani Kumar.V, Ch.Naga Bharath	Soil test - I No's	Pastor Ch.Rama Rao, Jesus Prayer Fellowship Church,D-No-7+25, Near Rice Mill, Mukkamala, Peravali, West Godavari District, A.P	0.04
7	Phoni Kumar.V, Ch.Nago Bharath	Soil test - 1 No's	Pilli Annapurno & Pilli Gango Bhavani, Rs-Nor 99/3, LP No 402/1983, Tlat No – 63P, Neor Fly Over, Registear Office. Samolkota, Past Godavari District A.P	0,04

;     8	Phani Kumar.V, Ch.Naga Bharath	Spil test - i No's	Pioneer Hi = Bred Pvt. Ltd., Rs- No + 61, YedithaSitanagaram, Bast Godavari District, Andhra Pradesh,	0.04
9	Phani Kumar.V, Ch.Naga Bharath	Soil test - 1 Nir's	Power Mech Projects	0.579
10	K.Venkateswara Rao	Material Test - 126 No's, Soil Test - 40 No's	Panchayot Roj	2.026
İn	Phoni Kumar.V. Ch.Naga Bharath	Spill test - 2 No's, Material Test - 01 No's	RWS	0.082
12	Phani Kumar.V, Ch.Noga Bharath	Sort test - 15 Nais	Sachivalayam	1.050
13	Phani Kumar.V, Ch.Naga Bharath	Soil test - I No's	Strish Aditya Sugaunam, D-No-23-3-7 Ward No 14, Near Lic Building, Co-Axial Road, Sajjapuram, Tanuku, West Godavari District, A.P.	0.040
14	K.Venkateswara Roo	Material test - 1 No's	Sreechakra R.K. Pride project. Chinnaamiram, Bhimavaram, West Godavari District	0.18845 i
;   25   	Phani Kumat V. Ch.Naga Bharath	Sail test - 1 No's	Sri Chalamataseui SiyaSti, D.No. [6-496- 1-2-3, ZP center, Machilipataam, Krishna District	0.840
	Phani Kumer.V, Ch.Naga Bharath	Soil test - i No's, Design - I No's	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	0.211
17,	Phani Kumar.V, Ch.Naga Bharach	Soil test - 1 Ne's	Sri G A Kalyan Prasad, RS-No-169/LB2, Near YSR Circle, Rajanagaram, Last Godaveri District,   A.P.	0 040
         	Phani Kumar.V. : Ch.Naga Bharath	Soil test - 1 No's	Sri G.Sampath Kumar, D.No.2-49-4, Ambika Nagar, Rajahmunday, Fast Gudavari District, A.P	0.640

     119  -	Pheni Kumar, V.   Ch. Naga Bharath	Snii test - 1 No's	Sri K. Kateswara Rao. S/o. SudarsanaRao, R.S.No - 284, Pothavarum, P.Gannavarum,East Godavari District, A.P.	<u>——</u> [   <sub>0.040</sub> 
20	T Dr. A. H. I. Swarcop L	Non-Destructive Tost - 1 Na's	Sri KulayasekharaSarma, Design Coordinator, Design Building Limited, Bhimayaram	0.120 
21	Phani Kumar, V, Ch.Naga Bharath	Soil test - I No's	Sri M Swanti Surya Kumar & Sri V Stinivas Survey No – 417-23, 417-24 Near Gandhi Bazaar, Amalapuram, East Godaveri District, !	0,3:-10
22	Phani Kumar.V, Ch.Naga Bharath	Soil test - 1 No's	Sri N.Ramaran Rajendra Nagar (7th line) D- No- 8/308- 2c.Gudivada. Krishna District- 52/301, A.P	R.(17d
23	Phani Kumar.V. Ch.Naga Bharata	Soil test - 6 No's, Design - 4 No's	Sri P.Narayana Rao, Contractor, Narasapuram	– Lga
[ 24 ]  !	Dr. A. H. L. Swaroop	Non-Destructive Test - 1 No's	Sri P.Sai Baba. Fiat No.227. Radhesyam Residency, Tirupathi, Chitoor District, A.P	9.10
; ; 1 <sup>25</sup> ; 1 ;	Phani Kumar.V, Ch Naga Bharath	Soil test - 1 Nu's	Sri S.Sri Rama ChandraRau, Komaravolu, Pamarau Mandal, Krishna District, A.P.	0.090 i
26	Phani Kumac.V, Ch.Naga Bharath	Soil test - I No's	Sri Saladi Swami Naidu, Rs-No: 804/4, Near Red Bridge, Amalopuram, Hast	0.06
27 	Phani Kumar.V, Co.Naga Bharath	Soil test - I No's, Material Test - I No's	Godavari District, A.P The Correspondent, Saint Francies English High School,	0.085

I

!

-	<u> </u>		Machilipatnam	- <u> </u>
28	K.Venkateswara Rao	Material test - I No's  Material test - I No's	VaddiRamakrishnayya building materials, Prop.V.Devichaitanya, Sy.No.194, Chittipalem mad, Arisepatti Village, Machilipatnam Your Services Company, Hyderabad	
30	Sri D. Tarun	Vacuum Bagging Equipment	JNTU Pulivendual	0.05
	Dr.P.Kodunda Rama Rao Sri.B.Srinivasu Kumar	APICET APEAMOET APECET JEE Advance APPSC NPTEL NPTEL JEE MAINS RRB SASTRA UNIV.	TCS ION	8 Z2
32 :	k Ashok Reddy !	AWS, MiCROSOFF, ORACLE Certification Program	WU Gobal Pay	0.07
35 ¦	K.Ashok Reddy	AWS, MICROSOFT, ORACLE Certification Program	WU Business Solution	0.07
34 	K.Ashok Reddy	HCL, Microsoft, Oracle certifiacte	WU Gobal Pay	0.005
		Total	<del>-</del>	15.33647

Principal
PRINCIPAL
Seshadri Rao
Gudlavalleru Englneering College
Seshadri Rao Knowledge Village
Gudlavalleru-521 356, Krishna District. A F

# ANNEXURE-I GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village :: GUDLAVALLERU

# DEPARTMENT OF CIVIL ENGINEERING CONSULTANCY CELL

A.Y.: 2020-2021

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
1.	06-07-2020 ST-174	Sub soil investigation and recommendation for the foundation of drill site "GAAA"D/S, Krishna District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram.	10,000-00
2.	06-07-2020 RF-152	"GAAA"D/s, Krishna District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram.	10,000-00
3.	15-07-2020 MT-131	Test results of materials for the construction of Sri Seetha Ramachandra Swamy Temple, Mudinepalli Village & Mandal, Krishna District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	6,200-00
4.	15-07-2020 MT-132	Test results of materials for the construction of Sri Seetha Ramachandra Swamy Temple, Mudinepalli Village & Mandal, Krishna District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	2,225-00
5.	15-07-2020 MT-133	Test results of materials for the construction of Sri Seetha Ramachandra Swamy Temple, Mudinepalli Village & Mandal, Krishna District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	5,600-00
6.	15-07-2020 MT-134	Test results of materials for the construction of Sri Seetha Ramachandra Swamy Temple, Mudinepalli Village & Mandal, Krishna District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	1,650-00
7.	17-07-2020 DB-4	Submission of report on Single spanned R.C. T-beam bridge, Near Jagannadhapuram on Bhimavaram-Kalipatnam Highway leading to "BTS-AE"D/s, Krishna District, A.P.	Sri Y.V.Rao, DGM, Civil, ONGC, Rajahmundry	10,000-00
8.	17-07-2020 DB-5	Submission of report on Single span R.C bridge, Near Garisapadu Village on National Highway leading "BTS-AE"D/s, Krishna District, A.P. & Inspection of above two- 5,000/-	Sri Y.V.Rao, DGM, Civil, ONGC, Rajahmundry	15,000-00
9.	28-07-2020 ST-175	Sub soil investigation and recommendation for the foundation of "Commercial and residential building (G+4)" Pothavaram, P.Gannavaram, East Godavari District, A.P.	Sri K. Koteswara Rao, S/o. SudarsanaRao, R.S.No - 284, Pothavaram, P.Gannavaram,East Godavari District, A.P.	4,000-00
10.	28-07-2020 ST-179	Sub soil investigation and recommendation for at "The foundation of residential building (STILT+G+3)" Ambika Nagar, Shambu Nagar, Rajahmundry, East Godavari District, A.P.	Sri G.Sampath Kumar, D.No.2-49-4, Ambika Nagar, Rajahmundry, East Godavari District, A.P	4,000-00
11.	29-07-2020 ST-180	Sub soil investigation and recommendation for at "The foundation of Church (G+1)" Mukkamala, PervaliMadal, West Godavari District, A.P.	Pastor Ch.Rama Rao, Jesus Prayer Fellowship Church, D-No-7- 25, Near Rice Mill, Mukkamala, Peravali, West Godavari District, A.P	4,000-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
12.	04-08-2020 ST-176, ST-177, ST-178	Sub soil investigation and recommendations for the foundation of over head reservoir at railway quarters, Gudivada Krishna District, AP, ST-176 – 4,400/-Subsoil investigation and recommendations for the foundation of over head reservoir at railway quarters, Machilipatnam, Krishna District, ST-177 - 4,400/-Sub soil investigation and recommendations for the foundation of over head reservoir at railway quarters, Pedana, Krishna district, ST-178-4,400/-Visit to the site for soil exploration (1st visit) -5,500/-Conduction of field test and soil collection (3 x 11,000) – 33,000/-Transportation charges for conducting field tests for 3 locations -11,000/-	The General Manager, Power Mech Projects Limited, Hyderabad	57,997-00
13.	04-08-2020 MT-210	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Pile concrete work at Pedalanka of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.	600-00
14.	05-08-2020 ST-181	Sub soil investigation and recommendation for "The foundation of Police station (G+1)", Pedaparupudi Village & Mandal, Krishna District, A.P.	Megha Engineering & Infrastructure Ltd, Hyderabad	4,000-00
15.	08-08-2020 MT-143	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding Ground floor slab work at Doddapatla of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	450-00
16.	08-08-2020 MT-148	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding Second floor slab work at Alapadu of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	450-00
17.	11-08-2020 MT-156	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor slab work at Vanuduru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.	450-00
18.	17-08-2020 ST-182	Sub soil investigation and recommendation for "The foundation of Silver Jubilee block (G+3) Gudlavalleru, Krishna District, A.P.	AANM & VVRSR Polytechnic Gudlavalleru, Krishna District, A.P	
19.	17-08-2020 MT-129	Test results of the CC cubes for the construction of Residential flats for Sree Chakra R K Pride project@ Chinnamiram, Bhimavaram, West Godavari District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	450-00
20.	17-08-2020 MT-130	Test results of cc cubes for the construction of residential flats, ChinnaAmiram ,Bhimavaram, West Godavari District, A.P.	Sreechakra R.K. Pride project, Chinnaamiram, Bhimavaram, West Godavari District	450-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
21.	18-08-2020 MT-162	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor slab work at Ayyavarirudravaram of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
22.	18-08-2020 MT-166	Test results of the CC cubes for the construction of Gramma sachivalayam building piles work at Bhaskararaopeta of Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
23.	20-08-2020 MT-136	Test results of the CC cubes for the construction of ATC tower foundation work at Your services company, Hyderabad.	Your Services Company, Hyderabad	225-00
24.	20-08-2020 MT-138	Test results of the CC cubes for the construction of ATC tower foundation work at Your services company, Hyderabad.	Your Services Company, Hyderabad	225-00
25.	24-08-2020 MT-192	Test results of the CC cubes for the construction of Gramma sachivalayam building piles work at Chatakai of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
26.	26-08-2020 MT-135	Test results of the CC cubes for the construction of footings at Sri Seetha Rama Chandra Swamy temple, Mudinepalli Village and Mandal, Krishna District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	225-00
27.	28-08-2020 MT-168	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Padamatipalemof Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
28.	29-08-2020 MT-149	Test results of the CC cubes for the construction of YSR rural health clinic (Wellness Centre) building footings work at Kanukollu of Mandavalli Mandal.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	225-00
29.	10-09-2020 MT-137	Sieve analysis results of road aggregate, Gudivada, Krishna District, A.P	Sri Punukollu Harshith,By pass road, Gudivada,Krishna District.	
30.	10-09-2020 MT-167	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Sanarudravaramof Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
31.	11-09-2020 MT-139	Test results of the CC cubes for the construction of footings at Sri Seetha Rama Chandra Swamy temple, Mudinepalli Village and Mandal, Krishna District, A.P.	Deputy Executive Engineer, Endowments Department, Vijayawada	225-00
32.	14-09-2020 MT-140	Test results of the CC cubes for the construction of RythuBharosaKendram pile cap work at Kowtharam Village, Gudlavalleru Mandal, Krishna District, A.P.	Sri V.Suri Babu, Assistant Engineer, PRI Sub Division, Gudivada	225-00
33.	17-09-2020 MT-141	Test results of the CC cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM 0.00 to 36.740 on Vijayawada Division of S.C. Railway.	The Project Manager, GVR Premco Joint Venture, Gudivada	225-00
34.	17-09-2020 MT-144	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding first floor slab & footing work at Doddapatla of Kaikaluru Mandal,	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	225-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
35.	18-09-2020 MT-160	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor slab work at Lingala of Mandavali Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
36.	18-09-2020 MT-164	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor work at Korudollu-II of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
37.	19-09-2020 MT-145	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding footing work at Vadavalli of Mudinepall Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	225-00
38.	19-09-2020 MT-150	Test results of the CC cubes for the construction of YSR rural health clinic (Wellness Centre) building footings work at Kanukollu of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	225-00
39.	19-09-2020 MT-273	Test results of the CC cubes for the construction of Rythubarosakendramcenter building piles at Mullapparagudem of KalidindiMandal,	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
40.	22-09-2020 MT-169	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Kallapalemof Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
41.	23-09-2020 MT-151	Test results of the CC cubes for the construction of YSR rural health clinic (Wellness Centre) building roof slab work at Kanukollu of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	225-00
42.	23-09-2020 MT-157	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab work at Vanuduru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli.	450-00
43.	24-09-2020 MT-222	Test results of the CC cubes for the construction of Gramma sachivalayambuilding piles work at Nandivada (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech, Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
44.	25-09-2020 MT-203	Test results of the CC cubes for the construction of Gramma sachivalayambuilding piles work at Rudrapaka (V) of Nandivada Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
45.	25-09-2020 MT-235	Test results of the CC cubes for the construction of Gramma sachivalayambuilding piles work at Tamirisa (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.TechDeputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
46.	26-09-2020 TE-5	Test results of Construction material for the roads, Gudivada, Krishna District, A.P.	Sri Punukollu Harshith, By pass road, Gudivada, Krishna District, A.P.	
47.	28-09-2020 MT-187	Test results of the CC cubes for the construction of Gramma sachivalaym building footings work at Korragantipalem of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
48.	28-09-2020 MT-223	Test results of the CC cubes for the construction of Gramma sachivalayambuilding pile caps work at Nandivada (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
49.	29-09-2020 MT-158	Test results of the CC cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM 0.00 to 36.740 on Vijayawada Division of S.C. Railway.	The Project Manager, GVR Premco Joint Venture, Gudivada	225-00
50.	29-09-2020 MT-172	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Sriharipuram of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
51.	29-09-2020 ST-183	Sub soil investigation and recommendations for the foundation of proposed wellness centre, Seri Daggumilli, Gudlavalleru Mandal, Krishna District, A.P.	Deputy Executive Engineer, RWS Sub Division, Gudivada,Krishna District.	4,000-00
52.	29-09-2020 ST-184	Sub soil investigation and recommendations for the foundation of proposed Gramma Sachivalayam, Seri Daggumilli, Gudlavalleru Mandal, Krishna District, A.P.	Deputy Executive Engineer, RWS Sub Division, Gudivada,Krishna District.	4,000-00
53.	29-09-2020 MT-184	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Payyaru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
54.	29-09-2020 MT-204	Test results of the CC cubes for the construction of Gramma sachivalayambuilding pile caps work at Rudrapaka (V) of Nandivada Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
55.	29-09-2020 MT-236	Test results of the CC cubes for the construction of Gramma sachivalayambuilding pile caps work at Tamirisa (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
56.	30-09-2020 MT-154	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab work at Mattagunta of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.	450-00
57.	01-10-2020 MT-165	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab work at Korudollu-II of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	225-00
58.	02-10-2020 MT-213	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Piles work at Ilaparu (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
59.	03-10-2020 ST-185	Sub soil investigation and recommentaion for the foundation of Gas creametorium, RajupetaBuriala ground, By pass road, Machilipatnam, Krishna District, A.P.	Commissioner, Municipal Corporation, Machilipatnam	8,000-00
60.	05-10-2020 MT-170	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding Footings work at Penumilli of Mudinepalli Mandal Krishna District, A.P.	Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli	225-00
61.	07-10-2020 MT-171	Test results of the CC cubes for the construction of work "Doubling with electrification of railway line between Gudivada-Machilipatnam section from KM 0.00 to 36.740 on Vijayawada Division of SC Railway	The Project Manager, GVR Premco Joint Venture, Gudivada	225-00
62.	08-10-2020 ST-186	Soil investigation and recommendations for the foundation of RythuBarosa Kendra & Gramma Sachivalayam, Kommaravolu, Pamarru Mandal, Krishna District, A.P.	Sri S.Sri Rama ChandraRao, Komaravolu, Pamarru Mandal, Krishna District, A.P.	4,000-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
63.	09-10-2020 MT-224	Test results of the CC cubes for the construction of Gramma sachivalayambuilding plinth beam work at Nandivada (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.TechDeputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
64.	09-10-2020 MT-274	Test results of the CC cubes for the construction of Rythubarosakendramcenter building piles at Mullapparagudem of KalidindiMandal,	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
65.	10-10-2020 MT-205	Test results of the CC cubes for the construction of Gramma sachivalayambuilding plinth beam work at Rudrapaka (V) of Nandivada Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
66.	10-10-2020 MT-237	Test results of the CC cubes for the construction of Gramma sachivalayambuilding plinth beam work at Tamirisa (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.TechDeputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
67.	11-10-2020 MT-175	Test results of the CC cubes for the construction of RythubarosaKendram building footings work at Vanuduruof Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	225-00
68.	12-10-2020 MT-173	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab work at Sriharipuram of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	225-00
69.	12-10-2020 MT-177	Test results of the CC cubes for the construction of Gramma sachivalayam building piles concrete work at Peruruof Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
70.	12-10-2020 MT-178	Test results of the CC cubes for the construction of Gramma sachivalayam building piles concrete work (for we) at Peruru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
71.	22-10-2020 MT-198	Test results of the CC cubes for the construction of Gramma Sachivalayam building first floor slab work at Korukollu-II of Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	300-00
72.	26-10-2020 MT-190	Test results of CC cubes for the construction of Rythubarosa Kendra slab work at Kowthavaram Village, Gudlavalleru Mandal, Krishna District, A.P.	Sri V.Suri Babu, Assistant Engineer, Panchayat Raj Sub Division, Gudivada	225-00
73.	27-10-2020 MT-180	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab 125mm thick work at atapaka 2 of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
74.	28-10-2020 RRS-1	NDT test report on Non Destructive Testing of Structural Elements and Recommendations on the Repairs of Structural Damage for R.C.C slab of Residential Building" at Gudivada, Krishna District, A.P	Sri P.Sai Baba, Flat No.227, Radhesyam Residency, Tirupathi, Chitoor District, A.P	10,000/-
75.	28-10-2020 MT-186	Test results of CC cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM 0.00 to 36.740 on Vijayawada division of SC railway (Package-4)	The Project Manager, GVR Premco Joint Venture, Gudivada	225-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
76.	29-10-2020 MT-181	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor roof slab 125mm thick at Ayyavarirudravaram of Mandavalli, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
77.	29-10-2020 MT-191	Test results of the CC cubes for the construction of Wellness center piles cap work at Seridugumilli Village, Gudlavalleru Mandal, Krishna District, A.P.	Deputy Executive Engineer, RWS sub division, Gudivada	225-00
78.	01-11-2020 MT-176	Test results of the CC cubes for the construction of RythubarosaKendram building footings work at Vanuduruof Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	225-00
79.	02-11-2020 MT-182	Test results of the CC cubes for the construction of Wellness centre building footings work at Vadavalli of MUdinepalli Mandal, Krishna District, A.P	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
80.	02-11-2020 MT-189	Test results of Fly ash bricks	VaddiRamakrishnayya building materials, Prop.V.Devichaitanya, Sy.No.194, Chittipalem road, Arisepalli Village, Machilipatnam	600-00
81.	02-11-2020 MT-194	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor slab work at Alluru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	300-00
82.	02-11-2020 MT-195	Test results of the CC cubes for the construction Gramma sachivalayam building Ground floor slab wok at Kallapalem of Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	300-00
83.	03-11-2020 MT-174	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab work at Sriharipuram of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	225-00
84.	03-11-2020 MT-214	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Pile caps work at Ilaparu (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
85.	04-11-2020 MT-227	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building first floor roof slab 125mm thick work at Chatakai of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
86.	09-11-2020 MT-197	Test results of the CC cubes for the construction of internal CC roads in ST area of Nidumolu Village of Movva Mandal, Krishna District, A.P.	B.Venkateswara Rao, Assistant Engineer, Mandal Parishat, Movva	300-00
87.	09-11-2020 MT-211	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Ground floor slab at Pedalanka of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	600-00
88.	10-11-2020 MT-183	Test results of the CC cubes for the construction of RythuBarosa Kendra building footings work at Vadavali of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
89.	10-11-2020 MT-199	Test results of CC cubes for work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam	The Project Manager, GVR premco joint ventue, Gudivada	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		section from KM 0.00 to 36.740 on Vijayawada division of SC railway (Package-4)		
90.	10-11-2020 MT-219	Test results of the CC cubes for the construction of YSR health clinic centre building pile caps work at Chatakai of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
91.	11-11-2020 ST-187	Sub soil investigation and recommendations for the foundation of Gramma sachivalayam (G+1), Kowthavaram, Gudlavalleru Mandal, Krishna District, A.P.	Sri V.Suri Babu, Assistant Engineer, Panchayat Raj Sub Division, Gudivada	4,000-00
92.	12-11-2020 MT-232	Test results of the materials for the construction Sri Venkateswara Swamy Temple, Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	8,000-00
93.	12-11-2020 MT-233	Test results of the materials for the construction Sri Venkateswara Swamy Temple, Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	2,225-00
94.	12-11-2020 MT-234	Test results of the materials for the construction Sri Venkateswara Swamy Temple, Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	5,600-00
95.	13-11-2020 MT-185	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor slab work at Payyaru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
96.	13-11-2020 MT-207	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Ground floor slab work at Vadavalli of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
97.	13-11-2020 MT-218	Test results of the CC cubes for the construction of GrammaSachivalayam building footings work at Vemavarapadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
98.	14-11-2020 MT-206	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Ground floor roof slab work at Bhaskararaopeta of kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
99.	14-11-2020 MT-208	Test results of the CC cubes for the construction of Gramma sachivalayambuilding footings work at Gannavaram of Mandavali Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
100.	14-11-2020 MT-228	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building footings work at Korukollu- of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
101.	15-11-2020 MT-229	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor roof slab work at Sriharipuram of Mudenepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
102.	15-11-2020 MT-212	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor slab work at Atapaka of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
103.	15-11-2020 MT-229	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building footings work at Bomminampadu of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
104.	16-11-2020 MT-201	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor columns work at Utukuru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
105.	17-11-2020 MT-230	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building footings work at Peruru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
106.	18-11-2020 MT-188	Test results of the CC cubes for the construction of gramma sachivalayam building ground floor slab work at Korragondipalem of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
107.	18-11-2020 MT-200	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Ground floor slab work at Guraja of Mandavali Mandal.	Sri P.Suresh Babu, M.Tech DeputyExecutive Engineer, Panchayat Raj Sub Division,Mandavalli Mandal.	300-00
108.	18-11-2020 MT-215	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Ground floor roof slab work at Ilaparu (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
109.	19-11-2020 MT-216	Test results of the CC cubes for the construction of YSR rural health clinic building footings work at Pothumarru Village of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
110.	21-11-2020 MT-220	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building first floor slab 125mm thick work at Kallpalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
111.	22-11-2020 MT-193	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab 125 mm thick work at Chetakai of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
112.	22-11-2020 MT-196	Test results of the CC cubes for the construction of Gramma Sachivalayam building ground floor slab work at Kallapalem of Kalidindi Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	300-00
113.	22-11- 2020MT- 231	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building footings work at Kaikaluru 3i of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
114.	24-11-2020 MT-221	Test results of the CC cubes for the construction of construction of Gramma sachivalayam building ground floor slab work at Penumalli of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
115.	24-11-2020 MT-283	Test results of the CC cubes for the construction of Gramma sachivalayam building Ground fioor roof slab work at Tamirisa (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
116.	28-11-2020 ST-188	Sub Soil Investigation and Recommendations for the foundation of RaithuBarosaKendram, Penjandra, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Sri V Suri Babu, Assistant Engineer PRI Sub Division, Gudivada	4,000-00
117.	28-11-2020 ST-189	Sub Soil Investigation and Recommendations for the foundation of	Sri V Suri Babu Assistant Engineer PRI Sub Division, Gudivada	4,000-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		RaithuBarosaKendram& Wellness Center, Dokiparu, Gudlavalleru Mandal, Andhra Pradesh		
118.	28-11-2020 ST-190	Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam, RaithuBarosaKendram& Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Sri V Suri Babu Assistant Engineer PRI Sub Division, Gudivada	4,000-00
119.	28-11-2020 ST-191	Sub Soil Investigation and Recommendations for the foundation of foundation of Grama Sachivalayam&RaithuBarosaKendram, Venuthurumilli, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division, Gudivada, Krishna District, A.P	4,000-00
120.	28-11-2020 ST-192	Sub Soil Investigation and Recommendations for the foundation of foundation of Grama Sachivalayam, Vinnakota, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Deputy Executive Engineer PRI Sub Division, Gudivada, Krishna District, A.P.	4,000-00
121.	28-11-2020 ST-193	Sub Soil Investigation and Recommendations for the foundation of RaithuBarosaKendram, Vinnakota, Gudlavalleru Mandal, Krishna District,	Deputy Executive Engineer PRI Sub Division, Gudivada, Krishna District, A.P	4,000-00
122.	28-11-2020 MT-225	Test results of the CC cubes for the construction of Gramma sachivalayambuilding ground floor roof slab work at Nandivada (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
123.	28-11-2020 MT-226	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor roof slab work at Nandivada (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
124.	28-11-2020 MT-281	Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4).	The Project Manager, GVR Premco Joint Venture, Gudivada	300-00
125.	30-11-2020 MT-238	Test results of the CC cubes for the construction of construction of Rythubarosakendram building piles work at Mattagunta of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
126.	30-11-2020 MT-293	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Ground floor roof slab work at Rudrapaka (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
127.	01-12-2020 MT-239	Test results of the CC cubes for the construction of YSR health clinic centerbuilding pile caps work at Chatakai of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
128.	03-12-2020 MT-240	Test results of the CC cubes for the construction of Gramma sachivalayambuilding ground floor slab work at Vadavalli of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
129.	04-12-2020 MT-241	Test results of the CC cubes for the construction of Gramma sachivalayambuilding footings work at Vemavarapadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
130.	04-12-2020 MT-250	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab work at Padamatipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
131.	04-12-2020 MT-257	Test results of the CC cubes for the construction of Gramma sachivalayambuilding footings work at Gannavaram of Mandavali Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
132.	05-12-2020 MT-242	Test results of the CC cubes for the construction of Gramma sachivalayambuilding ground floor roof slab work at Bhaskararaopeta of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
133.	05-12-2020 MT-245	Test results of the CC cubes for the construction of Gramma sachivalayambuilding footings work at Korukollu-I of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
134.	05-12-2020 MT-255	Test results of the CC cubes for the construction of Gramma sachivalayam building Ground floor roof slab 125mm thick work at Achavaram of Kaikaluru Mandal	Sri P.Suresh Babu,M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
135.	06-12-2020 MT-243	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor slab work at Atapaka of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
136.	06-12-2020 MT-244	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor roof slab work at Sriharipuram of Mudinepalli Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division,Mandavalli Mandal	300-00
137.	06-12-2020 MT-246	Test results of the CC cubes for the construction of Gramma sachivalayambuilding footings work at Bomminampadu of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
138.	06-12-2020 MT-248	Test results of the CC cubes for the construction of Gramma sachivalyam building ground floor slab work at Guraja of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub ivision, Mandavalli Mandal	300-00
139.	07-12-2020 MT-202	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor columns work at Utukuru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
140.	08-12-2020 MT-247	Test results of the CC cubes for the construction of YSR healthi clinic (Wellness center) building pile caps work at Peruru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub ivision, Mandavalli Mandal	300-00
141.	08-12-2020 MT-280	Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4)	The Project Manager, GVR Premco Joint Venture, Gudivada	300-00
142.	09-12-2020 ST-244	Sub soil investigation and recommendations for the foundation of Residential building (G+2), ZP center, Machilipatnam, Krishna District	Sri ChalamalasettiSivaSri, D.No.16-496-1-2-3, ZP center, Machilipatnam, Krishna District	4,000-00
143.	09-12-2020 MT-249	Test results of the CC cubes for the construction of YSR rural health clinic buildings roof slab work at Vadavalli of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
144.	10-12-2020 MT-251	Test results of the CC cubes for the construction of YSR rural health clinic building footings work at Pothumarru Village of Kalidindi Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
145.	12-12-2020 MT-254	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor roof slab 125mm thick work at Kallapaleam of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
146.	12-12-2020 MT-260	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Alluru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
147.	13-12-2020 MT-258	Test results of the CC cubes for the construction of Rythubharosakendrambuilding footings work at Gannavaram of Mandavali Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
148.	13-12-2020 MT-259	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Guraja of Mudinepalli Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
149.	13-12-2020 MT-267	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab 125mm thick at Kaikaluru 3i of Kaikaluru Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
150.	15-12-2020 MT-252	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor slab work at Penumalli Village of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
151.	17-12-2020 MT-253	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab work at Peyyeru ofMudinepalli Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
152.	18-12-2020 MT-256	Test results of the CC cubes for the construction of poojari quarters block-2,1 of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District	The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple,Dokiparru - 521332	300-00
153.	19-12-2020 MT-282	Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4	The Project Manager, GVR Premco Joint Venture, Gudivada	300-00
154.	19-12-2020 MT-319	Test results of the CC cubes for the construction of RythuBharosaKendram building Piles caps work at Kondangi of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
155.	19-12-2020 ST-246	Sub soil investigation and recommendation for the foundation of Drill site "VDP-AB" D/s, East Godavari Dist, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
156.	19-12-2020 RF-153	ONGC Rig foundation at "VDP-AB" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
157.	20-12-2020 MT-262	Test results of the CC cubes for the construction of YSR health clinic centre building pile caps work at Ilaparru (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada	300-00
158.	21-12-2020 MT-263	Test results of the CC cubes for the construction of Rythubarosakendram building piles at Mattagunta of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
159.	23-12-2020	Test results of the CC cubes for the	Sri P.Suresh Babu, M.Tech	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
	MT-272	construction of Gramma Sachivalayambuilding first floor slab at Pedalanka of Kalidindi Mandal	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	
160.	24-12-2020 MT-261	Test results of the CC cubes for the construction of YSR health clinic centre building plinth beam work at Ilaparru (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
161.	25-12-2020 MT-264	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab at Padamatipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
162.	25-12-2020 MT-265	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab 125mm thick at Chatakai of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
163.	26-12-2020 MT-266	Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab 125mm thick at Achavaram of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
164.	26-12-2020 MT-269	Test results of the CC cubes for the construction of SriVenkateswara swamy temple building footings at Kaikaluru (V) of Kaikaluru Mandal	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	600-00
165.	26-12-2020 MT-270	Test results of the CC cubes for the construction of poojari quarters block-2,1 of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District	The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple,Dokiparru - 521332	300-00
166.	26-12-2020 MT-271	Test results of the CC cubes for the construction of pradhanapoojari quarters block-2 floor of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal Krishna District	The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple, Dokiparru - 521332	300-00
167.	28-12-2020 MT-275	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Vadavalli of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
168.	28-12-2020 MT-284	Test results of the CC cubes for the construction of Gramma sachivalayam building first fioor roof slab work at Ilaparru (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
169.	29-12-2020 DT-01	Report-A: Design of one side corbel to carry 5T EOTcrane having dead wieght of 25 tonnes proppant shed andReport-B: Design of tubular roof truss of proppant shed at ONGC, Naraspur Pipe Yard, Narasapur, West Godavari District, Andhra Pradesh	Sri A.Sekhar Babu, Chief Engineer (Civil), Oil and Natural Gas Corporation Limited, Godavari Bhavan, Base Complex, Rajahmundry	40,000-00
170.	30-12-2020 MT-276	Test results of the CC cubes for the construction of Rythubharosakendrambuildings roof slab work at Vadavalli of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
171.	31-12-2020 MT-294	Test results of the CC cubes for the construction of Gramma sachivalayambuilding first floor roof slab work at Rudrapaka (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
172.	02-01-2021 MT-277	Test results of the CC cubes for the construction of Gramma sachivalayam	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		building first floor slab at Alluru of Mudinepalli Mandal	Panchayat Raj Sub Division, Mandavalli Mandal	
173.	02-01-2021 MT-286	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Piles work at Pedalingala (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
174.	02-01-2021 MT-288	Test results of the CC cubes for the construction of Rythubharosakendram building Piles work at Pedalingala (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
175.	03-01-2021 MT-278	Test results of the CC cubes for the construction of Rythubharosakendram building footings at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
176.	03-01-2021 MT-279	Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Guraja of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
177.	04-01-2021 MT-290	Test results of the CC cubes for the construction of Sri Venkateswara Swamy Temple, building slab work at Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	300-00
178.	06-01-2021 ST-247	Sub Soil investigation and recommendations for the foundation of Sri Venkateswara Swamy Temple building, Kaikaluru, Krishna District	Sri D.N.Kumar, Assistant Engineer, Endowments Department, Vijayawada	4,000-00
179.	07-01-2021 MT-285	Test results of the CC cubes for the construction of Gramma sachivalayam building first fioor roof slab work at Tamirisa (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
180.	07-01-2021 MT-295	Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Singarayapalem of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
181.	09-01-2021 MT-292	Test results of the CC cubes for the construction of Sri Venkateswara Swamy Temple, building footings work at Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	600-00
182.	09-01-2021 MT-317	Test results of the CC cubes for the construction of RythuBharosaKendram building Piles caps work at Kondangi of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Mandavalli Mandal	300-00
183.	11-01-2021 MT-304	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Piles work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
184.	13-01-2021 MT-298	Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4).	The Project Manager, GVR Premco Joint Venture, Gudivada.	300-00
185.	14-01-2021 MT-287	Test results of the CC cubes for the construction of Gramma sachivalayam building Pile caps work at Pedalingala (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	300-00
186.	14-01-2021	Test results of the CC cubes for the	Sri A.Harinadh Babu, B.Tech	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
	MT-289	construction of Rythubharosakendram building Pile caps work at Pedalingala (V) of Nandivada Mandal	Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.	
187.	18-01-2021 ST-248	Sub soil investigation and recommendations for the foundation of Urban health center, Sarada Nagar, Machilipatnam, Krishna District	Sri Pilli Prasad, Assistant Engineer, Machilipatnam	4,000-00
188.	18-01-2021 ST-249	Sub soil investigation and recommendations for the foundation of Urban health Center, Near Bramamgarigudi, beside bypass, Machilipatnam, Krishna District	Sri Pilli Prasad, Assistant Engineer,Machilipatnam	4,000-00
189.	18-01-2021 ST-250	Sub soil investigation and recommendations for the foundation of Urban health center, Gilakaladindi, Machilipatnam, Krishna District	Sri Pilli Prasad, Assistant Engineer, Machilipatnam	4,000-00
190.	18-01-2021 ST-251	Sub soil investigation and recommendations for the foundation of Urban health center, YSR park, beside railpeta school, Nobel Colony, Machilipatnam, Krishna District	Sri Pilli Prasad, Assistant Engineer,Machilipatnam	4,000-00
191.	20-01-2021 MT-299	Test results of the CC cubes for the construction of Gramma sachivalayambuilding ground level roof slab work at Vemavarapadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
192.	20-01-2021 MT-305	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Pile caps work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada.	300-00
193.	23-01-2021 MT-297	Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Kaikaluru-3 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
194.	25-01-2021 MT-291	Test results of the CC cubes for the construction of Sri Venkateswara Swamy Temple, building slab work at Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	300-00
195.	27-01-2021 MT-296	Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Singarayapalem of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
196.	29-01-2021 MT-302	Test results of the CC cubes for the construction of YSR Health clinic building Piles work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Gudivada.	300-00
197.	29-01-2021 MT-306	Test results of the CC cubes for the construction of Rythubharosakendrambuilding Piles work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada.	300-00
198.	03-02-2021 ST-252	Sub soil investigation and recommendation for the foundation of Drill site "BRA-B" D/s, East Godavari Dist, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
199.	03-02-2021 RF-154	ONGC Rig foundation at "BRA-B" D/s, Peravalli,East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
200.	04-02-2021 MT-308	Test results of the CC cubes for the construction of Rythubharosakendrambuilding Piles work at Ilaparru (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Gudivada.	300-00
201.	20-01-2021	Test results of the CC cubes for the	Sri P.Suresh Babu, M.Tech	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
	MT-299	construction of Gramma sachivalayambuilding ground level roof slab work at Vemavarapadu of Kaikaluru Mandal	Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	
202.	20-01-2021 MT-305	Test results of the CC cubes for the construction of Gramma sachivalayambuilding Pile caps work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Gudivada.	300-00
203.	23-01-2021 MT-297	Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Kaikaluru-3 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
204.	25-01-2021 MT-291	Test results of the CC cubes for the construction of Sri Venkateswara Swamy Temple, building slab work at Kaikaluru Village & Mandal, Krishna District	D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada	300-00
205.	27-01-2021 MT-296	Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Singarayapalem of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
206.	29-01-2021 MT-302	Test results of the CC cubes for the construction of YSR Health clinic building Piles work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.TechDeputy Executive Engineer,Panchayat Raj Sub Division,Gudivada.	300-00
207.	29-01-2021 MT-306	Test results of the CC cubes for the construction of Rythubharosakendrambuilding Piles work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Gudivada.	300-00
208.	03-02-2021 ST-252	Sub soil investigation and recommendation for the foundation of Drill site "BRA-B" D/s, East Godavari Dist, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
209.	03-02-2021 RF-154	ONGC Rig foundation at "BRA-B" D/s, Peravalli,East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
210.	04-02-2021 MT-308	Test results of the CC cubes for the construction of Rythubharosakendrambuilding Piles work at Ilaparru (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada.	300-00
211.	07-02-2021 MT-307	Test results of the CC cubes for the construction of Rythubharosakendrambuilding Pile caps work at Thummalapalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Gudivada.	300-00
212.	10-02-2021 MT-300	Test results of the CC cubes for the construction of Gramma sachivalayambuilding ground level roof slab work at Vemavarapadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
213.	12-02-2021 MT-309	Test results of the CC cubes for the construction of Rythubharosakendrambuilding Pile caps work at Ilaparru (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada.	300-00
214.	16-02-2021 MT - 376	Construction of MVI office, Machilipatnam, Krishna District	Dy.Executive Engineer (R&B) Sub Division, Machilipatnam, Krishna District	300-00
215.	20-02-2021 MT-301	Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam	The Project Manager, GVR Premco Joint Venture, Gudivada	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4).		
216.	20-02-2021 MT-318	Test results of the CC cubes for the providing CC Road from Boddu Appa Rao House to GandukotaYedukondalu house at Vibrampuram, H/o Chinatadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
217.	26-02-2021 MT-311	Test results of the CC cubes for the construction of Grammasachivalayam building First floor roof slab 125mm thick slab work at Achavaram of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Mandavalli Mandal	300-00
218.	26-02-2021 MT-315	Test results of the CC cubes for the construction of YSR Health Clinic building Piles Concrete work at Putlacheruvu of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
219.	26-02-2021 MT-316	Test results of the CC cubes for the construction of RythuBharosaKendram building Roof Slab work at Vandurru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
220.	26-02-2021 MT-323	Test results of the CC cubes for the construction of YSR Health Clinic building footings work at Gannavaram of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
221.	28-02-2021 MT-324	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Kottada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
222.	01-03-2021 MT-310	Test results of the CC cubes for the construction of Grammasachivalayam building Ground floor slab work at Korukollu-I of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Mandavalli Mandal	300-00
223.	01-03-2021 MT-332	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Kotecherla village of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
224.	03-03-2021 MT-314	Test results of the CC cubes for the construction of RythuBharosaKendram building Piles Concrete work at Putlacheruvu of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
225.	06-03-2021 MT-334	Test results of the CC cubes for the castingof providing CC Road from chinaRamalayam to Puli suri babu house at Lodidalanka village of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
226.	06-03-2021 MT-337	Test results of the CC cubes for the castingof providing CC Road from M.Subbarao house to Burilla ground at Maddivanigudem H/O Guravipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Mandavalli Mandal	300-00
227.	06-03-2021 MT-338	Test results of the CC cubes for the castingof providing CC Road from M.Paramkusam house to MPP School at Ramareddynagar H/O Guravipalem in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
228.	06-03-2021 MT-339	Test results of the CC cubes for the castingof providing CC Road from R&B Road to MRO'S Office Kalidindi Village in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
229.	06-03-2021 MT-344	Test results of the CC cubes for the construction of RythuBharosaKendram building Piles work at Kudaravalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.TechDeputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
230.	06-03-2021 MT-346	Test results of the CC cubes for the construction of YSR Health Clinic building Piles work at Kudaravalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
231.	06-03-2021 MT-348	Test results of the CC cubes for the construction of Grama Sachivalayam building Piles work at Kudaravalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
232.	06-03-2021 MT-350	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Koduru village of Mudinepalli Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
233.	07-03-2021 MT-336	Test results of the CC cubes for the castingof providing CC Road from K.Suryanarayana house to Anganwadi Building at Ramreddtynagar H/O Guravipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
234.	08-03-2021 MT-312	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Rachapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division,Mandavalli Mandal	300-00
235.	08-03-2021 MT-313	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Kaikaluru-4 of Kaikaluru Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division,Mandavalli Mandal	300-00
236.	08-03-2021 MT-351	Test results of CC Cubes for the casting of providing CC Roads from T.Bulliyya house to NangalaVeraswamy house at Santhoshapuram GP in Kalidindi Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division,Mandavalli Mandal	300-00
237.	08-03-2021 MT-353	Test results of the CC cubes for the casting of providing CC Road from P.Dasu house to N.Raffil house at Santhoshapuram GP in Kalidindi Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division,Mandavalli Mandal	300-00
238.	12-03-2021 MT-345	Test results of the CC cubes for the construction of RythuBharosaKendram building Pile caps work at Kudaravalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
239.	12-03-2021 MT-347	Test results of the CC cubes for the construction of YSR Health Clinic building Pile Caps work at Kudaravalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada	300-00
240.	12-03-2021 MT-349	Test results of the CC cubes for the construction of Grama Sachivalayam building Pile Caps work at Kudaravalli (V) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Gudivada	300-00
241.	16-03-2021 ST-254	Sub soil investigation and recommendation for the foundation of drill site "MDE-L"D/s, West Godavari district, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
242.	16-03-2021 RF-155	ONGC Rig foundation at "MDE-L" D/s, West Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
243.	17-03-2021 MT-320	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Vaivaka of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
244.	18-03-2021 MT-325	Test results of the CC cubes for the construction of RythuBharosaKendram	Sri P.Suresh Babu, M.Tech Deputy Executive	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		building Roof slab work at Vanudurru of Mudinepalli Mandal	Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	
245.	19-03-2021 MT-326	Test results of the CC cubes for the construction of Grammasachivalayam building First floor roof slab 125mm thick slab work at Achavaram of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
246.	19-03-2021 MT-327	Test results of the CC cubes for the construction of YSR Health Clinic building piles concrete work at Putlacheruvu of Mandavalli Mandal	Sri P.Suresh Babu, M.TechDeputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
247.	20-03-2021 MT-321	Test results of the CC cubes for the construction of CC roads from Water tank Ramalayam to Modugu Bode in 1st ward of Kotakalidindi in Kalidindi Village in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
248.	20-03-2021 MT-322	Test results of the CC cubes for the construction of CC roads from Atreya babu huse to Smasanam Cross Road in Petakalidindi Thota Devudi Thota Petakalidindi in Kalidindi Village iKalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
249.	20-03-2021 MT-312	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Rachapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
250.	20-03-2021	Report of Water analysis test in WWWE Lab (APHA) RO plant water sample	The Estate Manager, Gudlavalleru Engineering College, Gudlavalleru	
251.	21-03-2021 MT-329	Test results of the CC cubes for the construction of Grammasachivalayam building Ground floor roof slab 125mm thick work at Kottada of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
252.	22-03-2021 MT-330	Test results of the CC cubes for the construction of Grammasachivalayam building Ground floor slab work at Korukollu-I of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
253.	22-03-2021 MT-333	Test results of the CC cubes for the construction of Grammasachivalayam building Footings work at Kotecherla village of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
254.	24-03-2021 MT-331	Test results of the CC cubes for the construction of RythuBharosaKendram building Piles Concrete work at Putlacheruvu of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
255.	25-03-2021 MT - 393	Test results of the materials for the Construction Sri Venkateswara Swamy Temple, Godugupeta, Machilipatnam Town, Krishna District	Sri D.N.Kumar, Assistant Engineer, Endowments Department, Vijayawada.	40.500.00
256.	25-03-2021 MT - 394	Test results of the materials for the Construction Sri Venkateswara Swamy Temple, Godugupeta, Machilipatnam Town, Krishna District	Sri D.N.Kumar, Assistant Engineer, Endowments Department, Vijayawada.	16,500-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
257.	25-03-2021 MT - 395	Test results of the materials for the Construction Sri Venkateswara Swamy Temple, Godugupeta, Machilipatnam Town, Krishna District	Sri D.N.Kumar, Assistant Engineer, Endowments Department, Vijayawada	
258.	26-03-2021 MT-335	Test results of the CC cubes for the castingof providing CC Road from chinaRamalayam to Puli suri babu house at Lodidalanka village of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
259.	26-03-2021 MT-340	Test results of the CC cubes for the castingof providing CC Road from K.Suryanarayana house to Anganwadi Building at Ramreddynagar H/O Guravipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
260.	26-03-2021 MT-358	Test results of the CC cubes for the construction of Grama Sachivalayam building First Floor Slab work at Vemavarappadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
261.	27-03-2021 MT-341	Test results of the CC cubes for the castingof providing CC Road from M.Paramkusam house to MPP School at Ramareddynagar H/O Guravipalem in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
262.	27-03-2021 MT-342	Test results of the CC cubes for the castingof providing CC Road from R&B Road to MRO'S Office Kalidindi Village in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
263.	27-03-2021 MT-343	Test results of the CC cubes for the castingof providing CC Road from M.Subbarao house to Burilla ground at Maddivanigudem H/O Guravipalem of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,Panchayat Raj Sub Division, Mandavalli Mandal	300-00
264.	29-03-2021 MT-352	Test results of the CC cubes for the casting of providing CC Roads from T.Bulliyya house to NangalaVeraswamy house at Santhoshapuram GP in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
265.	29-03-2021 MT-354	Test results of the CC cubes for the casting of providing CC Road from P.Dasu house to N.Raffil house at Santhoshapuram GP in Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
266.	29-03-2021 MT-355	Test results of the CC cubes for the construction of Grama Sachivalayam building footings work at Rachapatnam of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
267.	29-03-2021 MT-356	Test results of the CC cubes for the construction of Grama Sachivalayam building footings work at Kaikaluru-4 of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
268.	01-04-2021 ST - 255	Sub soil investigation and Recommendation for the foundation of Drill site "SMAA-D" D/s, West Godavari District	Sri P.Narayana Rao, Contractor,Narasapuram, West Godavari Distict.	10,000-00
269.	01-04-2021	ONGC Rig foundation at "SMAA-D" D/s, West Godavari District	Sri P.Narayana Rao, Contractor,Narasapuram, West Godavari Distict.	10,000-00
270.	04-04-2021 MT - 360	Test results of the CC cubes for the Construction of RythuBharosaKendram building Roof Slab work at Chinthapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
271.	08-04-2021 MT-359	Test results of the CC cubes for the construction of Grama Sachivalayam	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer,	300-00

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
		building footings work at Vaivaka of Mudinepalli Mandal	Panchayat Raj Sub Division, Mandavalli Mandal	
272.	11-04-2021 MT - 367	Test results of the CC cubes for the construction of Grama Sachivalayam building Ground Floor Slab work at Devapudi Village of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
273.	16-04-2021 MT-357	Test results of the CC cubes for the construction of Grama Sachivalayam building First Floor Roof Slab work at Vemavarappadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
274.	16-04-2021 MT - 364	Test results of the CC cubes for the construction of Poojariquater's block - 1, 3rd Floor, Sri Venkateswara Swamy Temple buildings at Dokiparu, Gudlavalleru Mandal,	The Project Manager, Sri Venkateswara Swamy Temple, Mega Engineering Infrastructure's Limited,Dokiparru.	300-00
275.	25-04-2021 MT - 363	Test results of CC cubes for the construction of RythuBharosaKendram building Roof Slab work at Chinthapadu Village of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
276.	28-04-2021 MT - 398	Test results of the CC Cubes for the construction of Sri Venkateswara Swamy Temple Footing work at Godugu Peta, Machilipatnam Town, Krishna District	Sri D.N.Kumar, Assistant Engineer, Endowments Department, Vijayawada	300-00
277.	02-05-2021 MT - 368	Test results of the CC cubes for the construction of Grama Sachivalayam building Ground Floor Slab work at Devapudi Village of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
278.	11-05-2021 MT-433	Test results of the CC cubes for the construction of Wellness centre building Footings work at Vemavarappadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
279.	19-05-2021 MT - 399	Test results of the CC Cubes for the construction of Sri Venkateswara Swamy Temple Footing work at Godugu Peta, Machilipatnam Town, Krishna District	Sri D.N.Kumar, Assistant Engineer, Endowments Department, Vijayawada	300-00
280.	29-05-2021 MT-369	Test results of CC cubes for the construction of RythuBharosaKendram building Footings work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
281.	01-06-2021 MT-434	Test results of the CC cubes for the construction of Wellness centre building Footings work at Vemavarappadu of Kaikaluru Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
282.	20-06-2021 MT-370	Test results of CC cubes for the construction of RythuBharosaKendram building Footings work at Tadinada of Kalidindi Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
283.	27-06-2021 MT - 381	Test results of the CC Cubes for the construction of YSR Health Clinic building Roof Slab work at Thummalapalli (v) of Nandivada Mandal	Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division,Gudivada	300-00
284.	29-06-2021 MT-372	Test results of CC cubes for the construction of RythuBharosaKendram building Roof Slab work at Peyyeru of Mudinepalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
285.	30-06-2021 MT - 371	Test results of the CC cubes for the construction of Grama Sachivalayam building footings work at Byravapatnam of Mandavalli Mandal	Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal	300-00
286.				

SI. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
			Total amount	RS 4,62,797-00

**Consultancy Incharge** 

HoD

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUOLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Pormillad by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.sc.in, office@gecgudlavalleru.sc.in, Web: www.gecgudlavalleru.sc.in

Dr. POTLURI RAVINDRA BABU BANK MAN MARLE PLD. TOLORS, WITH WORLD WASHE MARK MARK

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 19th MAY, 2020

To

Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soll testing reports & Design of ONGC Rig foundation at "TDRA-A"D/s, West Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 150

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "TDRA-A"D/s, West Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
9T-154	Sub soil investigation and Recommendation for the foundation of Orill site "TDRA-A" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-150	ONGC Rig foundation at "TDRA-A" Dis, West Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupeer	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

N PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dolhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273886, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web\_www.pecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

H. Jech., M.S., M. Fedu, Ph.D.,

FIELG, Bur, MOSTY, MINDS, MASME, MSAE, MSFA, MIDA.

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To Sri M SWAMI SURYA KUMAR & Sri V SRINIVAS SURVEY NO - 417-23, 417-24 NEAR GANDHI BAZAAR, AMALAPURAM, EAST GODAVARI DISTRICT, ANDHRA PRADESH

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Commercial Complex (G+4)" Near Gandhi Bazaar, Amalapuram, East Godavar! District, A.P and Bill of charges - Reg.

am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Commercial Complex (G+4)" Near Gandhi Bazaar, Amalapuram, East Godavari District, A.P.

\$1. No.	Name of Work	Consultancy charges	Total Amount
ST-155	Sub soil investigation and Recommendation for the foundation of "The foundation of Commercial Complex (G+4)" Near Gandhi Bazaar, Amalapuram, East Godavari District, A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	s Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudiavalleru with :FCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail. principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

8. Tech., M.S., M.Tech., Ph.D., voj. 11064, MISTA, 
Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To PIONEER Hi - Bred Pvt Ltd., RS- No - 61 YEDITHA SITANAGARAM, EAST GODAVARI DISTRICT, ANDHRA PRADESH

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "Natural Ventilated Poly House And Politination Chamber" At Yeditha Sitanagaram, East Godavari District, Andhra Pradesh and Bill of charges – Reg.

am herewith submitting two sets of Hard copies on Soil testing reports at "Natural Ventilated Poly House And Pollination Chamber" At Yeditha Sitanagaram, East Godavan District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-156	Sub soil investigation and Recommendation for the foundation of "Natural Ventilated Poly House And Pollination Chamber" At Yeditha Sitanagaram, East Godavari District, Andhra Pradesh.	Rs.4,000/-	Rs.4,000/-
(Rupee	s Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rep Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

D. Tock, M.S., M. York, Ph.D., Fig. C. o., MISTE MASSE, MASSEL, MISSE, MICH.

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To

SALADI SWAMI NAIDU Rs-No: 804/4, NEAR RED BRIDGE, AMALAPURAM, EAST GODAVARI DISTRICT - A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation Of Residential Building (G+4)" At Near Red Bridge, Amelapuram, East Godavari District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation Of Residential Building (G+4)" At Near Red Bridge, Amalapuram, East Godavari District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
\$1-157	Sub soil investigation and Recommendation for the foundation of "The Foundation Of Residential Building (G+4)" At Near Red Bridge, Amalapuram, East Godavari District, Andhra Pradesh	Rs.6,000/-	Rs.S,000/-
(Rupees	Six Thousand Only)	Total	Rs.6,000/-

Please arrange the payment of the bill amount Rs.6,000/- through Demand Draft In favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rec Knowledge Village, GUDLAVALLERU-521 355, Krishna Dispect, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grada

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE 8 is for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalloru ac.in, office@gecgudlavalleru.ac.in, Web; www.gecgudlavalleru.ac.in

## Dr. POTŁURI RAVINDRA BABU

H Techt, M S., M. Feckt, PRATER, Clerg., MISTEL MSQN, MANNO, MAAR, MSLA, MOM.

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To THE EXECUTIVE ENGINEER P R I DIVISION, KAKINADA, EAST GODAVARI DISTRICT, ANDHRA PRADESH Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation Of Grama Sachivalayam Building" At G. Kothuru Village, Samalkot Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation Of Grama Sachivalayam Building" At G. Kothuru Village, Samalkot Mandalam, E.G. District, Andhra Pradesh

SL No.		Consultancy charges	Total Amount
ST-168	Sub soil investigation and Recommendation for the foundation of "The Foundation Of Grama Sachivalayam Building" At G. Kothuru Village, Samalkot Mandalam, E.G. District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshada Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi, and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & 17 for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957

e-mail: principal@gecgudtavatleru.ac.in, office@gecgudlavatleru.ac.in, Web: www.gecgudlavatleru.ac.in

## Dr. POTLURI RAVINDRA BABU

B.Teth J.M.S., M.Yodil, Fb D., Fro Ogra Misch, SISESI, MASSEL MSAE MSAL MIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date; 4th June, 2020

To THE EXECUTIVE ENGINEER P R I DIVISION, KAKINADA, EAST GODAVARI DISTRICT, ANDHRA PRADESH Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation Of Grama Sachivalayam Building" At Pulimeru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Soll testing reports at "The Foundation Of Grama Sachivalayam Building" At Pullmeru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh

Si. No.	Name of Work	Consultancy charges	Tota! Amount
ST-159	Sub soil investigation and Recommendation for the foundation of "The Foundation Of Grama Sachivalayam Building" At Pullmeru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394,

Thanking you, Yours,faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Knahna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B. Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalloru.ac.in. office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

BiTech , M.S., M.Toch, Pb.D., Oc. Ceng., Mishl., MXest, MANNE, MSAS, MSAA, MIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

TO
THE EXECUTIVE ENGINEER
P R I DIVISION,
KAKINADA, EAST GODAVARI DISTRICT,
ANDHRA PRADESH
Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation Of Grama Sachivalayam Building-1" At Pedabrahmadevam Village, Samalkot Mandalam, E.G. District, Andhra Pradesh and Bill of charges - Reg.

t am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation Of Grama Sachivalayam Building-1" At Pedebrahmadevam Village, Samalkot Mandalam, E.G. District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount	
ST-160	Sub soil Investigation and Recommendation for the foundation of "The Foundation Of Grama Sachivalayam Building-1" At Pedabrahmadevam Village, Samalkot Mandalam, E.G. District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-	
Rupees	Four Thousand Only)	Total	Rs.4,000/-	

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering Colloge Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Reg Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

N8A Accreditation. B. Tech - CSE for 5 Years and CE, EEE. ME, ECE & st for 3 Years
Phone Nos 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957
e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in. Web: www.deogudlavalleru.ac.in.

## Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M. Coon, Ph. To., FFE, C.Erry, MISTE, MSESI, MASME, MSAS, MOLA, MOIN.

Principal.

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To THE EXECUTIVE ENGINEER P R I DIVISION, KAKINADA, EAST GODAVARI DISTRICT, ANDHRA PRADESH Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation Of Grama Sachivalayam Building-2" At Pedabrahmadevam Village, Samalkot Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation Of Grama Sachivalayam Building-2" At Pedabrahmadevam Village, Samalkot Mandalam, E.G. District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-16t	Sub soil investigation and Recommendation for the foundation of "The Foundation Of Grama Sachivalayam Building-2" At Pedabrahmadevam Village, Samalkot Mandalam, E.G. District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBi, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District A.P. India (Approved by AICTE, New Oeth) and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation; B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & it for 3 Years. Phone Nos. 08674-273737, 273888, Mobile, 8848779121 Fax No. 08674-273957 g-mail: principal@geogudiavalleru.ac.in, office@geogudiavaileru.ac.in, Web; www.geogudiavaileru.ac.in.

Dr. POTLURI RAVINDRA BABU

parteripod

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To THE EXECUTIVE ENGINEER PRIDIVISION, KAKINADA, EAST GODAVARI DISTRICT. ANDHRA PRADESH SIr.

Sub: Submission of Hard copy Reports (2 sets) on the Soll testing reports at "The Foundation Of Grama Sachivalayam Building" At Tatiparthi, Village, Golfaprole Mandalam, E.G. District, Andhra Pradesh and Bill of charges - Reg.

) am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation Of Grama Sachivalayam Building" At Tatiparthi Village, Gollaprolu Mandalam, E.G. District, Andhra Pradesh

\$J. No.	Name of Work	Consultancy charges	Total Amount
ST-162	Sub soil investigation and Recommendation for the foundation of "The Foundation Of Grama Sachivalayam Bullding" At Tatiparthi Village, Gollaprolu Mandalam, E.G. District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code \$BIN0001481 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kekinada) Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT ror 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavatleru.ac.in, office@gecgudlavatleru.ac.in, Web; www.gecgudlavatleru.ac.in

## Dr. POTŁURI RAVINDRA BABU

H.Techt, M.S., M.Techt, Ph.D., projectog, arryta, Stabby, MASMS, MSAS, MSAS, MUSA,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 4th June, 2020

To THE EXECUTIVE ENGINEER PRJ DIVISION, KAKINADA, EAST GODAVARI DISTRICT, ANDHRA PRADESH Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation Of Grama Sachivalayam Building" At Medapadu Village, Samalkot Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

l am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation Of Grama Sachivalayam Building" At Medapadu Village, Samalkot Mandalam, E.G. District, Andhra Pradesh

SI. No.		Consultancy charges	Total Amount
\$1-163	Sub soil investigation and Recommendation for the foundation of "The Foundation Of Grama Sachivalayam Building" At Medapadu Viltage, Samalkot Mandalam, E.G. District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by ALCTF, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web. www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

8 New Min. 4 Calm. A. D., CONTRACTOR OF STATE O

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

Tο The Executive Engineer, P.R.I. Division. Kakinada, East Godavari District, Andhra Pradesh. Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The Foundation of Grama Sachlyalayam Building" at Divili Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges - Reg.

I am herewith submitting two sets of Hard copies on Soil testing reports at "The Foundation of Grama Sachivalayam Building" at Divill Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh,

SI. No,	Name of Work	Consultancy charges	Total Amount
\$T-154	Sub soil investigation and Recommendation for "The Foundation of Grama Sachivalayam Building" at Diviti Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.	9	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you. Yours faithfully.

PRINCIPAL

ERU ENGINEERIN

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Sashadri Rao Knowledge Vitlage, GUDLAVALLERU-521 358, Krishna Diagraf, A.P., India (Approved by AICTE, How Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile. +91 9848779121 Fax No. 08674-273857

e-mail: printipal@gecgudlayalleru ac.in, office@gecgudlayalleru.ac.in, Web; www.gecgudlayalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

er if you MAS M. South, Ph. D. .

PIE CENS, MIRTE MEESS MASNE, MEAS, 1975A, MINK.

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

Τa

\$ri P.Narayana Rao, Contractor. Narasapuram. West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "MSAD"D/s, Krishna District, A.P and Bill of charges -Reg.

Ref: Report RF - 151

t am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MSAD"D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount	
ST-165	Sub soil investigation and Recommendation for the foundation of Drill site "MSAD" D/s, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-	
RF-151	ONGC Rig foundation at "MSAD" D/s, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-	
(Rupee:	s Twenty Thousand Only)	Total	Rs.20,000/-	

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudiavalleru Engineering College Gudlavatleru" payable at SBI, Gudlavalieru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell; 11588344394.

Thanking you, Yours faithfully.

N PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-621 356, Krishna District, A.P., India

(Approved by AICTF, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile. +91 9848779121 Fax No 08674-273957

e-meil: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Elfecti M.S. Millorn, Ph.D.,

But the same Supplier and hard being their we call the same of the

Pousipal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

To

Sri P.Narayana Rao, Contractor,

Narasapuram,

West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "MSAD"D/s, Krishna District, A.P and,Bill of charges – Reg.

Ref: Report RF - 151

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MSAD"D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount Rs.10,080/-	
\$T-165	Sub soil investigation and Recommendation for the foundation of Drill site "MSAD" D/s, Krishna District, A.P.	Rs.10,000/-		
RF-151	ONGC Rig foundation at "MSAD" D/s, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-	
(Rupee:	s Twenty Thousand Only)	Tota!	Rs.20,000/-	

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with tFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC



## REPORT ON

SUBSOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED ONGC DRILL SITE "MSAD" WRISHNA DISTRICT ANDHRA PRADESH

## LOCATION

ONGC DRILL SITE "MSAD" KRISHNA DISTRICT - A.P

#### CLIENTS.

OH & NATURAL GAS COMPANY
KG PROJECT - RAJAHAMUNDRY &
P.NARAYANA RAO,
CONTRACTOR,
NARASAPURAM, WEST GODAVRI DISTRICT,
ANDIRA PRADESH

SOIL BORING & INVESTIGATION BY

P.NARAYANA RAO, CONTRACTOR, NARASAPURAM, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

No. Autonomius Institute with Permanent Affiliation to FNTCK, Kalemada, No. W. According with A Grade & Averedired by NBA;
Seshadri Rato Knowledge Village
Gudlavalleru 524356, A.P.

## REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED ONGC DRILL SITE "MSAD" KRISHNA DISTRICT, ANDHRA PRADESH

## 1. INTRODUCTION:

ONGC, KG Project, Rajahmundry, Contractor P.Narayana Rao, Narasapuram requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on sail samples supplied and to recommend suitable foundation for the proposed ONGC drill site "MSAD", Krishna District, Andhra Pradesh.

The following are the responsibilities of P.Narayana Rao, Narasaparam,

- Soil boring of 150mm diameter upto 30 meters depth at two locations as specified by the client.
- > Collection of undisturbed and disturbed soil samples from the bores.
- Conducting Standard Penetration Test (SPT) at regular intervals within the bores.

P.Narayana Rao, Narasapuram has taken up the soil boring, sample collection and field testing on behalf of ONGC, KG project, Rajahamendry

This report contains the result of field and laboratory tests, Recommendations on bearing capacity of soil and type & depth of foundation for the proposed Drill vite are presented in the report.

## 2. THE STRUCTURE AND LOCATION

The proposed Structure is a drilling platform for operation of the drift rig. The proposed structure is to be built at the drift site "MSAD", Krishna District, Andbra Pradesh.

## 3. FIELD INVESTIGATION PROCEDURE

The sab soil investigation was carried out to determine

- Classification and extend of each soil & rack stratum likely to be affected by the proposed work.
- Nature of each stratum and engineering properties of soil which may influence the mode of construction of the proposed structure and their foundation.

## 3.1 Field Soil Investigation Procedure

P.Narayene Rao, Narasepuram has submitted the soil investigation bore data at two locations of the proposed drill site.

## 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid fimit, plastic limit and anit weight were conducted on DS/UDS soil samples as per indian Standard to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Differential free swell index tests were conducted on clayey soils to know the degree of expansiveness of the soils. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to know the shear strength of soil. The results are presented in Table 2 to 5.

#### 4. 1. SUB SOIL PROFILE

The sub-soil profiles at the bare hole location, based on the identification of soil samples, the test results on both field and laboratory are shown in figs 1 & 2. The design soil parameters are presented in Table 1 to 3.

## Bore hale-1

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
11.00 - 5.40	Black Clay Sand Mixed	10 - 17
5.40 - 16.00	Black Clay	02 - 04
16.00 - 17.50	Cement Clay	25
17.50 - 30,00	Red Clay and Pebbles	28 – 43

#### Bore hole-2

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 - 0.60	Black Clay	
0.60 - 5.20	Sand mixed Clay	10 - 14
5.20 - 16.20	Black Clay	02 - 04
16.20 - 17.70	Cement Clay	20
17.70 30.00	Red Clay and Pebbles	29 41

## 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 5.40m below ground level is Black Clay Sand Mixed, from 5.40m to 16.00m is Black Clay, from 16.00m to 17.50m is Ceraest Clay, from 17.50m to 30.00m is Red Clay and Pebbles for BH<sub>1</sub> and 0.00m to 0.60m below ground level is Black Clay, from 0.60m to 5.20m is Sand mixed Clay, from 5.20m to 16.20m is Black Clay, from 16.20m to 17.70m is Cement Clay, from 17.70m to 30.00m is Red Clay & Pebbles in BH<sub>2</sub>, open foundation in the form of raft or deep foundation in the form of bore piles on open foundation in the form of raft, is suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

it should have adequate embedded length so as to resist the overturning moments due to horizontal force.

## Alternative 1 : Open foundation in the form of Raft Foundation

The size and depth of foundation can be decided based on leading and soil characteristics. It is advisable to place the foundation at depth of 1.5-3.0 vectors below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6493 specification considering the shear failure and settlement failure effection using the following equations:

$$q_{u} \equiv C / N_{e} \, S_{e} \, D_{e} + \gamma / D / N_{e} \, S_{w} \, D_{q} \, R_{w} 2 + 6.5 \, \gamma / B / N_{\gamma} S_{\gamma} D_{\gamma} S_{w} 2 / ..... \, (5)$$

 $q_a = 35 \text{ (N-3) } \text{ } [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for said (2)}$ 

$$q_a = 1.25 \text{ N for playey so} := -- (3)$$

When the foundation is subjected to light loads, at a depth of 1.5 in from ground level, the allowable bearing capacity is  $98 \text{ kN/m}^2$  ( $9.8 \text{ t/m}^2$ ), at a depth of 2.0m from ground level, the allowable bearing capacity is  $88 \text{ kN/m}^2$  ( $8.8 \text{t/m}^2$ ) and at a depth of 2.5m from ground level, the allowable bearing capacity is  $81 \text{ kN/m}^2$  ( $8.1 \text{ t/m}^2$ ).

## Alternate method II: Bored pile foundation:

Since the top soil from 0.00m to 0.60m below ground fevel is Black Clay, from 0.60m to 5.20m is Sand mixed Clay, from 5.20m to 16.20m is Black Clay, from 16.20m to 17.70m is Comeat Clay, from 17.70m to 30.00m is Red Clay & Pobbles in BH<sub>2</sub>, and if the loading is heavy, deep foundation in the form of Bored cast in site pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Table 2.

in case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by 15: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 500mm and 600mm diameter piles are considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in 18 2911 (Part 1 / Sec3) = 2010 for bored piles considering Skin Priction and bearing resistance.

	Table -1	
Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)
	16.50	252
500	17.00	308
i	18.00	344
	16.50	307
600	17.00	376
L	18.00	419

The spacing between the piles shad not be less than 2.75 - 3.0 times the pile diameter. Since the piles are deeper, tremic concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

Mr.Phani Kumar V
CONSULTANCY C5 LL
Gudievation Engineering College,
GUOLAVALLERU - 621 U66
Kriehne Dist., A.P

## DEPARTMENT OF CIVIL ENGINEERING GUDI AVALLERU ENGINEERING COLLEGE

						BOE	RE LOG	O E   - E	LIVE		<u>/LLF/G</u>	e. Date:			
	Borc	Hole: I	- -ill Chartelato	A F122 F5 1		<u> </u>			Fiel	d Inve	stigation				-
ŀ	Type	of Bori	rill Site "MS.	ADT KIE	shna Disti Hule dian	rict. A.P		-1	G.W.L : 1.40 m b.g.l						_
		7 CT 12 CT		10016	Dene quan	ieres (20)	73333	10.	W.L:	1.40 t	n b.g.l	<del>-</del> -			_
	Depth below G.1.	Sail profile	Description of soil	Thickness of layer in meters	Depta D.S.	sample Collected	를 E 등 드		15.30 cm	30-45cm	- A	Peneu Resist	entation ration		
Ė	2		Black Clay		SPTI		1.50	7	8	-  — i 9			-   <del> </del>	Ι [.	
į.	3 4 8		Sand mixed	5,40	21.45		3.0	´   6	"	١,	:2		+	<u> </u>	-¦
<u> </u>	5			! 	SPT3	 	4.50	4	5	5	10		+	<del> </del> -	
H	7				SPT4	UDS	5.0	l		1 2	3		<u> </u>	⊢ <u>∓</u> : ∔-	
1	8				SPT5		7.50			1	2		<u>+-</u>		-!
-	10			i i	Lsere	UDS	9,0	I	2	2	4	<del> </del>	+	1	1
r	12		Black Clay	Clay 10.60	SPT7 SPT8		10.50	1	!	1 1	2		├─- ├	<u> </u>	
	13					อดบ	12.0		1 1		! 2 		$+ \mid$	<u></u> -	_!
-	15			<b>!</b>	SPT10	i	15.0	'	,	2 . z	3   4		++		
	16 17		Coment		SPTH	UDS	16.50	9	10		25		<del>                                     </del>	-  - - -	. ' . i
	- 17		Ciay	1.50	59T'12	TITSC	18.0	7	   15	18	j j 33	<u> </u>	*	<u>'</u> -	-1
2	in T				SPT13	008 	19.50	LI	13	15	28	-	<b>\</b>	_ _	:
1 3	27				SPTi4	   UDS	21.0	10	15	19	34	Tí-	-19-	_	' I
			Βεύνη				22.50	12	i7	21	38	_  - -	+-		
, 2	5		Clay & Pehbles	12.50		!   UDS		15	18	20	38	$\dashv \overline{+}$	+\-	]_	;
- 2	7								i	۱,	L		<del>                                     </del>	_ _	:
21					SPT19	UDS					2 E	$\frac{1}{1}$	+	_ _	İ
). ():		<i>/////////////////////////////////////</i>			SPT20	' ' 	30.0	19	21	22			- - \}	-   - :	i
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	17 18 19 21 22 3 4 5 6 7 8		Brown Clay & Pehbjes		SPT12 SPT13 SPT14 SPT15 SPT16 SPT17 SPT18 SPT19	UDS UDS UDS UDS	18.0 19.50 21.0 22.50 24.0 25.50 27.0 28.50	7 11 10 12 15 13 16 14	15 13 25 17 18 20 18	18 15 19 20 20 19 21	28   34   38			-   - -   - -   - -   - -   - -   - -   - -   -	

Note: The test results apply only to the samples sent to the laboratory.

Fig 1: Results obtained from field in bore hole 1

# DEPARTMENT OF CIVIL ENGINEERING GUDGAVALLERU ENGINEERING COLLEGE

	_					Date:														
ĺ	Born	Hole: 2							Fiel	estigation										
	Laca	ation : Di of Hari	rill Site "MSA	D' Kris	ih <u>na Dist</u> r	ict, A.P									_					
Į.	1 ypis	1 1 1 1 1 1 1		Bore /	Hole diam	eter 150a	<u>пт</u> —	G.'	W.L.:	1.20 r	1 b.g.l									
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	Depth below G.1.	Suil profile	Description of soil	Thickness of layer in motors	Depth at	sample are collected	Depth at which			S CH	Value	Graph repres Peneti Resist	entation ration	לף מני	r					
  -	ਫ਼ੋ	1 4			D.S.	U.D.S	Dept.	0-15 cm		7 E		10 3	20 30	40	<b>5</b> 0					
1	ſ	::::::::::::::::::::::::::::::::::::::	Black Clay	0.60				_	$\top$	—		† ┌	П		Τ.					
-	2		Sand	' I	SPT		1.50	5	6	8	14	: 	<u> </u>	$\dot{\top}$	+ :					
-	4		Mixed Clay	4.60	SP12		3.6	4	   <sup>4</sup>	6	10	<u> </u>		<u> </u>	Ţ.;					
	5			SPT3			4.50	3	5	5	10		<del>                                     </del>	土	-  					
	7				SPT4	ups	6.0	ļ I	1	2	3	¥L	Н	; —	Ϧ					
•	8			!	SPT5		7.50	1	ı	1	2	<b>†</b>	<del>'  -</del>	-	Γ,					
i	10				SPT6	UDS	9.0		2	2	4	1		<del>_</del> -	T_					
	11		Black Clay	11.00	SPT7		10.50	Ī	 	2	3		_	<del>                                     </del>	<del> -</del>					
4	12			SPT8	UDS:	12.0	1		l	2	<u>-</u>	$\perp$	Ţ,	: •						
	14				SPT9		13.50	ł	! !	2	3	+	- <u> </u>	Щ						
	15		ĺ	i	SPTID	   UDS	15.0	H	2	2	4	<u> </u>	1	<u> </u>	-:					
	7		Cement	8.50	SPT()		1 16.50	7	i 9	I	20	1	. —	$\coprod$						
	19		C'éay ,		SPT12	UDS	18.0	9	14	15	29	-	7	· 	—   —					
2			ļ		SP713		39,50	13	15	7	32		+	$\lfloor \rfloor$	-!					
1 2	2				SPT14	UDS	21.0	141	14	18	32	-	#		:					
1-2	3 1/2		Brown ,		SPΤ15		22.50	ī1	14	15	28 -		$\leftarrow$	-	_!					
2	5		Clay & Pobbles	12.30	SPT16	UDS	24.0	14	13	2.1	38		1	<u>'</u> i	- i -					
<b>⊢</b> 2	6		, cooles		SPT17		25.50	14	17	20	38		-							
1 2 2:			j		SPT18		27.0	16	18	20	39	++ +-+	_[							
· 21	i 10				SPT19		28.50	1.5	19	[9	36	<u> </u>		Ţ	_!					
1 30	3 8				SPT20		30.0	17	17	22	41		<u>'-</u> '		:					

Note: The test results apply only to the samples sent to the laboratory.

Fig 2: Results obtained from field in bore hole ?

## GUDENVALLERU ENGINEERING COLLEGE:: GUDLAVALLERU

## TABLE: 2 Idealised Design Soil Parameter

## PROJECT: Construction of ONGC Drilling Rig Foundation - ONGC, KG Project Location: Drill site "MSAD, Krishna District, A.P. Bore Hole No: 1 Depth of Water Level: 1.20 m b.g.l.

Doroth holou					-	Shear pa	ramcters	Ţ "	T —
Depth below the existing ground level (metres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight [kN/N <sup>3</sup> ]	Recorded SPT Value (N)	Cohesion C (kN/m²)	ф (dek)	Unconfined Compressiv e strength (kN/m²)	Net Safe bearing capacity (kN/m²)
0.00 - 5.40	Black Clay Sand Mixed	SP	22.95 - 25.63	16.52 17.59	10 – 17		28° - 30°		71
5.40 - 16.00	Błack Clay	CH	58.63 - 70.52	II.40 - 13.28	02 – 04	12 - 21	_	24 – 42	25
16.00 - 17.50	Cement Clay	СН	53.10	14.07	25 j	74		148	163
17.50 - 30.00	Red Clay and Pubbles	CH	28.28 36.02	16.83 – 17.46	28 – 43	82 – 113		164 - 226	342

Note: The test results apply only to the samples sent to the laboratory

	Differential Free 5well Index (%)	- 815		Ţ	T	T		-	le	, , 	Ĭ	2	j <sup>2</sup>	38		-	i ,	İ	5	25	- - -	=   	6.3	į	- 106	2	
	noiszengmoO [5D] xebul	(10)	(a) ·	Τ		I		Ţ	0,0	0.0	0.20	<u>,  </u>	900	0.77	,			Ţ	123	700	3	3	0.68	2	0.76		
	goilfaw? laitratoff	1	Τ.	Ī	T		i		46.43	-	45.05		42.85	177				†	0.6 0.0	70.07	31.50		35.70		92	-	
n b.g.)	TRR bebroods (N) suley	(16)	- -	12	- -	2 2		-	10	• -	,	<del> </del>   [^	ļ		-	122		7	2 6	9 2  -	<u>:</u>	$\top$	$^{+}$	† } ~	_	¦-	
Testing thon - ONGC, KG Project 1 Depth of Water Level: 1.40 m b.g.)	osis yalu buo til8 (%)	1317		20 00	30.77	38.35	' '	98 14	97.66	8 8	95 20	95.76	98.49	97.66		95.90	,	01 34	86.50	88 10	84.61	83.58	85.58	85.71	14.56	- K6 58	
G Proj r Levet	wis bus? on 4 (%)	[14]		60.78	65.14	58,17	,	155	85	2	25.	1.85	1.28	1.87	'			97		÷		+	+	┨-	:	80:	
4 Results of Laboratory Soil Testing NGC Drilling Rig Foundation - ONGC, KG Project strict, A.P. Bore Hole No: 1 Depth of Water Level: 1.	bne? muiboM (%) oxie	12		0.63	60%	92.50		0.23	25	† S	9.1%	0.37	623	1.47	,	2.16	,	25 6	3	2.58	3.47	2.45	2 58	2.4%	8.	±1	apply only to the Samples sent to the laborators
sting n – Or Septh o	Oouse Sand size	(2)	-	8	8	0.00		0.00	i e	90.0	0.00	180	0.00	0.00		0.27	•	95.0	533	92,5	4 08	4.76	8	4.08	4.44	5.95	the Lin
Soil Te Bridge	(%) sxis fount?	Ê	+	970	-	_	<u> </u>	100	+	÷-	-	-	0.00	-	٠	\$ 0.0		B   B	+	1 7	-6.25	7.42	6.17	865	821	27.5	01100
Taboratory Soil ing Rig Founda Bore Hole No:	xəbri yiləlisa(9 (%)	110	1 , 	100 P	15/2	48.15		57.50	61.19	57.68	58.91	56.45	\$7,71	\$7.50	.	54.7	—	45.04	47.56	48.01	50.90	47.49	53.53	55.77	57.68	88	20 C
of Labo ling R Bore	Plastic Limit (%)	5		35.21	34.29	32.47	  -	38,65	36.48	41.95	39.41	40.29	39.47	38.68		40.93	,	35.2	30.68	31.27	32.67	33.19	32.12	36,57	37.18	39.64	othess
sentences SC Drill et, A.Jr.	(%) naid biapid	(8)	'	29.65	81.54	80 62	,	96.15	97.67	99,63	98.32	96.74	97.18	95.98	'	85 81 81		80.05	78.24	79.28	13.57	\$0.08	85.67	92.34	94.86	88.47	on v to
200番目	Natural moisture (%)	6	'	22,95	25.63	24.38	'	58.63	62.24	70.52	63.18	64.96	68.14	62.27	-	53.10		30.26	34.85	32,94	28.47	28.28	29.63	28.41	36.02		
rance N	Dágiow tíme veight. Émi/Maj <sub>da</sub> if	  € 	Γ,	17.59	16.52	16.98		13.28	12.57	11.40	12.31	12.19	\$ =	12:06	.	_† ≅:0: _:		17.02	-	$\vdash$	Н	17 46	$\neg$	ļ	$\neg$	817.1	181 result
TABLE N PROJECT: Construction of Drill site "MSAD, Krishna I	Uncon comp. strength qu kW/m²	3		⊢ -   '				32	24	38	26	ম	핅	<del>니</del> 됩	,	98		861	\$	202	210	27.	022	208	주    조	927	Note: The test results
toJEC:	fing 21 notheritizeafa	€	Ε,	SP	ادي	S		단	3	H.O	č	빙	3	- . =	.	5	:	- II	CH	- E	된	분	=	-  공	3	- ; č	S,
TABLE N PROJECT: Construction of Location: Drill site "MSAD, Krishna I	lensiV to doinsudibaebl flos	(6)	Black Clay Sand Mixed	-clo-	-dp-	ė,	Ishok Clay	ф	, Å	ė!	-do-	ş	÷	ģ	Certient Clay	- Lub-	red clay & Pebbles	-op-	-db-	-tlo-	함	       	ġ	-op-	ķį	ė	
	Type of sample	(2)	.	SPTI	SPPZ	SPT3	†  - 	SP14	SPT5	SP 76	SPIN	SPTS	6148	<u></u>	_ 	34.7	,	SPT12	SPT13	SPT14	SPTIS	SPTI6	SPT17	SPT18			
	Ucpth below CD (m)	€	0.00 - 5.40	5	m		00'91 AFG	ا ﴿	٠.	54.	10.5				00.00 - 00.00		17.50 - 30.00	- 18	19.5	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 l		1	77	ĺ	<u></u>	

Page 9 of 12

## GEOTECTIVICAL L'ABORATORY: CIVIL ENGINEERING DEPARTMENT GUDLAVALLERU ENGINEERING COLLEGE :: GUDLAVALLERU

TABLE: 3 Idealized Design Soil Parameter

PROJECT: Construction of ONGC Drilling Rig Foundation - ONGC, KG Project Location: Drill site "MSAD, Krishna District, A.P. Bore Hole No: 2 Depth of Water Level: 1.20 m b.g.l

Depth below	 		\[\frac{1}{2} \]			Shear pa	J'atneters		
the existing ground level (metres)	Visual identification of soil	IS Soil classiff- cation	Natural moisture content (%)	Dry Unit Weight [kN/N <sup>3</sup> ]	Recorded SPT Value (N)	Cohesion C (kN/m²)	o (deg)	Unconfined Compressiv e strength (kN/m <sup>2</sup> )	Net Safe bearing capacity (kN/m²)
0.00 - 0.60	Black Clay	-	<del>-</del>	<del>                                     </del>	_	-	 		
0.60 - 5.20	Sand mixed Clay	SP I	35.98 ~ 40.10	14.98 – 15.86	10 - 14	— <u> </u>	28° - 29°		75
5.20 [6.20	Black Clay	CH	64.28 - 87.42	10.87 - 12.77	02 - 04	12 – 24		24 – 48	25
16.20 – 17.70	Coment Clay	СН	42.87	16.02	20)	82		164	201
17.70 30.00	Red Clay and Pebbles	CH	38.65 – 47.51	15.45 - 16.28	29 – 41	84 – 109	_	168 – 218	357

Note: The test results apply only to the samples sent to the laboratory

(ABLE vot S Results of Laboratory Soil Teating

F	esri isinereliiU (%) xəbri iləvd	(60)		-	- <del>-</del>	1	Ì	1	100	, a	80	-	86	R2.	-			ì –	700	ĺ	3.6	-   	92				
	Compression [Co]		  -	7	_	†	<del> </del>	1	     	+	42.0	+	6.75	6.77			-	- 	17.0		÷ 89.0	-	0.77	 		_! 	
	gnillow? Jainaloft	(17)	H	•	†	Ì	†	-†- •	190	20.00	36.03	t	41.62	47.88	,	-  · 			41,86		26.02	-	38.09		†		
bed a	Recorded SPT	(91)		•	# 9	 3 ≤	1	' ~		1 3	<u>†</u>	2	ľ	, ļ		a	-	73	ρ.   Ω	쉳	28	H		2:	:     	_	
ect : 1.20 n	ozia yelo bna nile (%)	[3] 		·	17,64	را الأراد	24.61	6H 20	98.00	28.2	98.94	98.61	98.23	98.17	<u>'</u>	94.£3	ب   ·	61.56	188.91	85.28	86.12	86.40	86.30	88.16	88.20	(0'04	
S Proje r Level	ozis band oniq (%)	(+)	·	.	50.97	0000		1 12	1.59	27	1.00	1.15	1.45	2	  -  -		†	_	$\dashv$	-:		_	$\dashv$	- +	97:1	:  -  -	
GC, Ko f Water	bna2 miribəM (%) əxis		Ţ	. 8		94.9	†   	0.18	0.26	0.31	90.0	0.24	277	0.23 	.	<del> </del>		<u></u>	3.02	<del> </del>	2,07	: :::	~: ~:	000	8 9	ratory	
5 Results of Laboratory Soil Testing INGC Drilling Rig Foundation – ONGC, KG Project Strict, A.P. Bore Hole No. 2 Depth of Water Levels 1.20 m b.c.)	ozis brac Sara (%)	102)	Ţ	$\rightarrow$		1-	_	Q-ma	ᠰ	$\vdash$	0.00	0.00	3	+ 8 9 9	. 8		1		2 98		4.7	3.95	28 88 87	3.58	198	only to the samples sent to the laboratory	
Soit Te andatio No. 2 [	(%) (%) axis laver0	įΞį	<u>-</u>  -	$\overline{}$	8 8	+	₩	180	†	—	Н		- -	8	, '§	+-	+	+	<del>۱۳</del> ۱	-#		-	٠ ٢	5,93	+	K II 10 1	
Labovatory ing Rig Fou Bore Hole	Plasticity Index	l≊  ⊢		-  8 	┨ .	86.5	⊢	53.70	-	$\vdash$	$\dashv$	-1	+	90.40	.   - - - - - - - - - - - - - - - - - - -	+	1	<u>ا ا</u> ا		100	4 .04	22.83	2 2	200	1 2	mples	
of Cabo illing R P. Bure	(%) nimid oikeafq	6	·		+	35.92	۱, <del> </del>	38.68		ч	$\rightarrow$	۲ <u>۱</u>	90.00		32.65	<u> </u>	24.20	칠	9 2	<u> </u>	200	29.52	40.24	919 418	37.78	the Sel	
S Results of Laboratory Soil Teamig NGC Drilling Rig Foundation – C Strict, A.P. Bore Hole No. 2 Depth	(%) rimid biupid	<u>e</u> '	.  .	82.65	-	88.91	Ļ	92 38	$\rightarrow$	-	_	8 2	95.21	.    -  -	93.62	,	25.67	90.00	2 6	1000	9 5	34,40	3 5  -  -	99 16		only to	
of ON a Distr	orunstoan larunsV. (%) nastroo	: اع ا	·	15,98	40.10	36.72		87.42	22 85	90.29	66.67	7 S	60.00		42,87	,	45.63	19.63	9 9	30,00		40.23	41.48	42.18	18,98	supply	
raction of C Krishna Dj	Ling bow time Vill	<u>و</u>   ،	   	188	14.98	15.64	·	10.87	اءِ ا=:عو	12 08		80.71	12 18		16.02	-   ·	15.56	180.9	15.06	1 2 2	100 11	18.85	12 80	5.49	16.17	st result	
PROJECT: Construction of O Drill site "MSAD, Krishna Di	Uneon count strength qu kWw <sup>2</sup>	<u>s</u>	   '	-   		  - 	-	프	20	÷ ;	   	ţ   2	† ¦⊊	:-   	1 2 2	<del>                                     </del>	   <u>2</u>	1 2	6	+.   ₹	1 2 2	1 5	214	≥  -	218	Note: The test results apply	
tO.F.C.	COMPANIESTO	€ .	Т. i.	SP	as S	ا ا		히	=   =	- + 5 3		<u>'</u> 5 3	13	  -	꾼	  -  -	픙	-  -	5	    ී	  -	-  -	<u> </u>  공	- (5		Ž	
PROJECT: Construction of O Location: Drill site "MSAD, Krishna Di	loneiV In nobsoffinebi (fos	Black Clay	Sand Mixed Clay	- cip-	-clo	-  - -  -	Black Ckny	\$ <sub> </sub> -	-   -   -   -   -   -   -   -   -   -		9 6	ģ	4	Cement Clay	ф	Red Clay &	  -  -		- - -	ļ ļ	  -  -	ģ	-  -  -	  -   •	ė		
	aklums go ad Ag — (	[2]  -  -		SPIL	SPN14	SPER	,   <u> </u>	3F14	2000	SPT9	25.45	SPT9	SPTID		SPITI	1	SPI112	SPIB	SPT14	SPT15	SPT46	SPT17	SPTIB	SP1119	SP120 1		
	Depth below GL	0.00 - 0.60	0.60 5.20	1   <u>  1</u>   <u>  1</u>	" ; 	2,4,7		32	-	10.5	12	13.5	13	16.20 - 17.70	16.5	17,70 - 30,00	œ.	5.61	21	22.5	24	25.5	27		, ,		

Page 11 of 12

## Recommendations

Based on the field and laboratory tests on soil samples collected from the bore holes, the following recommendations are made.

- P Open foundation in the form of raft foundation is suitable for light weights only
- The safe bearing capacity of the soil is 9.80m² at a depth of 1.5m b.g.t. and width 4.63m.
- The safe bearing capacity of the soil is 8.8 c/m² at a depth of 2.0m b.g.l. and width 4.63m.
- > The safe bearing capacity of the soil is 8.1  $t/m^2$  at a depth of 2.5m 5.g.1, and width 4.63m.
- Deep foundation in the form of borod east in situ pile foundation is preferred, for heavy loads.

j

- The safe load carrying capacity values of the single pile with diameters, 500mm and 600mm are given in table.!
- ➤ In case pile foundations is adopted, the safe load carrying capacity of a single pile should be checked from pile load test as per the provisions laid down in IS: 2971 (Palet # IV).

INCHARGE OF GTE LAB

CONGRETANCY CSEL
Sudiavallaru Enginesing Leivige
GUDLAVALLERU - 611 ( 56
Krishna Diel, A.P.)

H.O.D OF CIVIL ENGG.

Head of Civil Engineering Rudiavaileru Engineering College Rudiavaileru 521 358 PRENCIPAL

PRINCIPAL
Gudlavalloru Engineering College,
GUDLAVALLERU-521 356

# Design of ONGC Rig Foundation at SITE "MSAD" KRISHNA DISTRICT, A.P

Clients:

OIL & NATURAL GAS COMPANY
KG Project – Rajahmundry &
P.NARAYANA RAO,
CONTRACTOR,
NARASAPURAM, WEST GODAVARI DISTRICT
ANDHRA PRADESH



Consultants:

Department of Civil Engineering
Gudlavalleru Engineering College (Autonomous)
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356
Krishna District, A.P.

#### 1.0 PROJECT DETAILS:

## 1.1 Scope:

In view of the new rig arriving the site for which the common foundation is to be designed, ONGC-KG project. Rajahmundry and P.Narayana Rao, Contractor

Narasapuram have entrusted the design of ONGC rig foundation at the proposed drill site "MSAD" KRISHNA DISTRICT A.P., to the consultants of Gudlavalleru Engineering College, SeshadriRao Knowledge Village, Gudlavalleru, Krishna District, A.P.

M/s.Sree Venkateswara Tube well Works, Peravali and P Narayana Rao, Contractor, Narasapur, West godavari has conducted the Geo-technical investigations by collecting both disturbed and undisturbed soil samples and Gudlavalleru Engineering College Gudlavalleru, Krishna District has supplied the report of soil test results.

## 1.2 Selection of Type of Foundation:

From the results of soil investigation report at "MSAD" KRISHNA DISTRICT A,P, geotechnical investigations were carried out with two numbers of exploratory bore holes, each of 30m deep below existing ground level. For the bore hole-1 data of the soil investigation report, the subsurface deposits from 0.0–5.4m depth it is with Black Clay Sand Mixed with an average N value 13.0, from 5.4 – 16 m depth it is with Black Clay with an average N value of 3 ,from 16 – 17.5 m depth it is with Cement Clay with an average N value of 37. From bore hole data-2 of the soil investigation report, the sub surface deposits from 0.0–5.2m depth it is with Sand mixed Clay with an average N value of 3 and depth it is with Black Clay with an average N value of 3 from 16.2 – 17.7 m depth it is with Cement Clay with an average N value of 20 and from 16.2 – 17.7 m depth it is with Cement Clay with an average N value of 34

After careful consideration of the soil profile, the consultants of *Gudlavalleru* Engineering College have proposed to provide raft foundation on compacted sand cushion up to 2.7m depth below existing ground level as per soil report.

#### 2.0 SAFE BEARING CAPACITY.

## 2.1 Profile of the site consists of:

Up to 2.7m depth below g.l, as per soil report the average N value is 10.8 from both BH-1 and BH-2. Considering the soil profile and the balance in the increase of over burden pressure, raft foundation resting on refilled and compacted sand cushion is suggested. Allowable soil pressure for 25mm settlement ( $Q_0$ ),

$$Q_p = 35 \text{ (N - 3)} \left[ \frac{B + 0.3}{2B} \right]^t R_{wz}.R_d \text{ KN/m}^2$$

Where 
$$R_{u2}$$
 – water reduction factor = 0.5  $\begin{bmatrix} 1+Zw_2 \\ B \end{bmatrix}$ 

Where Zw<sub>2</sub> - Depth of water table below the base of foundation.

$$R_{a2} = 0.5$$

$$R_d$$
 - Depth factor =  $1 + \frac{0.2D}{B}$  =  $1 + \frac{0.2 \times 2.7}{4.63}$  = 1.116  $R_d$  = 1.118.

observed N value of 10.8, after applying overburden correction N value 19,7 and after dilatancy correction, N Value = 17.35. So final corrected N Value 17.35

$$Q_p = 35 \left[ 17.35 - 3 \right] = \left[ \frac{4.63 + 0.3}{2x4.63} \right]^2 \times 0.5 \times 1.116 = 79.4 \text{ KN/m}^2$$

Allowable safe pressure(Q<sub>0</sub>),

$$Q_g = Q_p + \gamma D$$

Where yD - over burden pressure

$$Q_2 = 79.4 + 5.1 (2.7) = 93.17 \text{ KN/m}^2$$

Hence the allowable safe bearing capacity = 93.17 KN/m<sup>2</sup>

## 3.0 DESIGN OF RAFT FOUNDATION:

The required minimum plan dimensions of each raft: 24 05 milliong and 4,63 wide

Distance between two legs 4.0m.

Load on each lag of foundation : 350 §

Assuming loaded length as 12.5m and thickness of raft 400mm,

Dispersion loaded length at bottom of raft = 12.5 + 2 (0.40) = 13.3m

Self weight of each leg =  $13.3 \times 4.63 \times 0.4 \times 2.5 = 31.58 \text{ t. Say } 62 \text{ t.}$ 

Total Load on each leg = 350.0 + 62 = 412 §

Intensity of load transmitted to the soil by the raft =  $\frac{412.0}{13.3 \times 4.63}$  = 6.7 t/m<sup>2</sup>

or \$7 KN/m<sup>2</sup>

Allowable bearing capacity is 93.17 KN/m<sup>2</sup> > 67 KN/m<sup>2</sup>. Hence safe

As the actual load is directly transmitted by the raft on to the soil below it through bearing stresses only, no bending moments will produce in the raft

As nominal bearing stresses are produced in the raft, the raft thickness is assumed as 400mm using M = 20 grade concrete and Fe415 grade steel, and the design is carried out. It is also proposed to remove the top 2.7m depth of soil from the existing ground level and filled with river sand in equal fayers and well compacted to (2150+x) mm thick extending with 500mm shoulder all around from the edge of R.C. raft as shown in the drawing. Over this well compacted river sand cushion, 150mm thick P.C.C (1:3:6) with a projection of 150mm beyond the edge of R.C. raft shall be provided. Over this P.C.C leveling course, 400mm thick R.C. raft may be laid on which load from rig will be transferred through rails.

## 4.0 DESIGN FEATURES OF RAFT:

## 4.1 Longitudinal Reinforcement:

As the bearing stresses produced by the raft are less than the safe bearing capacity, minimum reinforcement shall be provided at top and bottom of the raft.

As per IS 456 (2000) code,

$$(A_{xx})_{min} = \frac{0.85 \text{ bd}}{\sigma_{y}} = \frac{0.85 \times 4630 \times 340}{415} = 3224.3 \text{m/m}^2$$

Hence provide 29 Nos – 12mm Φ bars at top and 29 Nos – 12mm Φ bars at bottom (Refer drawing)

## 4.2 Transverse Reinforcement:

The distribution steel is 0.12% of gross C S, area of the raft.

$$A_{st} = 0.12 \times \frac{1000 \times 400}{100} = 480 \text{mm}^2$$

Spacing of 12mm  $\Phi$  bars =  $\frac{113 \times 1000}{480}$  = 235.4mm

Provide 12mm Φ distribution bars at 230mm c/c at top and bottom throughout.

## 4.3 Shear Reinforcement:

As the load is directly transmitted from raft to the sand cushion, no shearing stresses will be produced. However, nominal shear reinforcement may be provided.

Provide 6 – legged 8mm Φ stirrups at 230mm c/c as shown in drawing.

## 4.4 Side Face Reinforcement:

On each face, 2 Nos of 12mm  $\Phi$  bars in longitudinal direction may be provided (Referdrawing)

#### BENDING SCHEDULE


SSI No.	Description	Dia (mm)	Length (mm)	No. of bars	Total length (m)	Weight (kg)
1	23950	12	23950	2x29x2	2778,2	2472.6
2	4580	12	4580	105x2x2	1923.6	1712.0
3	1520	8	3740	105x3x2	2356.2	930.7
4	23950	12	23950	2x2x2	191.6	171.5
					Tatal weight	5286.8

Say 5.3 tonnes

GRANDERS Engineering College, GUDLAVALLERU - 621 \$56

Krishna Dist., A.P.

PRINCIPAL
Gudiavalleru Engineering College,
GUDLAVALLERU-521 356



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P. India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273888, Mobile: +91 9846779121 Fax No. 08674-273957 e-mail: principal@geogudfavalleru.ac.in, office@geogudfavalleru.ac.in, Web: www.geogudfavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Street to St. M. Treet, Folder

Principes

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

To
The Executive Engineer,
P R I Division,
Kakinada, East Godavari District,
Andhra Pradesh.
Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Grama Sachivalayam Building" at Gudiwada Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges - Reg.

f am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Grama Sachivalayam Building" at Gudiwada Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
\$T-188	Sub soil investigation and Recommendation for "The foundation of Grama Sachivalayam Building" at Gudiwada Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.	Rs.4,000/-	Rs.4,000/-
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Enginearing College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy call: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

BOREL TES ACTIONS PERSONS TO SELECT THE SELECTION OF A SELECTION O

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

To
The Executive Engineer,
P R i Division,
Kakinada, East Godavari District,
Andhra Pradesh.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Grama Sachivalayam Building" at Kattamuru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges - Reg.

I am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Grama Sachivalayam Building" at Kattamuru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-187	Sub soll investigation and Recommendation for "The foundation of Grama Sachivalayam Building" at Kattamuru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.	Rs.4,000/-	Rs.4,000/-
(Rupee:	s Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tach - CSE for 5 Years and CE, EEE, ME, ECE 8 |T for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
a-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

Billiotti, M.S., M. Leth., Ph.D.,

FIR, C.Dog., MISTE, WAIDS, MASME, MSAE, MSFA, MEW.

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

To
The Executive Engineer,
P R I Division,
Kakinada, East Godavari District,
Andhra Pradesh.

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Grama Sachivalayam Building" at Gorinta Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

i am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Grama Sachivalayam Building" at Gorinta Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.

St. No.		Consultancy charges	Total Amount
ST-168	Sub soil investigation and Recommendation for "The foundation of Grama Sachivalayam Building" at Gorinta Village, Peddapuram Mandalam, E.G. District, Anghra Pradesh.	Rs.4,600/-	Rs.4,000/-

(Rupees Four Thousand Only) Total Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394,

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishnia District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC willi 'A' Grade

NBA Accreditation: B Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Sulfeatil, M.S., id Tech . Ph.D.,

THE KIND WORD MARKS MAKEN MARK, MARK, MIRK.

Principal

REF. GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

To Pilli Annapurna & Pilli Ganga Bhavani, Rs-No: 99/3, LP No – 402/1983, Flat No – 63P, Near Fly Over, Registrar Office, Samalkota, East Godavari District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports at "The foundation of Residential Building (G+3)" Near Fly Over, Registrar Office, Samalkota, E.G. District, Andhra Pradesh and Bill of charges – Reg.

i am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Residential Building (G+3)" Near Fly Over, Registrar Office, Samalkota, E.G. District, Andhra Pradesh.

SI. No.	7-1414-01-02-01-0	Consultancy charges	Total Amount
9T-1 <b>6</b> 9	Sub soil investigation and Recommendation for "The foundation of Residential Building (G+3)" Near Fly Over, Registrar Office, Samalkota, E.G. District, Andhra Pradesh.	Rs.4,000/-	Rs.4,000/-
(Rupee:	s Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dekri and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phono Nos. 08674-273737, 273888, Mobile +91 9848779121 Fax No. 08674-273837.

e-mail: principal@\_ecgudiavaliaru.ac.in, office@geogudiavalleru.ac.in, Web: www.gergudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

illica, MS, Million, Ph.D.

FIE, CENE, MISTE, MSPS, MASUP, NEAR, LITTLE, LITTLE,

Principal.

REF: GEC/ONGC/CONSULTANCY/2020

Date: 10th June, 2020

To Sirish Aditya Sugnanam, D-No-23-3-7 Ward No – 14, Near Lic Building, Co-Axla) Road, Sajjapuram, Tanuku, West Godavari District, A.P.

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports at "The foundation of Residential Building (G+2)" Near LIC Building, Co-Axial Road, Sajjapuram, Tanuku, West Godavari District, Andhra Pradesh and Bill of charges – Reg.

! am herewith submitting two sets of Hard copies on Soil testing reports "The foundation of Residential Building (G+2)" Near LIC Building, Co-Axial Road, Sajjapuram, Tanuku, West Godavari District, Andhra Pradesh.

\$1. No.	Haile of Front	Consultancy charges	Total Amount
ST-170	Sub soil investigation and Recommendation for "The foundation of Residential Building (G+2)" Near LIC Building, Co-Axial Road, Sajjapuram, Tanuku, West Godavari District, Andhra Pradesh.	Rs.4,000/-	Rs.4,000/
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Oraft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356. Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08574 273737, 273888, Mobile: +91 9848779121 Fax No. 08574 273957

e-mail: principal@ge-gurlleralleru.ac.in, office@geogudlevalleru.ac.in, Web: srew.geogudlevalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Balletin, M. W., St. Berlie, Mr. Rt.

BID, C. Day, ADORT, MIGHT SHOWS, LIKELY 1971A, 1910A.

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 24th June, 2020

To

The Executive Engineer, P R I Division, Kaklnada, East Godavari District, Andhra Pradesh.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soll testing reports at "The foundation of Grama Sachivalayam Building" at Vadlamuru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

E ARY AR

I am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Grama Sachivalayam Building" at Vadlamuru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
\$1-171	Sub soil investigation and Recommendation for "The foundation of Grama Sachivalayam Building" at Vadlamuru Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9648779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Wab: www.gecgudiavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

B. Franc, M.S., M. Seera, F. 12. HE. C. Err, MISTER, WISSES: A SEME SHEET SHEET SHEET.

Primeinest

REF: GEC/ONGC/CONSULTANCY/2020

Date: 24th June, 2020

To
The Executive Engineer,
P R ! Division,
Kakinada, East Godavari District,
Andhra Pradesh.

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Grama Sachivalayam Building" at G Ragampeta Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh and Bill of charges – Reg.

am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Grama Sachivalayam Building" at G. Ragempeta Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.

SI. No.	Name of Work Sub soil Investigation and Recommendation for	Consultancy charges	Total Amount
57-172	"The foundation of Grama Sachivalayam Building" at G. Ragampeta Village, Peddapuram Mandalam, E.G. District, Andhra Pradesh.	Rs.4,000/-	Ks.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-273957

a-mail; principal@gecgudlavaltaru.ac.in, office@gecgudlavallaru.ac.in, Web; www.gecgudlavallaru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B Tech . M S . M. Tech . Ph D . Color Coy Mileson, Mileson Software, MACA Mileson

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 24th June, 2020

To G A Kalyan Prasad. RS-No-169/1.B2 Near YSR Circle. Rajanagaram, East Godavari District - A.P.

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soli testing reports at "Foundation of GI Sheet Workshop Shed", Near YSR Circle, Rajanagaram, East Godavari District, Andhra Pradesh and Bill of charges - Reg.

am herewith submitting two sets of Hard copies on Soil testing reports "Foundation of Gi Sheet Workshop Shed", Near YSR Circle, Rajanagaram, East Godavari District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
5T-173	Sub soll investigation and Recommendation for "Foundation of GI Sheet Workshop Shed", Near YSR Circle, Rajanagaram, East Godavari District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully.

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Villaga, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Deihl and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Yech - CSE for 5 Years and CE, EEE, ME, ECE.& IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Toge, M.N., Moscon, Ph.D.,

1911, C.C., Admitt. White in the value, 98, 96, 1855 (A) 1816.

Permeipel

REF: GECIONGC/CONSULTANCY/2020 / 267

Date: 6th July, 2020

To Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir.

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing/reports & Design of ONGC Rig foundation at "GAAA" D/s, Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 152

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "GAAA" D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-174	Sub soil investigation and Recommendation for the foundation of Drill site "GAAA" D/s, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-
RF-152	ONGC Rig foundation at "GAAA" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft Infavour of "Principal, Gudlavalleru Engineering College Gudlavalloru" payable at \$BI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalloru with IFCS code \$BIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Válage, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

M. Rock, Ph. N., M. Took, Ph. Le., AND STATE OF A PARTY AND ADMINISTRAL

Part C. Party (NESCO), NESCO, MARSON, MICHAEL SARAN CASCA

Principal

REF: GEC/ONGC/CONSULTANCY/2020 / 230

Date: 28th July, 2020

To Sri K. Koteswara Rao, S/o. Sudarsana Rao, R.S.No - 284, Pothavaram, P.Gannavaram, East Godavari District, A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Commercial and Residential Building (G+4)", Pothavaram, P.Gannavaram, East Godevari District, Andhra Pradesh and Bill of charges – Reg.

22 000 0

AAN AND AND

am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Commercial and Residential Building (G+4)", Pothavaram, P. Gannavaram, East Godavari District, Andhra Pradesh.

SI. No.	L	Consultancy	Total Amount
5T-f78	Sub soil investigation and Recommendation for "The foundation of Commercial and Residential Building (G+4)", Pothavaram, P. Gannavaram, East Godavari District, Andhra Pradesh.		Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in fevour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving Alc no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUOLAVALLERU-521 356, Krishne District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08574-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.sc.in, office@geogudlavalleru.sc.in, Web: www.geogudlavalleru.sc.in

#### Dr. POTLURI RAVINDRA BABU

Block WS. While Bill.

COUNTY MINIT AS NOW SERVAGE MENT MENT SHARM

Principal!

REF: GEC/ONGC/CONSULTANCY/2020 231

Date: 28th July, 2020

To Sri G.Sampath Kumar, D.No- 2-49-4, Ambika Nagar, ILTD Junction Flyover, Shambu Nagar, Rajahmundry, East Godavari District, A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Residential Building (STILT+G+3)", Ambika Nagar, Shambu Nagar, Rajahmundry, East Godavari District, Andhra Pradesh and Bill of charges – Reg.

\*\*\*

I am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Residential Building (STILT+G+3)", Ambika Nagar, Shambii Nagar, Rajahmundry, East Godavari District, Andhra Pradesh.

St. No.	Name of Work	Consultancy charges	Total
ST-0.79	Sub soil investigation and Recommendation for at "The foundation of Residential Building (STILT+G+3)", Ambika Nagar, Shambu Nagar, Rajahmundry, East Godayari District, Andhra Pradesh,		Amount

(Rupees Four Thousand Only) Total Rs.4.000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-\$21 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government).

Accredited by NAAC with 'A' Grade

Phono Nos. 08674-273737, 273668, Mobile: +91 9848779121 Fex No. 08674-273957

e-mail: principal@gecgudlavalieru ac.in, office@gocgudlavalieru.ac.in, Web: www.gecgudlavalieru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Billion Miss. Million St. D.

THE REPORT MINERS ASSESSED MAKERING MINER SASTING CORRESPONDENCE

Princepal

REF: GEC/ONGC/CONSULTANCY/2020 232-

Date: 29th July, 2020

To
Pastor Ch.Rama Rao,
Jesus Prayar Fellowship Church,
D-No-7- 25, Near Rice Mill,
Mukkamala, Peravali,
West Godavari District, A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Soil testing reports at "The foundation of Church (G+1)", Mukkamala, Peravali Mandal, West Godavari District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Soil testing reports at "The foundation of Church (G+1)", Mukkamala, Peravall Mandal, West Godavari District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy	Total
ST-180	Sub soil Investigation and Recommendation for at "The foundation of Church(G+1)", Mukkamala, Peravali Mandal, West Godavari District, Andhra Pradesh.	Rs.4,000/-	Amount Rs.4,000/-
(Rupaes	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India

(Approved by AICTE, New Dolhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Wab: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

\$ 150 february 1 to \$25 ments of the second

Principal.

REF: GEC/ONGC/CONSULTANCY/2020

Date: 05th August, 2020

To

Megha Engineering & Infrastructure Ltd Hyderabad

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Police Station (G+1) P#daparupudi Village & Mandal, Krishna District, Andhra Pradesh and Bill of charges - Reg.

I am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the Foundation of Police Station (G+1) Padaparupudi Village & Mandal, Krishna District, Andhra Pradesh.

SI. No.	PT PT TO THE PT	Consultancy charges	Total Amount
ST-181	Sub Soil Investigation and Recommendations for Foundation of Police Station (G+1) Pedaparu Village & Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupee:	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08874-273737, 273888, Mobile: 8848779121 Fax No. 58674-273957

a-mail: principal@gecgudiavallaru.ac.in, office@gecgudiavallaru.ac.in. Web; www.gecgudiavallaru.ac.in

#### Dr. POTLURI RAVINDRA BABU

9 (25) M.S., 74 Feeb 1941). Grant 1984, Stone Sieber (1978 1996 2014).

Principal

REF: GEC/ONGC/CONSULTANCY/2020/

29th September, 2020

To Deputy Executive Engineer, RWS Sub Division, Gudivada Krishna District - A.P

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub soil investigation and recommendations for the foundation of proposed Well Ness Centre, Seri Daggumilli, Gudlavalleru, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-183 & 184

am herewith submitting two sets of Hard copies on Submission of Hard copy Reports (2sets) on the Sub soll investigation and recommendations for the foundation of proposed Well Ness Centre, Seri Daggumilli, Gudlavalleru, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-183	Sub soil investigation and recommendations for the foundation of proposed Well Ness Centre, Seri Daggumilli, Gudlavalleru, Krishna District, A.P.	Rs.4,000/-	Rs.4,300/-
ST-184	Sub soil investigation and recommendations for the foundation of proposed Grama Sahivalayam, Seri Daggumilli, Gudlavalleru, Krishna District, A.P.	Rs.4,000/-	Rs.4,000/-
Rupees (	Eight Thousand Only)	Total	Rs.8,000/-

Please arrange the payment of the bill amount Rs.8,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudiavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394 Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of soil reports

REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, SERI DAGGUMILLI, GUDLAVALLERG, KRISHNA DISTRICT, ANDHRA PRADESH

LOCATION

SERI DAGGUMILLI, GUDLAVALLERU, KRISHNA DISTRICT - A.P.

CLIENTS

DEPUTY EXECUTIVE ENGINEER, RWS SUB DIVISION, GUDIVADA KRISHNA DISTRICT - A.P

SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELLS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL
DEPARTMENT OF CIVIL ENGINEERING

# GUDLAVALLERU ENGINEERING COLLEGE

(All Autonomous Institute with Permanent Affiliation to JNTUK, Kaldnatta, NAAC Accredited with A Grade & Accredited by NBA, New Delhi)

SeshadriRao Knowledge Village NBA, New Gudlavalleru — 521356, A.P

#### REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, SERI DAGGUMILLI, GUDLAVALLERU, KRISHNA DISTRICT DISTRICT, ANDHRA PRADESII.

#### I. INTRODUCTION:

Deputy Executive Engineer, Gudivada and M/S Sree Venkaleswara Tube wells, Peravoli requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend suitable foundation for the Grama Sachivalayam, Seri Daggumilli, Gudlavalleru District, Andhra Pradesh.

The following are the responsibilities of M/S Stee Venkateswara Tube we'lls, Peravali.

- Soil horing of 150mm diameter upto 10 meters depth at one location as specified by the client.
- Collection of undisturbed and disturbed soil samples from the bore.
- Conducting Standard Penetration Test (SPT) at regular intervals within the bore M/S. Siee. Venkateswara. Tube wells, Peravall has taken up the soil boring, sample collection and field testing on behalf of Deputy Executive Engineer.

This report contains the result of field and laboratory tests. Recommendations on hearing capacity of soil and type & depth of foundation at the proposed location are presented in the report.

## 2. THE STRUCTURE AND LOCATION

The proposed Structure is a Grama Sactivalayam Building. The proposed structure is to be built at Seri Daggumilli, Gudlavalleru, Krishna District of Andhra Pradesh.

## 3. FIELD INVESTIGATION PROCEDURE

The sub-soil investigation was carried out to determine

- Classification and extent of each soil & rock stratum likely to be offected by the proposed work.
- Nature of each stratum and engineering properties of soil which may influence the mode of construction of the proposed structure and its foundation.

## 3.1 Field Soil Investigation Procedure

M/s. Sree Venkateswara Tube wells: Peravalli has submitted the soil investigation bore data at one location of the proposed site.

#### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS sail samples as per Indian Standard to identify and establish the consistency of these soils. Sieve analysis tests were also-conducted on sandy/graveity soil for knowing the particle size distribution and classification of soil. Unconfined compressive strength tests and direct shear tests were also conducted on UDS soil sample to know the shear strength of soil. The results are presented in Table 2 & 3.

#### 4. L SUB SOIL PROFILE

From the sub soil profiles at the bore hole location, based on the identification of soil samples, the test results obtained on both field and laboratory are shown in fig. 1. The design soil parameters are presented in Tables 1 to 3.

#### Bore hole-1

Depth Relow GL (m)	Visual identification of soil and 18 soil classification	Recorded N Value
0.00 2.00	Black Clay	03
2.00 - 2.40	Brown Clay	-
2.40 - 4.70	Sand	09 – 12
4.70 10.50	Black Clay mixed Sand	03 - 04

#### 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 2.00m below ground level is Black Clay, from 2.00m to 2.40m is Brown Clay, from 2.40m to 4.70m is Sand and from 4.70m to 10.50m is Black Clay mixed Sand, as per the borehole data, open foundation in the form of isolated facting or deep foundation in the form of double under reamed pile foundation is considered.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

## Alternative I: Open foundation in the form of Isolated fooring

The size and depth of foundation can be decided based on feeding and soil characteristics. It is advisable to place the foundation at depth of 1.5-3.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations:

$$\begin{split} q_0 &= C \, N_c \, S_c \, D_s + \gamma \, D \, N_0 \, S_0 \, D_0 \, R_w 2 + 0.5 \, \gamma \, B \, N \gamma S \gamma D \gamma R w 2 \, ---- \, (1) \\ q_0 &= 35 \, (N-3) \, [(B+0.3)/3B]^2 \, R w_2 \, Rd \, \text{for settlement of 25 mm for sand (2)} \\ q_0 &= 1.25 \, N \, \text{for clayey soil ----- (3)} \end{split}$$

At a depth of 1.5 m from ground level, the allowable bearing capacity is  $25 \text{ kN/m}^2$  (2.5  $\text{t/m}^2$ ), at a depth of 2.0 m from ground level, the allowable bearing capacity is  $80 \text{kN/m}^2$  (8.0  $\text{t/m}^2$ ), at a depth of 2.5 m from ground level, the allowable bearing capacity is  $100 \text{kN/m}^2$  (10.0  $\text{t/m}^2$ ) and at a depth of 3.0m from ground level, the allowable bearing capacity is  $110 \text{ kN/m}^2$  (11.0  $\text{t/m}^2$ ).

# Alternate method 11: Under-reamed pile foundation:

Since the top soil from 0.00m to 2.00m below ground level is Black Clay, from 2.00m to 2.40m is Brown Clay, from 2.40m in 4.70m is Sand and from 4.70m to 10.50m is Block Clay mixed Sand as per the burchale data, under resmed pile foundations are considered.

The safe had capacities for the under reamed piles are as follows:

Table -1 Under-reamed Pile with single / double bulbs Safe load carrying Dia in (mm) capacity (tonnes) Length (m) With Two bulbs Single underreamed 4,5 8 300 4.0 10 3.5 63 375 4.0 ]4 3.5 19 450 4.0 21

the spacing and not of the under-reamed piles under the column can be obtained from the column loading. The minimum spacing of under-reamed piles will be 1:5 times the halb diatemeter.

[NOTE: The center of the balb should be provided at a distance of 1.5m from the ground level]

Mr.Phani Kumar.V.

Gudlavalleru Engineering College GUDLAVALLERU - 521 356 Kriehna Diet., A.P

GUDLAVALLERU ENGINEERING COLLEGE
BORE LOG Date: 23-09-2020

						_			
	,	**	-3	6 7	<u>+</u>	Lu		Depth below G.L.	12 18 18 18 18 18 18 18 18 18 18 18 18 18
								Soil profile	Location : Seri I
		Black Clay mixed Clay		v	Sand	Brown Clay	Brown Clay	Description of soil	Description: Seri Daggumilli. Type of Baring:
	<u>.                                </u>	5.80			2.30	0,40		Thickness of layer in meters	
0.000	9148	SPTS	SPT4	SP13	SPIC		SPTL	Depth at which sample are collected	Gudlavallent, Krishna District. Bore Hole diameter 150mm
5 3 	9.00	7.50	6.00	4.50	3.00		1.50	Depth at which test is conducted in moters	District AP
	2	2	13				_	0-15 cm	S 3
	<u>.</u>	34	2	2	. · ·		N-	15-30 cm	G.W.L.:
	2	.ب		· ·	- 4			30 -45 cm	i JiOma
,	w	t>	<u></u>	œ	ដ	er my	i.ə	N - Value	Field Investigation L: 1.10m b.g.l
				- <u>-</u>	+			Ciraphical  representation of Peneration  Resistance  10 20 30 40 50	

Page 5 of 8

# GEOTECHNICAL LABORATORY: CIVIL ENGINEERING DEPARTMENT GUDLAVALLERU ENGINEERING COLLEGE;; GUDLAVALLERU

TABLE: 2 Idealised Design Soil Parameter

PROJECT: Construction of GRAMA SACHIVALAYAM

Location: Seri Daggumilli, Gudlavalleru, Krishna District, A.P. Bore Hole No: ( Depth of Water Level: 1.10 m b.g.)

							C Delam in A	Auter market	: 1.10 m p.g,1	
	Depth below the existing ground level (motres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight JkN/N <sup>3</sup> ]	Recorded SPT Value (N)	Shear pa Cohesion C (kN/m²)	τameters — ψ (deg)	Unconfined Compressiv e strength (kN/m²)	Net Safe hearing capacity (kN/m <sup>2</sup> )
  -	0.00 - 2.00	Black Clay	CH	66,46	14.01	03	18		36	80
	2.00 – 2.40	Brown Clay			_				· ·	-
	2.40 – 4.70	Sand	SIP	20.61 – 26.37	20.16 20.65	09 – 12		28° - 29°		140
	4.70 - 10.50	Black Clay mixed Sand	CII	64.09 – 75.89	12.59 - 13.46	03 - 04	18 - 23	·	36 – 46	40

Note: The test results apply only to the samples sent to the laboratory

# GEOTEC: ICAL LABORATORY: CIVIL ENGINE LING DEPARTMENT GUDLAVALLERU ENGINEERING COLLEGES GUDLAVALLERU

# TABLE No: 4 Results of Laboratory Soil Testing PROJECT: Construction of GRAMA SACHIVALAYAM

Location: Seri Daggumilli, Gudlavalleru, Krishna District, A.P. Bure Hole Nov 1 Depth of Water Level: 1.10 m b.g.l.

Depth below Gl. (m)	Type of sample	Visual Identification of soil	LS Soil classification	Uncon comp. strength qu	Day unit weight, ya. [kN/m]	Natural moisture content (%)	Liquid Limit (%)	Plastic Limit (%)	Plasticity Index (%)	Gravel size (%)	Coarse Sand	Medium Sand size (%)	Fine Sand size (%)	Shi and etay size (%)	Recorded SPT value (N)
(1)	(2)	(3)	_(4)	(5)	(6)	_ (7)	(8)	(9)	+ <sub>(10)</sub> +	(11)	(12)	(13)	(14)	(15)	(16)
0.00 - 2 00	-	Black Clay	١.	j -	-	٠,	-			-	│ . ̄	-		<u> </u>	-
1.5	SPFL	-40-	L <sub>CH</sub> _	36	14,01	66.46	83.01	53.72	29.29	0.00	0.23	2.16	1.48	96.13	3
2.00 - 2.40	-	Brown Clay	-	-	-	-	-		-	-		-	-		
2 40 - 4.70	·	Sand	-	i -	-	-			-				<u> </u>	-	
<u> </u>	SP12	-40-	SP	·	20.65	20.61		_	-	0.00	0.00	14,01	58.40	27.59	_     12
4.5	SPT3	-du-	SP	.	20.16	26 37		_	-	0.00	0.17	 18 63	56.45	24.75	9
4 70 – 10.50	-	Black Clay mixed Sand	-	-	†	-		-	·-	<u></u> †	-	_	_		
6	SPT4	-do-	CH	42 i	13,46	64.09	87.98	55.84	32.14	0.00	0.00	0.56	54 n	98.53	4
7.5	SPT5	-do-	CII	46	13.21	64.75	85.95	53,15	32.80	0.00	0.21	0.00	D.89	98.90	-
9	SPTo	-do-	Cit	38	12.59	75.89	N3.03	48.94	34.09	0.00	0.11	0.41	0.00	99.48	3
10.3	SPT7		CH	36	13.24	66.92	87 16	19.51	37.53	0.09	9.00	0.51	0.52	99.18	3

Note: The test results apply only to the samples sent to the laboratory

## Recommendations

Based on the field and laboratory tests on soil samples collected from the bore holes, the following recommendations are made, for the proposed Grama Sachivalayam at Seri Daggomilli, Gudlavalleru, Krishna District of Andhra Pradesh.

- Open foundation in the form of isolated footing is proposed. The allowable bearing capacity is calculated as per IS 6403 Specification considering the shear failure and settlement failure criterion.
  - At a dopth of 1.5 m from ground level, the allowable bearing capacity is 2.5 t/m<sup>2</sup>.
  - A) a depth of 2.0 m from ground level, the allowable bearing capacity is 8.0 t/m<sup>2</sup>.
  - At a depth of 2.5 m from ground level, the allowable bearing capacity is 10.0 t/m<sup>2</sup>.
  - At a depth of 3.0m from ground level, the allowable bearing capacity is 11 ym<sup>2</sup>.
- Isolated footing at a depth of 2.0m is provided by providing a well compacted sand cushion of 0.5m i.e., from 2 to 2.5m from existing Ground Level, which may increase the bearing capacity approximately by 2 to 3 t/m².
- IS 2911 (Part-III) 1980 is used for load carrying capacity of different under reamed piles.
- Depending upon the individual column loads, single under reamed pile foundation in single or group of piles with pile cap is proposed.

halagalhaali INCHARGE OF GTE LAB.

CONSULTANCY CELL Gudiavalleru Engineering College, GUDLAVALLERU - 621 386 Kriehne Diet., A.P 11.0.D OF CIVIL ENGG:

Head of Chrit Engineering Rudiavailers Engineering College Gudiavailers 621 356 PRINCIPAL PRINCIPAL

Gudlavalleru Engineering College, GUDLAVALLERU-521 356 REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, SERI DAGGUMILLI, GUDUAVALLERU, KRISHNA DISTRICT, ANDHRA PRADËSH

LOCATION

SERI DAGGUMILLI, GUDLAVALLERII, KRISHNA DISTRICT - A.P.

CLIENTS

DEPUTY EXECUTIVE ENGINEER, RWS SUB DIVISION, GUDIVADA KRISHNA DISTRICT - A.P

SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELLS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL
DEPARAMENT OF CIVIL ENGINEERING

# GUDLAVALLERU ENGINEERING COLLEGE

(A) Autonomous Institute with Permanent Africation to JNTUK, Kakinnda, NAAC Accessited with A Grade & Accredited by NRA, New Dethi)

SeshadriRao Knowledge Village NBA, New Gudlavalleru - 521356, A.P

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rec Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delbi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

Phone Nos. 08874-273737, 273866, Mobile; 8646779121 (Web: www.geogudiavalleru.ec.in e-mail: principol@geogudiavalleru.ec.in, office@geogudiavalleru.ec.in, Web: www.geogudiavalleru.ec.in

## Dr. POTLURI RAVINDRA BABU

en Goods, for the Bill Toole. Pin De. The Communication of the series of inflict

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 03rd October, 2020

Τo

Commissioner, Municipal Corporation, \*\* Machilipatnam

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Gas Creametorium, Rajupeta Burial Ground, By pass road, Machilipatnam Krishna District, Andhra Pradesh and Bill of charges – Reg.

i am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the Foundation of Poilce Station (G+1) Pedaparupudi Village & Mandal, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-185	Sub Soil Investigation and Recommendations for the Foundation of Gas Creametorium, Rajupeta Burial Ground, By pass road, Machilipatnam Krishna District	Rs.8,000/-	Rs.8,000/-
(Rupees	s Eight Thousand Only)	Total	Rs.8,000/-

Please arrange the payment of the bill amount Rs.8,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 a-mail: principal@gecgudiavallaru.ac.in, office@gecgudiavallaru.ac.in, Web: www.pecgudiavallaru.ac.in

#### E POTLURI RAVINDRA BABU

S Tella, M.S., M. Tella, 75 D.,

tig it gag have to this or hand the highly hide a proof.

rimentus.

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 08" October, 2020

TO
S SRI RAMA CHANDRA RAO
KOMARAVOLU
PAMARRU MANDAL
KRISHNA DISTRICT - A.P.

Sir,

Sub: Submission of Mara copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation of Rythu Barosa Kendran. & Grama Sachivalayam, Komaravolu, Paniarru Mandal Krishna District, Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-186

I am herewith submitting two sets of hard copies on Soil investigation And Recommendations for the Foundation of Rythu Barosa Kendram & Grama Sachivalayam, Komaravolu, Panarru Mandal Krishna District Andhra Pradesh.

SI. No.	Name of Work	Consultanc y charges	Total Amount
1 (ST-185)	Soil Investigation And Recommendations for the Foundation of Rythu Barosa Kendram & Grame Sachivalayam, Komaravolu, Pamarru Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total !	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Craft in favour of "Principa!, Gudlavalleru Engineering College Gudlavalleru" payabla at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11538344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dath) and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & () for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08874-273957

e-mail. principal@gecgudiavaileru.ac.in, office@gecgudiavaileru.ac.in, Web: www.gecgudiavaileru.ac.in

#### r. POTLURI RAVINDRA BABU

Hilbert, Mith. Witcom, Physical REC Cong., ROSSIL, Physical MASSIC Section (2015).

rincipal

REF: GEC/ONGC/CONSULTANCY/2020 | 354

Date: 11th November, 2020

To Sri V Suri Babu Assistant Engineer PRI Sub Division, Gudivada

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Grama Sachivalayam (G+1), Kowthavaram, Gudlavalleru Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Sub Soll Investigation and Recommendations for the Foundation of Grama Sachivalayam (G+1), Kowthavaram, Gudlavalleru Mandal, Krishna District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-187	Sub Soil Investigation and Recommendations for the Foundation of Grama Sachivalayam (G+1), Kowthavaram, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dath) and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation, B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

to berin, M.S., M.Neele, Ph.D., E.s. Pry Bisson, Osbest Mossat, Model, MSCs, 2010. apad

REF: GEC/ONGC/CONSULTANCY/2028

Date: 28th November, 2020

To Sri V Suri Babu Assistant Engineer PRI Sub Division, Gudivada

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the foundation of Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Andhra Pradesh and Bill of charges – Reg.

i am herewith aubmitting two sets of Hard copies on Sub Soil investigation and Recommendations for the foundation of Ralthu Barosa Kendrem & Wellness Center Doklparu, Gudlavalleru Mandal, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
\$T-189	Sub Soil investigation and Recommendations for the foundation of Raithu Barosa Kendram & ! Wellness Center, Dokiparu, Gudlavalteru Mandal, Andhra Pradesh	Rs.4,000;-	Rs.4,000/-
(Rupee:	s Four Thousand Only)	Total	Rs-4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Erg., MISTE, MSESI, MASME, MSAE, MSFA, MIIM, ccipal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 28th November, 2020

To Sri V Suri Babu Assistant Engineer PRI Sub Division, Gudivada

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam, Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam, Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District, Andhra Pradesh

SI. No.	Name of Work	Consultancy	Total Amount
ST-190	Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam, Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affillation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273868, Mobile: 9848779121 Fax No. 08674-273957

s-mail: principsi@geogudiavatieru.ac.in, office@geogudiavatieru.ac.in, Web: www.geogudiavatieru.ac.in

#### POTLURI RAVINDRA BABU

Diffraction of the Section of the Se

cipal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 28th November, 2020

To Sri ∀ Suri Baho Assistant Engineer PRI Sub Division, Gudiyada

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the foundation of Grama Sachivaleyam, Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District. Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam, Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District, Andhra Pradesh

Si. No.	Name of Front	Consultancy charges	Total Amount
ST-190	Sub Solf Investigation and Recommendations for the foundation of Grama Sachivalayam, Raithu Barosa Kendram & Wellness Center, Dokiparu, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 06874-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalieru.ac.in. office@gecgudiavallaru.ac.in, Web; www.gecgudiavallaru.ac.in

#### Dr. POTLURI RAVINDRA BABU

H. Lich J. M.S., M. Sect., Ph.D., Higging: Silvin Source Massil, Societ Mick Mick.

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 28th November, 2020

To Deputy Executive Engineer PRI Sub Division, Gudivada, Krishna District, A.P.

Şir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soll Investigation and Recommendations for the foundation of Grama Sachivalayam & Raithu Barosa Kendram, Venuthurumilli, Gudlavalleru Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

l am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam & Raithu Barosa Kendram, Venuthurumilli, Gudlavalleru Mandal, Krishna District, Andhra Pradesh

SI. No.	1141112 21 11411	Consultancy charges	Total Amount
ST-191	Sub Soil Investigation and Recommendations for the foundation of foundation of Grama Sachivalayam & Raithu Barosa Kendram, Venuthurumilli, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4.000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTIJK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Parmitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Billechi, M.S., Millechi, Ph.D.,

Objective, MINOR, MISTOR MASSAU, MISTA, MINA, MINA,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 28th November, 2020

To
Deputy Executive Engineer
PRI Sub Division Conflicted

PRI Sub Division, Gudivada, Krishna District, A.P.

5іг,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the foundation of Grama Sachivalayam, Vinnakota. Gudlavalleru Mandal, Krishna District, Andhra Pradesh and Bill of charges — Reg.

I am herewith submitting two sets of Hard copies on Sub Soll Investigation and Recommendations for foundation of Grama Sachivalayam, Vinnakota, Gudlavalleru Mandal, Krishna District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-192	Sub Soil Investigation and Recommendations for the foundation of foundation of Grama Sachivalayam, Vinnakota, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs 4.000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delfu and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### POTŁURI RAVINDRA BABU

[Clock | M.S., M.Teele, Ph.D., IF C.Liv. SID (\$1,805.81, MSA); MSA); MSA); MSIA, SUM.

cipa)

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 26th May, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P.

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayari. Raithu Borosa Kendram and Weliness Center at Paruru, Mudinepalli Mandal, Krishnu District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-194

! am harewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wallness Center at Paruru, Mudinepalli Mandal, Krishna District of Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-194)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wallness Center at Paruru, Mudinepalii Mandal, Krishna District of A.P.	Rs.4,000;-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Dale or Charles House

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna Dietrici, A.P., India
(Approved by AICTE, New Daint and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, RFE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888. Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudiavalleru.ac.in. office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

B. Lochi, MSN., M. Teelin, Ph.D., Box Loz, MPCC, MNESI, MONNI, MSAB, MSNA, MIM,

trigna)

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 26th May, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Paruru, Mudinepalli Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-194

i am herewith submitting two sets of hard copies on Soll investigation And Recommendations for the Foundation for Grama Sachivalayam, Reithu Borosa Kendram and Wellness Center at Paruru, Mudinepalli Mandal, Krishna District of Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-194)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Paruru, Mudinepalli Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with iFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394

Thanking you.

Yours faithfully.

PRINCIPAL

Encl: 2 sets of Reports

Doesard hours

#### REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, RAITHU BÖROSA KENDRAM AND WELLNESS CENTER AT PARURU. MUDINEPALLI MANDAL, KRISHNA DISTRICT ANDHRA PRADESH

LOCATION

PARURU. MUDINEPALLI MANDAL KRISHNA DISTRICT, A.P.

CLIENTS.

DEPUTY EXECUTIVE ENGINEER PRESUBDIVISION. MANDAVALLI, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL DEPAREMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

(Au Autonormust Institute with Promuneut Affiliation to JNTLK, Kukinarta, NAAC Apprehited with A Grade & Accredited by NBA) SeshadriRao Knowledge Village Gudlavalleni - 521356, A.P.

#### REPORT ON

SUBSOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, RAITHU BOROSA KENDRAM AND WELLNESS CENTER AT PARURU, MUDINEPALLI MANDAL, KRISHNA DISTRICT, ANDHRA PRAUESH

#### 1. INTRODUCTION:

Deputy Executive Engineer, P.R.1 Sub Division, Mandavalli, Krishna Dist, A.P. requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District, A.P. to conduct necessary testing on soil samples supplied to laboratory and also to recommend suitable foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Paruru, Mudinepalli Mandal, Krishna District of Andhra Pradesh.

This report contains the result of laboratory tests. Recommendations on bearing capacity of soil, type & depth of foundation for the Grama Sachivalayam. Raithu Burosa Kendram and Wellness Center at Paruru are presented in the report.

### 2. THE STRUCTURE AND LOCATION

The proposed Structure is a Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center. The proposed structure is to be built at Paruru. Mudinepalli Mandal, Krishna District of Andhra Pradesh.

#### 3. LABORATORY TESTS:

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standards to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to obtain the shear strength of soil.

# 4. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 4.30m below ground level is Brown Clay and from 4.30m to 10.00m is Black Clay for borchole open foundation in the form of isolated footing or under reamed piles may be suitable.

It should test on sound strata of adequate bearing capacity and should be safe.

From settlement considerations also:

It should have adequate embedded length so as to resist the overturning moments due to any expected horizontal forces.

# Alternative I: Open foundation in the form of Isolated / Combined footing

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2.5 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_a = C (N_a \, S_c \, D_c) t / \gamma (D \, N_b \, S_b \, D_d \, R_{W2} \approx 0.5 \, \gamma (B \, N_Y S_Y D_Y R_{W3})$$

At a depth of 1.5 m from ground level, the allowable bearing capacity is  $18 kN/m^2$  (1.8 t/m<sup>2</sup>), at a depth of 2.0 m from ground level, the allowable bearing capacity is  $24 kN/m^2$  (2.4 t/m<sup>2</sup>) and at a depth of 2.5m from ground level, the allowable bearing capacity is  $28 kN/m^2$  (2.8 t/m<sup>2</sup>).

## Alternatemethod II: Under-reamed pile foundation:

The Since the top soil from 0,00m to 4,30m below ground level is Brown Clay and from 4,30m to 10,00m is Black Clay as per borehole data, under reamed pile foundations are suitable.

The safe had capacities for single/double under reamed piles are as follows:

Table -1 Coder-reamed Pile with single / double bulbs

Dia ic (aum)		Safe load carrying	eapacity (tonnes)
With Two bulbs	Length (m)	Single under- reamed	Double under- reamed
	4,0	10_	14
300	4.5	<u></u>	1.5
	5.0	12	17
375	40	14	22
	4.5	16	24
	5.0	18	26
	4.0	21	27
4511	4.5	23	28
	5.0	25	30

The spacing and number of the under-reamed piles under the column can be obtained from the column loading. The minimum spacing of under-reamed piles will be 1.5 times the bulb diatemeter. The first bulb should be provided at a depth of 2 times the bulb diameter below the ground level in case of double mader reamed pile.

Mr. Phani Kumar. V CONSULTANCY CELL Sud'avaitary Engineering College, GUOLACKLEERU - 821 (56 Krishna Eist., A.P.

# TABLE: 2 Idealised Design Soil Parameter PROJECT: Construction of Grama Sachivalayam, Raithn Borosa Kendram and Wellness Center Location: Parura, Mudinepalli Mandal, Krishna District. A.P. Bore Hole No: 1 Depth of Water Level: 1.00 m b.g.l

Depth below the		IS Soil	Natural moisture		Shear par	ameters	Unconfined
existing ground level (motres)	Visual identification of soil	olovsiti-	content (%)	Dry Unit Weight [kN/N <sup>2</sup> ]	Cuhesion C (kN/m²)	9 (de <u>e</u> )	Compressive strength (kN/m <sup>2</sup> )
		İ	L				
0.00 - 4.30	Brown Clay	СН	43.67 - 52.18	15.87 - 16.32	16-24		32 – 48
4.30 10.00	Black Clay	CII	56.98 - 79.35	11.95 - 13 67	19 – 27		28 - 54

Note: The test results apply only to the samples sent to the laboratory

#### Recommendations

Based on the field and laboratory tests on snil samples collected from the bore hole, the following recommendations are made for the proposed Grama Sachivalayam. Raithu Borosa Kondram and Wellness Conter at Parura, Mudinepalli Mandal, Krishna District of Andhra Pradesh.

- For open foundation in the form of isolated footing, the allowable bearing capacity is calculated as per 15 6403 Specification considering the shear failure and settlement fadure criterion.
  - At a depth of 1.5 m from ground level, the allowable bearing capacity is 1.8 Cm<sup>2</sup>.
  - At a depth of 2.0 m from ground level, the allowable bearing earlies by is 2.4  $\psi$ m<sup>2</sup>.
  - At a depth of 2.5 m from ground level, the allowable bearing capacity is  $(2.8 \text{ f/m}^2)$ .

Since the allowable bearing capacity values are very low even at a depth 2.5m below existing ground level, open foundation in the form of isolated footing is not economical.

- IS 2911 (Part-III) 1980 is used for load carrying capacity of different under reamed piles and presented in Table No.1,
- Depending upon the individual column loads, doubte / single under reamed pite foundation in single or group of piles with or without pile cap is suitable and recommended.

OF CTE LAB

CIVIL ENGG.

CONSULTANCY CELL Head of Civil Engineering Gediavations Engineering College, -udiavailers Engineering College

Gudiavalieru Engineering College, GUDLAVALLERU-521 356

Budlavallero 521 358

GUDLAVALLERU - 521 056

Krishna Dist., A.P.

Page 5 of 5.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AtCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9648779121 Fax No. 08674-273957

e-mad: principal@gecgudlavalieru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### POTŁURI RAVINDRA BABŬ

B. Sehr, M.S., M. Debi, Ph. D. Lindar, Mich., MSRB, Massel, MSAR, MSAR, MIM.

tpu3

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 26th May, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

SIr.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Weilness Center at Payyaru, Mudinepaili Mandal, Krislina District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-196

<sup>3</sup> am horewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Payyaru, Mudinepalli Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (\$7-198)	Soil Investigation And Recommendations for the Foundation for Grams Sachivalayam, Raithu Borosa Kendram and Wellness Center at Payyaru, Mudinepalli Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Oraft in favour of "Principal, Gudlavallero Engineering College Gudlavallero" payable at SBI, Gudlavallero or through RTGS mode to State Bank of India, Gudlavallero with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully.

PRINCIPAL

Encl: 2 sets of Reports

Record MODE

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinade)

Seshadri Res Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08874-273957

a-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

Billight, M.S., M. (e.6), 19.12.

Service Country of the Service

cipal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 26th May, 2020

To
Deputy Executive Engineer
PRI Sub Division
Mandavalli
Krishna District - A.P

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayard, Raithu Borosa Kendram and Wellness Center at Bomminampadu, Mudinepalli Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-197

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivaleyam, Raithu Borosa Kendram and Wellness Center at Borrminampadu, Mudinepal! Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-197)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Bomminampadu, Mudinepalii Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalieru Engineering College Gudlavalieru" payable at SBI, Gudlavalieru or through RTGS mode to State Bank of India, Gudlavalieru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11586344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Docement To MEET

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India
(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08674-273957

e-mail: principsi@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web; www.geogudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

fill Reductions, M. Reduction, Ph.D.

Lichney Matte, 441 St. Control of Social Matter Matter

EFAR

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 26th May, 2020

Ťø

Deputy Executive Engineer PRI Sub Division Mandavalili Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Korragontapalem, Mudinepalli Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-198

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Korragontapalem, Mudinepalli Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-198)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Welfness Center at Korragontapalem, Mudinepalli Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Кирвев	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Oraft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you.

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Delvard Rorde

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District. A.P., India (Approved by AICTE, New Delh) and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888. Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudiavalieru.ac.in, office@gecgudiavalieru.ac.in, Web; www.gecgudiavalieru.ac.in

#### POTLURI RAVINDRA BABU

Billiah, M.S., Mittell, Ph.D.,

this top wester wished the end, easily likely, while

ci sal

REF: GEC/ONGC/CONSULTANCY/2820/

Date: 04th June, 2020

Τρ

Deputy Executive Engineer PRI Sub Division Mandavalii Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayers, Raithu Borosa Kendram and Wellness Contor at Mulaupparagudem, Kalidindi Mandai, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-199

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Mulaupparagudem, Kalidindi Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Tate! Amount
1 (ST-199)	Soil Investigation And Recommendations for the Foundation for Grams Sachivalayam, Raithu Borosa Kendram and Wellness Center at Mulaupparagudem, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SEIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Remail Mark

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India [Approved by AfCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in. office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

Director Mississ Million Parks, Ph. 19.

the congression of the Congression of the Charles of the Congression o

(eigni)

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4th June, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayani, Raithu Borosa Kendram and Wellness Center at Bhaskararaopeta, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-200

) am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kandram and Wellness Center at Bhaskararaopeta, Kalidindi Mandal, Krishna District of A.P.

SI, No.	Name of Work	Consultancy charges	Total Amount
1 (ST-200)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Bhaskararaopata, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11586344394.

Thanking you.

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Remod were

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9849779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, offica@gecgudiavalleru.ac.in, Wab; www.gecgudiavalleru.ac.in

#### OTLURI RAVINDRA BABU

H. Tayler, M.S., M. Lerin, Ph.D.

Contract Michigan States Michigan States Michigan

[pa]

REF: GEC/ONGC/CONSULTANCY/2020/

Dats: 4th June, 2020

TΔ

Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Şir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kondangi, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-201

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kondangi, Kalidindi Mandal, Krishna District of A.P.

ŞI, No.	Name of Work	Consultancy charges	Total Amount
1 (\$T-201)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kondangi, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" phyable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell : 11588344394.

Thanking you,

Yours faithfully.

PRINCIPAL

Encl: 2 sets of Reports

Pacured Moor

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshada Red Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 09674-273737, 273888, Mobile: 9848779121 Fex No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

B. Gedr. M.S., M. Redic, Ph.D.,

IL V. Link, MINER MINEN, ASSAUL, MSAC, MNCA, MOIM,

respol

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4th June, 2020

Ta

Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soll investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Pedalanka, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-202

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Pedalapka, Kalidindi Mandai, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-202)	Soil Investigation And Recommendations for the Foundation for Grams Sechivalayam, Raithu Borosa Kendram and Wellness Center at Pedalanka, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,900/-
(Rupces	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11586344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Page 188 Marion

ENGINEERING COLL GUDLAVALLERU An Autonomous Village, GUDLAVALLERU-521 358, Krishna District, A.P., India Seshadri Rao Knowledge (1997) See Just See Local Co., 1997. with statem, and Affiliation to JNTUK, Kakinada) (An Autonomous dti Rao Knowledge (1) 2 marts (1) 10 m. (1) 1358, Krishna District, A.P. Accredited by NAAC with 'A' Grade NBA Accorditation: 8.19737, 273888, Mobile: 9848779124 Communication: 8.19737, 273888, Mobile: 9848779124 IBA Accreditation: B. 1960 Per No. 273888, Mobile: 9848779121 Hax No. 198674-273957
Phone Nos. 09674-273736 in inflice@geogudiavalledu en in 1874-273957 Phone Nos, 09674-273 No In inflice@geogudiavalleru.sc in, Web; www.geogudiavalleru.sc.in

-mail: principal@geogudiavalleru.sc.in DTLURI RAVINDRA BABU Diffector M.S., M. Rech., Ph. D. boy, applies are to kind only special special streety REF: GEC/ONGC/CONSULTANGY/2020/ 3:4] Date: 4th June, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P.

Sub: Submission of Hard sub Foundation for D Recommendations for the Poundation for Grama Sachivalayari, Raithu Borosa Recommendations Center at Padmatipalem, Kallolndi Manda, Krishna District Kendram and Weiliness of Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-203

I am herewith submitting two sets of hard copies on Soil Investigation And r am herewith Strong Foundation for Grama Sachivalayam, Raithu Borosa Kendram Recommendations for the Foundation Kalisland Managem Raisland Raisland Managem Raisland Managem Raisland Managem Raisland Managem Raisland Raisland Managem Raisland Raislan eadmatipalem, Kalidindi Mandal, Krishna District of A.P.

	Name of Work	Consultancy charges	Total Amount
\$1. No. 1 (ST-2031	Soil Investigation And Recommendations for the Soil Investigation And Sachivalayam, Raithu Borosa Foundation for Grama Sachivalayam, Raithu Borosa Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Welliness Center at Padmatipalem, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
	Kendram and Welliness Conter at Padmatipatern, Kendram and Welliness Conter at Padmatipatern, Kalidindi Mandal. Kalidindi Mandal.	Total	Rs.4,000/-

(Rupses Four Thousand Only)

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavallers" engineering College Gudlavallers" payable at SBI, Gudlavalleru or through RTOS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A<sup>IC</sup> of college consultancy cell: 11588344384.

Thanking you,

Yours faithfully,

Encl: 2 sets of Reports

ALLERU ENGINEERING

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALUERU-521 356, Krishna Diatrict, A.P., India (Approved by AICTE, New Dath) and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation, B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

p-mail: principsi@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### OTLURI RAVINDRA BABU

B. Ledit, M.S., M. Rebt, Ph.D.,

Clear Silving who pay we sade business, Malay of Holy

pal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4" June, 2920.

 $T_{\Omega}$ 

Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.F.

Slc.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil (eyestigation And Recommendations for the Foundation for Grama Sachivalayad, Ralthu Borosa Kendram and Wellness Center at Pothumarry, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-204

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Pothumarru, Kalidindi Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (\$T-204)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Pothumarru, Kalidindi Mandal, Krishna District of A.P.	Rs.4,200/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalieru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN9001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 2 sets of Reports

Recured work

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

#### OTLURI RAVINDRA BABU

Barcell, M.S., M.Toyle, Ph.D.,

Lifer LANS DE MARAU MASACE MISSE, MISEA, MILM

rpseli

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4th June, 2020

To Deputy Executive Engineer PRI Sub Division Mandavelli Krishna District - A.P

Şir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grams Sachivalayars, Raithu Borosa Kandram and Wellness Center at Kallapatem, Kalidindi Mandal, Krishna Cistrict of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-205

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendran: and Wellness Center at Kallapalem, Kalidindi Mandal, Krishna District of A.P.

Sl. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-205)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kallapalem, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SSI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

December

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fex No. 08874-273957

e-mall: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### POTLURI RAVINDRA BABU

O, seeh J. St. S. Jan D. Sa., 1964). St. Stolens of the OCC WS VI., Vol. 8, 1996.

ipal

REF: GEC/ONGC/CONSULTANCY/2020/

Oate: 4th June, 2020

To
Deputy Executive Engineer
PRI Sub Division
Mandavalii
Krishna District - A.P

Sır,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayan, Raithu Borosa Kendram and Wellness Center at Sanarudravaram, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-208

I am herewith submitting two sets of hard copies on Soll Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Weilness Center at Sanarudravaram, Kalidindi Mandal, Krishna District of A.P.

ŞI. No.	Name of Work	Consultancy charges	Total Amount
1 (\$T-206)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center et Sanarudravaram, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11688344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Realward work

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Dolhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavelleru.ac.in, office@gecgudiavalleru.ac.in. Web: www.gecgudiavalleru.ac.in

#### OTLURI RAVINDRA BABU

D. De Sal, M.S., M. Seche, Ph.Dr. J. 1987, Mp. 19, Markey, and Coll., Markey, Markey, Markey, A. 1987, Mp. 19, Markey, A. 1981, Apr.

ipal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4th June, 2020

To
Deputy Executive Engineer
PRI Sub Division
Mandavalli
Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Railhu Borosa Kendram and Wellness Center at SRP Agaraham, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-207

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Saithu Borosa Kendzam and Weilness Center at SRP Agaraharm, Kalidindi Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-207)	Soil Investigation And Recommendations for the Foundation for Grams Sachivalayam, Rakhu Borosa Kendram and Wellness Center at SRP Agaraham, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupeas	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of india, Gudlavalleru with iFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Rearmed Moon

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AIGTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, EUE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavelieru.ac.in. office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### POTŁURI RAVINDRA BABÚ

B.Roch, M.S., M.Joch, Ph.D., without May to Albest Massaul Make by Albert Miller ipa:

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4th June, 2020

Tσ Deputy Executive Engineer PRI Sub Division M≉ndavalli Krishna District - A.P.

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soli Investigation And Recommendations for the Foundation for Grama Sachivalayars, Saithu Borosa Kendram and Wellness Center at Korukollu - 2, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-208

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Korukollu - 2, Kalidindi Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Attrount
1 (ST-208)	Soll Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Weliness Center at Korukollu - 2, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavafleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy coll: 11588344394.

Thanking you,

Yours faithfully,

Entl: 2 sets of Reports

GUDLAVALLERU ENGINEERING COLLEGE
(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seahadn Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna [Netrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, EGE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mad: principal@gecgudiavaileru.ac.in, office@gecgudiavaileru.ac.in, Web, www.gecgudiavaileru.ac.in

#### POTLURI RAVINDRA BABU

H. Tache, M.S., M. Sech., Ph.Dr., Clean, Shiff, Madel Mannel, Madel Madel, Mind.

cipal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4<sup>d</sup> June, 2020

Τo

Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soli Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Korukollu - 1, Kalidindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-209

I am herewith submitting two sets of hard copies on Soll Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Korukollu - 1, Kalidindi Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-209)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kerukellu • 1, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Damand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at S8I, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Parented moor

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08674-273957

e-mail: principal@geogudiavatleru.ac.in, office@geogudiavatleru.ac.in, Web; www.geogudiavatleru.ac.in

#### POTLURI RAVINDRA BABU

B. Roll, A&S., M. Beck., Ph.D.

process, salarp, wealth the signature, soder, word,

qua

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 4<sup>th</sup> June, 2020

Τo

Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Weilness Center at Kotcherla, Kalldindi Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Rel: Report ST-210

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kotcheria, Kalidindi Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (\$Y-210)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kotcheria, Kalidindi Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344384.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Masser SA MORE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fex No. 08674-273967
e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web, www.geogudlavalleru.ac.in

POTLURI RAVINDRA BABU

Billish , M.S., M.Jeeb., Ph.D.,

IE. COLOMBRE MISTAL MASSIE, MISAN, MISTA, MOIM,

ripal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 25th June, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishga District - A.P

SIr,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivatayan, Raithu Borosa Kendram and Wellness Center at Kalkaluru • 4, Kaikaluru Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report \$T-211

I am herewith submitting two sets of hard copies on Soil investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kaikaluru - 4, Kaikaluru Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-211)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendrem and Wellness Center at Kaikaluru - 4, Kaikaluru Mandal, Krishna District of A.P.	. Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001481 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours falthfully,

PRINCIPAL

Encl: 2 sets of Reports

Promised work

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rac Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & 14 for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principet@gecgudlavallaru.ac.in, office@gecgudlavalleru.ac.in. Web; www.gecgudlavallaru.ac.in

#### POTLURI RAVINDRA BABU

Billian M.S., M. Beck, Ph.D.,

with the property of the second of the secon

ipul

REF; GEG/ONGC/CONSULTANCY/2020/

Date: 25th June, 2020

To
Deputy Executive Engineer
PRI Sub Division
Mandavalli
Krishna District - A.P

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grams Sachivalayani, Raithu Borosa Kendram and Wollness Center at Kottada, Kaikaluru Mandal, Krishna District of Andhra Pradesh and Bill of charges – Rog.

Ref: Report ST-212

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kottada, Kaikaluru Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-212)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Kottada, Kaikaluru Mandal, Krishna District of A.P.	Ra.4,000/-	Rs.4,000/-
(Rupces	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy coll: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Resummed HONE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & 17 for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957

e-mail; principal@gecgudtavalleru.ac.in. office@gecgudlevalleru.ac.in, Wab; www.gecgudlavalleru.ec.in

#### r. POTLURI RAVINDRA BABU

O'Tech . M.S., M'Tech . Ph.D .

PHYLOGO, AIRTH, MC 332 BIASPIE, MASE, MASE, MASE, MISE

rincipal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 25th June, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli

Krishna District - A.P.

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Pandiripalligudem, Kaikaluru Mandal, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-213

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Ralthu Borosa Kendram and Wellness Center at Pandirlpalfigudem, Kalkaluru Mandal, Krishna District of A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-213)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Pandiripalligudem, Kaikaluru Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001481 to Saving A/c no of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 2 sets of Reports

poemed wood

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation; B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & 17 for 3 Years - Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08674-273957

-mail. principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

#### POTLURI RAVINDRA BABU

H. Tach M.S., M. Lech., Ph.D., or originates wides making Nead Master, MDM.

cipal.

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 25th June, 2020

To Deputy Executive Engineer PRI Sub Division Mandavalli Krishna District - A.P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayari. Raithu Borosa Kendram and Wellness Center at Vemavarapadu, Kaikaluru Mandel, Krishna District of Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-214

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Vernavarapadu, Kalkaluru Mandal, Krishna District of A.F.

AAZ

Sl. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-214)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Vemavarapadu, Kalkaluru Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Oraft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru vrith IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Reports

Reserved more

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rep Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail; principal@geogudiavatleru.ac.in, office@geogudiavatleru.ac.in, Web; www.geogudiavatleru.ac.in

r. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

HISTE, MITETE, MIL. MCSI, MISRS, MIAPR, MCRSI.

rincipal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 9th December, 2020

To Chalamasetty SivaSri, D.No.16-490-1-2-3, Z.P Center, Machilipatnam, Krishna District, A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soi! Investigation and Recommendations For The Foundation of Residential Building (G+2), Z.P Center, Machilipatnam, Krishna District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Sub Soll Investigation and Recommendations For The Foundation of Residential Building (G+2), Z.P Center, Machilipatnam, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-244	Sub Soil Investigation and Recommendations For The Foundation of Residential Building (G+2), Z.P Center, Machilipatnam, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/
Runees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadii Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273967 e-mail: principal@gecgudlavalleru.sc.in, office@gecgudlavalleru.sc.in, Web: www.gecgudlavalleru.sc.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Toch., Ph.D.,

MISTE, MIETE, MIE. MCSI, MISRS, MIAPR, MARSI

Principal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 6th January, 2021

To M Sanjeeva Rao Survey No-214/2B, BLP No181/1982, R.R.Nagar, Suryarao peta, Near Guda office, Kakinada East Godaveri District – A.P

Sir.

Sub: Submission of Hard copy Reports (2 sets) on the sub soil investigation and recommendations for the foundation of Residential Apartment (stilt+g+4). Suryarao peta, Kakinada, East Godavari District, Andhra Pradesh and Bill of charges - Reg

I am herewith submitting two sets of Hard copies on sub sod investigation and recommendations for the foundation of Residential Apartment (stift+g+4), Suryarao peta, Kakinada, East Godavari District. Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-246	Sub soll investigation and recommendations for the foundation of Residential Apartment (stilt+g+4), Suryarao peta, Kakinada, East Godavari District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL





(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Dalhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273988, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principat@geogudiavalleru.ec.in, office@geogudiavalleru.ec.in, Web: www.geogudiavalleru.ec.ia

G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.II.,

TE, MIETE, MIE, MUSI, MISRS, MIAPE, MERST

ncipal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 6th January, 2021

To

Sri P.Narayana Rao,

Contractor,

Narasapuram,

West Godavari District.

Sir.

Sub: Submission of Hard copy Reports (5 sets) on the Soll testing reports & Design of ONGC Rig foundation at "VDP-AB" 10/s, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 153

I am herewith submitting five sets of Hard copies on Soit testing reports & Design details of ONGC Rig foundation at "VDP-AB" D/s, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
Si 246	Sub soll Investigation and Recommendation for the foundation of Orill site "VDP-AB" D/s. East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF 1573	ONGC Rig foundation at "VDP-AR" D/s, East Godavari District, A.F	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drowings: Copy to Consultancy Cell of GEO FRU FNGINEERING COL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Red Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273967 e-mail; orlncipal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.pecgudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., NLTeck, Ph.D.

MISTE, MIETE, MIEL MCSI, MISKS, MLAPR, MCRSI

Principal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 6th January, 2021

Τσ Srl D. N. Kumar, Assistant Engineer, **Endowments Department.** Vijayawada, Krishna District - A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the sub soil investigation and recommendations for the foundation of Sri Venkateswara Swamy temple building. Kaikaluru, Krishna District, Andhra Pradesh and Bill of charges - Reg

am herewith submitting two sets of Hard copies on sub soil investigation and recommendations for the foundation of Sri Venkateswara Swamy temple building, Kaikaluru, Krishna District, Andhra Pradesh.

\$I. No.	- Indiana of Fidik	Consultancy charges	Total Amount
ST-247	Sub soil investigation and recommendations for the foundation of Sri Venkateswara Swamy temple building, Kaikaluru, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
Runees	Four Thousand Only		

Total | Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you. Yours faithfully,

PRINCIPA



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehadd Red Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nov. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273967 e-mail: principal@gecgudlavelleru.ac.in. office@gecgudlavelleru.ac.in. Web: www.gecgudlavelleru.ac.in

#### G. V. S. N. R. V. PRASAD

M.S., MLTGE, FEID., TE, MIETE, MIÉ, MÓSL MISRS, MIATR, MORSI

incipal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 18th January, 2021

To Sri PILLI PRASAD, ASSISTANT ENGINEER MACHILIPATNAM, KRISHNA DISTRICT - A.P Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Sarada Nagar, Machilipatnam, Krishna District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Sarada Nagar, Machilipatnam, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-248	Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Sarada Nagar, Machilipatnam, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: •91 9848779121 Fex No. 08674-273957 e-mail: principal@gecgudavalleru.ac.in, office@gecgudavalleru.ac.in, Web: www.gecgudavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

MISCE, MIETE, MCE, MCSI, MESRS, MEAPR, MCRSI

Principal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 18th January, 2021

To Sri PILLI PRASAD, ASSISTANT ENGINEER MACHILIPATNAM, KRISHNA DISTRICT - A.P Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Near Brahmam Gari Gudi, beside bypass, Machilipatnam, Krishna District, Andhra Pradesh and Bill of charges – Reg.

am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Near Brahmam Gari Gudi, beside bypass, Machilipatnam, Krishna District, Andhra Pradesh.

SI. No.		Consultancy charges	Total Amount
ST-249	Sub Soit Investigation and Recommendations for the Foundation of Urban Health Center, Near Brahmam Gari Gudi, beside bypass, Machillpatnam, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupee:	s Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudiavaReru.ec.in, office@gecgudiavalleru.ec.in, Web: www.gecgudiavalleru.ac.in

#### G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D., STE, SCHEE, MIE, NOSI, MISRS, MIAPR, MORSI

incipal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 18th January, 2021

Tα Sri PILLI PRASAD, ASSISTANT ENGINEER MACHILIPATNAM. KRISHNA DISTRICT - A.P. Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Gliakaladindi, Machilipatnam, Krishna district, Andhra Pradesh and Bill of charges - Reg.

am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Gliakaladindi, Machilipatnam, Krishna district, Andhra Pradesh.

\$I. No.	Name of Work	Consultancy charges	Total Amount
ST-250	Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, Gilakaladindi, Machilipatnam, Krishna district, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
(Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable et SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rec Knowledge Village, GUDLAVALLERU-521 356, Knahna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.sc.in, office@gecgudlavalleru.sc.in, Web. www.gecgudlavalleru.sc.in

#### r. G. V. S. N. R. V. PRASAD

W.S., M.Tack, Ph.D.,

ISTE, MISTE MIE MUSE MISKS, MIAPRO MUSEI

rincipal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 18th January, 2021

To SH PILLI PRASAD, ASSISTANT ENGINEER MACHILIPATNAM, KRISHNA DISTRICT - A.P. Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, YSR Park, beside Railpeta School, Nobel Colony, Machilipatnam, Krishna District, Andhra Pradesh and Bill of charges – Reg.

i am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, YSR Park, beside Railpeta School, Nobel Colony, Machilipatnam, Krishna District, Andhra Pradesh.

\$I. No.		Consultancy charges	Total Amount
\$T-251	Sub Soil Investigation and Recommendations for the Foundation of Urban Health Center, YSR Park, beside Railpeta School, Nobel Colony, Machilipatnam, Krishna District, Andhra Pradesh	Rs.4,000/-	Rs.4,000/-
Rupees	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seahadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Wab: www.geogudlavalleru.ac.in

. V. S. N. R. V. PRASAD

M.S., M.Tech., McD.,

MIGTE, MIE, MCSI, MESRS, MIAPR, MCHSI.

cípal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 17th February, 2021

Tο

Sri P.Narayana Rao,

Contractor,

Narasapuram,

West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "BR - AB"D/s, West Godavari District, A.P and Bill of charges - Reg.

Ref: Report RF - 154

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "BR - AB"D/s, West Godavari District, A.P.

SI. No.		Consultancy charges	Total Amount
ST-262	Sub soil investigation and Recommendation for the foundation of Drill site "BR -AB" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-154	ONGC Rig foundation at "BR - AB" D/s, West Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08674-273957 e-mail: principal@gecgudlavalleru.ec.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MICTE, MIF, MOSI, MISRS, MIAPK, MCKŠI

ipal

REF: GEC/ONGC/CONSULTANCY/2021

Date: 16th March, 2021

To

Sri P.Narayana Rao,

Contractor.

Narasapuram,

West Godavari District.

Şir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "MDE-L"D/s, West Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 155

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDE-F."D/s, West Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount	
ST-254	Sub soll investigation and Recommendation for the foundation of Drill site "MDE-L" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-	
RF-156	ONGC Rig foundation at "MDE-L" D/s, West Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-	
(Rupee:	s Twenty Thousand Only)	Total	Rs.20,000/-	

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

D tonu

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Sashadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08574-273737, 273888, Mobile: 9846779124 Fax No. 08674-273957

e-mail: principal@geogudiavalieru.ac.in, office@geogudiavalleru.ac in, Web: www.geogudiavalleru.ac.in

#### r. POTLURI RAVINDRA BABU

B, prelit, M.S., M. Tredit, Ph.D.,

\$15 hard, Squite, Space, Taxonic, MSAT, 40-5 A. MINN

incipat

REF: GEC/ONGC/CONSULTANCY/2020

Date: 28th November, 2020

To Deputy Executive Engineer PRI Sub Division, Gudivada, Krishna District, A.P.

Sir,

Sub: Submission of Hard copy Reports (2 sets) on the Sub Soil Investigation and Recommendations for the foundation of Raithu Barosa Kendram, Vinnakota. Gudlavalleru Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting two sets of Hard copies on Sub Soil Investigation and Recommendations for foundation of Raithu Barosa Kendram, Vinnakota, Gudiavalleru Mandal, Krishna District, Andhra Pradesh

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-193	Sub Soil Investigation and Recommendations for the foundation of Raithu Barosa Kondram, Vinnakota, Gudlavalleru Mandal, Krishna District, Andhra Pradesh	Civ	Rs.4,000/-

(Rupees Four Thousand Only)

Total

Rs.4.000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Dolhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grede

Phone Nos. 08674-273737, 273898, Mobile; +91 9848779121 Fex No. 08674-273957

e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Wab: www.peogudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

P. hyb. M.S. M. Lenn, Ph. B. CITED THE MINING WASHINGTON THE SHOP OF

Paragraphi

REF: GEC/CONSULTANCY/2020/

04th August, 2020

The General Manager,

Power Mech Projects Limited,

Hyderabad

Sir.

Name of the work: Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Reilway Quarters, RVNL-GDV-MTM.

Sub: Bill of charges for conducting soil tests and submission of reports—Reg.

We are herewith submitting two copies of bill of charges for conducting tests on soil

properties and submitting the reports.

S. N	- Coordination of Work	Code	No. of Sample	Each sample	Total Amount
1	Visit to the site for soil exploration (1" Visit)	P	113	5,500-00	
2	Conduction of field test and soil onflection	13	3 (7)		5,500-00
1 3	Transportation Charges for conducting field tests for	- 5	- 30	11000-00	33000-00
- °-	a Cocations		- 12.1	11000-00	11000-00
4	Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Quarters, Gudwada, Krishna District, A.P.	ST- 176	78	4400 OG	4400-00
5	Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Rarlway Quarters, Machil patnam, Krishna District, A.P.	\$T.	0	4400-00	4400-00
6	Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Quarters, Pedana, Krishna District, A.P.	ST- 178	1	4400-00	4400-00
(Rupe	es Sixty Two thousand Seven hundred only			Total 5	

Total Amount: 62,700-00

Please arrange the bill amount Rs.62,700/- through RTGS mode payment to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to the Saving A/c no. 11588344394 of Consultancy cell, Gudlavalleru Engineering College. Thanking you,

Yours faithfully.

RINCIPAL

Encl: 2 sets of bill of charges & Copy to Consultancy Cell of GEC

U ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rap Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273957

ș-mail. µrincipal@gecgudiavalleru.sc.in, offica@gecgudiavalleru.sc.in, Web∵www.gecgudiavalleru.sc.in.

#### Dr. POTLURI RAVINDRA BABU

B. Colin , Al 5 Of Ress Ph O

put Charge, Nithold Mean's WASHINGTON AND AN ARREST WITH

Promogazi

REF: GEC/CONSULTANCY/2020/

The General Manager,

Power Mech Projects Limited,

Hyderabadi

Sir.

Name of the work; Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Quarters, RVNL-GDV-MTM.

Sub: Bill of charges for conducting soil tests and submission of reports—Reg.

We are herewith submitting two copies of bill of charges for conducting tests on soil

properties and submitting the reports.

S. N	Description of Work	Code	No. of Sample	Each sample	Total Amount
1	Visit to the site for sort exploration (1º Visit)	7	111	5,500-00	
2	Conduction of field tost and soil collection		2 / 13		5,500-00
3	Transportation Charges for conducting field tests for	- 6	3	11000-00	33000.00
٠.	3 Locations	100	11.4	110CO-OD	11000-00
4	Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Ouartors, Gudivada, Krishna District, A.P.	ST- 179	73	4400-00	4400-00
5	Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Guarters, Machilipatnam, Krishna District, A.P.	\$T. 177	0	4400-00	440U-CO
ô	Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Quarters, Pedana, Krishna District, A.P.	ST- 178	1	4400-00	4400 00

(Rupees Sixty Two thousand Seven hundred only)

Total Amount: , 62,700-00

04th August, 2020

Please arrange the bill amount Rs.62,700/- through RTGS mode payment to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to the Saving A/c no. 11588344394 of Consultancy cell, Gudlavalleru Engineering College. Thanking you,

Yours faithfully.

Encl; 2 sets of bill of charges & Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavaileru.ac.in, office@gecgudiavaileru.ac.in, Web: www.gecgudiavaileru ec.in

04th August, 2020

#### Dr. POTLURI RAVINDRA BABU

D. Field, M.S., M. Rock, Ph. O.

OF FROM MICH. ASSESSMENT OF MICH. AND A MICH.

Prontigal

REF: GEC/CONSULTANCY/2020/

The General Manager, Power Mech Projects Limited,

Hyderabad

Sir,

Name of the work: Sub Soil Investigation and Recommendations for the Foundation of Over Head Reservoir at Railway Quarters, RVNL-GDV-MTM.

Sub; Bill of charges for conducting soil tests and submission of reports-, Reg.

We are herewith submitting two copies of bill of charges for conducting tests on soil

properties and submitting the reports.

S. N	Description of Work	Code	No. of	Each sample	Total .
1 1	Visit to the site for soil exploration (15 Visit)		Sample	rate	Amount
2	Conduction of held test and soil collection	-500	1-177	5,500-00 ;	5.500-00
2	Transportation Charges for conducting field tests for	16	3 (1)	11000-00	33000-00
٠	3 Locations	100	1.11.1	11000-00	
	Sub Soil Investigation and Recommendations for	10			11050-00
, 4	The Contractor of Clypt Head Reservation men	ST-	and.		
<u> </u>	Guariels Gualyada, Krishna District A.P.	176	10	4400-00	4400-on
5	Sub Spil Investigation and Recommendations for the Foundation of Over Head Reservoir of Reservoir	ş <sub>T</sub> -	0	— —i-	
<sup>!</sup>	Quarters, Machilipalnam, Krishna District, A.P.	177	0	4400-00	4400-00
5	Sub Soi, Investigation and Recommendations for the Foundation of Over Head Reservoir at Political	ST-	+	4400-00	
'	Coloniers, Fedana, Krishna District, A.P.	178		4400-00	4400-00
(Rupe	es Sixty Two thousand Seven hundred only)			otal Amount	 62 700 00

Please arrange the bill amount Rs.62,700/- through RTGS mode payment to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to the Saving A/c no. 11588344394 of Consultancy cell, Gudlavalleru Engineering College. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of bill of charges & Copy to Consultancy Cell of GEC

# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF OVER HEAD RESERVOIR AT RAILWAY QUARTERS, GUDIVADA, KRISHNA DISTRICT, ANDHRA PRADESH

LOCATION

GUDIVADA, KRISHNA DISTRICT - A.P.

CLIENT

RVNL, VIJAYAWADA ANDEIRA PRADESII

SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



# CONSULTANCY CELL. \*\*DEPARTMENT OF CIVIL ENGINEERING\*\* GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P

#### REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF OVER HEAD RESERVOIR AT RAILWAY QUARTERS, GUDIVADA, KRISHNA DISTRICT, ANDHRA PRADESH

#### 1. INTRODUCTION:

RVN1., Vijayawada, GVR-Premoo joint Venture and M/S 5ri Venkateswara Tube well Works, Peravali requested the Consultancy cell of Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend suitable foundation for Over head Reservoir at Railway Quarters, Gudivada, Krishna District of Andhra Pradesh.

The following are the responsibilities of M/S Sri Venkoteswara Tube well Works. Peravali,

- Soil horing of 150mm diameter upto 10 meters depth at one location as specified by the client.
- Collection of undisturbed and disturbed soil samples from the bore.
- Conducting Standard Penetration Test (SPT) at regular intervals within the bore.

M/S Sri Venkateswara Tube well Works, Peravali has taken up the sail boding, sample collection and field testing (Field Pictures are attached in Appendix) on behalf of the RVNL. Vijayawada.

This report contains the result of field and faboratory tests. Recommendations on bearing capacity of soil and type & depth of foundation for the proposed Over head Reservoir are presented in the report.

# 2. THE STRUCTURE AND LOCATION

The proposed Structure is an Over head Reservoir and is to be boilt at Railway Quarters, Gudivada, Krishna District of Andhra Pradesh.

# 3. FIELD INVESTIGATION PROCEDURE

The sub-soil investigation was carried out to determine

- Classification and extent of each soil & rock stratum likely to be affected by the proposed work.
- Nature of each stratum and engineering proporties of soil which may influence the mode of construction of the proposed structure and their foundation.

## 3.1 Field Soil Investigation Procedure

M/s. Sri Venkateswara Tube well works: Peravalli has submitted the soil investigation bore data at one location of the proposed site.

# 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standards to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil samples to obtain the shear strength of soil. The results are presented in Tables 2 to 3.

## 4. L SUB SOIL PROFILE

The sub soil profiles at the bore hole location, based on the identification of soil samples, the test results on both field and laboratory tests are shown in fig 1. The design soil parameters are presented in Tables 1 & 2.

#### Bore hole-1

Depth Below Gf. (m)  0.00 - 3.40	Visual identification of soil and IS soil  classification Filfed Up Soil	
	Brown Clay	05 - 30

# 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 3.40m below ground level is Filled Up Soil, from 3.40m to 10.00m is Brown Clay for Borchole, open foundation in the form of isolated feoting or deep foundation in the form of bored piles / under reamed piles may be suitable.

Is should test on swand strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to any expected horizontal forces.

# Alternative I : Open foundation in the form of Isolated / Combined footing

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-3.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$\begin{split} q_a &= C \; N_c \, S_c \; D_c + \gamma \, D \; N_q \; S_q \; D_q \; R_w \, 2 = 0.5 \; \gamma \; B \; N_Y S_Y D_Y R_W \, 2 \; ---- \; (1) \\ q_a &= 35 \; (N-3) \; [(B+0.3)/2B]^2 \; R_W \, 2 \; Rd \; for softlement of 25 mm for sand (2) \\ q_a &= 1.25 \; N \; for \; clayey \; soil \; ---- \; (3) \end{split}$$

When the foundation is subjected in light loads. At a depth of 2.0 m from ground level, the allowable bearing capacity is 9.9  $t/m^2$  and at a depth of 3.0 m from ground level, the allowable bearing capacity is 11.2  $t/m^2$ .

# Alternate method II: Under-renmed pile foundation:

From hore hole data, the top soil from 0.00m to 3.40m below ground level is Filled Up Soil and from 3.40m to 10.00m is Brown Clay.

The safe loads for the under reamed pites are as follows

Table -1 Under-reamed Pile with single / double bulbs

Dia in (mm)	F. 1800.	Safe load carrying capacity (tonnes				
With Two bulbs	Length (m)	Single under- reamed	Double under- gramed			
-[	4.0	13.75	19.75			
300	4.5	15.50	21.50			
	6.0	20.75	26.75			
	4.0	20.25	28,12			
375	4,5	22.5()	30.38			
	6.0	29.25	37.12			
	4.0	28.94	37.30			
450	4.5	31.63	39.38			
	6.0	39.69	47.44			

The spacing and no.of the under-reamed piles for column can be obtained from the loadings. The minimum spacing of the piles will be 1.5 times the bulb diatemeter. The first bulb should be provided at a depth of 2 times the bulb diameter below the ground level in case of double under reamed pile.

Mr. Phanikumar. V EONSULTANCY CELL Gudiavalieru Engineering & oliege, GUDLAVALLERU - 521 355 Krishne Diet., A.P

8 ٥ 90 Depth below G.t. Location : Gudjvada, Type of Busing: Bure Hole: 1 Soil profile Brown Clay Filled Cp Suif Description Jos Jo Note: The test results apply only to the samples sent to the Krishna District, Andhra Pradesh. 6.60 Fig 1: Results obtained from field in bore hole ? 3.40 Thickness of layer Bore Hole diameter 150mm ENGINEERING COLLEGE in meters SPITIO SPT9 STA1S SPT7 91JrFS Shas \$PT4 SPT. SP12 SPT1 0.8 Depth at which S.d.n sample are collected 10,00 8 8 7.00 6.00 5.00 Depth at which test 4.00 3.08 2.00 1.00 is conducted in meters œ æ, 0 th N 36 0-15 cm G.W.L Z ü 5 Field Investigation  $\mathbb{N}^{1}$  $\triangle$ 10 4 15-30 cm S  $\overline{\Delta}$ Ы 1,00m b.g.J laboratory -4  $\bigcirc$ Oi. 30 - 4.5 cmNA Ob S 12 ¥ Value <u> Date:</u> Graphical reprosentation of Resistance Penetration 12-07-2020

Page 5 of 8

# PROJECT: Construction of Over Read Reservoir

Location: Cadhenda.	Evaluation of Cycle Head Reservoir
- and the state of	Krishna District, A.P. Bore Hole No: 1 Depth of Water Level: 1.00 m h m l
	The state of the s

Depth below		T - C Deprit of Water	Level: 1,00 m b.g.t	
the existing Visual identific	cation of   IS Soil   Natural	D	T — — — — –	r———
ground level soil	Classifi-   Photosture	Dry Unit SPT	Shear parameters	Haconfined
(metros)	cation content	[g/cc] Value	Cohesion	Compressive
0.00 - 3.40 Filled Up :	$\frac{1}{100} + \frac{1}{100} + \frac{1}{100} + \frac{1}{100} = \frac{1}{100}$	N)	$C(kN/m^2) = \phi(deg)$	Strength
3.40 - 10.00 Brown CI	— — — — — <u>— — — — — — — — — — — — — — </u>		- 129 <sup>u</sup> - 30 <sup>c</sup>	(s <u>N/m²)</u>
	<sup>ау</sup> <u>Сн</u> <u>47.36 - 66,69</u>	1.27 - 1.52 05 - 30	24 - 97	
	T. D. D. W.	<u> </u>	4-9/   -	48 - 194

# TABLE No. 3 Results of Laboratory Soil Testing

			<u> </u>		$\overline{}$				Or CAR	sass HEAT'A	2011 14	esting						
	Depth befow	Type of sample	Viscal Identification of	IS Sett	Encon comp. strength qu kN/m²	Dry unit weight, 74.g/cc	Naturalmeisture content (%)	Liquid Limit (%)	Plastic Litnit	Plasticity Index (%)	Gravel vize (%)	Coarse Sand	Medium Sand	Fine Sand size	Shit and clay	Recorded SPT		Allowable Dearing Capacity for 28mm Settlement (Em <sup>2</sup> )
ļ	$\frac{(l)}{0.00 + 3.40}$	+ (2) -	(3)	(4)	(5)	(6)	<u>[</u> (7)]	<u></u>	(9)	(10)	1,	1 175	+ —	⊥ _	+	_ A2	× Ö	美용포
		<u> </u>	Fifled Smit	<u> </u>		-	- 7		<u> </u>	<del></del>	十…	(12)_	丰(13)	_ <u>(14)</u> _	(15)	(16)	(17)	(18)
ŀ	— <u>'</u> _	SPTF	_do-	SM	ļ — Ţ	1.96	11.67		<u> </u>	} <u> </u>	$+\dot{-}$	┤ <u> </u> -	<u> </u>	ͺ <u>ͺ</u>	<u>i</u> -	j -		Ţ <u></u>
ŀ		SPT2	-do-	SM	<u>                                     </u>	ا 1.93	15.93	- — –	<u> </u> —−	<u> </u>	<u> </u>	0.36	3 26	68.66	27,72	1 9 -	13	B.4
ļ	7	SPT3	-do-	SM		1.94	$ \rightarrow$		 	! <u> </u>	0.27	0.23	2.93	71.04	25.53	11 -	18	9,9
	3.40 - 10.00		Brown Clay	† <del></del>	-	- <del>1.2%</del> †	16.77	·	_`_		0.18	1.06	2.32	70.69	25.75	13	23	11.2
L	4	SPT4	-dn-	ᇤ	——————————————————————————————————————		-, <del>}_</del> - -		· <u>-</u>	<sup>-</sup>	<u> </u>	<u> </u>	-	<del>  -</del> -	<u> </u>	j		
Ĺ		SP1'5	— — . -dg-	t cirt	- <del>136</del> -	1.27	60.69	112.98	42.32	70.66	0.00	0.09	1.02	0.97	97.92	5	5.5	5.3
	6 -	SP76	-do-	Cit	+	- 41	56.67	104,69	38.53	66.16	0.06	0.00	0.00	0.49	99.45	16		
Г	- <del>  </del>	SP17	·		- 142	1.52   	48.80	10x,34	39.17	69.17	**6500	000	0.91	1.08		I	16	75
Γ	!	<u>-</u>		<del>Сн</del> ф.	164	1.15	68.52	103 75	47.45 T	64,29	70 00	- 0.00 i	· — -	— —	98.01	19	16	18:
<u>:</u> -	-	SP18_	· <sup>-11</sup> 0- 1	CH T	176	1.47	47.36	102.96	<del></del> +	60.78		_ <u></u> '	0.00	0.69	99.37	22	10	22
ļ.,	+	Shill a	do	uii T	183		52 33   52 33		29.0a	;	0.00   	0.41	2) NO	1.21	98.78	25	20	24
i	- !0	527.00 1	-dc	60 (	'44	·	!	'	:-	66 13	0.00	0.00	1 15 1	0.86	98.62	28	21	26
				'N	ore: The				<sup>42,63</sup> J.	-64 () _ [	0.00	9 00	0.64	1.16	98.20	30	22	29
							-113 :41E	ož sautži (	зт пре ка	mudes s	Cult to 7	he labor			- 180		ALC: N	Contract of the Contract of th

s apply only to the samples sent to the laboratory

#### Recommendations

Based on the field and laboratory tests on soil samples collected from the hore holes, the following recommendations are made.

- Open foundation in the form of isolated footing is suitable for light weights only depending upon the soil conditions.
  - SBC is calculated for an isolated footing with a width of 2m.
  - Among the Not safe bearing capacity and allowable bearing capacity least value is considered as Safe Bearing Capacity, SBC values are tabulated in Table 3
  - As the top layer upto 3.4m is filled up soil, if the foundation is laid in this layer, it is suggested to compact to its MDD.
  - Since the top 3.4 m below ground level is filled up soil, open foundation may be preffered
    only after proper consolidation is taken up.
- If the food are beavy then, deep foundation in the form of under reamed piles may be adopted.
  - Recommendations given in (S 2911 (Part-III) 1980 may be used for load carrying capacity
    of different under reamed piles.
  - Depending upon the individual column loads, double under reamed pile foundation in single or group of piles with pile cap is proposed.

INCHARGE

OF GIT LAB:

CONSULTANCY CELL Gudlavelleru Engineering College, GUDLAVALLERU - 521 336

Krishna Dist., A.P.

13.O.D OF

CIVIL ENGG.

riead of Civil Engineering Judiavatiers Engineering College

Gudlavalleru 521 156

PRINCIPAL
Gudlavallera Engineering College,
GUDLAVALLERU-S21 355

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru

Lr no 9 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt 18-06-2030

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/CI/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 21-05-2020 with M30 mix concrete for obtaining the 28 days ( 18-06-2020 ) cube strength of the above concrete is used for Ground floor slab of 'Construction of Gram Sachivalayam building at Alapadu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully.

Deputy Executive Engineeer

PRI subdivision

Mandavalli

The las indust for N. TSR

GUDLAVALLERU ENGINEERING COLLEGE

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada; Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriehne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade.

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

a-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web; www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

DF CLEAR CORSER 1983B) MASON MEAR METALMETA

Principal

Ref: GEC/Consult/CE/MT-147

Date: 19-06-2020

Τo

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.

Sir

Sub: Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Ground Floor stab work at Alapadu of Kaikaluru Mandal - Regarding.

With reference to your letter dt. 28-05-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of	Date of	Date of Testing		ssive Stra N/mm²)	ength	Total	T — Average
concrete	Casting	1 78787	1	2	3		(N/mm <sup>2</sup> )
M 30	21-05-2020	28-05-2020	23.78	24.13	. 23 95	71.66	23.95
M 30	21-05-2020	18-06-2020	38 96	38.72	38.54	116 22	38.74

This is for your kind information,

Thanking you,

Tested by

Yours faithfully:

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge (Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu) PRINCIPAL

Rosing la

From .

Sri P.Suresh Babu M.Tech... Deputy Executive Engineer. Panchyat Raj Subdivision

To.

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lt no. 14 / JTO/PRISD/Mandavalti / Gram Sachivalayam/ reports/2019 dt 29-05-2020 Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results ~ regarding.

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS. Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 22-05-2020 with M30 mix concrete for obtaining the 7 days ( 29-05-2020 ) cube strength of the above concrete is used for Ground floor slab of 'Construction of Gram. Sachivalayam building at Mattagunta of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

from les to les Encharces of 29 of 200 Deputy Executive Engineeer JPRI subdivision

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rad Knowledge Village, GUDLAVALLERU-521 356, Kriehne Dietrict, A.P., India

(Approved by AICTE, New Daihl and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

a-mail: principal@gecgudlayallaru.ac.in, office@gecgudlayallaru.ac.in, Web: www.gecgudlayallaru.ac.in

#### Dr. POTLURI RAVINDRA BABU

fi, fight 156 No. All Parks, Philips

LOTTER THE SHORT STORES SERVICE STORES OF STORES AND A

Principal

Ref: GEC/Consult/CE/MT-153

Date: 19-06-2020

Tο

Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavalli.

Sir.

Sub - Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Ground floor slab work at Mattagunta of Kaikaluru Mandal - Regarding,

With reference to your letter dt. 29-05-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)			Totař	Average (N/mm:
	14.20	+ ·- <u> </u>		1	2	_ 3	<u> </u> 	
_	M 30 _	22-05-2020	29-05-2020	23.62	23.49	22.97 —	70 09	23 36 
١.	M 30	22-05-2020	19-06-2020	38.49	37 86	38.71	11500	38.35

This is for your kind information.

Thanking y**ou**,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rac) tiab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Rayindra Babu) PRINCIPAL

Recived BACUPThe

From ,

To,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

The Principal
Gudlavalleru Enginuering collinge

Panchyat Raj Subdivision

Gudiavalleru

Lrino / ITO/PRISD/Mandavalli / GS/ SBC reports/2019 dl 22.05.2020

Sir,

Sub:- PR1 subdivision = Mandavalli = submission of soil sumples = to know the SBC of soil = for construction of GS+RBX+LWC buildings = request\_legard

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGN (EGS) Krishna

I am submitting the soil samples for Every one numer up to 10.0 metres to know the soil charastricts and SBC of the soil for construction of Gram suchivalayam. REK and Well ness at Vadavalli of Mudinepalli Mandal .Necessary payments will be made when the demand received from your end

Yours faithfully

Deputy Executive Engin eer PRI subdivision Mandavalli Fram ,

S/I P.Suresh Babo M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavatleru Engineering college

Gudlavalleru

firing = 21/ ITO/PRISD/Mandavalfi / Gram Sachivalayam / reports/2019 dt 15-03-2020

Sm,

Sub:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results -- regarding

Ref:- 1. Rd no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREG5. Krishna

Jiam submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-03-2020 with M30 mix concrete for obtaining the 28 days ( 15-03-2020 ) cube strength of the above concrete is used for **Footings** of **'Construction of Gram Sachivalayam building at Vanudurru of Mudinepalli Mandal Est Cost. Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

from to his Enchose form

Seputy Executive Engineeer PRI subdivision

Mandava!li

May 1st

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos, 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru.ac.in. office@geogudiavalleru.ec.in, Web: www.geogudiavalleru.ac.in

#### DE POTLURI RAVINDRA BABU

Committee of the state of the s

Principal

Ref. GEC/Consult/CE.MT-155

Date: 05-04-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.

Sir

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footings work at Vanudurrul of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 15-03-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

. ———— j Grade of	Date of	Date of Testing	Compres (N	ssive Stre V/mm²)	ength	Total	Average
concrete	Casting	Dale of Testing	1	2	3 _	_	(N/mm²)
M 30	08-03-2020	15-03-2020	23.21	21 97	22.53	67.71	22 57
M 30	08-03-2020	05-04-2020	37 95	38.26	38.44	114 65	38.21

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

A Than

(Auillani) Lab Technician (K.Venkateswara Rao) Lab Incharge

Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu) PRINCIPAL

fourther philos

From 2

Sri P. Suresh Babu M. Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lrino | 21/ UTO/PRUSD/Mandavalli / Gram Sachivalayam / reports/2019 dt 15-03-2020

Sir,

Sub:- PRJ subdivision - Mandavatil - submission of cubes of M30 concrete - required 7 days strength results – regarding.

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-03-2020, with IM30 mix concrete for obtaining the 28 days ( 15-03-2020 ) cube strength, of the above concrete is used for Footings of 'Construction of Gram Sachivalayam' building at Vanudurru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

from to his Enchage for

Sepulty-Executive Engineeer PR! subdivision

Mandavalti

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rad Knowledge Village, GUDLAVALLERU-521 368, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation; B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957

e-mail: principal@gecgudlavatferu.ac.in, office@gecgudlavallaru.ac.in, Web: www.gecgudlavallaru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Hillippla B.O.S., McTeefr., Pfr. St., SMIN ASSEST DOMESTICATION OF BUILDINGS AND ASSESSMENT

Principal

Ref: GEC/Consult/CE/MT-155

Date: 05-04-2020

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.

Sir.

Subr - Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footings work at Vanudurru, of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 15-03-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days. are as follows:

Grade of	Date of	Date of Testing	•	Compressive Strength (N/mm²)		0.0021		Total	Averago
concrete	Casting	Date of Testing	1	2	3	] "(())	(N/mm <sup>2</sup> )		
M 30	08-03-2020	15-03-2020	23 21	21.97	22 53	67.71	22.57		
M 30	08-03-2020	05-04-2020	37 95	38 26	38.44	114,55	38.21		

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

Lab Technician

Lab Incharge

Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravindra Babu). PRINCIPAL

Rocano la Achan

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To.

The Principal

Gudtavalieru Enginsering college

Gudlaval'ero

Er no - 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 16-03-2020

Sir,

Subt- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days and 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the Distlict Collector /DPC MCNREGS Krishna

I am submitting the cube samples (  $6\ nos$  ) of size  $150 \times 150 \times 150 mm$  casted on 16-03-2020 with IM30 mux concrete for obtaining the 7 days ( 22-03-2020), and 28 days ( 14-04-2020) cube strength of the above concrete is used for **footings** of `**Construction of** Gram Sachivalayam building at DOddpatla of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs, sanctioned under NREGS grant . Required payment will be made when the demand received from your and

Yours faithfully

Deputy Executive Engineers

Deputy Executive Engineer

PRI Sub-Di-Maigua (Sandava) II.

he has Employed for on Feely a Reports

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08874-273957 e-mail: principal@gecgudlavelleru.ac.in, office@gecgudlavelleru.ac.in, Web: www.gecgudlavelleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

DiTeria, M.S., M.Tean, Ph. Di-

FIE, C.Hag., SEISTE, MESSE MARSHE, VENAE, MESSA, WILLIAM

Principal

Ref: GEC/Consult/CE/MT-142

Date: 14-04-2020

To Deputy Executive Engineer, Panchayat Raji Sub Division, Mandavalli

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building. Footing work at Doddapatla of Kaikaluru Mandal - Regarding

With reference to your letter dt. 23-03-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade (	The second secon	Date of Testing	Compressive Strength (N/mm²) To				Average	
concret	e Casting		1	2	3	10101	*(N/mm²)	
M 30	16-03-202 <b>0</b>	23-03-2020	21.46	20.92	21.85	63.23	21 07	
M 30	16-03-2020	13-04-2020	38.62	37.14	38 87	114.63	38 21	

This is for your kind information,

Thanking you.

Yours faithfully.

Tested by

Lab Technician

Lab Incharge

Head of Civil Engineering

PRINCIPAL

precised to configs

Fram,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer , Penchyat Ray Subdivision To,

The Principal

Gudlava lero Engineering college
Gudlava lero

l.r no. / JTO/PRISD/Mandavalli/ / GS/ SBC reports/2019 dt 22.05.2020

Sir.

Subtraction of GS+RåK i WC buildings - request - regard

Ref:- 1:: Rc no 26/C1/2020 dt U1-05-2020 of the District Collector I/DPC MGN (FGS) Krishna

i am submitting the soil samples for Every one meter up to 10.0 metre : to know the soil charastricts and SBC of the soil for construction of Gram sachivalayam , RBK and Wellness at Vadavalla of Mudinepalla Mandal .Necessary payments, will be made when the demand received from your end

Yours faithfully

Deputy Executive Engini eer PRI subdivision Mandavalli GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08874-273957

e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web; w<sub>ww.geogudiavalleru.</sub>ac.in

#### Dr. POTLURI RAVINDRA BABU

Hilleria, M.S., Milleda, Ph.D.,

THE CORP. WINDS SINGS REPORT MAY BE MINES AND MAY

Pracipal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 26th May, 2020

To
Deputy Executive Engineer
PRI Sub Division
Mandavalli
Krishna District - A P

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Sub Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wollness Center at Vadavalli, Mudinepalli Mandal, Krishna District of Andhra Pradesh and Sill of charges – Reg.

Ref: Report \$T-195

I am herewith submitting two sets of hard copies on Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Vadavalli, Mudinepalli Mandai, Krishna District of A.P.

ŜI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-195)	Soil Investigation And Recommendations for the Foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Vadavalli, Mudinepalli Mandal, Krishna District of A.P.	Rs.4,000/-	Rs.4,000/-
(Киреев	Four Thousand Only)	Total	Rs.4,000/-

Please arrange the payment of the bill amount Rs.4,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving Alc no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Enci: 2 sets of Reports

Berney Com

REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, RAITHU BÖROSA KENDRAM AND WELLNESS CENTER AT VADAVALLI, MUDINEPALLI MANDAL, KRISHNA DISTRICT ANDHRA PRADESH

LOCATION

VADAVALLI, MUDINEPALLI MANDAL KRISHNA DISTRICT, A.P.

CLIENTS

DEPUTY EXECUTIVE ENGINEER
PRISUBDIVISION.
MANDAVALLI,
ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

\*\*DEPARTMENT OF CIVIL ENGINEERING\*\*

GUDLAVALEERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTCK, Kakhada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru S21356, A.P

#### REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM, RAITHU BOROSA KENDRAM AND WELLNESS CENTER AT VADAVALLI, MUDINEPALLI MANDAL, KRISHNA DISTRICT, ANDHRA PRADESH

#### 1. INTRODUCTION:

Deputy Executive Engineer, P.R. I Sub Division, Mandavalli, Krishna Dist; A.P., has requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied to laboratory and also to recommend suitable foundation for Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center at Vadavalli, Medinepalli Mandal, Krishna District of Andhra Pradesh.

This report contains the result of laboratory tests. Recommendations on hearing capacity of soil, type & depth of foundation for the Groma Sachivalayam, Raithu Borosa Kendram and Wellness Center, Vadavalli, are presented in the report.

#### 2. THE STRUCTURE AND LOCATION

The proposed Structure is a Grama Sachivalayam, Raithu Borosa Kendram and Wellness Center. The proposed structure is to be built at Vadavatii, Mudinepalii Mandal, Krishna District of Andhra Pradesh.

#### 3. LABORATORY TESTS

indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/IJDS soil samples as per Indian Standards to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to obtain the shear strength of soil.

## 4. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 6.20m below ground level is Clay mixed Sand, and 6.20m to 10.00m is Black Clay for burchold, open foundation in the form of isolated footing or deep foundation in the form of under reamed pites may be suitable.

It should rest on sound strata of adequate hearing capacity and should be safe from softlement considerations also.

It should have adequate embedded length so as to resist the overturning minnents due to any expected horizontal forces.

# Open foundation in the form of Isolated / Combined footing

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2.5 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per 18 6403 specification considering the shear failure and settlement failure criterion using the following equations.

 $q_a = C (N_c) S_c (D_o + \gamma) D(N_o) S_c (D_o) R_{w2} + 0.5 (\gamma) B(N\gamma Sy D\gamma R_{w2})$ 

At a depth of 1.5 m from ground level, the allowable bearing capacity is  $79 \text{kN/m}^2$  (7.9  $\text{v/m}^2$ ), at a depth of 2.0 m from ground level, the allowable bearing capacity is  $84 \text{kN/m}^2$  (8.4  $\text{v/m}^2$ ) and at a depth of 2.5m from ground level, the allowable bearing capacity is  $92 \text{ kN/m}^2$  (9.2  $\text{v/m}^2$ ).

Mr. Phani Kumar. V
CONSULTANCY CELL
Gudlavaileru Engineering College.

GUDLAVALLERU - 521 356 Krishna Dist., A.P

# GROTECHNICAL LABORATORY: CIVIL ENGINEERING DEPARTMENT GUDLAVALLERU ENGINEERING COLLEGE:: GUDLAVALLERU

Location: Vadavalli, Mudiucpalli Mandal, Krishna District, A.P. Bore Hole No: I Depib of Water Level: L50 m b.g.l TABLE: 2 Idealised Design Soil Parameter PROJECT: Construction of Grama Sachlyslayam, Raithu Borosa Kendram and Wellacss Center

Depth betwork the existing ground level (metrus)         Visual classification of soil cations         Natural moisture control (%)         Doc Unit Weight (classification of Soil cations)         Natural moisture control (%)         Doc Unit Weight (classification of Soil cations)         Natural moisture control (%)         Doc Unit Weight (classification of Soil cations)         Natural moisture (%)         Doc Unit Weight (classification of Soil cations)         A (deg)	_			— т	
Visual   Visual   Classification of seil   California		Unconfined	Compressive strongth (KN/m²)	,   i	26 – 48
Visual dentification of soil         IS Soul classift— cuntent identification of soil         Natural moisture cuntent (%)         Day Utait Weight (clobed)         Cohesion (%)		umeters	ф (deg)	2%.	'
Visual Classification of seil cation (%)  Clay mixed Sand SP 32.45 - 38.93  Black Clay CH 61.58 - #2.91		Shear par	Cohesion C (kN/m²)	, 	13 – 24
Visual Carlina classift- identification of seil carlina Clay mixed Sand SP  Black Clay CH	-  -  -		Dry Unit Weight [kN/N <sup>2</sup> ]	16.83 - 19.52	11.24 – 13.05
Visual claidentification of soil claidentification of soil claidentification of soil claidentification of soil claidentification of soil claidentification of soil claidentification of soil claidentification of soil claidentification of soil claim			Natural moisture cumtent (%)	32.45 - 38.93	61.58 - 82.91
Depth below the visual existing ground identification of soil level (metrus)  0.00 - 6.20 Clay mixed Sand 6.20 - 10.00 Black Clay			IS Soul classift- cation	- 45 	CH
Depth below: the existing ground level (metrus)  0.001 - 6.20  6.20 - 10.00			Visual identification of seil	Clay mixed Sand	Black Clay
	) : W. W. W. W. W. W. W. W. W. W. W. W. W.		Depth betow the existing ground level (metros)	0.00 - 6.20	6.20 - 10.00

Note: The test results apply only to the samples sent to the laboratory'

#### Recommendations

Based on the field and laboratory tests on soil samples collected from the bore hule, the following recummendations are made for the proposed Grama Sachivalayam, Raithu Borosa Kendram and Weliness Center at Vadavalli, Mudinopalli Mandal, Krishna District of Andhra Pradesh.

- Open foundation in the form of isolated footing is proposed and recommended. The allowable bearing capacity is calculated as per 18 6403 Specification considering the shear failure and settlement failure criterion.
  - At a depth of 1.5 m from ground level, the allowable bearing capacity is 7.9 t/m<sup>2</sup>.
  - At a depth of 2.0 m from ground level, the allowable bearing capacity is 8.4 c/m<sup>2</sup>.

At a depth of 2.5 m from ground level, the altowable bearing capacity is  $9.2 \text{ Vm}^2$ .

Gudlavalleru Engineering College, udlavalleru Engineering College GUDLAVALLERU - 521 U56

Krishna Dist., A.P.

CIVIL ENGO:

Gudlavallero 621 166

Gudlavalleru Engineering College,

**GUDLAVALLERU-521 356** 

# **GVR - PREMCO Joint Venture**

-		•
•		•
л		г.
	,	

Date.....

Lr. No; GVR-PREMGO JV/RVNI /GDC-MTM/CIVIL/PKG-4/004 - lab:-54

Date: 07-10.2020

To
Head of Department,
Civil engineering department,
Gudlavalleru engmeering college,
Gudlavalleru.

Sub:-Doubling with electrification of Railway line between Gudiwada –Machillpatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C Railway-(Package-4)- "Regarding testing of concrete cubes for OME REF;

Dear Sir,

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes focation of cubes 35/29F A type of foundation NG-32. The age of cubes is 2B Days. Please conduct Compressive strength test As per is code.

Grade of concrete: - M15. Date of Casting : - 09 09-2020

With regards:

For GVR-PREMCO JV

V.SATYANARAYANA

Project Manager

B

604

To late Enchange for no I

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Villaga, GUDLAVALLERU-521 356, Knahna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgud@valleru.ac.in, office@gecgudlavalleru.ac.in. Web: www.geogudlavallaru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Bitter Mid Midden, Ph.D.

age a long with a first of the Colombia and all the colombia.

Premajoral

REF: GEC/ONGC/CONSULTANCY/2020/32-3

Date: 07-10-2020

The Project Manager, GVR Premoo Joint Venture, Gudivada

Sit.

Name of the work: Test results of CC Cubes for the work of "Doubling with electrification of Rallway line between Gudivada - Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "-(Package-4) and Bill of charges - Reg.

Sub: Bill of charges for conducting compressive strength on CC cubes – Reg.

With reference to your letter J.r. No: GVR-PREMCO JV/ RVNL/ GDV-MTM/CIVIL/PKG-4/004. Lab: 51, 52. We have conducted the compressive strength on M 15 Grade CC cubes which are casted and supplied by you.

SI No.	Name of Work	No. of Samples	Each Sample	Total Amount
1	Conducting the compressive strength test on M-15 grade CC cubes	4 6	Rs.225/-	Rs.900/-
·	(Rupces Nine Hundred Only)	OING!	 Total	Rs.900/-

Please arrange the payment of the bill amount Rs.900/- through Demand Draft in favour o "Principal, Gudiavalleru Engineering College Gudiavalleru" payable at \$81, Gudiavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001451 to Saving A/c no. of college consultancy cell: 11588344394

Thanking you,

Yours faithfully,

Encl: 1 set of bill of charges

Copy to Consultancy cell of GEC

Resived By K. Sribark

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

N9A Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & 17 for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273987
e-mail: princloat@gecgudaevalleru.ac in, office@gecgudlevalleru.ac in, Web: www.gecgudlevalleru.ac.in.

#### Dr. POTLURI RAVINDRA BABU

H. Leeby, M.S., M., Kock, Phys.D., Phys. Leeby, McCa., McCall, Machilla, MSA, Liptia, Adda, Principal

Ret: GEC/Consult/CE/MT-171

To The Project Manager, GVR Premeo Joint Venture, Gudiyada

Sir.

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivaria - Machilipatnam section from KM.0.00 to 36,740 on Vijayawada Division of S.C. Railway "- (Package-4).

With reference to your letter Lr. No: GVR-PREMCO JV/ RVN1/ GDV-MTM/CIVIL/PKG-4/004 lab:-41, di:07-10-2020. We have conducted the compressive strength test on M 15 grade. CC Cubes Which are supplied by you. The Test results for 28 days are as follows.

Grade of Identification	Date of Casting	Date of Testing	Compressive Strength (N/mm²)  1 2 3	Total (N'ann).
M 15   OHF   Foundation   35/29 Type   of   Foundation   NG-32	1	07-10-2020	23.27   22.94   22.85	69.06   23.02

Hals is for your kind information, ...

Thanking you.

Tested by

Yours faithfully,

Date: 07-10-2020

(A Jilani) Lab Technician K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Rawindra Babu) PRINCIPAL

K. Svikanem

From ,

Sh P.Suresh Babu M.Tech., Deputy Executive Engineer.

Panchyat Raj Subdivision

To,

The Principal

Gudfavalleru Engineering college

Gudlavalleru

Lrino 16 / JTO/PRISD/Mandavalfi / Gram Sachivalayam / reports/2019 dt 09-09-2020 Sir,

Sub:- PRI subdivision - Mandavallr - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 02-09-2020 with M30 mix concrete for obtaining the 7 days (09-09-2070 ), cube strength of the above concrete is used for First floor slab of 'Construction of Gram Sachivalayam building at Mattagunta of Kalkajuru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandayalli

Pris mehayes from Resto

From .

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Ral Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru.

Ur no = 17 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt | 30-09-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 \text{mm}$  casted on 02-09-2020, with M30 mix concrete for obtaining the 28, days ( 30-09-2020 ), cube strength of the above concrete is used for First floor slab of 'Construction of Gram Sachivalayam building at Mattagunta of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREG5 grant . Required payment will be made when the demand received from your end.

Yours faithfully

PRI subdivision Jawadad to las Irelugation Tests

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUÐLAVALLERU-521 356, Kriehna District, A.P., India (Approved by AfCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08574-273737, 273688, Mobile: 9848779121 Fex No. 08674-273957

a-mail: principal@geogudiavelleru ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BARU

सी १८/६, छन्ति है। रिल्ला, स्थाप, अस्ति अर्थ संज्ञानकाल अस्ति छन्ति स्थाप

Principat

Ref: GEC/Consult/CE/MT-154

Date: 30-09-2020

Το

Deputy Executive Engineer. Panchayal Raj Sub Division, Mandava/I/I

Sir

Sub - Test results of the CC cubes for the construction of Gramma Sachivalayam Building First floor slap work at Mattagunta of Kaiƙaluru Mandal - Regarding.

With reference to your letter dt. 09-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows.

	I—— —— .—— —	•
Grade of concrete	Date of Date of Testing	otal
M 30	02-09-2020 09-09-2020 02-09-2020 30-09-2020	+ 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P. Kodanda RemaRao)

Head of Civil Engineering

(Dr.P Rapindra dabu) PRINCIPAL

# **GVR - PREMCO Joint Venture**

Ref.

Date.

Lt. No: GVR-PREMCO )V/RVNL/GDC-MTM/CIVIIJ/PKG-4/004 - lab:-52

Date: 29-9-2020

Τà Head of Department, Civil engineering department, Gudlavalleru engineering college, Gudlaya/leru,

Sub:-Doubling with electrification of Railway line between Gudiwada ~Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of 5.C Railway-(Package-4)- "Regarding testing of concrete cubes for OHE

Dear Sir.

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of QHE cubes location of cubes 36/16 type of foundation P-15. The age of cubes is 7/2 2% Days, Please conduct Compressive strength test As per IS code.

Date of casting : - 22-9-2020. Grade of concrete: - M15

With regards?

FOR GVR-PREMICO JV

V.SATYANARAYANA 29 hp. O.C.

Project Manager for

Sta Samiffed - to temperal for

A. M.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, SCE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile; 9848779121 Fax No. 08674-273857

a-mail: principal@geogudiavalieru.ac.in, office@geogudiavalieru.ac.in, Web; www.geogudiavalieru.ac.ii

# Dr. POTLURI RAVINDRA BABU

E. Carle, St N., Ed. Teeth., Physic

Chest Free (1931) 1981 of Coxyol, Madd, Micro Silver,

PrincipalRef: GEC/Consult/CE/MT-158

Ta The Project Manager, GVR Premeo Joint Venture, Godávada

Sir.

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada - Machifipatnam section from KM.0.00 to 36,740 on Vijayawada Division of S.C. Railway %- (Package-4).

With reference to your letter f.r. Not GVR-PREMCO JV/RVNL/GDV-MTM/CIVIL/PKG-4/004 lab:-41, dt:29-69-2020. We have conducted the compressive strength test on M 15 grade, CC Cubes. Which are supplied by you, The Test results for 7 days are as follows:

			, cardia atte de la	OHows:			
Grade of concrete	Identification	Date of Casting	Date of   Testing	Compress Strength (No. 1   2	sive (man²)	Total	Average (N/am <sup>2</sup> )
M 15	Foundation = 36/60 Type of Foundation P-15	22-09-5020	!     29-09-20 <u>20  </u> 	12.89   12.75	12.62	38.26 i	13,75
for your bas.	'-		l		! .		

This is for your kind information,

Thanking you,

Tested hy

Yours faithfully,

Date: 29-09-2020

(A Jifani) Lab Technician

(K Venkateswara Rag)

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

Lab Incharge

From ,

Sh P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal

Gudlavalleru Engincering college

Gudlavalteru

iz no - 42 / JTO/PRESD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 02-09-3020

Şέr,

Subt: PRII subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 25-08-2020 with M30 mix concrete for obtaining the 7 days ( 02-09-2020 ) cube strength of the above concrete is used for **Footings concrete** of 'Construction of Gram Sachiva(syam building **KALLAPALEM** of Kalidindi Mandal **Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours lait! fully

Devoid Executive Engineeer

PRI subdivision Mandavalli

OF HODCE

Juneles & lab Ench of for No. Foots 1 B. K. A. D. Lab Ench of for My James 19 12000

10.04

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Kristina District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08574-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

to technical St. National Physics

ST COME SINCE PASSES WASHING TO SINCE SHIP

Prescipat

Ref: GEC/Consult/CE/MT-169

Date: 22-09-2020

Deputy Executive Engineer Panchayat Raj Sub Division. Matidayalli Mandal

Si

Sub:- Test results of the CC cubes for the construction of Gramma Sachwalayam Building Footings work at Kallapalem of Kaliding Mandal - Regarding.

With reference to your letter dt -01-09-2020 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		essive Str N/mm²)	ength	Total	. — — I j Average
ļ		18 July 2018 15	100.1	2	3	1	. (N/mmr) -
M 30	25-08-2020	01-09-2020	23 12	22.98	23 56		23 22
M 30	25-08-2020	22-09-2020	38.79	37.85	38 62	115 26	3B 42

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

(A.Jitani) Lab Technician

enkatesware Rao). Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINC/PAL

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college.

Gudlavalleru

Er no - 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam," reports/2019 dt 19:09-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector I/DPC MGNREGS Kushna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 22-08-2020 with M30 mix concrete for obtaining the 28 days ( 19-09-2020) cube strength of the above concrete is used for Footings of 'Construction of YSR Rural Health Clinic (Wellness centre) building at Kanukollu of Mandavalli Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS & Health grant . Required payment will be made when the demand received from your end-

Yours faithfully.

CT lab Incharge for Perty & Ref

Deputy Executive Engineeer

PRI substivision Margayali.

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grede

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957

e-mail: principal@geogudlavalleru.sc in, office@geogudlavalleru.sc.in, Web: www.geogudlavalleru.ec.in

#### Dr. POTLURI RAVINDRA BABU

Black Mis Milesh, Part.

Fill at the America stress, vessely \$2551, 129 to since

Principal.

Ref: GEC/Consult/CE/MT-150

Date 19-09-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli

Sir

Sub: Test results of the CC cubes for the construction of YSR rural health clinic (Wellness Centre) building footings work at Kanukollu of Mandavalli Mandal - Regarding

With reference to your letter dt. 19-09-2020 we have conducted the compressive strength test on M 30 grade GC Cubes, Which are supplied by you. The Test results for 28 days are as to lows:

	Grade of concrete	Date of Casting	Date of Testing		ssive Strength   N/m/m²)   Total   Average   (N/m/m²)	
L	M 30	22-08-2020	19-09-2020	39,12	36 79 38.94 116 85 38 95	

This is for your kind information

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr P.Kodanda RamaRao) Head of Civil Engineering (Dr.P Rayindra Baba) PRINCIPAL

Recibel P. Salgones zaufano

## **GVR - PREMCO Joint Venture**

La. No: GVR-PREMCO JV/RVNI/GDC-MTM/CIVII/PKG-4/004 - lab:-51

Date:16-9-2020

To Head of Department, Ovil engineering department. Gudlavalleru engineering college, Gudlavalleru.

5vb:-Doubling with electrification of Railway line between Gudiwada --Machilipatnam | section from KM.0.00 to 36.740 on Vijayawada Division of S.C Raflway-(Package-4)- "Regarding testing of concrete cubes for ORE REF:

Dear Sir.

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes location of cubes 35/29 F type of foundation NG-32 . The age of cubes is  $7 \not\in 2 \%$ Days. Please conduct Compressive strength test As per is code.

012000 - 19.15 Caption date -09/09/2020

V.SATYANARAYANA Project Manager

swentted to primped for Love derale

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 06674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957 a-mail: principal@gecgudlevalleru.ac.in, office@gecgudlevalleru.ac.in, Web: www.gecgudlevalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

9 Assist MASS MITSON, 19670. Office Co., 192500 Search Show of 19850 MeDic Follows

Perneipad

Ref: GEC/Consult/CE/M1-141

Date: 17-09-2020

Ta

The Project Manager,

GVR Premoe Joint Venture.

Ciudivada.

Sir.

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada -- Machilipatnam section from KM.0.00 to 36,740 on Vijayawada Devision of S.C. Railway "- (Package-4).

With reference to your letter Lr. No: GVR-PREMCO JV/ RVNL/ GDV-MTM/CIVII /PKG-4/004 July 41, dt 16-09-2020. We have conducted the compressive strength test on M-15 grade, CC Cubes. Which are supplied by you. The Test results for 7 days are as follows.

Grade of concrete	Identification	Date of Casting	Date of Testing		npressivo gth (N/m) 2	- 1	Fotal	Average   Average   (N/mm²)	:
   MHS	OFIE Foundation - 35/29 Type of Foundation NG-32	09409-2020	16-09-2020	12.36	12.97	12.64	37.97   	12.65	

This is for your kind information.

Thanking you.

Tested by

Yours faithfully:

(A Jilanı)

Lab Technician

ateswara Rao).

ab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr P Raymora Babu;

PRINCIPAL

From. Sri V. Suri Babu. Assistant Engineer, PRI Sub Division, Gudivada To. The Principal MANIM & WASH Polytechnic Gudlavalleru Engineung college

Rc. No. AE/MGNREGS Works /2020- 11

Sir,

Sub :

PRISD Gudivada- works-MGNREGS Grant - 2020-21 -Costruction of Grame Sachivalayam building at R. B. K. Kon Konstant Village Gudivalleru Mandal - Estimate Cost Rs 40.00 Lakhs - Cube testing of

Compressive strength - Requested - Regarding.

Ref:

Work order date

of Executive Engineer ,P.R I,Division ,

Machillpatnam.

\*\*\*\*

As per reference cited 1 the work "Costruction of Grama Sachivalayam building at village of Gudlavalleru Mandal - Estimate Cost Rs 40.00 Lakhs takeup under MGNREGS Grant . Hence I request your please test, the compressive strength results of Cement concrete cubes of Slab at an early date.

Date of Casting:

PILE CO.P.S - 17-30

Cartina dole-07-07-2020

Yours faithfully,

Assistant Engineer. PRI Sub Division. Gudvada ::

Copy Submitted to Deputy Executive Engineer, PRI Sub-Division, Gudiyada for favour of information

Submitted to prompt forconordent

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Knshna District, A.P., India (Approved by AICTE, New Delhi and Fermilled by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06674-273737, 273888, Mobile: +91 9648779121 Fax No. 08674-273957

e-mail: principal@geogudiavalteru.sc.in, office@geogudiavalteru.sc.in, Web; www.geogudiavalteru.sc.in

#### Dr. POTLURI RAVINDRA BABU

B.Tack., M.S., M.Tack., Ph.D.,

ME, C'ENG., MUSTE, MISSESI, MEASURE, MISAF, ACEMA, MUSAC.

Principal

Ref: GEC/Consult/CE/MT-140

Date: 14-09-2020

Tο Sri V.Suri Babu. Assistant Engineer. PRI Sub Division Gudivada.

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram pile cap work at Kowtharam Village, Gudlavallaru Mandal - Regarding

With reference to your letter dt. 14-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

			- 10			region in the state of the stat	anows,	
Grade of concrete	Date of Casting	Date of Testing		essive Str (N/mm²)	ength	Tatal	Average	Ì
	V 435.1116		1	2./	3	10(4)	(N/mm²)	
M 30	07-09-2020	14-09-2020	22.78	22.59	22.93	6B.26	22.76	

This is for your kind information,

Thanking you.

Tested by

A- rola.

Yours faithfully.

(A.Jilani) Lab Technician

(K.Venketeswara Rac) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Baby) PRINCIPAL

E. Compton Bull 2020

The Principal.

Sudlavalleru Englineering College.

I G. vamil Krishma from Your Scrices

Intamy, (Hyderabad). I Came Phere for

Cube test Report for 7 2 28 days dos Mo grade

Concrete. Mease issue RePort as soon as Possible

Casting Date: 13/08/2020

Total Nort Cuber - 6 Nos

AL Description & ATC Tower

Foundation

P. 1 3/8/2020

To bouting your Kir,

Yours obcdiently

G. vamsikashma

(Alumin ) student

9542673333

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273857

a-meil: principal@geogudiavatieru.ac.in, offica@geogudiavatieru.ac.in, Web: www.gocgudiavatieru.ac.jn

#### Dr. POTLURI RAVINDRA BABU

B. Bezh., M.S., M. Jeeh., Ph.D.,

DIPLOTRAY, SHISTO, SPRING MARKIN, MISSAL MISSAL MINN,

Principal

Ref. GEC/Consult/CE/MT-138

Date: 10-09-2020

Jο

Your Services Company, Hyderabad.

Sir.

Sub - Test results of the CC cubes for the construction of ATC tower (oundation work at Your Services Company Hyderabad - Regarding.

With reference to your letter dt. 19-08-2020 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are casted and supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	77.00	essive Stri N/mm²) , 2	ength	Total	Average (N/mm²)
M 20	13-08-2020	10-09-2020	25 85	25 41	25.63	76.89	25 63

This is for your kind information.

Thanking you.

Tested by

Yours faithfully.

Lab Technician

(K.Verikateswara Rao) (Dr.P.Kodanda RamaRao) Lab Incharge

Head of Civil Engineering

(Or P Rayingra Babu)

PRINCIPAL

Sri P. Suresh Babu M. Tech.,

Deputy Executive Engineer ,

Panchyat Raj Subdivision

Ŧo,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lrino | 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 29-08-2020

Şir,

Sub:- PRI subdivision - Mandavalfi - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 03-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 mm$  casted on 22-08-2020 with M30 mix concrete for obtaining the 7 days ( 29-08-2070) cube strength of the above concrete is used for Footings of 'Construction of YSR Rural Health Clinic (Wellness centre) building at Kanukollu of Mandavalli Manda( Est Cost Rs 17.50 Lakhs sanctioned under NREGS & Health grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavatti

To the late governore for N besty a Report

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile; +91 9848779121 Fex No. 08874-273957 e-mail; principal@geogudlavatleru.ac.in, office@geogudlavaileru.ac.in, Web; www.geogudlavaileru.ac.in

## Dr. POTLURI RAVINDRA BABU

8 Tech., M.S., M. Feeb., Ph. D., THE CENT MINTER SINTER MANUE MARL MARK MINE

Principal

Ref: GEC/Consult/CE/MT-149

Date: 29-08-2020

Τo Deputy Executive Engineer. Panchayal Raj Sub Division, Mandavally.

Sir.

Sub:- Test results of the CC cubes for the construction of YSR rural health clinic (Wellness Centre). building feetings work at Kanukollu of Mandavalli Mandal - Regarding.

With reference to your letter dt. 29-08-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

			,
Grade of   Date of concrete   Castrog	Date of Testing	Comprossive Streng (N/mm²)	tin   Average   (N/mm²)
M 30 22-08-2020	29-08-2020	24.97 23.61 24	1 53 73.11 1 24 37

This is for your kind information,

Thanking you

Fested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Raoj. Lab Incharge

(Dr.P Kodanda RamaRao) Head of Crvil Engineering

илста Вифиї

France

D.N.Kumar, Assistant Engineer, Endowments Department Vijayawada Tσ

The Principal
Gudlavallero Engineering College
Gudlavallero , 521356,
Krishna District,

Sub:-Endowments Department-Works - M 20 Nominal mix - Sri Scetha Rama Chandra Swamy Temple - Modroepalli(V)& (M).Krishna (Dt) - Cubes of feetings - For want of inecessary test report - Submitted - regarding.

#### (a)(a)(a)

I request that please conduct necessary required tests i.e. 7 days and 28 days and issue certificates for the cobes of M 20 mix which were obtained from the site of the work of Re construction of temple relating to Sri Seetha Rama Chandra Swamy Temple in the premises of above mentioned temple The necessary payments will be paid by us.

•	SNO	Date of casting	Mix	For test results
ĺ	l	14.08.2020	M 20	7 days
	_ 2	14,08,2020	M 20	28 days

Your's faithfully

<sub>न्त्रा</sub>ास्टब्स्य । १५१६) ६० Assistant ENGINEER

Enel: Cubes for 7 and 28 days

Copy to the Chairman of subject temple

bb)

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadd Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by ARCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 8846779121 Fex No. 08874-273987 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Principal

Ref: GEC/Consult/CE/MT-138

Dato 26-08-2020

To Deputy Executive Engineer, Endowments Department, Vijayawada.

Sir.

Sub:- Test results of the CC cubes for the construction of footings at Sri Seetha Rama Chandra Swamy Temple, Mudinepalli Village & Mandal, Krishna District - Regarding

With reference to your letter dt.26-08-2020 we have conducted the compressive strength test on M 20 grade CC Cubes. Which are casted and supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compr 1	essive Stri (N/mm²) 2	engih 3	Total	Average (N/mm)
M 20	14-08-2020	21-08-2020	15 93	16 11	15.87	47 91	15.97

This is for your kind information.

Thanking you

Tested by

Yours faithfully,

(A.Jilanı) Lab Technician (K Venkateswara Rag) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr. P. Ravihora Babu) PRINCIPAL

N QUANAL

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To.

The Principal Gudlavalleru Engineering college Gudlavalleru

## .la: No / JTO/PRISD/Mandavalli / Gram Sachivalayam Atapaka 2/ Reports/2020 of 03-08-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150×150×150mm casted on 26-07-2020 with M30 mix concrete for obtaining the 7 days ( 03-08-2020) cube strength of the above concrete is used for Piles of 'Construction of Gram Sachivalayam building at Chatakai of Kaikafuru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your and .

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandavaill

To the las Forehauge Sou TV. T

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08574-273737, 273588, Mobile: +91 9548778121 Fex No. 08574-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web; www.geogudiavalleru.so.in

## Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FRE, Citing, MISTL, MSEST, MASSIE, MSAE MSFA, MILIN

Principal

Ref: GEC/Consult/CE/MT-192

Date: 24-08-2020

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavallı Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Piles work at Chatakai of Kaikaluru Mandal - Regarding.

With reference to your letter dt.03-08-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are

 Date of lasting	Date of Testing	Compre	N/mm²)	ength	Total	Average
 07-2020	03-08-2020	23.78 - 23.78 - 38.89	23 91 38.26	3 23.57 38.43	71.26	23.75 

This is for your kind information.

hanking you

Tested by

Yours faithfully,

(A Jifani)

Lab Technician

(K Venkateswara Rao)

Lab Incharge

(Dr P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P Rawindra Babu) PRINCIPAL

Decived by

Srl P. Suresh Babu M. Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal Gudlavalleru Engineering college Gudlavafleru

Lrino | 38/ JTO/PRISD/Mandavalli / Gram Sachivallayam/ reports/2019 df 18-08-2020

Sir.

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results – regarding.

Ref:-  $1_{\odot}$  Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150 x 150 x 150 mm casted on 21-07-2020 with M30 mix concrete for obtaining the 28 days ( 18-08-2020 ) cube strength of the above concrete is used for Piles concrete of 'Construction of Gram Sachivalayam building Bhaskaraopeta of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Draggy Executive Engineeer ₽Ŕt subdivision

Mandavalli

forward to los Inchage for No Justin P. K. A. 18/8/2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna Olstrict, A.P., India (Approved by AICTE, New Delni and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

a-mali, principal@gecgudlavalleru.ac.in, office@gecgudlava/leru.ac.m, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

8 Tech . M.S., M. Feeb . Ph. D., 20 Cany (1911-86)Ca Great Most intro-paying

Principal

Ref. GEC/Consult/CE/MT-166

Tai Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavallı Mandal.

Sir.

Sub. - Test results of the CC cubes for the construction of Gramma Sachivalayam Building. Piles work at Bhaskararaopeta of Kalidindi Mandal - Regarding

With reference to your letter at, 28-97-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days

Grade of concrete	Date of Casting Date of Testi	Compressive Strength
M 30	21-07-2020   28-07-2020 21-07-2020   18-08-2020	1 2 3   Total (N/mm²)  22 78 23 12   22.96 68.86   22.95
io Fau		38.71 38.43 37 48 1 115.12 38.37

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

Date: 18-08-2020

Lab Technician

nkateswara Rao). ab incharge

(Dr.P.Kodanda RamaRao) Head of Unit Engineering

PRINCIPAL



# Sree Chakra Constructions

Date 1@ 08 2020

To. The Description of the In charge of Civil Lob Department Gudlavallary Engineering College Sheshadri Rao Knowledge Village, Gudlavallary Vijayawada, Anolica Pracesh – 521356

#### Sub: - Required Cube Testing

Dear Sin

We request you to conduct a compression test on the cubes that we are providing with you

Pis find the below details.

#### Actual Design Mix:

Description	M25	Description
CEMENT	360	CEMENT
20 MM	896	20 MM
10 MM	345	20 MM
SAND	656	SAND
WWITER .	166	WATER
W-PROOF	0.6	W.PROOF
ADMIX	С.Б	ADMIX

CÜBE DETAÏLS

	S.ND	VENDORE DETAILS	SRADE	DATE
	1 :	AJR	M35	01-07-2020
	2	AIR	M25	01-07-2020
:	3 !	A/R	M25	01-07-2020
	4	AJR	M25	04-08 2020
	5 :	AJR .	MZS	04-08-2020
	G	AJR .	M25	04-08-2020

Thanking You,

Siee Chakra Constructions

19

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fex No. 98674-273957 e-mail; principal@geogudiavatieru.ec.in, office@geogudiavatieru.ec.in, Web: www.geogudiavatiwu.ac.in

## Dr. POTLURI RAVINDRA BABU

23 Late: Nº 5 | 90 gagle | 201; 15 The state of the s

Principa!

Ref: GEC/Consult/CE/MT-130

Date, 17-08-2020

To Siee Chakra Constructions, Near Viswakavi Residential Public School. Chinnamiram, Bhimavaram, West Godavari District, A.P.

Sir.

Sub: Test results of the CC cubes for the construction of Residential flats for Sree Chakra R.K. Pride project @ Chinnamiram, Bhimayaram West Godayari District - Reg.

With reference to your letter dt.10-08-2020 we have conducted the compressive strength test on M 25 grade CC Cubes. Which are casted and supplied by you. The Test results for 7 days are

	20 777	
Grade of Date of		Compressive Strength !
concrete   Casting	Date of Testing	— — (N/mm²) — — Total Average
	DESTINATION OF THE	1 2 3 (N/mm²)
M 25 04-08-2020	11-08-2020	13.81   14.17   13.45   41.43   13.81
is for use the contract of		_ 13.45   41.43   13.81

This is for your kind information,

Thanking you

Tested by

Yours faithfully,

(A. Jrlann) Lab Technician

(K.Venkaleswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Raymdra Babu) PRINCIPAL

Barrers Rolling 2000



## Sree Chakra Constructions

Date 25 0# 2020

To, Mac Change of Civil Lab Department Gudiaval eru Engineering College Sheshadri Rao Knowledge Vi lage Gudlavalleru, Vijayawada Andhra Pradesh – 521356

#### Sub: - Required Cube Testing

Dear Sir

We request you to conduct a compressive test on the cubes that we are providing with you.

Pls find the below details:

Actual Design Mix:

MARE		
101.75	Description	. MISO
360	CEMENT	340
895	20 MM	908
345	10 MM	332
656	SAND	668
156	WATER	164
0.6	W.PROOF	0.6
9.0	ADMIX	О.Б
	360 898 345 656 166 0.6	896 70 MM 345 10 MM 656 SAND 166 WATER 0.6 W.PRBOF

Γ—	-	Cive	E DETA	حلال		
5. N	VENC	OORE DET	AILS :	GRADE	DATE	
¦ ¹ .	. !.	AJR	:	M25	30-06-2020	١.
. Z	:-	AJR		M25	<b>39-06-2020</b>	ij
3	_:	AIR _		M25	<b>389-0</b> 6-2020	'
' 4 _		_ KJR_	!	M20	27-11-2019	
5	;	KJR		M20	06-12-2019	

Thanking You,

Sree Chakra Constructions

Cathoria

M.V. Noga Pain 9885950087

#-3-833/246, Q1, Plot Mo 248, Karrier of Colory, Stronger Colory Read, Hyder whold (1009) 73, Tellangeres, on office : 7-1282, Korrepado Rosel Productor, Karlego Dall-A.P. Pro 11747 and

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rec Knowledge Vitlege, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., Indie (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08674-273957

o-mail: principal@geogudlavallenr.ac.in, office@geogudlavalleru.ac.in, Web. www.geogudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

to be the description of the property of ARREST CONTRACTOR SPECIAL SERVICE SERVICE STREET, THE CO.

Principal Principal

Ref. GEC/Consult/CE/MT-129

Date: 17-08-2020

7o Siee Chakra Constructions, Near Viswakavi Residential Public School, Chinnamiram, Bhimavaram, West Godavari District A.P.

Sm

Subj. Test results of the CC cubes for the construction of Residential flats for Stee Chakra R.K. Pride project @ Chinnamiram, Bhimavaram West Godavari District - Reg.

With reference to your letter dt.25-07-2020 we have conducted the compressive strength test on M 25 grade CC Cubes. Which are casted and supplied by you. The Test results for 28 days are

							/ - 0/ -
Grade of Concrete	Date of Casting	Date of Testing	Compr	essive Stri (N/mm²)	 eлgth	 	
	30-06-2020 01-07-2020	25-07-2020	29,56	28,86	3 29.21	87.63	Average (N/mm²) 29 21
is for your kind infe	7 -	- <del>- 29-07-2026</del>   - <del></del>	19 57 	20.23	19.86	59 66	19.88

This is for your kind information,

Thanking you

Tested by

Yours faithfully,

(insiib A) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

Berning books ( 100 ) 2010

Sir P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal

Gudlavalleru Engineering college

Gudlavailleru

Lr no 23/ JTO/PRISD/Mandaval/i / Gram Sachivalayam / reports/2019 dt 21-07-2020 Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-07-2020 with M30 mix concrete for obtaining the 7 days ( 21-07-2020 ) cube strength of the above concrete is used for **Ground floor slab** of 'Construction of Gram Sachivalayam building at Vanudurru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully.

Deputy Executive Engineeer

PRI subdivision Mandavalli

Juvalet to les Enchage for we Tegg 1- k.h. 2/17/2000

124

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

er recht far St. Mr Focht. Pfafü aus Charg Sternt Gebeut (1885) (1884 - Neife

Francipat

Ref: GEC/Consult/CE/MT-156

Date: 11-08-2020

Τo Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli.

Sıı,

Subt. Test results of the CC cubes for the construction of Gramma Sachivalayam Building. Ground Floor slab work at Vanudurru of Mudinepalli Mandal - Regarding:

. . . . .

With reference to your letter dt. 21-07-2020 we have conducted the compressive strength test on M 3D grade CC Cubes. Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of	Date of	Date of Testing		ssive Stre V/mm²)	ength	. Total	Average	
concrete	Casting	Date of Testing	1	2	3	· FUIGI	(N/mer/)	
M 30	14-07-2020	21-07-2020	22.78	22.51	22 49	67.78	22 59	
M 30	14-07-2020	11-08-2020	38 66	38.19	38 44	115 29	38 43	

This is for your kind information.

Thanking you,

Yours faithfully.

Tested by

(A.Jilanı)

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P Kodanda RamaRao).

Head of Civit Engineering

(Dr.P.Ravindra Babu)

PRINC'PAL

Str P.Suresh Babu M.Techi, Deputy Executive Engineer. Panchyat Raj Subdivision

Τσ,

The Principal Gudlavalleru College of Engineering Gudlaval/eru

Lr no | 3/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 11-07-2020

Ser,

Subt- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days and 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 6~nbs ) of size  $150 \times 150 \times 150 \text{mm}$  casted on 11-07-2020, with M30 mix concrete for obtaining the 7 days ( 17-07-2020 ) and 28 days ( 99-08-2020) cube strength of the above concrete is used for **ground floor slab** of 'Construction of Gram Sachivalayam building at Doddpatla of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer Deputy Expentation Engineers

PRI Syb-Divisianciatandavani,

The las Enchant for on Jesty & Acoms

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinade)
Seshedri Reo Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India
(Approved by AICTS, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 95574-273737, 273558, Mobile: +91 9848779121 Fex No. 98674-273987
9-mail: principal@geogudiavalleru.ec.in. office@geogudiavalleru.ec.in, Web; www.geogudiavalleru.ec.in

#### Dr. POTLURI RAVINDRA BAÐU

B. FOCK . M. S., M. TWO . PR. D.,
FIEL CEME, MISTER, AMERICAN MISC. MISC.

Principal

Ref: GEC/Consult/CE/MT-143

Date: 08-08-2020

Τо

Deputy Executive Engineer, Panchayat Raji Sub Division, Mandavalli

Ŝiг,

Sub: Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Ground floor slab work at Doddapatla of Kaikaluru Mandal - Regarding.

With reference to your letter dt. 18-07-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of	Date of	Date of Testing		essive Stro (N/mm²)	ength	Total	Average
cancrete	Casting	Casting	1	2	3	TOTAL	(N/mm²)
M 30	11-07-2020	18-07-2020	21.26	21.79	21 81	64.86	21.62
M 30	11-07-2020	08-08-2020	38.64	37.95	38.58	115.17	38 39

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

Lab Technician

Lab Incharge

Head of Civil Engineering

PRINCIPAL

Prom

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudfavalleru Engineering coffege

Gudlavalleru.

Lrino - 11 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt - 08-08-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 pos ) of size 150x150x150mm casted on 11-07-2020 with M30 mix concrete for obtaining the 28 days ( 08-08-2020 ) cube strength of the above concrete is used for Second floor slab of 'Construction of Gram Sachivalayam building at Alapadu of Kalkaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully.

Deputy Executive Engineeer PRI subdivision

Mandavalli.

a las Duckeye for N Pecty & Repuls

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehadri Rec Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +81 9848779121 Fax No. 08674-273857 p-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Bitechi, M.S. Millach, Philips

IT. TITY, MISTIF, MISEST MASME, MISAE MINEA MITM

Principal

Ref\_GEC/Consult/CE:MT-148

Date: 08-08-2020

To Deputy Executive Engineer, Panchayat Rej Sub Division, Mandavalli.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Second Floor slab work at Alapadu of Kaikafuru Mandal - Regarding,

With reference to your letter dt. 18-07-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of	Date of	Date of Testing		ssive Stri (N/mm²)	ength	. Total	Average
concrete	Casting	281 7375	1	2	3	ruiai	(Nimer)
M 30	11-07-2020	18-07-2020	23.97	24.26	24.19	72.42	24 14
M 30	11-07-2020	08-08-2020	38.97	39 16	38.78	115.91	38.97

This is for your kind information

Thanking you

Tested by

Yours faithfully,

(A Jifani) Lab Technician

(K.Venkateswara Rao) Łab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu)

PRINCIPAL

Occional solo

4) 学文学的 30 元 2180 40 21356. 当中名 8中小部子000 日前4月0日出日人 地名 8月 8中小部子000 日前4月0日出日人

8 12. 20 1 20 12 1 2 2 1 6 2 2 3 4 6 3

49.11/4

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision To,

The Principal
Gudlavalleru College of Engineering
Gudlavalleru

Er ло. 4/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2039 dt 10-09-2020.

Sir,

Sub;- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days and 28 days strength results - regarding

Ref:- I. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 6 nos ) of size 150x150x150mm casted on 10-09-2020 with M30 mix concrete for obtaining the / days ( 16-09-2020) and 28 days ( 08-10-2020) cube strength of the above concrete is used for Firstr floor slab of 'Construction of Gram Sachivalayam building at Doddpatla of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineers Deputy Executive Engineers

PRI Sub-OMBRISH Myndavalli.

604

To his Brokerye Fr

Decty I Report

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Dollar and Permitted by A.P. State Government)

Accredited by NAAC with "A" Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9648779121 Fax No. 08674-273957

ச-mail: principal@geogudiavallaru.ac in, office@geogudiavallaru ac.m. Web: www.geogudiavallaru.ac.in

## Dr. POTLURI RAVINDRA BABU

di sechi, May, All Techni Ph.D., 70 Cappings C METS MASAS WAS MERS HERE

Principal

Ref: GEC/Consult/CE/MT-144

Date: 17-09-2020

Tο Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building, First floor slab work at Doddapatla of Kaikaluru Mandal - Regarding.

With reference to your letter dt. 17-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

1			and for it days are as follows	
Grade of	Date of	S. Carlo	Compressive Strength	
; concrete	Casting	Date of Testing	- (N/mm²) — — Total Average	
M 3D	;		1 2 3 (N/mm <sup>2</sup> )	
ا المراق الما	10-09-2020	17-09-2020	21.95   22.13   21.66   65.74	
	11/	不是一大 安		

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

Lab Technician

Head of Civil Engineering

PRINCIPAL

Received to on ore

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision.

To,

The Principal Gudlavalleru College of Engineering Gudlayalleru.

Erino 4/ JTO/PRISD/Mandavallr / Gram Sachivalayam/ reports/2019 dt 12-09-2020

Sir,

Sub:- PR1 subdivision - Mandaval/i - submission of cubes of M30 concrete - recurred 7 days and 28 days attempth results - regarding

Ref;- 1, Rc ло 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 6 nos ) of size 150x150x150mm casted on 12-09-2020, with IM30 mix concrete for obtaining the 7 days (18-09-2020), and 28 days (00-10-2020) cube strength of the above, concrete is used for **Footings** of 'Construct' in of Gram Sachivalayam building at Vada calli of Medinepalli 1 landal Est Cost Partions **Lakhs** sanctioned under NREGS grand . Conjuired payment vivides made when the dust conj received from your end.

Profity Executive Engineee PRI subdivision

Mandavalli.

The lase Emphonge of N No Josefy & Report

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mall: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Bullech , M.S., M. Tech , Ph.D.,

THE PIECE WINDS SHOW SHOW IN SEC. MIST. L. MICH.

Principal

Ref\_GEC/Consult/CE/MT-145

Date: 19-09-2020

To Deputy Executive Engineer, Panchayat Raji Sub Division, Mandayatti

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building footing work at Vadavalli of Mudinepalti Mandal - Regarding.

With reference to your letter dt 19-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compr	essive Str (N/mm²) 2	ength	Total	Average (N/ram²)
M 30	12-09-2020	19-09-2020	21.28	21.79	21.81	64.85	21 62

This is for your kind information,

Thanking you

Tested by

Yours faithfully,

Lab Technician

Lab Incharge

Head of Civil Engineering

PRINCIPAL

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlaval term

Lrino | 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 23-09-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of curbes of M30 concrete - required 7 days strength results - regarding

Ref;- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-09-2020 with M30 mix concrete for obtaining the 7 days ( 23-09-2020) cube strength of the above concrete is used for Roof slab of 'Construction of YSR Rural Health Clinic (Wellness centre) building at Kanukollu of Mandavalli Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS & Health grant . Required payment will be made when the demand received from your end-

Yours faithfully.

Deputy Executive Engineeer

PRI subdivision

Mandavalli

Finally

Finally

Finally

Report

And The Sylve

Report

And The Sylve

Report

And The Sylve

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Report

Repor

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9646779121 Fax No. 08674-273957

e-mail; principsi@pergudiavatieru ac.in, office@geogudiavalieru.ac in. Web: www.geogudiavalieru.ac.in

#### Dr. POTLURI RAVINDRA BABU

R. Carlo Information and Photos.

OF THE MAY MANAGEMENT WAS MADE AND

Personal

Ref. GEC/ConsuMCE MT-151

Date: 23-09-2020

Tα Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavalli.

Sir

Sub:- Test results of the CC cubes for the construction of YSR rural health clinic (Wellness Contre). building roof slab work at Kanukolfu of Mandavalli Mandal - Regarding

With reference to your letter dt. 29-08-2020 we have conducted the compressive strength test on M 35 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

i 	Grade of soncrete	Date of Casting	Date of Testing		ssive Strength N/mm²) 2 ; 3	
Ĺ	M 30	16-09-2020	23-09-2020	22 69	23.14 22.87	68 64 22 88

This is for your kind information.

Thanking you,

Fested by

Yours faithfully,

Lab Technician

(K.Venkateswara Rao). Lab Incharge

(Dr P.Kodanda RamaRao)

(Dr.F.Ravinera Babu)

Head of Civil Engineering

PRINCIPAL

Sn P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision

To.

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lr no 26/ JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt 23-09-2020 Sir

Sub:- PR1 subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150×150×150mm casted on 26-08-2020 with M30 mix concrete for obtaining the IZB days (IZ3-09-2020 ) cube strength of the above concrete is used for First floor slab of 'Construction of Gram Sachivalayam building at Vanudurru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs isanctioned under NREGS grant . Required payment will be made when the demand. received from your end-

Yours faithfully

Deputy Executive Engineeer PRI subdivision Mandaysis

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinade) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Dethi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalieru.ac.in, office@gecgudiavalieru.ac.in, Web: www.gecgudiavalieru.ac.in

#### Dr. POTLURI RAVINDRA RABII

Pilemant S. M. Pylis, Politic the Charlest Charles of Market Court States and

Principal

Ref. GEC/Consult/CE:MT-157

Date: 23-09-2020

Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building, First Floor slab work at Vanudurru of Mudinepalli Mandal - Regarding

With reference to your letter dt. 02-09-2020 we have conducted the compressive strenath test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days and 28 days are as follows:

1	Grade of	Date of	Compressive Strength Date of Testing (N/mm²)				- . Total	Average
	concrete	Casting	oute or rooming	1	2	і 3		(N/mm1)
	M 30	26-08-2020	02-09-2020	23 42	22 81	23.19	69.42	23.14
	M 30	26-08-2020	23-09-2020	37.96	38.44	38.28	114.68	38.22

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

Lab Technician

Lab Incharge

(K.Venkateswaha Rao) (Dr P Kodanda RamaRao).

Head of Civil Engineering

(Or P Rayndra Babu)

PRINCIPAL

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision

ΙO,

The Principal Gudlavallery College of Engineering Gudlavalferu.

Erino 3/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 18-09-2020

Sir,

Sub:- PR1 subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 21-08-2020, with IM30 mix concrete for obtaining the 28 days (18-09-2020), cube strength of the above concrete is used for Ground floor slab of 'Construction of Gram Sachivalayam building at Lingala of Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully.

Property Executive Engineers

PRI subdivision

Mandavatli

Forwarded to les Forchage for on Togli

Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tuch - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 06674-273737, 273868, Mobile: 9848779121 Fex No. 08674-273957

e-mail: principal@gecgudiavolloru ac.in, office@gecgudiavelleru.ac.in, Web: www.gecgudiavelleru ac.in

#### Dr. POTLURI RAVINDRA BABU

D. Leuter, M. S., Millauber, Ph. D.

A LONG MINE TO A MISSON WAS MADE MANY

Ринсерья

Ref. GEC/ConsuMCE/MT-160

Date: 18-09-2020

Deputy Executive Engineer. Panchayat Raj Sub Division, Maridavalri Mandel

Sir.

Sub.- Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Ground Floor stab work at Lingala of Mandavalli Mandat - Regarding

With reference to your letter at. 28-08-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of Date of concrete Casting	Date of Testing	Compressive Strongth
M 30 21-08-2020	28-08-2020	22 39   21.92   22.78   67.09   22.38
M 30 21-08-2020	18-09-2020	38 29   38.75   38.41   115 45   38.48

This is for your kind information

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technicien

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

Recor Ca. Boges JR.

K. 162 From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Philopal Gudlavalteru College of Engineering Gud/avalleru

Lr no. 3/ JTO/PRISD/Mandaval/I / Gram Sachivalayam/ reports/2019 dt 18-08-2020

Sir.

Sub:- PRI subdivision ~ Mandavelli – submission of cubes of M30 concrete – required 28 days strength results - regarding

Ref:- 1. Rd no 26/C1/2020 at 01-05-2020 of the District Collector. /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 mm$  casted on 21-07-2020, with M30 mix concrete for obtaining the 28 days ( 18-08-2020 ), cube strength of the above concrete is used for Ground floor slab of 'Construction of Gram Sachivalayam building at Ayyavarirudravaram of Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineers

PRI subdivision Mandayalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273868, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.i

# Dr. POTLURI RAVINDRA BABU

R. Back, Mr. S. 54 Becks, PD D., CHECK TO SEED TO SEED OF SEED OF SEED OF SEEDS

Free caps.)

Ref: GEC/Consult/CE/MT-162

Žο Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalö Mandal

Sin

Sub. - Test results of the CC cubes for the construction of Gramma Sachivalayam Building Ground Floor slab work at Ayyavarirudravaram of Mandavalii Mandal - Regarding.

With reference to your letter dt. 28-07-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by your The Test results for 7 days and 28 days

			no for roays an	d 28 dans
Grade of concrete	Date of Casting Date of Testin	-T-500	eners	
1 44.0-	1-07-2020   28-07-2020 1-07-2020   18-08-2020	1 1 2 1 - T 1 2 1 1 22.97 1 22.64 1	3 23.26 68 87	(AVmmin) 1 22.95
- min minuth	nation.		:- : , , , , , 00	38.21

This is for your kind information,

Thanking you,

Tested by

A. Alle

Yours faithfully,

(A. Ji(ani) Lab Technician

(K.Venkateswara Rao) Lab incharge

(Dr.P.Kodanda RamaRag) Head of Civil Engineering

Date: 18-08-2026

Red- G. Boges JR.

Mar / Je

From ,

Sri P.Suresh Babu M.Tech , Deputy Executive Engineer , Panchyat Raj Supdivision -c,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Li no | 32 / CTO/PR[SD/Mandavalli / Gram Sachivalayam / reports/2019 dt | 18-09-2020

5ic.

5ub. - PRJ subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 14, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

Yours faithfully

TO ANCE

Deputy Executive Engi

Mandaya'lı

Frivaled to les Encharge to

18/9/20

إلمحوا

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9849779121 Fax No. 08674-273957

e-mail: principat@gecgudlevalteru.ac.in, office@gecgudlevalteru.ac.in, Web: www.pecgudlevalteru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Direction M.S. M. fach. Ph.O., THE CONTRIBUTE METER MAJOR MENT NOTAL MICH.

Principal

Ref: GEC/Consult/CE/MT-164

Date: 18-09-2020

Tα Deputy Executive Engineer, Panchayat Raj Sub Division Mandavalti Mandali

Sir.

Sub.- Test results of the CC cubes for the construction of Gramma Sachivelayam Building, Gound floor slab work at Korukolu-II of Mandavalli Mandal - Regarding

With reference to your letter at. 28-08-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		ssive Strength N/mm²}	Total (N/mm²)
1 — M 30 —	21-08-2020	28-08-2020	22 32	21 96 22 29	86 57 22.13
M_30	21-08-2020	18-09-2020	37.96	39.12 38.75	

This is for your kind information.

Thanking you,

Tested by

A. Tile

Yours faithfully.

(A Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Or.P.Rayindra bacu) PRINCIPAL

Reaved Dye Bl

(An Autonomous Institute with Permanent Affliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVAULERU-521 356, Kriehna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - OSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273896, Mobile: 9848779121 Fex No. 08674-273957

e-mail: principal@gecgudievalleru.sc.in, office@gecgudievalleru.sc.in, Web; www.gecgudiavalleru.sc.in

Dr. POTLURI RAVINDRA BABU

B Frein, M.S., M. Teyb., Ph.D., The Control of the Control of State Control of the

Principal

Ref. GEC/Consult/CE/MT-165

Date: 01-10-2020

Deputy Executive Engineer. Panchayat Rai Sub Division. Mandaval'i Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building, First floor slab work at Korukolu-N of Mandayafli Mandal - Regarding.

With reference to your letter of, 01-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

	Grade of concrete	Date of Casting	Date of Testing		ssive Strength N/mm²) 2 3	Total (N/mm <sup>2</sup> )
İ	M 30	24-09-2020	01-10-2020	23.14	23 08 23.27	69.49 23.16

This is for your kind information.

Thanking you,

Tested by

Yours faithfully.

(A Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab incharge

(Dr.P.Kodanda RamaRao).

Head of Civil Engineering

(Or.P Ray

PRINCIPAL

Rewood 2 2 gaz Bahr

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer ,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lrino 138/ JTO/PRISD/Mandavalii / Gram Sachivalayam/ reports/2019 dt 120-08-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Reft- 1... Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size | 150×150×150mm casted on 13-08-2020, with IM30 mix concrete for obtaining the 7 days (I20-08-2020) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivatayam buildings. SANARUDRAVARAM of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end-

ours faithfully

PRI subdivision Mandavalli

Ja HOD CE

front to Us Brokerge for w Toll 2000 Pork of the 20/8/2000

GUDLAVALLERU ENGINEERING COLLEGE

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 9 Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08874-273957

e-mail: principal@gacgudiavalleru ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Fech, Al. 3., M. Back, 1961).
PBCC Gog. MISTE. SYSTEM GLASHE, SECT. MSLA, MIRA,

Principale

Ref. GEC/Consult/CE/MT-167

Date: 10-09-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavatli Mandal,

Siz.

Subtraction of Gramma Sachivalayam Building Footings, work at iSanarudravaram of Kalidindr Mandal - Regarding.

With reference to your letter dt. 20-08-2020 we have conducted the compressive strength test an M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows.

Grade of concrete	Date of Casting D	ate of Testing	Compressive Strength (N/mm²)	-  -   Total	Average
·		20-08-2020	22 78   23.12   22 96		22.95
		10-03-2020	37.89 38.68 38.36		383.

This is far your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.J.lanı) Cab Technician

k.Venkatoswara Rao) Lab Incharge

(Dr.P Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Reginura Babu) PRINCIPAL

1 Aprilud

form,

Sn P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Ray Subdivision

To,

The Principal

Gudiavalleru Engineering college

Gud/avallerui

Linno - 36 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt | 05-10-2020

Sir.

/ duys strength results - regarding.

Ref:- It, Rc no 26/C1/2020 at 01-05-2020 of the District Collector /OPC MGNREGS Kosaisal

I am submitting the cube samples (  $3~{
m mos}$  ) of size  $150{
m x}150{
m x}150{
m mm}$  casted oil. 28-09-2020, with M30 mix concrete for obtaining the  $7\,$  days (  $95\,$  10-2020 ), cube strength  $\mathbb{N}$ the applyal concrete is used for Footings of lof Construction of Gram Sachivalayam building at PENUMILLE of mudinepalli mandal Est Cox? Rs 40.00 Lak! . 6 . 11 . . . d upder NRLG5 grant . Required phyment will be made when the demand receive  $M_{\rm cons}$  ,  $M_{\rm cons}$ unc

Yours faithfully.

Pandity Executive Engineeer

PRI subdivision

Mandaviuli

To the last inchange cortain

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delh) and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9846779121 Fix No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

Contraction of the Contraction o

Principal

Ref. GEC/Consult/CE/MT-170

Date: 05-16-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir,

Sub - Test results of the CC cubes for the construction of Gramma Sachiva/ayam Building Footings, work at Penumilli of Mudinepalli Mandal - Regarding

With reference to your letter dt. 05-10-2020 we have conducted the compressive strongth test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

!	Print 1	r — -— - <u>—</u>	and results for ridays are as follows
Grade of	Date of	19-19-	Compressive Strength
concrete	Casting	Date of Testing	Total Average
' i ! M 30	70.00.00	10 1 AABA 1	
i L	28-09-2020	05-10-2020	23.49   22.97   23.21   69.67   23.22

This is for your kind information,

Thanking you

Tested by

Yours faithfully,

(A.Jilanı) Cab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaReo) Head of Civil Engineering

(Or.P.Ravindra Babu) PRINCIPAL

Activel e

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Enginearing college

Gudlavaflevu

Unino 46/ JTO/PRISD/Mandavalli / GS at Sriharipuram/ reports/2019 dt 29-09-2020 \$3r,

Sub:- PR! subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Roino 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 01-09-2020 with IM30 mix concrete for obtaining IZ8 days (IZ9-09-2020) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building. Sriharipuram of Mudinepalli Mandal Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

**₽**RT subdivision

Mandavell

1 Les Trahage for m. F.

29/0/2000

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail; principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web; www.geogudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

Then M. Which St.P. to Copy (1970) because the property has been been a first order.

Principal

Ref: GEC/Consult/CE/MT-172

Date: 29-09-2020

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sr.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footings work at Sriharipuram of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 08-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days and 28 days

		2.02		-
Crade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)	Average
1	01-09-2020	08-09-2020	1 1 2 7 1 Total 1 1 1 2 1 3 1 1 2 1 2 1 2 1 2 1 2 1 2 1	(N/mny)  -
M 30   	01-09-2020	29-09-2020	38.46 J8.95 38.62 116.03	i 22.93   38.67 :

This is for your kind information,

Thanking you

Tested by

Yours faithfully,

A-316m

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Inchałge

(Or.P.Kodanda RamaRao) Head of Civil Engineering

(Dr P.Ravindra Bahu) PRINCIPAL

W1-133

From .

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr No 47/ JTO/PRISD/Mandavalli / GS Sriharipuram / Reports/2019 dt 12-10-2020

Sir,

**Sub:**- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm desired on 05-10-2020 with M30 mix concrete for obtaining the 7 days ( 12-10-2020) cube strength of the above concrete is used for **Ground Floor Roof Slab** of **'Construction of Gram Sachivalayam building at Sriharipuram of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant**. Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Exceptive Engineeer

PRI subdivision Mandavalli

124

16 Trekerge for W. F.
R. W. 14/10/2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08674-273957 e-mail; principal@gecgudlavalleru.ac.in, offica@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

THE CLASS MIN'T MIN' STRANGE STATE STATE AND A WEIGH

Concepti

Ref: GEC/Consult/CE/MT-173

Date: 12-10-2020

Το Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavatli Mandat.

Sir

Sub: Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Ground floor roof slab work at Srihampuram of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 12-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows.

1			days	are as follows
!	Grade of it	Date of	Compressive Strength 1	i
:-		Casting	Date of Testing     (N/m m²)	Total   Average   (N/mm)
:	M 30	05-10-2020	12-19-2020   22.67   23.12   22.89	
		111		08.68   22.89

This is for your kind information.

Thanking you

Tested by

Yours faithfully.

Lab Technician

(K Venkateswara Rad) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

Received by

From .

Sri P.Suresh Babu M. Fedh.,

Deputy Executive Engineer .

Panchyat Raji Subdivision.

To.

The Principa!

Gudlavatleru Engineering college

Gudlavalleru

Lr no - 44/ J10/PRISD/Mandavall: / GS sriharipuram / reports/2019 dt 03-11-2020 |

Sir,

5ub: PRJ subdivision – Mandavalii – submission of cubes of M30 concrete – required. 28 days strength results - regarding

Ref:- 1: Rc na 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on . 05-10-2020 with: M30 mix concrete for obtaining, 28 days ( 03-11-2020 ) cube strength of the above, concrete is used for Ground Floor Roof Slab, of 'Construction of Gram. Sachivalayam building at Sriharipuram of Kaikaluru Mandal Est Cost Rs 40.00 **Lakhs**: sanctioned under NREGS grant . Recurred payment will be made when the carnandreceived from your end-

Yours faithfully.

Deputy Executive Engineeer

PRI subdivision

Mandavalli

To green fum. T

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinade) Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriahna District, A.P., India

(Approved by AICTE, New Delbi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9648779121 Fax No. 08674-273957 e-mail; principal@gecgudiavallaru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gacgudiavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

When MS At Jon, et D. BY THE BURE ABOVE SANAS, MANY AND SANAS.

Marin Cornel

Ref GEC/Consult/CE/MT-174

Date, 03-11-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Siz.

Subr - Test results of the CC cubes for the construction of Gramma Sachivalayam Building, Ground floor roof stab work at Sriharipuram of Mudinepalti Mandal - Regarding.

With reference to your letter dt 03-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as

Grage of Soncrete	Date of Casting		Compressive Strength   Average
is to/ your kind us	05-10-2020	   03-11-2020   	37,98 38.45 38.73 115.16 38.38

This is to: your kind information,

Thanking you

Tested by

Yours faithfully,

(A.Jilagi). Lab Technician

(K.Venkateswarla Raq) Lab Ілспалдё.

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Rayındra Babu;

PRINCIPAL

From

251-13

To,

Sri P.Suresh Babu, M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandaalli.

The Principal

Gudlavailleru Engineering College,

Gudlavalleru.

Urino - 42 / JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 de 11-10-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Roing 26/C1/2020 dt 01-05-2020 of the District Collector (OPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 04-10-2020 with M30 mix concrete for obtaining the 7 days ( 11-10-2020 ) cube strength of the above concrete is used for **Footings concrete** of 'Construction of R3X, building **VANUDURRU** of Mudlinepalli Mandal **Est Cost Rs 21.80 Lakhs**, sanctioned under NRESS grant. Required payment will be made when the demand received from your end

Yours faithfully

Souty Executive Engineeer

PRI subdivision Mandavalli

195

Bo Incharce for over To 12/10/2000

1004

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Dahl and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273986, Mobile: +91 9848779121 Fax No. 06674-273957 e-mail: principal@gecgudiavalleru.sc.in, offics@gecgudiavalleru.sc.in, Web: www.geogudiavalleru.sc.in

### Dr. POTLURI RAVINDRA BABU

G. Brita. M. C. M. George Ph. D.

The order witte, were a secured labour, only to be

Pragrimal

Ref. GEC/Consult/CE/MT-175

Date: 11-10-2020

To Deputy Executive Engineer, Panchayat Ray Sub Division, Mandavalfi Mandal

Sir,

Sub:- Test results of the CC cubes for the construction of Rythu Barosa Kendram building, footings work at Vanudumu of Mudinepalli Mandal - Regarding.

With reference to your letter dt 11-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

:		T	and the second of the se
Grade of Concrete	Date of	Date of Testing	Compressive Strength !
:	Casting 	pare or testing	$ \begin{array}{c c} & & \hline & (N/mm^3) \\ \hline & & 2 \\ \hline \end{array} \begin{array}{c} & -1 \\ \hline \end{array} \begin{array}{c} Total \\ \hline \end{array} \begin{array}{c} Average \\ \hline \\ N/mm^3 \end{array} $
M 30	04-10-2020	11-10-2020	72 40 +
	-2/	THEAT	23.49 23.75 23.62 70.86 23.62

This is for your kind information,

Тһалкілд уоц.

Tested by

Yours faithfully.

(A.Jilanı) Lab Technician

(K.Venkateswara Rsc) Lab incharge

(Dr.P.Kodanda RamaRae) Head of Civil Engineering (Or.P Rayhdra Babu) PRINCIPAL

kw. Des

**Esom** 

To,

Srl P. Suresh Babu M. Tech...

Deputy Executive Engineer.

Panchyat Raj Subdivision,

Mandavatli.

The Principal

Gudlavalleru Engineering college

Gudfavalleru.

£r no 41/ JTO/PRISD/Mandavalli / Gram Sachivalayani/ reports/2019 dt 01·11/2020.

Sir,

Subt - PR1 subdivision - Mandavatti - submission of cubes of M30 concrete - required

28 days strength results - regarding

Ref:- 1. Rc na 26/CI/2020 at 01-05-2020 of the District Collector /DPC MGNREGS

Krishna

I am submitting the cube samples ( 3 nos ) of size | 150x150x150mm casted on | 04-10-2020, with IM30 mix concrete for obtaining the 28 days (I01-11-2020 ) cube strength of the above concrete is used for Footings of 'Construction of RBK buildings VANUOURRU of Mudinepalli Mandal Est Cost Rs 21.80 Lakhs Sanctioned under NREG5 grant Required. payment will be made when the demand received from your end.

Xours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli.

To gardarely dwarf

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi end Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273987 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavallaru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

Differ Mising from Park, ST chap board, on sales worlds, never that a sure

Principal

Ref: GEC/Consult/CE/MT-176

Tα Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalii Mandal.

54.

Sub:- Test results of the CC cubes for the construction of Rythu Barosa Kendram building footings work at Vanudurru of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 01-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as

:	T	
Grade of concrete	Date of Cashing	Date of Testing L(N/mm²) Total Average
M 30	04-10-2020	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
is for non-time	. 7	- $        -$

This is for your kind information

Thanking you.

rested by

Yours faithfully,

Date: 01-11-2020

(A.Jilani) Lab Тесhпісіал (K Venkateswara Rac) Lab (nchalige

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL.

Lev Pro

M7-177

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer .

Panchyat Ray Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lrino | \$27 JTO/PRISD/Mandavalli / WC Peruru / reports/2019 dt | 12-10-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required. 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-09-2020 with M30 mix concrete for obtaining the 26 days ( 12-10-2020 ) cube strength. of the above, concrete is used for piles concrete ( for WC) of 'Construction of Gram. Sachivalayam building at Peruru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end ...

Modes faithfully

Deputy Exacutive Engineeer

PRI subdivision

Mandavalli

10 governor for 12/10/2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakineda)

Seahadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AIGTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail- principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### DE POTLURI RAVINDRA BABU

B Tech., M.S., M. Tech., Ph.D.,

70 J. C.Zey J. MESTY, MISEST MASME, MISAB, MISEA, M

Principal

Ref. GEC/Consult/CE/MT-177

Date: 12-10-2020

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir.

Sub: Test results of the CC cubes for the construction of Gramma Sachivalayam building Piles concrete work at Peruru of Mudmepalli Mandal - Regarding.

With reference to your letter dt. 12-10-2020 we have conducted the compressive strength less on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days

Grade of concrete	Date of Casting	T — — — — — — — — — — — — — — — — — — —	Compressive Strength	 Verage
M 30	14-09-2020	21-09-2020	22.95	Minima)
M 30	14-09-2020	12-10-2020	38 71   37 96   38 50   445 50	3.14 - 8.42

This is for your kind information,

hanking you,

Tested by

Yours faithfully.

(A Jilani)

ab Technician

(K.Venkateswara Rac) Lab incharge

(Dr.P Kodenda RamaRao) Head of Civil Engineering

(Or P Rayindra Babu) PRINCIPAL

Mi-138

From ,

To,

Sri P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavaileru Engineering college

Panchyat Raj Subdivision

Gudlavalleru

Lrino | 50/ 0TO/PR(SD/Mandavalli / GS Peruru / reports/2019 at | 12-10-2020|

Бiг.

Sub:- PRI subdivision - Mandava'li - submission of cubes of M3B eximatele - required 28 days strength results - regarding

Ref:- 1<sub>80</sub> Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-09-2020 with M30 mix concrete for obtaining the 78 days ( 12-10-2020 ) cube strength of the above concrete is used for **piles concrete** of 'Construction of Gram Sachivalayam building at Peruru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end ...

Yours faithfully

Payury Executive Engineeer

PRI subdivision Mandavalli

To gretoge for on The 12/10/200

lead

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakineda) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 8848779121 Fax No. 08674-273957 a-mail: principal@geogudiavalieru.ac.in, office@geogudiavalieru.ac.in, Web: www.geogudiavalieru.ac.in

#### Dr. POTLURI RAVINDRA BABU

H. Pech., M.S., M. Tech., Ph D.,

LIE, C'ERE, WINTE, MINIST, MASSIN, MINAR, MINA, MINIM,

Principal

Ref: GEC/Consult/CE/MT-178

Date: 12-19-2020

To Deputy Executive Engineer Panchayat Raj Sub Division, Mandaval'i Mandal

Sir

Sub: Test results of the CC cubes for the construction of Gramma Sachivalayam building Piles concrete work (for WC) at Peruru of Mudinepalls Mandal • Regarding.

With reference to your letter dt. 12-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days and 28 days are as follows.

Grade of Date of Casting		Date of Testing	Compressive Strength (N/mm²)			Total	i Average
	KANA A SE	1	2	3	1 10(a)	(N/mmm)	
M 30	14-09-2020	21-09-2020	23.64	23.29	23 53	70 46	23.48
_M 30	14-09-2020	12-10-2020	38.91	38.42	38.63	115.96 i	38 55

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL From .

Sh P.Suresh Babu M.Tech.,

Deputy Executive Engineer ,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalieru.

## Lr No 43/ JTO/PRISD/Mandavalli / Gram Sachivalavam Atapaka 2/ Reports/2019 dt 06-10-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2070 of the District Caliector /OPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 29-09-2020 with M30 mix concrete for obtaining the 7 days ( 06-10-2070) cube strength of the above concrete is used for Ground Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building at Atapaka 2 of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end .

Yours faithfully.

Deputy Executive Engineee: PR1 sebdivision

Mandayalli

No green two were the property of the property

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 8848779121 Fax No. 08674-273957 e-mail; principal@gacgudiavaflaru.ac.m. office@geogudfavaflaru.ac.in, Web: www.gacgudiavaflaru.ac.in

### Dr. POTŁURI RAVINDRA BABU

H Tech., M.S. M. Tech., Ph.D. FIE, C. Dag , MTSTE, MAIST, MASAIH, MSAE, MSFA, MJIM.

Prefectional

Ref: GEC/Consult/CE/MT-180

Date: 27-10-2020

Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalli Mandat

Sub - Test results of the CC cubes for the construction of Gramma Sachivalayam building ground floor roof stab 125mm threk work at Atapaka 2 of KarkaJuru Mandal - Regarding.

With reference to your letter dt. 06-10-2020 we have conducted the compressive strength less on M 30 grade GC Cubes. Which are supplied by you. The Test results for 7 days and 28 days are as follows

Γ	TC	Section 1 to 1					
Grade of concrete	Date of . Castrng	Date of Testing	Сопрте	essive Str (N/mm²)	ength	     Total	Average
M 30	29-09-2020	06-10-2020 27-10-2020	23,72	23.91	23.58   38.73	71 21	(N/mm²) 23.73 38.38

This is for your kind information,

Thanking you

Tested by

Yours faithfully

(A.Jilani)

Lab Technician

Lab Incharge

(K.Venkateswara Rap) (Dr.P Kodanda RamaRap) Head of Civil Engineering

(Dr.P.Raymora Babu) PRINCIPAL

Coucresh y

M3-181

From .

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raf Subdivision To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru:

<u>Lr No 56/ JTO/PRISD/Mandayarli / GS Ayyvarirudravaram / Reports/2019</u> dt 08-10-2020

Sit,

**Sub:-** PRI subdivision – Mandavalli – aubmission of cubes of MBB concrete – required 7 days strength results – regarding

Ref:= 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 rxxs ) of size 150x150x150mm casted on 01-10-2020 with M30 mix concrete for obtaining the 7 days ( 08-10-2020) cube strength of the above concrete is used for **First floor Slab 125mm thick** of 'Construction of Gram Sachivalayam building at Ayyavarirudravaram of Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NRSGS grant . Required payment will heart the demand received from your end as

Yours faithfully

Deputy Executive Engineering
PRE subdivision

Mandavelli

To has Grande for Not 8/10/2020

lest

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08874-273957 e-mail: principal@gecgudiavallaru.ac.in, office@gecgudiavatiaru.ac.in, Web: www.geogudiavallaru.ac.in

### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D.,

FIE, C. DIG. MESTE, MSEST, MASME, MISAN, MSEA, MILIM,

Principal.

Ref. GEC/Consult/CE/MT-181

Date: 29-10-2020

Deputy Executive Engineer, Panchayat Ray Sub Division. Mangayati Mandal

Sir

Sub - Test results of the CC cubes for the construction of Gramma Sachivalayam building First floor slab 125mm thick work at "Ayyavarırudravaram of Mandavalli Mandal - Regarding.

With reference to your letter dt. 08-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Tost results for 7 days and 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing		essive Str (N/mm²) 1 2	ength 	Total	Average (N/mm²)
M 30	01-10-2020	08-10-2020	22.57	23.12	22.89	i —     68.38	 22.89
M 35	01-10-2020	29-10-2020	38,91	38.42	38 63	115.96	38.65

This is for your kind information.

Thanking you

Tested by

Yours faithfully,

Lab Technician

Lab Incharge

(K.Venkateswara Rao) (Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

"K. V. & 204.

MIRZ

From ,

Sri P.Surosh Rabii M.Tech.,

Deputy Executive Engineer.

Panchyal Raj Subdivision

To,

The Principal

Gudlavaileru Engineering college

Godlavalleru

Unino - 2/ UTO/PRISD/Mandavalli / Grama Sachivalayam/ reports/2019 at 2/11/2020.

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1... Rolling 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 04-10-2020 with MUID mix concrete for obtaining the 28 days ( 02-11-2020) cube strength of the above concrete is used for VRCC M30 for Individual Footings 'Construction of Wellness centre building at Vadavalli in Mudinepalli Mandal Est Cost Rs 14.95 Lakhs sand oned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRL sabaivisian

Mandavalli

Locy To the Porcharge for W T

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

ை mail principal@geogudiavalleru.ec.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

# Dr. POTLURI RAVINDRA BABU

Brick, Mr. M. G. & Phile the rest pages that I within all all the entry

Prompter

Ref GEC/Consult/CE/MT-182

Date: 02-11-2020

Tρ Периty Executive Engineer, Panchayat Raj Sub Division, Mandavallı Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Welfness centre building footings, work at Vadavalli of Mudinepalli Mandal - Regarding

With reference to your letter dt. 11-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Fest results for 7 days and 28 days

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength    — (N/mm²) — Total   Average   (N/mm²)	
M 30	04-10-2026	11-10-2020	72 67 122 67	
M 30	04-10-2020	02-11-2020	38 91 38 42 28 92 48 58 22.89	
s is for your kind in	oformation.	1	38.65	,

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

L≋b Technisian

(K Venkateswara Rao) Lab Incharge

(Dr.P Kodanda RamaRao) Head of Crvit Engineering

(Dr.P.Ray PRINCIPAL Trod

Shiri.Serosh Bube to Techy Deputy Executive Engineery Historyet Raj Sundivision, Historytili

N/697

То,

The Principal
Gudtavallers Engineering sailege
Gudfavallers

ELINO 1917 JTO/PRISD/Mandavalli / Gram Sachivalayam/ Reports/2019 dt:19+10-2020

Sir

 $m Gab \sim -PR3 \ sabdivision \sim Mandavalfi + submission of cubes of M30 concrete <math>\sim$  required 28 days strongth results + regarding

 $\rm KeF \simeq 1.1~Ke~mo~26/C1/2020$  of 01-05-2020 of the District Collector /DPC MGNRs:GS  $\rm (Collector)$ 

(3 nosl) of size 150x150x151mm cashed on (2-11: 3020 with 16:30 mix concrete for obtaining the 7 days (19 10-2029) cube strength of (10 10:20 mix concrete for obtaining the 7 days (19 10-2029) cube strength of (10 10:20 mix concrete for bottings) of Construction of RBK buildings VADAVALLI of mediane, it is not feet Cost Rs 21.80 Lakhs sanctioned under NREG5 grant. Required (someoff of Le made when the demand received from your end

Yours faithfully.

Deputy Executive Engine PRI subdivision Mandavalli:

30 Sachar fu 20-1 19/10/2020

7

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinade)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 368, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273886, Mobile: +91 8848779121 Fax No. 08674-273967

e-mail: principat@gecgudiavalleru.ec.in, offica@gecgudiavalleru.ec.in, Web; www.gecgudiavalleru.ec.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., PIN, C Equ., MISTIT, MSESI, MASME, MSAK, MSFA, MIZA.

Principal

Ref: GEC/Consult/CE/MT-183

Date: 10-11-2020

To Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Manda\(^1\)

Sir.

Sub.- Test results of the CC cuties for the construction of Rythu Barosa Kerndra building footings work at Vadavalli of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 19-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows

Grade of	Date of	Date of Testing		essive Stre (N/mm²)	engih	Total	Average (N/mip*)
concreté	Casting		1	2	3		(IN/IIII/)
M 30	12-10-2020	19-10-2020	23.72	23.91	23.58	71.21	23 73
M 3D	12-10-2020	10-17-2020	37,98	38.45	38.73	115.16	38.38

This is for your kind information,

Thanking you.

Yours faithfully,

fested by

(A Jilani) Lab Technician (K Venkateswara Rao) Lab Incharge

wara Rab) (Ur.P Kod wara Head of !

(Dr.P Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu) PRINCIPAL MI-184

From ...

Sr. P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To.

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lrino 12/ DTÖ/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dli 28 09 2020.

Sir.

Sub:- PRI subdivision - Mandaval'i - submission of cubes of M30 concrete - required 28 days, strength results - regarding.

Ref:- 1. Roing 26/C1/2020 dt 01-05-2020 of the District Collector / DPC MGNREG5. Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 01-09-2020 with IM30 mlx concrete for obtaining the 28 days (I28-09-2020) loube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam' building at Payyaru of Mudinepalli Mandal Est Cost Ra 40.00 Lakhs is acquired under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

PRI subdivision

28/9/2020

Seshedri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 9848778121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalletu.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B Tech., M.S., M. Tech., Ph.D. FTE, C.Eig., MIXTP, MSEBI, MASMIJ, MSAE, MSEA, WIJM,

Property

Ref: GEC/Consult/CE/MT-184

Date: 29-09-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayem building footings work at Payyani of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 08-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days and 28 days

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)			Total	Average
M 30		D3885 V 2	1	2	3	1 '0'a'	(N/mm <sup>2</sup> )
$\vdash$	01-09-2020	06-09-2020	22.52	21.87	22.69	67.08	22 36
<u> </u>	01-09-2020	29-09-2020	38.56	36.93	38.74	116.23	38.74

This is for your kind information.

Thanking you

Tested by

Yours faithfully,

(A. Jilani)

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

Receivel J.D.R-Project.

MI-185

From .

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal.

Gudlavalleru Engineering sollege.

Gudlavadecu

£r no 12/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 23-10-2020

Sir,

Subtr PRI subdivision | Mandayalli - submission of cubes of M30 concrete - required. 7 days strength results regarding

Ref: 1. Rd no 26/01/2020 dt 03-05-2020 of the District Collector (IDPC 10/IRLCS) Kushna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 16-10-2020 with M30 mix concrete for obtaining the 7 days (.23, 10-2020), gather strength of the above, concrete is used for. Ground floor roof slab of 'Construction of Gram. Sachizəlayam building at Payyaru of Mudinepalli Mindal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received. from your end

ns Enclarge form T

Yours faithfully.

Deputy Executive Engineeer PRI subdivision

Mandaya'li

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rev Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Wab: www.gacgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tochi, M.S., M. Jechi, Ph.D., SIE, C.Eng., MISTE, MSESI, MASME, MXAK, MSEA, MIM.

Principal

Ref: GEC/Consult/CE/MT-185

Date: 13-11-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavatli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab work at Payyaru of Mudinepalli Mandat - Regarding.

With reference to your letter dt. 23-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows

Grade of Date of		Date of Testing		Compressive Strength (N/mm²)			l <sup>*</sup> Average	
concrete Casting	Date of Testing	- 1	2	3	Total	(N/mm²) j		
M 30	16-10-2020	23-10-2020	23.27	22.89	23.41	69.57	23.19	
M 30	16-10-2020	13-11-2020 j	38.49	37 93	38 61	115.03	38.34	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilanı)

(K.Venkateswara Rao)

(Or P Kodanda RamaRao) Head of Civil Engineering (Or P Raynass Babu) PRINCIPAL

Lab Technician

Lab Incharge

Received J. B. R. Punt.

## **GVR - PREMCO Joint Venture**

Ref.

45-42

Date.....

Lr. No: GVR-PRRMCO )V/RVNL/GDC-MTM/CIVIL/PKG-4/004 - lab: 55

Date: 20-10-2020

To
Head of Department,
Civil engineering department,
Gudlavalleru engineering college,
Gudlavalleru.

Sub:-Doubling with electrification of Railway line between Gudlwada –Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C Railway-(Package-4)- "Regarding testing of concrete cubes for OHE REF:

Dear Sir.

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes location of cubes 36/16 type of foundation P-15. The age of cubes is 28 Days. Please conduct Compressive strength test As per IS code.

Date of casting : - 22-9-2020. Grade of concrete: - M15

orane or contrete: - 1417

With regards:

For GVR-PREMICO JV

V.SATYANARAYANA

Project Manager

frite lab Inchase for m T

bed

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gscgudlevalleru.ac.in, office@gecgudlevalleru.ac.in, Web: www.gecgudlevalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., PR. C.Eng., MISTE, MSHSI, MASME, MSAE, MSRA, MITM.

Principal.

Ref: GEC/Consult/CE/MY4186

Date: 28-10-2020

To The Project Manager, GVR Premeo Joint Venture, Gudivada,

Sir,

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36 740 on Vijayawada Division of S.C. Railway "- (Package-4)

With reference to your letter Lr. No: GVR-PREMCO JV/ RVNL/ GDV-MTM/CIVIL/PKG-4/004 hab:-41, dt:29-09-2020, We have conducted the compressive strength test on M 15 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Identification	Date of Casting	Date of Testing	Compressive Strength (N/min²)	Total	Average (N/num');
M15	OHE Foundation - 36/60 Type of Foundation P-15	22-09-2020	28-10-2020	23.27   22.89   23.4[	69.57	23.19

this is for your kind information,

Thanking you,

Tusted by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P Raviodia Babu)

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no / JTO/PRISD/MdvI / G5 Korrpaleam / reports/2019 dt 28-09-2020

Sir,

Sub;- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Coffector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 mm$ casted on 31-08-2020 withM30 mix concrete for obtaining the 28 days ( 28-09-2020) cube strength of the above concrete is used for Footings of 'Construction of Grama sachivalayam building at Korragantipalem in Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctroned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Pepucy Executive Engineeer

PR1 subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.sc.in, office@geogudiavalleru.sc.in, Web: www.geogudiavalleru.sc.in

#### Dr. POTLURI RAVINDRA BABU

B Tech . M.S., M. Jech., Ph D .

FIE. C.Eug, MISTE, MISTE, MASME, MSAE, MISTA, MINM.

Principal

Ref. GEC/Consul//CE/MT-187

Date: 28-09-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Şir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at korragantipalem of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 07-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testrog		essive Str (N/mm²)	ength 3	Total	Average (N/mar <sup>2</sup> )
M 30	31-08-2020	07-09-2020	23.67	23.92	23.54	71.73	23 7°
M 30	31-08-2020	28-09-2020	38.46	38.89	38 37	115.72	38 57

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rag) Lab Incharge

(Dr P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Rayingra Babu) PRINCIPAL NT/188

From ,

1000

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Er ло / JTD/PRISD/Mdvl / GS Korrpaleam / reports/2019 dt 18-11-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref; - 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

Lam submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 31-08-2020 withM30 mix concrete for obtaining the 28 days ( 18-11-2020) cube strength of the above concrete is used for Footings of Construction of Grama sachivalayam building at Korragantipalem in Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PR1 subdivision

Mandavalli

W. Duchard In n. T. 18/1/2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delbi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grado

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08674-273957 e-mail: principal@geogudiavaileru.so.in, office@geogudiavaileru.so.in, Web: www.geogudiavaileru.so.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M. Fech., Ph.D.,

THE C.E.S. CONSTRUMENTS MANY CONSERVATIONS, SHOPING

Princinal

Ref: GEC/Consult/CE/MT-188

Ta Deb

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalji Mandal,

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachival ayam building ground floor slab work at korragantipalem of Mudinepalli Mandal - Regarding.

With reference to your letter dt.28-10-2020 we have conducted the compressive strength test on as follows. Which are supplied by you. The Test results for 7 days and 28 days are

, T	T)	<u> </u>	10		J		
Grade of concrete	Date of	Date of Testing	Compre	ssive Str	ength	· ·	
⊢	Casting - — — — —	Sata of Testing		N/mm²)	T	Total	Average (N/mro)
	21-10-2020	28-10-2020	22.58	23.29	22.87	L 68.74	l ´
_ M 30	21-10-2020	18-11-2020	37.98	38.66	38 89	115.53	22.94 

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

Date: 18-11-2020

(A.Jirani) Lab Technician

(K Venkateswara Raq) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Or.P Ravindia Babu) PRINCIPAL

Phone: 9392055706



## VADDI RAMA KRISHNAYYA BUILDING MATERIALS



Prop: Vaddi Devi Chaitanya, B.Tach

Emath vrkelebrickio gmail.com

MT-189

Ode: 31-10-2010

To The Puncipal, Gudlavaller Engineering college, Gudlavaller !

Substitute of the ash bricks - Reg.

Six, we would the to get a report regarding Strength & weight particular of fly ask bruke which strength & weight particular of fly ask bruke which are manufactured at our plant. In this regard, we request your goodself to kindly accept and request your goodself to kindly accept and provide the recensing results through report for the following:

1. 12" x 7" x 6" - 3 No'1.

10 SA

Thanking you.

For Voidi Remainishmerya Briting Materials

V. Den Chaitay

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India. (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 27388\$, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, offica@gecgudiavalleru.ac.in, Web: www.decgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B Tech., M.S., M.Tech., Pk.D.,

FIE, Cling, MISTEL MSCSL MASSIE, ASAE, MSFA, MINM,

Principal

Ref: GEC/Consult/CE/MT-189

Date 02-11-2020

Tο Vaddi Rama Krishnayya Building Majerials, Prop. V.Devi Chartanya, Sy.No 194, Chittipalem Road, Arisepatti Village, Machilipatnam Mandal Krishna District, A P - 521366.

Sir.

Sub. Test results of Fly ash Bricks Your Letter Dated: 31-10-2020.

With reference to your letter we have conducted the compressive strength test for on Fly ash Bricks, Samples, which are supplied by you. The Test results are as follows:

Description	Date of Testing	Compressive Strengti (N/mm²)					
	Date of Tooling	1	2	3	10131	(N/mm²)	
Fly ash Bricks - 41	31-10-2020	7 64	6.97	7.58	22.19	7.39	
Fly ash Bricks - 61	31-10-2020	5.96	6.84	6.75	19.55	6.51	

Weight of the Sample:

	eight of the 3	ampie.	- 11		1.00			
	Description	Date of Testing	Weight	of the sam	ple (Kg)		Average weight	:
	ocsarpiigii	TOE	NGIN	2	3	Total 	of the sample (Kg)	
Fly	ash Bricks-4"	31-10-2020	9 975	9.975	9.870	29.82	9.94	:
Fly	ash Bricks-6"	31-10-2020	12 615	12.235	13.585	38.435	12.81	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully

( A Jitani) Lab Technician

A. William

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) (Dr. P.Ravidora Babu). Head of Civil Engineering

Principal

Godfavelleru 20-10-2020

90

The Principal

Gudlovellen Ergineerig college

Gudlevelloon (M), Knishnadist.

Cube test for M30 grade Concrete regardips

Dear Sir,

I am to Gowlham pour we are doing the works of Grance Southiveleyon and KBK at Kowingereram we are requesting you please conducting cube test for M30 grade concrete for por cops. State work,

Thonking you,

€ Toutton (land

Sila Gupar

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +81 9848779121 Fax No. 08674-273957 s-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., PIS, C.Eng., MISTE, MSESI, MASWIC, MSAT, MSEA, MIJM.

Principal.

Ref: GEC/Consult/CE/MT-190

Date: 26-10-2020

To Sri V Sun Babu, Assistant Engineer, PRI Sub Division, Gudivada

Sır,

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram Salb work at Kowtharam Village, Gudfavalleru Mandal - Regarding.

With reference to your letter dt. 24-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		essive Str N/mm²)   2	ength	Total	Average (N/mml)
M 30	18-10-2020	25-10-2020	23.87	23.59	23.62	71 08	23.69

This is for your kind information.

Thanking you,

Tested by

A- Plan

Yours faithfully,

(A.Jlfani) Lab Technician (K.Venkateswara Rap) Lab Incharge (Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

Revised ... Coulton Carl ...

Gedbvalleta. 11-10-2020

The Principal

Gydk Vallera Ergrand reallers.

Gudbuchlau (M) Krishna diff

SUL: Cube text for M 30 grade conerect yegudin

DEN SIY.

Term E. Gowthen Bul war was doing

the world aremosectival and wellness content Seri dogumb villogo andb Yalleramandet. We are

Yearriting you plank conducting cure for for M30 grade concrete per pil cope

Homein your E. 40 w Haw Paul · Sile frage

Coffee date 92-10-2020 7 Land text Right

To has millinge for in T 22/10/2012

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Parmitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile; +91 9848779121 Fax No. 08574-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Teck , Ph.D .

FIE. C.E.g., MISTE, MSESI, MASME, MSA6, MSPA, MIIM,

Principal

Ref. GEC/Consult/CE/MT-191

Date, 29-10-2020

Deputy Executive Engineer, RWS Sub Division. Gudivada

Sir.

Subr- Test results of the CC cubes for the construction of Wellness center piles cap work at Seridugumill Village, Gudlavalleru Mandal - Regarding.

With reference to your letter dt, 29-10-2020 we have conducted the compressive strength tost on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing		essive Stre N/mm²) 2	ength  3	Total	Average (N/mm /
M 30	22-10-2020	29-10-2020	23.72	23.69	23 85	71.26	23.75

This is for your kind information,

Yours (authfully,

Tested by

A-Dloi

(A.Jijani) Lab Technician (K.Venkateswara Rao). Lab Incharge

(Dr P Kodanda RamaRao) Head of Civil Engineering (D/ P.Ravindra Babu)

PRINCIPAL

mp 193

From ,

Sri 8-Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 22-11-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 24·10·2020 with M30 mix concrete for obtaining 28 days ( 22-11·2020) cube strength of the above concrete is used for **Ground Floor Roof Slab 125mm thick** of 'Construction of **Gram Sachivalayam building Chatakai of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

To Lab Enchage form T

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinade Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Deihi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +81 9648779121 Fax No. 06674-273957 e-mail: principal@gecgudiavalleru.ec.in, office@gecgudiavalleru.ec.in, Web: www.gecgudiavalleru.ec.in

#### Dr. POTEURI RAVINDRA BABU

B.Troh., M.S., M.Tech., Ph.D.,

ME, CIDIR, MISTEL MSESI, MASNEL MNAR, MWA, MIJM,

Principal

Ref: GEC/Consult/CE/MT-193

Date 22-11-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavath Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Ground floor roof slab 125 mm thick work at. Chatakai of Kaikaluru Mandal - Regarding.

With reference to your letter dt.01-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are

		- 15 15 15 - 15 - 15 - 15 - 15					
Grade of concrete	Date of Casting	Date of Testing	Compre	ssive Str (N/mm²)	ength	l Total	Average
M 30		(20) A S	1	2	3	1 Total	(N/mee')
<u>:</u>	24-10-2020	01-11-2020	23.97	23.19	23.68	70.84	70.04
M 30	24-10-2020	22-11-2020	38.21	38.74	<u> </u>		' 23.51 
	100			00.74	38.62	115.57	38 52

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P Ravindra Babu) PRINCIPAL

Decised by

WI-194

From

Sri P.Suresh Babu, M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandaaili.

To,

The Principal

Gudlavalleru Engineering College,

Gudlavalleru.

Lrino 42 / JTO/PRJSD/Mandavalli: / Gram Sachivatayam/ reports/2019 dt 02-11-2020

Sir,

Subt: PR1 subdivision — Mandavalli — submission of cubes of M30 concrete — required 7 days strength results — regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 25-10-2020 with M30 mlx concrete for obtaining the 7 days ( B2-11-2020 ) cube strength of the above concrete is used for **Ground Floor Slab** of 'Construction of Grama Sachivalayam Building **ALLURU** of Mudinepalli Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your and

Yours faithfully

Daguty Executive Engineeer

PRI subdivision Mandavalli

To we smokers for my

Lad

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kekinada) Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fez No. 08674-273957

േത്രൂട്ട്. principal@gecgudlavalleru കൂന, ക്രിലേത്രുലേളudlavalleru ac.m, Web: www.gecgudlavalleru ac.m

#### Dr. POTŁURI RAVINDRA BABU

British M.N. Milech, Ph.D. and the first indicated a second distriction on the interest manner.

Proprietal

Ref\_GEC/Consult/CE/MT-194

Date 02-11-2020

To Deputy Exocutive Engineer. Panchayat Raj Sub Division. Mandavalti Mandat.

Sir,

Sub - Test results of the CC cubes for the construction of Gramma sachival ayam building. Ground floor slab work at Alluru of Mudinepalli Mandal - Regarding.

With reference to your letter dt.02-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		Ssive Str (N/mm²)	engih	Total	Average (N/mm²)
M 30	25-10-2020	02-11-2020	23.29	23.72	23.36	70.37	23 45

This is for your kind information,

Thanking you.

Tested by

A-766

Yours faithfully,

(A.Jilani)

Lab Technician

(K Veлkateswara Rao).

Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravind

PRINCIPAL

Record copy.

Re-Sout States

NT- 195

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivisión,

Mandaalli.

To,

The Principal

Gudlavalleru Engineering College,

Gudlavalleru.

Erino 42 / JTO/PRISD/Mandavaili / Gram Sachwalayam/ reports/2019 dt 02-11-2020

Sir,

Sub:- PRJ subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1 Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 25-10-2020 with M30 mix concrete for obtaining the 7 days ( 02-11-2020 ) cube strength of the above concrete is used for **Ground Floor Slab** of 'Constituction of Grama Sachivalayam Building **KALLAPALEM** of Kalidindi Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Denuty Executive Engineeer
PRI subdivision

Mandavalli

604

prefer from to

...

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Zech., M.S., M. Pech., Ph.D.,

F.E. / Rec. 2007/6/15 NeST, MARGIN UNAB MSDL Herv

Principal

Ref: GEC/Consult/CE/MT-195

Date: 02-11-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalii Mandal,

Sig.

Sub • Test results of the CC cubes for the construction of Gramma sachival ayam building. Ground floor slab work at Kallapatem of Kalidindi Mandal - Regarding.

With reference to your letter dt.02-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		essive Stri (N/mm²) 2	ength	r — – I I Total	Average (N/mm²)
M 30	25-10-2020	02-11-2020	23 67	23.72	23.66	70 95	

This is for your kind information

Thanking you.

Tested by

Yours faithfully.

(A.Jilanı) Lab Techniqian (K.Velmateswara Rao) Lab Incharge

(Or.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu) PRINCIPAL

K. Nogar Por

From

Mandavalli.

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, N9.196

The Principal

To,

Gudiavalleru Engineering college

Gudtavalleru.

Lrino 41/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 22-11-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MCNXEGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 25-10-2020 with M30 mix concrete for obtaining the 28 days ( 22-11-2020 ) cube strength of the above concrete is used for **Ground Floor Slab** of 'Construction of Grama Sachivalayam Building **KALLAPALEM** of Kalidindi Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully.

Deputy Executive Engineeer PRI subdivision

Mandavalli

LON TO

To las Emphase furw. T

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Knahna District, A.P., India (Approved by AICTE, New Delht and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile. +91 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru.sc.in, office@geogudlavalleru.sc.in, Web; www.geogudlavalleru.sc.in

#### Dr. POTŁURI RAVINDRA BABU

Britisch, M.S. Officett, Ph.D., C.E. Cony. NESTRING NOVALUS INVANIMENTAL MEET

Principai

Ref. GEC/Consult/CE/MT-198

Date 22-11-2020

Τo Deputy Executive Engineer, Panchayat Rai Sub Division. Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Ground. floor slab work at Kalfapalem of Kalidindi Mandal - Regarding.

\*\*\*\*\*

With reference to your letter dt 22-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

Grade o		Date of Testing		essive Stri (N/mm²)	ength	Totai	Average
concrete	Casting	water or receiving	F	2	3	rotai	(Namm*)
M 30	25-10-2020	22-11-2020	38 97	38.65	38.43	116.05	38.63

This is for your kind information,

Tested by

Yours faithfully,

(A.Jilani) Łab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

ridra Babu) PRINCIPAL

From ,

BEN MT-198

To.

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no 35 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt 22-10-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casteu on 24-09-2020 with M30 mix concrete for obtaining the 28 days ( 22-10-2020 ) cube strongth of the above concrete is used for First floor slab of 'Construction of Gram Sachivalayam building at KORUKOLLU - II of kalidindi mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

RI subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.ii

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-198

Date: 22-10-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab work at Korukollu-II of Kalidindi Mandal - Regarding.

With reference to your letter dt.22-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength			are as fo	
		1	2	3	Total	(N/mm <sup>2</sup> )	
M 30	24-09-2020	22-10-2020	20.00	1	-		
	information	0 2020	38,97	38.65	38.43	116.05	38.68

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

N(200

The Principal

To,

Gudlavalleru Engineering college.

**Gudlavafleru** 

Lr no 43/ JTO/PRISD/Mandavaili / Gram Sachivaiayam/ reports/2019 dt 15-11-2020

Set,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /@PC MCNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x(50x150mm casted on 08-11-2020 with M30 mix concrete for obtaining the 7 days ( 15-11-2020) cube strength of the above concrete is used for **Ground Floor Slab** of **Construction of Grama Sachivalayam building Guraja Village of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineer
PRI subdivision

ra subaryisid Mandayasii

An Autonomoue Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mall, principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Refer to the Child Server of the Control of the Child Server of th

Francipa)

Ref\_GEC/Consult/CE/MT-200

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Ground floor slab work at Guraja of Mandavali Mandal - Regarding.

With reference to your letter dt 16-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)	Total Average
M 30	08-11-2020	15-11-2020	22.49 23.71 23.93	70.13   23.37

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

Date: 18-11-2020

(A.Jitani) Lab Technician

(K.Venkateswara Rac) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering Dr.P Rayladra Babu) PRINCIPAL From ,

To,

5ri P.Suresh Babu M.Tech., Deputy Executive Engineer,

The Principal Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudfavalleru

Lr no - Z/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 69

Sir.

Subtr - PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 09-11-2020 with IM30 mix concrete for obtaining the 7 days ( 16-11-2020), and cube strength of the above iconcrete is used for First Floor Columns of 'Construction of Gram Sachivalayam Building Utukuru of Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Mandavallı 🕜

To late Frehouse Sw. N. T

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rac Knowledge Village, GUDLAVALLERU-521 356, Krishne Diefrict, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

a-mail: principal@gacgudlavalieru.ac.in, office@gecgudlavalieru.ac.in, Web: www.gecgudlavaileru.ac.in

#### Dr. POTLURI RAVINDRA BABU

P. De, B. M. S. M. Tark, 145 (1). State on Assault Mean Mark Survey (1984).

Principal

Ref. GEC/Consult/CE/MT-201

Date: 18-11-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division Mandavath Mandat.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building, first floor columns work at Utukuru of Mudinepalli Mangal - Regarding.

With reference to your letter dt.16-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

 Grade of concrete	Date of Casting	Date of Testing		essive Stre (N/mm²) 2	ength 3	Total	Average (N/mm²)
M 30	09-11-2020	16-11-2020	22.49	23.71	23.93	70 13	23.37

This is for your kind information.

Thanking you,

Tested by

والمطواري

Yours faithfully,

(A.Jilani) Lab Technician

(K.Verikateswara Rao) ian Lab Incharge (Dr.P.Kodanda RamaRao) Head of Civil Engineering (Or.P Ravindra Babe) PRINCIPAL From ,

5ri P,Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision

ſο,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

07-12-2000

trino | 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ imports/2019 dt 99-11-2020

Sir,

Subtraction - Mandavalli - submission of cubes of M30 concrete - required 7 days and 28 days strength results – regarding

Ref;- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector I/DPC MGNREGS.

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150$ mm casted on 09-11-2020 with M30 mix concrete for obtaining the 28 days ( 07-12-2020) cube strength of the above concrete is used for First Floor Columns of Construction of Gram Sachivalayam building Utukuru of Mudienepaili Mandal Est Cost Rs 40.00 Lakhs sanctioned under MREGS grant . Required payment will be made when the demand received from your end

yegues faithfully

Deputy Executive Engineeer

Ref Subdivision ,∞a:ndava:li

Forwarded to The Principal Freen

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273868, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M. Fich., Ph.D.,

MISTE, MOTOR, MIE, WOSI, MISRS, MIAPR, MCRSI

**Principal** 

Ref\_GEC/Consult/CE/MT-202

Date 07-12-2026

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor columns work at Utukuru of Mudinepalli Mandal - Regarding.

\*\*\*\*

With reference to your letter dt.07-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

i	Grade of concrete	Date of Casting	Date of Testing	Compres (h	ssive Stre Vmm²)	ength "	Total	Averog (N/min
				l " <u> </u>		3 '	_	
ŀ	M 30	09-11-2020	07-12-2020	37. <del>96</del>	38.44	38 28	114.68	38 22

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technicran

(K Venkateswara Rac) Lab Incharge (Dr.A.Sk@nivasulu) Head of Civil Engineering (Dt.G.V S.N.R.V.Prasac)

PRINCIPAL

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision Gudivada

To.

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 24-09-2020

Sir,

Sub: PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding.

Ref.: 1. Rc no 26/C1/2020 dt 18-05-2020 af the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-08-2020 with IM30 mix concrete for obtaining the 28 days ( 24 -09 -2020) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Gram sachivalayam' building at Rudrapaka (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs | sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Engine PRI subdivision

Gudiyada

To tak Frankus Jami

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation, B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudjavalleru.ac in, office@gecgudjavalleru.ac.in, Web: www.gecgudjavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABÜ

B TAIN, M.S. MI Joch , Ph.O. , 10,100 r. asia, mark mark mark mark mark

Principal

Ref: GEC/Consult/CE/MT-203

To Sri A.Harmadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building piles work at Rudrapaka (V) of Nandivada Mandal - Regarding.

\*\*\*\*

With reference to your letter dt.25-09-2020 we have conducted the compressive strength test on Mi30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Campressive (N/mm		Total	Average (I
4010000	Casting	15 S 10 K	1 2	!   3		i (iwitiin )
M 30	28-08-2020	25-09-2020	37 95 38.	26   38.44	114 65	38.21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 25-09-2020

(A Jilani)

Lab Technician

(K.Venkateswara Rac)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr P.Ravindra Babu)

PRINCIPAL

P. 120 10 10 10

From ,

Sri A.Harinadh Bebu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru,

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 28-09-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1.: Rc по 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x250mm casted on 01-09-2020 with M30 mix concrete for obtaining the 28 days ( 28 -09 -2020) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Rudrapaka (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

ru suogivis Gudivada

ADS\_50

the boy Green Sq.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rad Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for S Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, விடிகஇதுவதையிகாய.ac.in, Web: www.gecgudlavelleru.ac.ip

#### Dr. POTLURI RAVINDRA BARU

Distock M.S., At fixed, Ph.O. FIR, Cities Spy(1) MSISI, MOSAR, MSAL, MSALSHIM

Principal

Ref: GEC/Consult/CE/MT-204

Tα Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Gudivada

Sir

Sub:- Test results of the CC cubes for the construction of Gramma sachival ayam building pile caps work at Rudrapake (V) of Nandivada Mandal - Regarding.

With reference to your letter at 29-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

		T ·—— — .		uma
	Grade of concrete	Date of Casting	Date of Testing (N/mm²) Totai	Average
-	M 30	01-09-2020	29-09-2020 <u>38.66</u> 38.19 38.44 115.29	(N/mm²)   

This is for your kind information.

Thanking you,

Tested by

Yours faithfully

Date: 29-09-2020

A all-

(A Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Or P. Rayindra Babu) PRINCIPAL

From ,

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal Gudlavalleru Engineering college Gudfavalleru

Crino / DTO/PRISD/MdVI / GS Bhaskararaopeta / reports/2019 dt 14-11-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding.

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishnal

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-11-2020 withM30 mlx concrete for obtaining the 7 days ( 14-11-2020), cube strength of the above concrete is used for Ground floor Roof slab "Construction of Grama" sachivalayam building at Bhaskararaopeta in Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end-

Yours faithfully

Les Prochage form. Tokat Deputy Executive Engineeer PRI subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakineda)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government).

Accredited by NAAC with 'A' Grade

NBA Accreditation: B Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273868, Mobile: 9848779121 Fax No. 08674-273957

e-mail; principat@geogudiavallerv.ac in, office@geogudiavalferv.ac.in, Web; www.geogudiavalferu.ac.in

#### Dr. POTLURI RAVINDRA BABU

Is Leelin M.S., M. Roch , Ph. Jan. DELCTION, MINTE MALSE, MASKIE, MAND, MISTA, MIRITA

Principal

Ref: GEC/Consult/CE/MT-208

Τo \$л P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandali

Sir.

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building. Ground floor roof slab work at Bhaskararaopeta of kalidindi Mandal - Regarding...

With reference to your letter dt. 14-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

!				was a mile da in	/IIOWS
Grade of concrete	Date of Casting	Date of Testing	Compressive Str (N/mm²)	rengih T	Average
M 30	07-11-2020	14-11-2020	$-\frac{1}{2249}$ $-\frac{2}{23.71}$	↓_ <sup>3</sup>	(N/mm³)
		1		23.93 70.13	23.37

This is for your kind information,

Thanking you.

Tested by

Yours faithfully.

Date 14-11-2020

(A.Jilani) Łab Technician

Lab Incharge

(K.Venkaleswara Rao) (Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravin PRINCIPAL

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer. Panchyat Raj Subdivision, Mandaalli.

To,

MT-207 21/11/2020

The Principal

Gudlavalleru Engineering College,

Gudlava/leru.

/ JTO/PRISD/Mudmepalli/ Gram Sachivalayam/ reports/2019 dt 13-11-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Roino 26/C1/2020 dt 01-05-2030 of the District Coflector /DPC MGNREGS

I am submitting the cube samples ( 3 hos ) of size  $150 \times 150 \times 150 \text{mm}$  castled on 06-11-2020 with M30 mix concrete for obtaining the 7 days ( 13-14-2020 ) cope surgion of the above concrete is used for **Ground Floor Slab** of Construction of Grama Sachivaleyam Building Vadavalli of Mudinepatli Mandal Estt Cost Rs.40.00 Lakhs sandtioned under NREGS grant . Required payment will be made when the demand received from your end

Sucomffet to purby

Sw Contradorate

P. L. L.

Capoty Executive Engineeer

PR) subdivision Mandavalfi

Yours faithfully

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Kriehne Dietrict, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888. Mobile: 9846779121 Fex No. 09674-273957

e-mail; principal@geogudiavatlerc.ac.in. office@peogudiavalleru.ac.in, Web: www.geogudiavallaru.ec

# Dr. POTŁURI RAVINDRA BABU 0.18ch. M.S., M.To. L., Ph. B.

Equil the Mixer, MOSTS MANNEL MSQL MANA, MIN

Penangar]

Ref: GEC/Consult/CE/MT-207

7<sub>0</sub> Sri P.Suresh Babu, M.Tech Daputy Executive Engineer. Panchayat Raj Sub Division. Mandavalti Mandal

Sir.

Sub.- Test results of the CC cubes for the construction of Gramma sachivalayam building. Ground floor slab work at Vadavalli of Mudinepalli Mandal - Regarding.

With reference to your letter dt 13-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

:		and subblied the care	The Tark	0119	an rest DU
   Grade of	i =	T	I. The Test results for	r 7 days are as fo	olkows
Concrete			Compressive Str	enath - +	. =[
	Casting	Date of Testing	<u>(N/mm²)</u>		ــــــــــــــــــــــــــــــــــــــ
M 30	76 11 700p		_ 1 2		Ave/aga (N/mm²)
	06-11-2020	13-11-2020	22.49   23.71	├_~ -	1
This is for your kind in	Morrook		$-\frac{22.49}{-}$	23 93   70 <sub>13</sub>	23 37
,	TOTTIVATION,			——·— · ·	

Thanking you,

Tested by

ARK

Yours faithfully,

Date: 13-11-2026

(A.Jijani)

Lab Technician

(K Venkateşwara Rao) Lab Incharge

Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

(ઉંડે)

From

Gri P.Suresh Вайы, М.Тесп., Deputy Executive Engineer ,

Panchyat Raj Subdivision,

Mandaalli.

To,

The Principal

Gudlavailleru Engineering College,

Gudlavalleru.

Lrino | 42 / JTO/PRISD/Mandavatii / Gram Sachivalayam/ reports/2019 dt 14-11-2020

Sir,

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Reft- 1. Rt no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted or: 25=10-2020 with M30 mix concrete for obtaining the 7 days ( 14-11-2020 ) cube strength of the above concrete is used for Footings of Construction of Grama Sachivalayam Building Gannavaram of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Exceptiveding notion

Mandhval(2

Less)

Submitted to One Por.

19

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., Indie

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08674-273957 e-msil. principsi@gecgudiavelleru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.il

# Dr. POTLURI KAVINDRA BABU

B.Tarki, M.S., M. Redt., Ph.D., FIRST BROOMSTE KINDS WARREN MAKE WARR MINE

Principal

Ref\_GEC/Consult/CE/MT-208

Date: 14-11-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division Mandavalli Mandal

Sir

Sub. - Test results of the CC cubes for the construction of Gramma sachivalayam building, footings work at Gannevaram of Mandavali Mandai - Regarding.

With reference to your letter dt.14-11-2020 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

=		$\top$ $ -$	To readity for ridgys are as follows						
	Grade of	Date of		Compressive Str	ength	—	Г		
1	concrete	Casting	Date of Testing	(N/mm²)		Total i	Average		
ŀ		+ $   $	<u> </u>	1 2	j 3 j	. 0.01	(N/mm²)		
Ι.	M_3Q	07-11-2020	14-11-2020	23.21 21.97	22.53	67.71	23.63		
				· — —   — · · _	L 1.		22.57		

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lao Technicrap

(K.Venkateswara Rao) Cab Incharge

(Or.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudlavaileru Engineering college
Gudlavaileru

Lr no / JTO/PRISD/Mdvl / GS Sribaripuram / reports/2019 dt 15-11-2020

Sir,

Sub:- PRI subdivision – Mandavaki – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on DB-11-2020 withM30 mix concrete for obtaining the 7 days ( 15-11-2020) cube strength of the above concrete is used for **First floor Roof slab "Construction of Grama sachivalayam building at Sriharipuram in Mudinepalli Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Submitted to principal

for inorderates

P. M.

Yours faithfully

Deputy Executive Engineerer
PRI subdivision

Mandavall:

2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nov. 08674-273737, 273888, Mobile, 9848779121 Fax No. 08674-273957

e-mail: principat@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

## Dr. POTI URI RAVINDRA BABU

Billiagh, N. S., M. Toyon, Ph.D.,

California, Miscon Section Society, Miscon Misson, Misson, Millian

Principal

Ref: GEC/Consult/CE/MT-209

Date: 15-11-2020

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sic.

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building first floor roof slab work at Scharpuram of Mudenepalli Mandal - Regarding

With reference to your letter dt.15-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of	Date of	Date of Testing	Compressive Strength (N/mm²)			Total	n Average
' concrete	Casting		1	2	3		, (Namm <sup>a</sup> ) i
M 30	08-11-2020	15-11-2020	23.67	23.42	23.81	70.95	23.65

This is for your kind information.

Thanking you,

Yours faithfully.

Tested by

(A Jilanı) Lab Technician (K.Venkateswara Rab) Lab Incharge

(Or.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P Rayindra Babu)

PRINCIPAL

Rosent Hade

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seehadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, REE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888 Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudlavatleru.ac.in, office@gecgudlavatleru.ac.in, Web: www.gecgud:availeru.ac.in

# Dr. POTLURI RAVINDRA BARU

U. U.S.A. M.S. M. Reity, Phys. B. Charles and M. Land, March, Mar

Principal

Ref. GEC/Consult/CE/MT-210

Date: 04-08-2020

To Srr P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

\$ir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Pile concrete, work at Pedalanka of Kafidindi Mandal - Regarding.

With reference to your letter dt.14-07-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days & 28 days are as follows.

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)			Total	T I Average
	- Casting		1	2	3	i Dial	(N/mm²)
M 30	07-07-2020	14-07-2020	22.7B	22,51	22.49	67.78	22.59
M 30	07-07-2020	04-08-2020	37 96	38 44	36.28	114 68	38 22

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkaleswara Rao) -Lab Incharge (Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P Ravindra Babu) PRINCIPAL

MT-210

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudiavalleru Engineering college
Gudlavalleru

Lr no /JTO/PRISD/Kalidindi/ Gram Sachivalayam/ reports/2019 dt 04-08-2020

Sir,

Subt - PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1; Rc no 26/CI/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-07-2020 with M30 mix concrete for obtaining the 28 days ( 04-08-2020) cube strength of the above concrete is used for **File Concrete** of **Construction of Gram Sachivalayam Building Pedalanka of Kalidindi Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Soutom that to promped on the Soutom that continued to promped on the Soutom that the soutom to the

Yours faithfuily

Deputy/Executive Engineeer

PRI subdivision

Mandavalli

From

MT. 212 To,

Srt P. Suresh Babu, M. Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision,

Mandaalli.

The Principal

Gudlavalleru Engineering College,

Gudlavalleru.

Lr no. / JTG/PRISD/Kaikaluru/ Gram Sachivalayam/ reports/2019 dt 15-11-2020

Sir,

Subt - PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required. 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MSNREGS. KritShmal

fiam submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-11-2020, with IM30 mix concrete for obtaining the 7 days (II5-11-2020) cube strength of the above concrete is used for First Floor Slab of Construction of Grama Sachivalayam. Building Atapaka of Kaikafuru Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

r Executive Engineeer

PRI subdivision Mandavalli

Solomo (m) for Solomo (m) for Controdoralia

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail. princips/@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in. Web: www.gecgudlavalleru.ac.in

# Dr. POTLURI RAVINDRA BABU

Princippal

Ref. GEC/Consult/CE/M7-212

Mandaval'i Mandal.

To Sri P.Suresh Baou, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division.

Sir.

Sub- Test results of the CC cubes for the construction of Gramma sachival yard building first floor slab work at Atapaka of Kaikaluru Mandai - Regarding

With reference to your letter dt.15-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Yesting	Compressive Strength  (N/mm²) Total Average  1 2 3	
!	08-11-2020	15-11-2026 	23 67 23 42 23.81 70 95 23.85	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully

(A Jilani)

Lab Technician

(K Venkateswara Rao) Lab Iricharge

(Dr.P.Kodande RamaRao)

Head of Civil Engineering

(Dr.P Rakindra Babu) PRINCIPAL

Remod By

-letorestry\_

Date: 15 11-2020

11-213

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision Gudivada To,

The Principal Gudlavalleru Engineering college Gudlavalleru

Urino / JTO/PRISD/Gudivada / Grama Sachrvalayam/reports/2009 dt 02-10-2020

Śiг.

5ub:- PRI subdivision = Gudivada = submission of cubes of M30 concrete = required 28 days strength results = regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-09-2020 with M30 mix concrete for obtaining the 28 days ( 02 -10 -2020) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Gram sachivalayam building at Ilaparru (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Engineeer PRI subdivision Gudivada

Submitted to power for

LERU ENGINEERING CO

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Dalhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273688, Mobile: 9848779121 Fex No. 08674-273957

e-mail: principat@geogudiavatleru.sc.in. office@geogudiavatleru.ac.in, Web: www.geogudiavatlesu.sc.in.

#### Dr. POTŁURI RAVINDRA BABU

Buforle, NAS . M. Feely . Ph.U.

programme programme in the programme of the programme of the

Principal

Ref: GEC/Consult/CE/MT-213

Date: 02-10-2020

Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Gudivada:

\$п.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Piles work at Ilaparu (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.02-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		Compressive Strength  [N/mm²]  1   2   3			Average (N/mm1)
M 30	05-09-2020	02-10-2020	38.89	38.26	38.43	115.58	

This is for your kind information.

Thanking you,

Tested by

A. Dilan

Yours faithfully,

(A Jilani) Lab Technician (K.Venkateswara Rag) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Revindra Babu)

PRINCIPAL

MT- 214

From .

Sri A.Marinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudiyada. To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru.

Lrino / JTO/PRJSD/Gudivada / Grama Sachivalayam/ reports/2009 dt 03-11-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07·10·2020 with M30 mix concrete for obtaining the 28 days ( 03·11·2020) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Ilaparru (v) of Nandivada Mandai Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudivada

Substanted to the Ampel for

M2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273886, Mobile: 9848779121 Fax No. 08674-273957

e-malt: principal@geogudjavatleru.ac.in. office@geogudlavatleru.ac.in, Web: www.geogudlavatleru.ac.in

# Dr. POTŁURI RAVINDRA BABU

It to he M.S. M. Toyle , Phy Dr.

LIST CORP. NOSTIS, MISTS, ACCIDED, MISTOL MICE, 2001M.

Pemamal.

Ref: GEC/Consult/CE/MT-214

Date 03-11-2020

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir.

Sub'- Test results of the CC cubes for the construction of Gramma sachivalayam building. Pife caps work at Ilaparu (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.03-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

_		- $ -$	and the state of the state of	IS ICHIONES
Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²) Tot	tal   Average
M 30			1123   ~~	(N/mm1)
	07-10-2020	03-10-2020	38.97 38.65 38 43   116	- ⊣ 05   38 68

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Lab Technician

(K.Veлkateswara Rap).

Lab Incharge

(Dr.P Kodanda RamaRao)

Head of Civil Engineering

inara Babu) PRINCIPAL

M3/215

From ,

Srl A.Harmadh Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Gudivada.

To,

The Principal,

Gudiavalieru Engineering college ,

Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 18-11-2020

5lr,

Sub:- PR1 subdivision - Gudivada - submission of cubes of M30 concrete - required 07 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-11-2020 with M30 mix concrete for obtaining the 07 days (18-11 -2020) cube strength of the above concrete is used for VRCC M30 for Ground floor Roof Slab 'Construction of Grama sachivalayam | building at Nandivada (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudivada

Suconted to muchan for

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Kriahna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nes. 08674-273737, 273886, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalteru.ac.in. office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

Differ in Sales, NI Tooling Ph.D., 100 of the MISTE, Analysis as essent Mister, Meter Miller.

Principal

Ref: GEC/Consult/CE/MT-215

Date: 18-11-2020

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada

Sir

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. Ground floor roof slab work at Haparu (V) of Nandivada Mandal - Regarding.

With reference to your letter dt 18-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

 	Grade of concrete	Date of Casting	Date of Testing		Average (N/mhil)
-	M 30	12-11-2020	18-11-2020	23.78   23.91   23.57   71.26	23.78

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilanı) Lab Technician (K.Venkateswara Rac) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P. Rayindra Babu)

PRINCIPAL

M1-216

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal

Gudlavatieru Engineering collage

Gudlavalleru

Urino 54/ 3TO/PRISD/Mandavalli / YSRRHC pothumarru / reports/2019 dt 19-11-2020

Sir,

Subt- PR1 subdivision — Mandavalli — submission of cuces of M30 concrete in required 7 days strength results — regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the DistArt Collector (DPC MGMRCCC Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-11-2020 with M30 mix concrete for obtaining the 7 days ( 19-11-2020) cube strength of the above concrete is used for Footings of \*\* Construction of YSR Rural health clinic in 'Pothumarru village of Kalidindi Mandal Est Rs 17-50 Lakhs sanctioned under NREGS grant . Required payment will be made when the densing received from your end

Yours faithfully

Submitted to principal

for consideration

PRI sundivision Mandavali

10-04

A92

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, MB, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888. Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru actin, office@gecgudiavalleru.actin, Web; www.gecgudiavalleru.actin

# Dr. POTLURI RAVINDRA BABU

to tech., 9 S., M. tech., th O.

Child Cost, MISTER RIGHTS, MANNEY, MARK, MISTA, STORE.

Principal.

Ref: GEC/Consult/CE/MT-216

Date: 19-11-2020

To. Sri P.Suresh Babu, M.Techi Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavalli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of YSR rural health clinic building, footings work at Pothumarru Village of Karidiadi Mandal - Regarding,

With reference to your letter dt. 19-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete		I Hale or Legition		Compressive Strength (N/mm²)  1 2 3			Average (N/mml)
M 30	12-11-2020	19-11-2020	23.67	23.42	23.81	70.95	23 68

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

Lab Technician

Venkateswara Rao).

Lab Incharge

(Dr P Kodanda RamaRao).

Head of Civil Engineering

(Dr.P.Raviseta Babu) PŘINCIPAL

MT-218

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Ray Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lz No / JTO/PRISD/Mandavalli / Gram Sachivalayam /Vemavarappadu/ Reports/2020 dt 13-11-2020

Sir,

**Sub:-** PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1.: Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

1 am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 6-11-2020 with M30 mix concrete for obtaining the 7 days ((3-11-2020)) cube strength of the above concrete is used for **Footings** of \*Construction of Gram Sachivalayam building at Vernavarappadu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the gernand received from your end .

lost

Swoon Telto pure prof for Carboderature

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rac Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fax No. 08874-273967

e-mail: principal@gecgudiavalleru.ac.in. office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

# Dr. POTLURI RAVINDRA BABU

Bikschi, M.S., Millechi, Ph.D., The Chockherts Marist Moving, Maximus Av. Mills

Prince (pad

Ref: GEC/Consult/CE/MT-218

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandai,

Sir

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam building footings work at Vernavarapadu of Kaikaluru Mandal - Regarding.

With reference to your fetter dt. 13-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

			,- +.0	
Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)	Total   Average
M 30	Ø6·11-2020	13-11-2020	23.97 23.19 23.68 3	(N/mm) - —   70 84   23 61

This is for your kind information,

Thanking you,

Tested by

A. JM

Yours faithfully,

Date: 13-11-2020

(A Jilani) Lab Technician

(K Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Revinura Babu) PRINCIPAL M7219

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college:

Gudlavaileru

#### Lr No / JTO/PRISD/Mandavall) / YSR Health Clinic/ Chatakai/ Reports/2020 dt 10-11-2020

Sir.

**Sub:-** PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:= 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREG5 Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-11-2020 with M30 mix concrete for obtaining the 7 days ( 10-11-2020) cube strength of the above concrete is used for **Pile Caps** of '**Construction of YSR Health Clinic Center building at Chatakai of Kaikaluru Mandal Est Cost Rs 14.95 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end 't

10-SA

subuttal to purple for consideration P. K. - 2

Deputy Executive Engineeer

Yours faithfully:

PRI subdivision

18

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by ArCTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B Tech - CSE for 6 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: B848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru ac.in, விடிஇதேவுவில்விசைய்கள், Web: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Is zeglit, M.S., M.Terlit, Ph.D. rije i Jaggadi (1., 6, 7, 9) kir Sect. SSAL, ASTA, M.Bri

Principal

Ref. GEC/Consult/CE/MT-219

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalli Mandal,

Sir,

Sub:- Test results of the CC cubes for the construction of YSR health clinic centre building pite caps work at Chatakal of Kaikaluru Mandal - Regarding.

With reference to your letter dt.10-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

\*\*\*\*

- 1	Grade of concrete	Date of Casting	Date of Testing	Compres (f	ssive Stri V/mm²) 2	ength	Total	Avorage (N/mm/)
	M 30	03-11-2020	10-11-2020	23 29	23 72	23.36	70.37	23 45

This is for your kind information.

Thanking you.

Tesled by

Yours faithfully,

Date: 10-11-2020

(A.Jilani) Lab Technician (K.Venkateswara Rac) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Rayındra Babu) PRINCIPAL

# GVR - PREMCO Joint Venture

Ref.

Date.			
Dane.	 	 	100.0

Lr. No: GVR-PREMCO JV/RVNI/GDC-MTM/CJVIL/PKG-4/004 - iab:-57

Date: 10-11-2020

To
Head of Department,
Civil engineering department,
Gudlavalleru engineering college,
Gudlavalleru.

Sub:-Doubling with electrification of Railway line between Gudiwada –Machillpatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C Railway-(Package-4)- "Regarding testing of concrete cubes for OHE REF:

Dear Sir,

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes location of cubes 36/13 A type of foundation MG-04. The age of cubes is 7 Days. Please conduct Compressive strength test As per is code.

Grade of concrete: - M15.

Date of Casting : - 03-11-2020.

With regards:

For GVR-PREMICO AV

V.SATYANARAYANA

Project Manager

**Samples** 

No. Of Cube samples 02. (One Sample for 07 days and another sample for 28 days.)

Register Office; VBC Solitaire, 9th & 10th Floor, No - 47, 49, Bazullah Road, T. Nagar, Chennai - 600 017. Ph. 044-4909 9999, Fax: 044 - 4909 9998, E-mail: tenders ©gyrinfra.com

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada; Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, ESE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9849779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalteru.ac.in. office@gecgudiavalleru.ac in. Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

RIAN MX MRJ (Pd).

THE LAND MINE STORY WAS READING FOR SHIP SHIPS

Proposal.

Ref: GEC/Consult/CE/MT-199

Date: 10-13-2020

To The Project Manager, GVR Premeo Joint Venture, Gudivada,

Sir.

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36,740 on Vijayawada Divistoe of S.C. Railway "- (Packuge-4).

With reference to your letter Lr. No: GVR-PREMCO JV/RVNL/GDV-MTM/CIVIL/PKG-4/004 labt-57, dt: f0-11-2020. We have conducted the compressive strength test on M 15 grade. CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

Grade   Ide		ute of	Date of Testing	Compress Strength (N/)		Total	Average (N/mm/) -
M 15   36	indation -	J-2020   I	0-11-2020 	12.37   13.21	12,85	38.43	12.81

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

A Jahri (A Jilani)

Lab Technician

(K Venkateswara Rae) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr P.Rawnora Babu)

From

B.VenkateswaraRao

Asistant Engineer,

Mandal Parishat, Movva

10. The Pencipal Experies Collage, Coollage, Coddordon

Sir.

Sub :- Panchayatraj Engineering Dept- Movya Mandal- Works 🛬

Providing internal CC roads in ST Area of Nidumolo village of Movva Mandal.Est Rs 5.00 Lakhs-Sanctioned under MPLADS funds- Compressive strength test requested on CC Cubes -3 Test samples Submitted-Reg.

I Submit here with the following samples of CC Cubes of M20 Grade Mix using 330 Kgs of Cement, Metal of 20mm size 60% & 12mm size 40% HBG (585) For testing the Compressive stress values

SL.No

Name of work

No of samples

Providing internal CC roads in ST Area of Nidumolu village of Movva Mandal.Est.Rs 5.00 Lakhs-Sanctioned under MPLADS funds

(Samples 3 Nes of size 150mm\*150\*150mm each)

Hence I request you to issue test results at an early date

Thanking you Sir

Date of Casting 10/10/2020

Date of 28 days 6/11/2020

To the last for hange for will

A. I

Yours faithfully

Asistant Engineer Mandal Parishat, Movva.

12 Std

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, Now Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674 273737, 273888, Mobile. +B1 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.pc.in, office@gecgudlavalleru.nc.in, Web; www.gecgudlavalleru.gc.in.

# Dr. POTLURI RAVINDRA BABU

B Tech., M.S., M.Tech., Ph. 12. FIELD Engl, MUNCK, MISUST, MASME, MSAE, MSAA, MUM.

Principal

Ref; GEC/Consult/CE/MT-197

 $T_D$ B Venkateswara Rao, Assistant Engineer, Mandal Parishat, Movva

Sir.

Sub:- Test results of the CC cubes for the construction of Internal CC roads in ST area of Nidumble Village of Movva Mandal - Regarding.

With reference to your letter dt.09-11-2020 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are supplied by you. The Test results for 28 da

	prog.	T — — — and to the days are as follows	
Grade of concrete	Date of Casting	Date of Testing	Compressive Strength
	i		Polar Average (N/mm²)
'	10-10-2020	06-11-2020	27.51   26.82   27.29   81.62   27.20

This is for your kind information

Thanking you

Tested by

Yours faithfully,

Date 09-11-2020

(A.Anand Gopal)

Lab Technician

(K Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

Daklar Harry Pon

From

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision To,

The Principal
Gudlavalleru Engineering collage
Guglavalleru

MT-211

Lr no / JTO/PRISD/Kalidindi/ Gram Sachivalayam/ reports/2019 dt 19-10-2020.

S:r,

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-10-2020 with M30 mix concrete for obtaining the 7 days ( 19-10-7020) and cube strength of the above concrete is used for Ground Floor Slab of Construction of Gram Sachivalayam Building Pedalanka of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Southout to front for Controlardia Controlar

Yours faitigfully

Degrate Executive Engineeer PRT subdivision

Mandavalli

pd[-21)

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru

Lrino /JTO/PRISD/Kalidindi/ Gram Sachivalayam/ reports/2019 dt:09-11-2020

Sir,

Sub:- PRJ subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Reft- 1. Rd no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-10-2020 with M30 mix concrete for obtaining the 28 days (09-11-2020) cube strength of the above concrete is used for **Ground Floor Slab of Construction of Gram**Sachivalayam Building Pedalanka of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREG5 grapt . Required payment will be made when the demand received from your end

Yours faithful

Deputy Executive Engineeer

PRI subdivision Mandavalli

Substration to promote for constraint

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada). Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 6 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273986, Mobile: 9848779121 Fax No. 08674-273957

s-mail: principal@gecgudiavalleru.ac in, office@gecgudiavalleru.ac.in. Wab: www.gecgudiavalleru.ac in

#### Dr. FOTLURI RAVINDRA BABU

5 Tallin, M.S., M. Levis, 19, p., 106, Close SIPSTE, MISSEST STASME, MISAU, MISTA, MIRAL

វិកាខានបញ្ជាក្នុងវិ

Ref\_GEC/Consult/CE/MT-211

Date: 09-11-2020

Tο Sri P.Suresh Babu, M.Tech. Deputy Executive Engineer. Panchayat Raj Sub Division Mandavalli Mandal.

Sir.

Subtraction of Gramma sachival ayam building. Ground floor slab at Pedalanka of Kalidindi Mandal - Regarding.

With reference to your letter dt.19-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days & 28 days are as follows.

Grade of	Date of Casting	Date of Testing	Compressive Strength (N/mm²)			Total	i Averago
concrete			1	2	3	i Total	(N/mmf)
M 30	12-10-2020	19-10-2020	23.21	21 97	22.53	67.71	22 57
M 30	12-10-2020	09-11-2020	37.95	38.26	38.44	114 65	38 21

This is for your kind information.

Thanking you,

Tested by

Yours faithfully

(A Jilani) Lab Technician (K.Vĕnkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P Ravindra Babu) PRINCIPAL.

p/ 1-220

trom .

Sri P.Suresh Babu M.Tech. Deputy Executive Engineer Panchvat Rai Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no. 52/ JTO/PRJSD/Mandavalli / 65 Kalipaleam/ seports/2019 dt 31-11-2020.

Sir,

Subt - PRI subdivision - Mandavalli - submission of cubes of MBD concrete - required 7 days strength results - regarding:

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector / DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-11-2020, with IM30 mix concrete for obtaining the 7 days (I21-11-2020), cube strength of the above, concrete is used for First Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building of Kalipaleam of Kaidiadi Mandal Est Cost Rs 40.00 Lakhs isanctioned under NREG5 grant . Required payment will be made when the demand. received from your end

Secontal to prestond for

Yours faithfully

Dopaty Executive Engineeer PRI subdivision

Mandavalli

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & iT for 3 Years
Phone Nov. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gacgudlavalleru.ac,in, office@gecgudfavelleru.ac,in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

9 belo, M.S., Malecha Ph.O., That the white seven was M. Mest Mera, som Principal

Ref: GEC/Consult/CE/MT-220

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavall, Mandat.

Зiг.

Sub:- Test results of the CC cubes for the construction of construction of Gramma sachival ayam building first floor slab 125mm thick work at Kallpalem of Kafidmdi Mandal - Regarding.

With reference to your letter dt.21-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows.

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength To	tal Average (N/mm²)
M 30	14-11-2020	21-11-2020	23.29 23.72 23.36 70	37   23 46

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 21-11-2020

– (A Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babir) PRINCIPAL From

Mandaalli.

Sri P.Suresh Babu, M.Tech., M.T. 221 Deputy Executive Engineer, Panchyat Raj Subdivision,

The Principal Gualavatlevu Engineering College, Gudlavalleru.

/ JTO/PRISD/Mudinepalfi/ Gram Sachivalayam/ reports/2019 dt 24-11-2020

To,

Sir,

Sub:- PRJ subdivision -- Mandavatil -- submission of cubes of M30 concrete -- required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 17-11-2020, with M30 mix concrete for obtaining the 7 days ( 24-11-2020 ) cube strength of the above concrete is used for Ground Floor Slab of Construction of Grama Sachiva/ayam Building Penumalli of Mudinepalli Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Deputy Executive Engineers

PRI subdivision Mandavalli

Swoonly of to free of

(An Autonomoue Institute with Permanent Affiliation to JNTUK, Kakinada)
Seabadri Reo Knowledge Village, GUOLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-meil: principsi@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

Code, M.S., M. Feele, 39(3)

condition, which, more, was no what, wish where

Proprint

Ref: GEC/Consult/CE/MT-221

Date: 24-11-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayet Raj Sub Division, Mandavalli Mandal

Sir.

Sub - Test results of the CC cubes for the construction of construction of Gramma sachivalayam building ground floor stab work at Penumatti of Mudinepatti Mandal - Regarding

With reference to your letter dt.24-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing		Sarve Strength N/mm²) 2   3	Total	Average (N/mpr )
M 30	17-11-2020	24-11-2020	23 29	23.72   23.36	70.37	23.45

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

i (A Jilanı) Çab Technician (K Venkateswara Raq) Lab Incharge

(Dr.F.Kodanda RamaRao) Head of Civil Engineering (Dr.P Ravindra Babu) PRINCIPAL MERRY

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision Gudivada To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 24-09-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DAC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-08-2020 with M30 mix concrete for obtaining the 28 days ( 24 -09 -2020) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Gram sachivalayam building at Nandivada (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

12-24

Entoont of to Americal

Yours faithfully

Deputy Executive Engineeer PRI subdivision Gudivada

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Khowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Deihi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE 5 IT for 3 Years Phone Nos. 08674-273737, 273986, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavafleru.ac.in, office@geogudiavafleru.ac.in, Web: www.geogudiavafleru.ac.in

# Dr. POTLURI RAVINDRA BABU

Billian M.S., M. Kaw, Phillips

THE COST MINER, MANUAL GRANNING MINER, MINER, CHIRAL

Principal

Ref GEC/Consult/CE/MT-222

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudwada

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building piles work at Nandivada (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.24-09-2020 we have conducted the compressive strength test on Minus grade CC Gubes, Which are supplied by you. The Test results for 28 days are as follows

	Grade of concrete	Date of Casting	Date of Tasting	Compres	Ssive St/ Vmrn²)	ength	) -—  Todal	Average (N/min):
ļ	M 30	28-08-2020	24-09-2020	38.89	38 43	38.26	! ! 15 58	38 50

This is for your kind information

Thanking you,

Tested by

Yours faithfully,

Date: 24-09-2020

(A.Jilani) Lab Te**c**hnician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civi/ Engineering (Or,P.Rakindes/Babu) PRINCIPAL

D. Rui with a

M-2023

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal,
Gudlavalleru Engineering college,
Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 28-09-2020

Sit,

Sub:- PRI subdivision – Gudlvada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS · Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 01-09-2020 with M30 mlx concrete for obtaining the 28 days ( 28 -09 -2020) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Nandivada (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREG5 grant . Required payment will be made when the demand received from your end

Yours faithfully

A Enteredante

Deputy Executive Engineeer
PRI subdivision

Gudivada

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Prioria Nos (08674-273737, 273968, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principel@gecgudlavelleru.ac.in, office@gecgudlavelleru.ac in, Web: www.gecgudlavelleru.ac.in

# Dr. POTLURI RAVINDRA BABU

to bed in Missing Minister, Phillips

Office and particular of the property of the property of the particular of the property of the particular of the particu

Principal

Ref: GEC/Consult/CE/MT-223

Date: 28-09-2020

Τσ Sri A. Harinadh Babu, B. Tech Deputy Executive Engineer. Panchayat Raj Sub Division. Gudiyada.

Sir.

Subt- Test results of the CC cubes for the construction of Gramma sachivalayam building pile caps work at Nandivada (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.28-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²) 1 2 3		Total	Average (N/mm²)	
M 30	01-09-2020	28-09-2020	38.97	38.65	3B.43	116 05	38.68

This is for your kind information.

Thanking you,

Yours faithfully,

Tested by

Lab Technician

(K.Venkateswara Rao).

Lab Incharge

(Dr P Kodanda RamaRad)

Head of Civil Engineering

(Dr.P R

PRÍNCIPAL

2 Rue withou

Maria

From ,

Sh Al-Harinadh Babu B. Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada.

To,

The Principal, Gudlavalleru Englneering college, Gudlavalleru,

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 09-10-2020

Şir,

Sub:- PRI subdivision - Gudlvada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/CI/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-09-2020 with M30 mix concrete for obtaining the 28 days ( 9 -10 -2020) cube strength of the above concrete is used for VRCC M30 for Plinth beam 'Construction of Grama sachivalayam building at Nandivada (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end-

Sugarties to prety

Yours faithfully

Deputy Executive Engineer PRI subdivision

Gudīvada.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.sc.in. office@gecgudlavalleru.sc.in. Web; www.gecgudlavalleru.sc.in

# Dr. POTLURI RAVINDRA BABU

B. Carri, M.S., M. Took, Philips THE CODE SECUL MINE OF MAKEN MAKEN MADES, MINES, MI

Principal.

Ref: GEC/Consult/CE/MT-224

Date 09-10-2020

Τo Sri A.Hannadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudavada

Sir.

Sub.- Test results of the CC cubes for the construction of Gramma sachivalayam building pfinth beam work at Nandivada (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.09-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

		· — — —	The restresults for 28 days are as follows	
Grade of	Date of		Compressive Strength T	
	Casting	Date of Testing		
M 30	12-09-2020	09-10-2020 I		I
			37 96 38.44 38.28 1:4 68 38 22	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr P.Kodanda RamaRao) Head of Crvil Engineering

dra Babu)

2 Dung Kithan

M. 225

From ,

Shi Al-Harinadh Babu B. Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudiyada.

To,

The Principal.

Gud/avalieru Engineering college ,

Gudlava/lorg.

Erino - 2/ ITO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 28-11-2020

Sir,

Subtr- PRC subdivision – Gudivada – submission of capies of M30 concrete – required 28 days strength results - regarding

Ref:- I. Roino 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS Krishna

Lam submitting the cube samples ( 3 nes ) of size  $150 \times 15$ 01-10-2020 with IM30 m-x concrete for obtaining the 28 days (IV8 -11 I 2020), cube strength of the above concrete is used for VRCC M30 for Ground floor Roof Slab 'Construction of Grama sachivalayam boilding at Nandivada (v) of Nandivada Mandal Est Cost Rs **40.00 Lakhs** sanctioned under NREGS grantil. Required payment will be made when the demand received from your end.

Yours leithfully

Secontal to pricepy

for considerati

o. 1.

Deputy Executive Engineeer PRI subtivision

Gudiveda

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-621 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B Tech - OSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

¢-mad: principal@gecgudlevalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

# Dr. POTLURI RAVINDRA BABU

PIT, CITIES, MICHE MARSE MASSIE MEAT, 1951 4 MICH

Principal

Ref. GEC/Consult/CE/MT-225

Τò Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Gudiyada

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab work at Nandivada (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.28-11-2020 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

!		or the rest results for 28 days	250 (-1)	1 -
COmposal -	te of	Compressive Strength	i 	OW8
├ —	sting Date of Testing		J Tota!	Average (N/nim <sup>3</sup> )
	-2020 28-11-2020	37.95 38.26 38.44	114.65	
is for your kind inc.		, — — — — — — — — — — — — — — — — — — —	114.65	38 21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

Date: 28-11-2020

(A Jilanö)

Lab Technician

A XL

(K.Venkateswara Rao) Lab Incharge

(Dr.P Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

B. Rane Hickory

M7-2-26

From ...

Sh AlHarinadh Babu állítech. Deputy Executive Engineer -Panchyat Rai Subdivision. Gudiyada...

To.

The Principal. Gudlavalleru Engineering college , Gudlavalleru...

Erino il JTC/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 28-11-2020

Sig

Sub:- PR1 subdivision - Gudivada - submission of cubes of M30 concrete - required 97 days strength results in regarding.

Ref:- 1. Roino 26/01/2020 dt 18 (I5-2020 of the District Collector /DPC MGNREGS Krishna.

I aim submitting the cube samples ( 3 ros ) of size  $150 \times 150 \times 150 mm$  casted on 22:11:2070 with IM30 mix concrete for obtaining the 07 days (I28 -11 -2020) loabe strength of the above concrete is used for VRCC M30 for first floor Roof Slab 'Construction of Grama sachivalayam bullding at Nandivada (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs, sanctioned under NREGS grant . Required payment will be made when the demand received from your end-

Yours faithfully

Submitted to Graph Deputy Executive Engineeer PRI submission Gud. vada

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinsda)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India. (Approved by ArCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B. fech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principel@gecgudlavelleru.ac.in, office@gecgudlevalleru.ac.in, Web. vww.gecgudlavelleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Butch Most, Material Ph.D.,

They have also be appropriate, but, but, so take asserts make.

Paum ing L

Ref. GEC/Consult/CE/MT-226

Date: 28-11-2020

To \$0 A.Hannadh Babu, B Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Srr.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor roof slab work at Nandivada (V) of Nandivada Mandal - Regarding.

With reference to your fetter dt.28-11-2020 we have conducted the compressive strength test or M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

	Grade of concrete	Date of Casting	Date of Testing		ssive Stre N/mm²) 2	engin	Total	! Average {N/mm:}
ı	M 30	22-11-2020	28-11-2020	23.78	23.91	23 57	71.26	22.79

This is for your kind information.

Thanking you.

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao)

Lab Incharge

(Dr P.Kodanda RamaRao) Head of Civil Engineering (Dr.P Ravindra Babu)

PRINCIPAL

D. Roud Krihar

M5-227

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lr No / JTO/PRISO/Mandevalli / Gram Sachivalay/im/ Chatakal/ Reports/2019 of 04-11-2020

Sir,

**Sub:-** PRI subdivision – Mandavalli – subir ssion of cubes of M30 concrete – required 7 days strength results – regarding

Ref:= 1. Rc no 26/C1/2020 at 01-05-2020 of the District Callector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x250x150mm casted on 27-11-2020 with M30 mix concrete for obtaining the 7 days ( 04-11-2020) cube strength of the above concrete is used for **First Floor Roof Slab 125mm thick** of **'Construction of Gram Sachlvalayam building at Chatakai of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end:

Yours faithfully

Deputy Executive Engineeer

PRC subdivision. Mandavalli

\*

Sulmilla & To Come for

Agr

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fex No. 08874-273957

o-malt: principal@geogudlavalteru.ac.in. office@geogudlavatleru.ac.in, Web: www.geogudlavatloru.ac.in

## Dr. POTLURI RAVINDRA BABU

H. Telde, M.S. M. Jecht, Ph.D., The Clore, Myste, Single Resemb MSAF, 1986a, Maint

Principal

Ref: GEC/Consult/CE/MT-227

Date 04-11-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Siz

Sub. Test results of the CC cubes for the construction of construction of Gramma sachival ayam building first Coor roof slab 125mm thick work at Chatakai of Kaikaluru Mandal - Regarding

With reference to your letter dt 04-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows.

	ı—— —— —			in a grys s	968 85 folio	nive
Grade of Concrete	Date of Casting	Date of Testing	Compressive Str			·
¦	4		1 2	3	FrlaT	! Average   (N/mm1)
! M30 l	27-11-2020	04-11-2020	23,29 23,72	23 36	70.37	22 45

This is for your kind information.

Thanking you

Tested by

Yours faithfully

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P Kodanda RamaRao) Head of Civil Engineering

(Dr.P Rakindra Babu)

PRINCIPAL

a. Verdenier Babu

Srom.

Marsh

To.

Sri P.Suresh Babu, M.Tech.,

Deputy Executive Engineer .

Panchyat Raj Subdivisjon.

Mandaalti.

The Principe?

Gudlavaltero Engineering Cottege.

Gudiavatieru.

/ JTO/PRISD/Kalidindi/ Gram Sachivalayam/ reports/2019 dt 14-11-2020

Sir,

Sub:- PRI subdivisión - Mandavalli - submission of cubes of M30 concrete - regarded 7 days strength results — regarding.

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector / UPC MGNREGS. Krishna

tiam submitting the cube samples (i3 nosil) of size 150x150x150mm casted on 07-11-2020, with IM30 mix concrete for obtaining the 7 days ( 14-11-2020 ) cube strength of the above concrete is used for Footings of Construction of Grama Sachivalayam, Building, Korukollu-T of Kalidindi Mandal Estt Cost Rs.40,00 Lakha isauction/diender NREPS grant i Required payment will be made when the demand received from your end-

Yours faithful vi

 $($d/\cdot x \times x \times x \times x)$ 

Deputy Executive Engineeer. PRI subdivision. Mandavalli

//t.c.f.b.c.//

Your and Brain, A.

- Submitted to prused AN Constraint

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Red Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos 08674-273737, 273688, Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudiavalteru.ac.m. office@gecgudievalteru.ac.in. Web; www.gecgudiavalteru.ac.m

#### Dr. POTLURI RAVINDRA BABU

targeds , M.N., M. Lesbi, Ph.30. CHECK THE MISSEL MASSES MASSES MASSES MASSES WHITE AND MASSES WINDOW

Principal

Ref: GEC/Consult/CE/MT-228

Date 14-11-2020

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer Panchayat Raj Sub Division. Mandavalfi Mandal...

Sir.

Sub:- Test results of the CC cubes for the construction of construction of Gramma sachivalayam. building footings work at Korukolfu-1of Kalidindi Mandal - Regarding.

With reference to your letter dt. 14-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres (P	ssive Stri V/mm²) 2	ength 3	!   Total	Average (N/mm²)
M 30	07-11-2020	14-11-2020	23.29	23.72	23.36	70.37	23 45

This is for your kind information,

Thanking you.

Tested by

Yours faithfully.

(inalit.A)

Lab Technician

(K.Venkateswara Rap).

Lab Incharge

(Dr.P Kodanda RamaRao).

Head of Crvit Engineering

(Dr.P.Radiodra Babu)

PRINCIPAL

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalli. PKAM

The Principal

Gudlavallere Engineering College,

Gudlavalteru,

Lrino / JTO/PRISD/Mudinepalli/ Gram Sachlvalayam/ reports/2019 dt 15-11-2020

Sir.

Sub:- PRI subdivision - Mandavalfi - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1.: Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/OPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150xmm casted on 08-11-2020 with M30 mix concrete for obtaining the 7 days ( 15-11-2020 ) cube strength of the above concrete is used for **Footings** of Construction of Grama Sachivalayam Guifding **Bomminampadu** of Mudinepalli Mandal **Estt Cost Rs.40.00** takks sanctioned under NREGS grant . Required payment will be made when the demand received trops your end

Yours faithfully

Deputy Executive Engineeer

PR! sundivision Mandavatti

لمعما

Enterettal to pompal

A)g

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile. 9848779121 Fex No. 08874-273957 െന്നുണ്ട്: principal@gecgudiavallerы ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.ii

# Dr. POTLURI RAVINDRA BABU

B. Jedin, M.S., M. Psyn, Phillip. TIEZ LIP, MISTE MSESI MASME MSAT MSEA, SHIM

Principa!

Ref: GEC/Consult/CE/MT-229

Date: 15-11-2020

To Sh P Suresh Babu, M Tech Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavalfi Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of construction of Gramma sachivalayem. building footings work at Bomminampadu of Mudinepalfi Mandal - Regarding

With reference to your letter dt.15-11-2020 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compre:	ssive Stri		Tolal	The Table
M 30	08-11-2020	15-11-2020	23.29	23.72	23.36	70.37	23.45

This is for your kind information,

Thanking you,

Tested by

Yours farthfully,

(A Jiiani) Lab Technician

Lab Incharge

(Dr.P.Kodanda RemaRao)

Head of Civil Engineering

PRINCIPAL

From.

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer. Panchyat Raj Subdivision, Mandaafli,

W. ra

The Principal Gudlavalleru Engineering College,

/ JTO/PRISD/Mudinepalli/YSR Health Clinic(Wellness Centre)/ reports/2019 dt 17-11-2020

5iτ,

Sub:- PRI subdivision - Mandava/li - submission of cubes of M30 concrete - required 7 days strength results - regarding

To,

Gudlavarleru.

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishnai

) am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150$ mm casted on 10-11-2020, with M30 mix concrete for obtaining the 7 days (17-11-2020) cube strength of the above concrete is used for File Caps of Construction of YSR Health Clinic(Wellness Centre) Building Peruru of Mudinepalli Mandal Estt Cost Rs.14.95 Lakhs | sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Submitted to prompel

Yours faithfully

Deputy exerctive Engineers **GRI subdivis** on

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273886, Mobile: 8848779121 Fax No. 08674-273957

e-mail: principat@geogudiavatleru.ac.in, office@geogudiavafieru.ac.in, Web; www.geogudiavatleru.ac.ir

# De POTŁURI RAVINDRA BABU

Diffection M.S. McKertin, Ph. D. THE PROCEST HE MAKES MAKEN TASKS MICH.

Principal

Ref: GEC/Consult/CE/MT-230

Τa Sri P. Swesh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavatli Mandal

Sir.

Sub - Test results of the CC cubes for the construction of construction of Gramma sachivalayare building footings work at Peruru of Mudinepalli Mandal - Regarding.

With reference to your letter dt.17-11-2020 we have conducted the compressive strength test on M 30 grade GC Cubes, Which are supplied by you. The Test results for 7 da

	T——	The Test south of	0 10 10 1
Grade of concrete	Date of Casting	Compressive Strength  Date of Testing  (N/mm²)	
M 30	10-11-2020	17-11-2020 23 64 1 2 1 3 1 1 1 2 1 3 1 1 1 1 1 1 1 1 1 1	otar : Average : (N/mm²) 
in to .			26 05 5-

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

Date: 17-11-2020

(A. Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.KoJanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindre Baby) PRINCIPAL

Fram .

5ri P.Soresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

## Lr No / JTO/PRISD/Mandavalli / Gram Sachtvalayam/ Kalkaluru 3/ Reports/2019 dt 22-11-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required. 7 days strength results - regarding.

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 15-11-2020 with IM30 mix concrete for obtaining the 7 days (IZZ-11-2020) cube strength of the above concrete is used for Ground Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building at. Kalkaluru 3i of Kalkaluru Mandai Est Cost Rs 40.00 Lakhs, sanctioned under NREGS grant . Required payment will be made when the demand received from your endow

'ours faith(ully:

Deputy Executive Engineer

PRI subdivision

Mandavalli

Submitted to from

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Sashadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in. Wab: www.geogudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

P. Acch., M.N., M Toya, Ph.D., The Cing, Messe, Messe, MSAI, MSA, Mica

Tenscipal.

Ref: GEC/Consult/CE/MT-231

Date: 22-11-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of construction of Gramma sachivalayam bulleting factings work at Kalkaluru St of Kalkaluru Mandal - Regarding.

With reference to your letter dt.22-11-2620 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

	Grade of	Date of	Date of Testing	Compres (N	sive Stre //mm²)	ength	Total	Average
	cancrete	Casting	l	1	2	3	L	(N/mm1)
į	M 30	07-11-2020	14-11-2020	23.29	23 72	23.36	70.37	23 45

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilanı)

Lab Technician

(K.Venkateswara Rab)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr P. Hawndus Babu

PRINCIPAL

From

D.N.Kumar Assistant engineer
Endowments Department,
Viiayawada,

The Principal,
Gudlavalleru Engineering College,
Gudlavalleru Village&(M).
Krishna District...

Sir,

Sub :-Endowments Department - Krishna District - Sri Venkateswara Swamy Temple-Kaikaluru (V) &(M) - Krishna Dist - Execution of certain work - Test reports for materials of Cement , Material, Steel, Bricks, and Sand - Submitted - Test reports request .

To

++-

I submit that it is proposed to Re Construction of temple of Sri Venkateswara Swamy temple Kaikaluru Village. The samples of materials like cement, sand, Bricks, Metal and Steel which are collected from the above mention site in connection of works taken up by the contractor are herewith submitting for conducting necessary tests and requested to conduct the same and reports to be furnished. We will pay the requisite fee for the test reports.

S.No.	Name of the material	Quantity furnished
1_	Coment, Parasakshi 53 grade	j 1 bag
2	Sand	1 bag
3	40mm and 20mm HBG metal	100 kg
4	Bricks	40 nos
5	Steel, 8mm, 10mm, 12mm, 16mm and 20 mm	30kg

194

Subonted to parepular for lastradualia

Yours faithfully,

Turkland Carl

Assistant Engineer,

19

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakineda)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273886, Mobile: 9848778121 Fex No. 08674-273957

e-mail: princ⊧pel@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in. Web: www.geogudlavalleru ec.in

#### Dr. POTLURI RAVINDRA BABU

Hilloch , M. S., M. Tech , M. D., Fig. cong. Mistry MSTS, WASAMA, MSAT, MSTA, Wilal,

Principal

Ref: GEC/Consult/CE/MT-232

Date: 12-11-2020

То

D.N.Kumar

Assistant Engineer,

Endowments Department.

Vijayawada.

Sir,

Sub: Test results of the materials for the construction Sri Venkateswara Swamy Temple. Kaikaluru Village & Mandal, Krishna District - Regarding.

\* \* \*

With reference to your letter dt.02-11-2020, we have conducted tests on for steel & line aggregate samples supplied by you.

The details:

S.No	Dia of bar (mm)	Actual dia (mm)	Yield Stress (MPa)	% elongation
	8 mm	7.9	766.25	24
2	(O mm)	9.8	709.6	28
3	12mm	11.9	670.8	[ij
4	16mm	15.9	666.26	18
- 5	20mm	19.9	656.38	1.0

Aggregate Type	Description of tests	Result
	Specific gravity of fine aggregate (As per IS code 1S 2386-1963 Part 3)	2.57
	Finesse Modulus of fine aggregate (As per tS code IS 383-1970)	2.75
1	Zone Test (As per IS code IS 383-1970.)	Zone-II Material
l'ine	Bulk Density of fine aggregate	2615 kg/m <sup>2</sup>
Aggregate		% of bulking of said 25%
_	Bulking of Sand (As per IS code 1S 2386-1963 Paπ-3)	% of moisture content of sand 6% at bulking

This is for your kind information,

Thanking you,

Tested by

(A.Jilani)

Lab Technician

Recoved

(K. Venkatoswara Raa)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

Yours faithfully.

(Dr.P.Revindra Maou)

PRINCIPAL.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Khowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Dathi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273967

e-malf: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web. www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BARU

9.1cch. M.N., M. Leub., Ph.D., Ob. Coop., Mrs. F. MSESI, SUSMILITASAF, MSEA, MIZW

Principal

Ref: GEC/Consult/CE/MT-233

Date: 12-11-2020

To

D.N.Kimuaz

Assistant Engineer,

Endowments Department,

Vijayawada.

Sir,

Sub: Test results of the materials for the construction Sri Venkateswam Swamy Temple. Kaikaturu Village & Mandal, Krishna District - Regasding.

G & \*

With reference to your letter dt. 02-11-2020, we tested oldy bricks and centern samples which are supplied by you, as per IS specifications. The Test results are as follows:

Tests on Bricks:-

Average Compressive strength of Brick:

Average Compressive strength of Brick is 57 Kg/cm<sup>2</sup> (As per standards it should not be less than 15Kg/cm<sup>2</sup>)

Water absorption of Brick :

Average Water absorption of Brick is 11,03% (As per standards it should not be greater than 20%).

Tests on Cement (Parasakti 53 grade upc):-

SL.No	Name of the Test	Reg. as per IS Code	Test Result
1.	Fineness of coment (Sieve Analysis)	As per IS 4031 Part-1 (1996)	← − . 6% Retention
2.	Normal Consistency	As per IS 4031 Part-4 (1983)	32%
3.	Initial Setting Time Final Setting Time	As per IS 4031 Part-5 (1988)	70 Movines 580 Minutes
4.	Compressive strength (N/mm²)  • 3 day strength  • 7 day strength	As per IS 4031 Part-6 (1988)	27 92 Noram 39.19 Noram

This is for your kind information,

Thanking you.

Tosted by

EL 5

(Dr.P.Rakinska Breiter

Yours faithfully

(A.Jilani) Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanila RamaRao) Head of Civil Engineering

PRINCIPAL

(Σροπsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kaklnada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957

ச-mali: princ/pet@gecgudiavetteru.ac.in, விம்சஇத்தையில்விசையுக்க.in, Web: www.gecgudiavetleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B. B. St., M. S., M. Sod., Ph. D.

The 4 Regulater the State of March 1981 A. Miller,

Principal

Ref: GEC/Consult/CE/MT-234

Date: 12-11-2020

To

D.N.Kumar

Assistant Engineer,

Endowments Department,

Vijayawada.

Sir,

Sub. Test results of the materials for the construction Sri Venketeswara Swamy Temple. Kaikaluru Village & Mandal, Krishna District - Regarding.

\* \* \*

With reference to your letter dt. 02-11-2020, we have conducted the following tests on coarse

aggregate samples which are supplied by you. The Test results are as follows:

Aggregate Type	Description of nesss	Result
	Specific gravity of coarse aggregate (As per IS gode IS 2386-1963   Part-3)	2 68
	Finesec Modulus of cearse aggregate (As per IS code IS 2386-1963 (Part-1)	7.24
Coarso Aggregate -	Impact Value test (As per IS civile IS 2386-1963 Part-1)	12.9%
(20 mm)	Crushing value test (As per IN civile IS 2386-1963 Part-II)	15.9 %
	Bulk Density of energe aggregate	1730 kg/m²
	Specific gravity of coarse aggregate (As per IS code 18 2386-1963 - Part-3)	2,35
-	Finesse Modulus of charse aggrégate (As per 18 code 18 2389-1963, Part-1)	7.85
Coarse Aggregate	Impact Value test (As per IS code IS 2786-1963 Part-4)	20%
JO mm)	Croshing value test (As per IS rade IS 2386-1965 Part-4)	31 28 %
ľ	Hulk Density of coarse aggrégate	18 10 kg/m/

This is for your kind information.

Thanking you,

Tested by

Yours faithfully:

(A.lilani)

(K. Venkateswara Rao)

Lab Teclmician

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P Robindra Babe, PRINCIPAL

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudiavelleru)

11 = m = 16:

MJ-235

From .

Sri A.Hannadh Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

Gudlyada

To,

The Principal

Gudlavalleru Engineering college

Gudlavařleru

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 28-09-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS. Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-08-2020 with M30 mix concrete for obtaining the 28 days ( 25 -09 -2020) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Gram sachivalayam building at Tamirisa (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Engineeer
PRI subdivision

Gu**đ**ivada

699

Salom the f to ap

b/s

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. Stale Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalteru.ac.in. office@gecgudiavatieru.ac.in, Web: www.gecgudiavatieru.ac.in

# Dr. POTLURI RAVINDRA BABU

Billioth , M.S., M. John, Ph.O.,

TO, Comp. MISTER MORE, STANSON, MORE, MISTAL DAILM.

Principal

Ref: GEC/Consul/CE/MT-235

Date: 25 09-2020.

Sri A Harinadh Babu, B.Tech Deputy Executive Engineer. Panchayat Rai Sub Division, Gudiyada

Sic.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building ipiles work at Taminsa (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.25-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

. . . . .

	Grade of concrete	Date of Casting	Date of Testing	Compre: (I	ssive Stre N/mm²) 2	ength =	Total	Average (N/mmt=
ŀ	М 30	28-08-2020	25-09-2020	37.96	38 44	38.28	114 68	38 22

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

A. Wori

Lab Technician

(K Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao).

Head of Civil Engineering

20 38 5 NOW

WL- 736

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer. Penchyat Raj Subdivision, Gudivada.

To,

The Principal. Gudlavalleru Englneering college , Gudlavatleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 at 28-09-2020

Slr,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 of 18-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 01-09-2020 with M30 mix concrete for obtaining the 28 days ( 28 -09 -2020) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Tamirisa (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs, sanctioned under NREGS grant. Required payment will be made when the demand received from your end.

Yours faithfully

Substrate proud

Deputy Executive Engineers PRI subdivision.

Gudiyada

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 06674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail. principal@gecgudiavalieru.ac.in, office@gecgudiavalieru.ac.in, Web: www.gecgudiavalieru.ac.in

#### Dr. POTLURI RAVINDRA BABU

Ik Irsan, M.S., M.Teor, Ph.D.,

Office of a subset, special washes mean, senial

Princepad

Ref: GEC/Consult/CE/MT-236

Date 29:09-2020

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engrneer, Panchayat Raj Sub Division, Gudivada.

Sir.

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building pile caps work at Tamirisa (V) of Nandivada Mandel - Regarding.

With reference to your letter dt.29-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compres (N	sive Str I/mm²) 2	ength 3	Total	Average (N/mm
ıM эо	01-09-2020	29-09-2020	38.66	38.19	38 44	115.29	38.43

This is for your kind information,

Thanking you,

Tested by

Yours taithfully,

(A dilant)

Lab Technician

(K Venkateswara Rao)

Lab Incharge

(Dr P.Kodanda RomaRag)

Head of Civil Engineering

(DUB Mai

PRINCIPAL

208828000

M9-237

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalteru Engineering college , Gudlavalteru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 09-10-2020

Sir.

Sub:- PRT subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-09-2020 with M30 mix concrete for obtaining the 28 days ( 9 -10 -2020) cube strength of the above concrete is used for VRCC M30 for Plinth beam 'Construction of Grama sachivalayam building at Tamirisa (v) of Nand(vada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

(ca)

English Sim april

Deputy Executive Engineeer PRI subdivision Gudivada

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kaklnada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India
(Approved by AICTE, New Dethi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation, B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos, 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlaraliaru.ac.in, offica@gecgudlavallaru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

. Differing ASA , Militara , Philip nugar ng Bukiti, May ay Masahin Masa , Masa , mum

Principa?

Ref: GEC/Consult/CE/MT-237

To Sri A Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir.

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building plints beam work at Tamirisa (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.10-10-2020 we have conducted the compressive strength tost on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing		ssive Stren N/mm²) 2	glh 3	i Total	Average (N/mer i
M 30	12-09- <b>2</b> 020	10-10-2020	37.95	38 26 3	38.44	114,65	38.21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 10-10-2020

(A Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr P.Kodanda RamaRao)

Head of Civil Engineering

(Or.P. Radiosha Rabu)

PRINCIPAL

3038 24 25 Earl

D 85 / 20 /

From .

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision, Gudivada. To,

The Principal,
Gudlavalleru Engineering college ,
Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 09-10-2020

Sir,

Sub:- PRI subdivision = Gudivada = submission of cubes of M30 concrete = required 28 days strength results = regarding

Ref:- 1. Ro no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS ... Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 12-09-2020 with M30 mix concrete for obtaining the 28 days ( 9 -10 -2020) cube strength of the above concrete is used for VRCC M30 for Plinth beam 'Construction of Grama sachivalayam building at Rudrapaka (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudiyada

1001

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 6 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudisvalleru.sc.in, office@gecgudiavafleru.ac.in, Web; www.gecgudiavafleru.ac.in

## Dr. POTLURI RAVINDRA BABU

Olivan Mill Miscoli, Phillip.

THE LEAST MUSTING STREET, MICH. MISTON MICH.

Prercipal

Ref: GEC/Consult/CE/MT-205

Dale: 10-18-2020

To Sn A.Harinedh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachrvalayam building plinth beam work at Rudzapaka (V) of Nandivada Mandel - Regarding...

With reference to your letter ct.10-16-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

'    -	Grade of concrete	Date of Casting	Date of Festing	Compressive Stre (N/mm²) 1 2	ength ————————————————————————————————————	! Average i (N/mm <sup>2</sup> )
L	M 30	12-09-2020	10-10-2020	38.69 38.2€	38 43   115.58	38.52

This is for your kind information.

Thanking you,

Tested by

Yours faithfully.

(A Jifani) Lab Technicio

Lab Technician

(K Venkateswara Rao) Lab Incharge

(Ďr P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindea-dabu)

PRINCIPAL

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlava'llerui

Lrino | 52/ STO/PRISD/Mandavalli / RBK / reports/2019 dt 30-11-2029

5îr,

Subr- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Roing 26/C1/2020 dt 01-05-2020 of the District Collector /OPC MGNREGS Krishna.

Jiam submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 23-11-2020 with IM30 mix concrete for obtaining the 7 days ( 39-11-2020) liquid scrength of the above concrete is used for VRCC M30 for Piles of 'Construction of Rythu Barosakendaram building at Mattagunta in Kalidindi Mandal Est Cosk its 21.80 Lakha isanctioned under NREGS grant . Required navment will be made when the demand received from your end

Yours faithfully

Deputy-Executive Engineeer

PRI subdivision

Mandavalli

Sulon Halto Prietal

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-821 356, Krishna District, A.P., India

(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273688, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@pecgudiavalieru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

It Toole, M.S., M. Jech., Ph.D.,

ATTOCKED, MISTER MASKE MASKIE, MISTAR, MISTAR BISTA

Principal

Rof: GEC/Consult/CE/MT-238

Date: 39-11-2020.

Tσ Sn P.Suzesh Babu, M Tech. Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavalli Mandali

Sir.

Sub:- Test results of the CC cubes for the construction of construction of Rythu barosa kendram building piles work at Mattagunta of Kalidindi Mandai - Regarding.

With reference to your letter dt.30-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength: T	 Fotal	Average (N/iom
M 30	23-11-2020	30-11-2020	23 29   23 72   23.36	70.37	]:   23.45   23.45

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rag) Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

On R. Ravis ∵∈Babu).

PRINCIPAL

MT-239

From ...

To,

Srl P.Suresh Babu M.Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Ray Subdivision.

Gudlevalleru.

Lr no 2/ JTO/PRISD/Mandavalli / YSR Health Clinic/Chatakai / reports/2020 dt 01.12.2020

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 03-11-2020 with M30 mix concrete for obtaining 28 days ( 01-12-2020) cube strength of the above concrete is used for Pile Caps of 'Construction of YSR Health Clinic Center building at Chatakai of Kaikaiuru Mandai Est Cost Rs 14.95 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

to worded to principal the pri

2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehedri Reo Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nov. 06874-273737, 273888, Mobile: +91 9848779121 Fax No. 06674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

61.S., M.Tech., Ph.D.,

MISTE, MIGTE, MIF, MICST, MISRS, MIATRUMUKST

Principal

Ref: GEC/Consult/CE/MT-239

Date: 01-12-2020

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of YSR health clinic center building jule caps work at Chatakai of Kaikaluru Mandal - Regarding,

With reference to your letter dt 01-12-2039 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Stri V/ <del>mm²)</del> 2	angth	· Total	Average (N/mml)
M 30	03-11-2020	01-12-2020	37.96	38.44	38.28	114.68	38 22

This is for your kind information,

Thanking you,

Tested by

Yours faithfulty,

(A.Jilani) Lab Technician (K.Vankateswara Rao). Lab Incharge (Dr A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V Prasad)

PRINCIPAL

From

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ra; Subdivision, Mandavalli. MT LUD

The Principal

To.

Gudlavalleru Engineering college

Gudlavailleru

Lrino / JTO/PRISD/Mudinepalli/ Gram Sachivalayam/ reports/2019 dt. 03-12-2020

Sir,

Subtr- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Coffector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 06-11-2020 with M30 mix concrete for obtaining the 28 days ( 03-12-2020) cube strength of the above concrete is used for **Ground Floor Slab** of Construction of Grama Suchivalayam **Building Vadavalli** of Mudinepalli Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineery PRI subdivision

Mandavalli

Forwarded to The Principle Steen

٤

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AfCTE, New Dehl and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9648779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.sc.in. office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MIETE, MIZ. MCSI, MISRS, MITAPR, MCRS

Principal

Ref: GEC/Consult/CE/MT-240

Date: 03 12-2020

To Sn P Suresh Babu, M Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivarayam building ignored floor slab work at - Vadavalli of Mudinepalli Mandal - Regarding.

With reference to your letter dt.03-12-2020 we have conducted the compressive strength test on Mi30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

	Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Stri I/mm²)	ength 3	 	Average (N/mml)
	M 30	06-11-2020	03- <b>12-20</b> 20	37.96	38 44	38.28	114 68	38 72

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr.G.V S.N.R.V Prasad) PRINCIPAL manul

From

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Godlava/leru

Lr no - 2/ ЛО/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 04.12.2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 6-11-2020 with M30 mix concrete for obtaining 28 days ( 04-12-2020) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building at Vernavarappadu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sacctioned under NREGS grant . Required payment will be made when the demand received from your end

Fortuna relation property

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delbi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848778121 Fex No. 08674-273957 e-mail: principal@gecgudisvalleru.sc.in, offica@gecgudisvalleru.sc.in, Web. www.gecgudisvalleru sc in

Dr. G. V. S. N. R. V. PRASAD

M.S. M. Feeb., Ph.D.

MISTE, MILITE MEE MICH, MISRS MIAPA, MIREST

Principal

Ref: GEC/Consult/CE/MT-241

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Vernavarapadu of Kaikaluru Mandal - Regarding.

With reference to your letter oft.04-12-2000 we have conducted the compressive strength rest on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

ſ	and saidiful	are supplied bure.	. Ti	we strength test on
Grade of	Date of	1		/s are as fallows
concrete	Casting	Date of Testing	Compressive Strength	
M 30	06-11-2020	04-12-2020	2 3	Total Average (N/mm)
is for your kind in	—————. f©tmation		38.66   38.19   38.44	115.29   38.43

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 04-12-2020

(A. Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A. Sfeenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Presad) PRINCIPAL

From .

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision M1-242

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lrino / JTO/PRISD/Mdvl / GS 8haskararaopeta / reports/2019 dt 0년-12-2020

Sir.

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREG5 Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150x150mm casted on 07-11-2020 withM30 mix concrete for obtaining the 28 days ( 0 12-2020) cube strength of the above concrete is used for **Ground floor Roof slab 'Construction of Grama sachivalayam building at Bhaskararaopeta in Kalidindi Mandal Est Cost Rs 40.00 takhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Formated to the principle freeze

کی

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nov. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08674-273957 e-mail: principal@geogudlavallaru.ac.in, office@geogudlavallaru.ac.in, Web: www.geogudlavallaru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S. M. Tych., Ph.D.

MISTE MIETE, MIC. MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-242

Date: 05-12-2320

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir,

Sub - Test results of the CC cubes for the construction of Gramma sachiva/ayam building iground floor roof slab work at Bhaskararaopeta of Kalidindi Mandal - Regarding.

With reference to your letter dt 05-12-2030 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

			ways or - 92 ()	HCM/S
Grade of   Date of		Compressive Str	ength T	<sub>1</sub>
concrete Casting	Date of Testing	F — (N/mm²)	ı — ⊣ Total	Average
M 30 + 07-11-2020		1 2		(Nimari)
M 30 1 07-11-2020 1	05-12-2020	38.66 38,19	38.44 115.29	38.42

This is for your kind information,

Тлалкілд уоц,

Tested by

Yours faithfully.

(A Jilani) Lab Technician

อก

(K Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr.G V.S.N.R.V.Prasad)

PRINC!PAL

From:

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision. Mandavalli.

The Principal Gudiavalleru Engincering college Gudlavalieru

/ JTO/PRISD/Kaikaluru/ Gram Sachivalayam/ reports/2019 dt 06-12-2020

To,

SIr,

PRI subdivision - Mandayalli - submission of cubes of M36 concrete - required 28 days strength results – regarding.

Ref.- 1. Rc no 26/CI/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size | 150x150x150mm casted on 08-11-2020, with M30 mix concrete for obtaining the 28 days (IOS-12-2020) cube strength of the above, concrete is used for. First Floor Slab of Construction of Grama Sachivalaya.n. Building Atapaka of Kaikaluru Mandal Estt Cost Rs.40.00 Lakha sanctioned under NRECS. grant Required payment will be made when the demand received from your end.

Yours faithfully

Ose A Executive Engineeds PRI subdivision

Mandava li

Forwarded to The principal freeze



An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India (Approved by AICTE, New Celhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grede

Phone Nos. 08674-273787, 273888, Mobile: +91 9848779121 Fax No. 08674-273957
e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Perk, Ph.D.,

MISSEL MIFTE, MIC MOST 305RS, MIAPR, MCRST

Principal

Ref: GEC/Consult/CE/MT-243

Date 06-17-2020

To SA P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir,

Sub;- Test results of the CC cubes for the construction of Gramma sachivalayam building, first ficer slab work at Atapaka of Kaikaluru Mandai - Regarding

....

With reference to your letter dt.06-12-2020 we have conducted the compressive strength test on Mi30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

						,+	0.0000000000000000000000000000000000000	DITC
	Grade of concrete	Date of Casting	Date of Testing		ressive Stri (N/mm²) 2	ength	     Tota, ; 	Average (N/mml);
L	M 30	08-11-2020	06-12-2020	38.66	38.19	38.44	115.29	38 43

This is for your kind information,

Thanking you,

Tested by

A. W.

Yours faithfully,

(A.Jilanı) Lab Technician

(K.Venkateswara Rac) Lab Incharge

(Or.A Sreenivasula) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

From ,

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision

To,

The Principal Gudlavalleru Engincering college Gudlavalleru

/ JTO/PRISD/Mdvl / G5 Sriharipuram / reports/2019 dt 06-12-2020

Sir,

Sub:- PRI subdivision - Mandavalli -- submission of cubes of M30 concrete required 28 days strength results – regarding.

Ref:- 1, Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-11-2020 with M30 mix concrete for obtaining the 23 days ( 05-12-2020), cube strength of the above concrete is used for First floor Roof slab. 'Construction of Grama. sachivalayam building at Sriharipuram In Mudinepalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREG5 grant . Required payment will be made when the demand. received from your end

Yours faithfully

Depairy Executive/Engineeer

PRI subdivision

Mandavelli

Forwarded #

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M.Terk, Ph.D.

MISTE, MIETE, MIE, MICSU SSISRS, MIADR, SICKSI

Principal

Ref. GEC/Consult/CE/MT-244

Date: 06-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub - Test results of the CC cubes for the construction of Gramma sachiva/ayam building, first final roof slab work at. Sriharipuram of Mudinepalli Mandal - Regarding.

With reference to your letter at 06-12-2020 we have conducted the compressive strength test on Mil 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Γ				Compres	sive Stn	enath		
	Grado of concrete	Date of Casting	Date of Testing		<del>l/mm²</del> ) 2	   3	'Fotal	Average (N/mart)
L	M 30	08-11-2020	06-12-2020	38.66	38.19	3B 44	115 29	38 43

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technician

(K.Venkateswara Rao) Lao Incharge

(Dr A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R V Prasad)

PRINCIPAL

From Sni P.Suresi Debuty Exe

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Rej Subdivision, Mandavalli, W. 246

The Principal
Gudfavalleru Engineering college
Gudlavalleru

Lrino / 3TO/PRISD/Kalldindi/ Gram Sachivalayam/ reports/2019 dt | 05-17-2020

To.

Sir,

Sub:- PRI subdivision ~ Mandavalli = submission of cubes of M30 concrete = required 28 days strength results = regarding

Ref:- I. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-11-2020 with M30 mix concrete for obtaining the 28 days ( 05-12-2020) Lube Grength of the above concrete is used for **Footings** of Construction of Grama Sachivallayam Building **Korukollu-I** of Kalidindi Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

 $(5d/-x \times x \times \times \times x)$ 

Deputy Executive Engineeer PR1 subdivision Mandavalli

//t.c.f.b.a.//

You served Is own A. Senior Assistant of 12 miles

Farwaredod to free princed

\$

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Knahna District, A.P., India
(Approved by AICTE, New Dathi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273787, 273886, Mobile: +91 9648779121 Fax No. 08674-273957

e-mail: principal@geogudiavaileru.ec.in, office@geogudiavaileru.ec.in, Web: www.geogudiavaileru.ec.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Techs, Ph.D.,

MISTE MIETE MIE MICSI, WISRS MIAPR, MICRSI

Principal

Rof. GEC/Consult/CE/MT-245

Date: 05-12-2020

To Sri P.Suresh Babu: M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalfi Mandal

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachrvalayam building, footings work at Kozukolfu-I of Kalidindr Mandaf - Regarding.

With reference to your letter dt 05-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

			- 45. A - 10 Mg 10110142
Grade of concrete	Date of Casting	Date of Testing	Compressive Strength  (N/mm²)  1 2 2 2 1 Total (N/mm²)
MI 30	07-11-2020	05-12-2020	38.66 38 19 39.44 115 29 38 43

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technician

(K.Venkateswara Rab) Lab incharge

(Dr.A.Srgen:yasulu) ~ Head of Civil Engineering (Dr.G.V S.N.R V Prasad)

PRINCIPAL

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli. Wingrah

The Principal

Τa,

Gudlavelleru Enginedring college

Gudiavalleru

Lrino - / TTO/PRISD/Mudinepalli/ Gram Sachivakayam/ reports/2019 dt | 05-12-2020

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1.: Rc no 26/C1/2020 dt 01-05-2020 of the District Coflector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-11-2020 with M30 mix concrete for obtaining the 28 days (  $0\bar{p}\cdot17-2020$ ) cube strength of the above concrete is used for **Footings** of Construction of Grama Sachivariayam. Building **Bomminampadu** of Mudinepalli Mandal **Estt Cost Rs.40.0**6 **Lakhs** sanctroned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Density Executive Engineeer
PRI subdivision

Mandavatli

The principal

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273868, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavatieru.ac.in, office@geogudiavatieru.ac.in, Web: www.geogudiavatieru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MISTE, MIS, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-248

Date: 06-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Sub: Test results of the CC cubes for the construction of Gramma sachival ayam building footings work at Bomminampadu of Mudinepalri Mandal - Regarding.

With reference to your fetter dt 06-12-2020 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

		. — —		
ı	Grade of	Date of		Compressive Strength
	солстете	Casting	Date of Testing	— (N/m/n²) — Jotai   Average
!		<u> </u>	- — — _	1 2 3 Otal (N/mm²)
1	M 30 I	08-11-2020	06-12-2020	37.95 38.26 38.44 114.85 39 3
				<u> </u>

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rap) Lab Incharge

(Dr A.Sréeniyasulu) Head of Civil Engineering (Dr.G.V.S.N.R V.Prasad) PRINCIPAL

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Ra) Subdivision.

Mandavalli,

MILLUZ

The Principal

To,

Gudlavalleru Engmeering college

Gudlavalleru

iorno / JTO/PRISD/Mudinepalli/ Y5R Health Clinic(Weliness Centre)/ reports/2019 df 0%-12-2020

Slr,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Reft- 1. R¢ no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 10-11-2020 with M30 mix concrete for obtaining the 28 days ( 0%-12-2020) cube strength of the above concrete is used for **File Caps** of Construction of YSR Health Clinic(Wellness Centre) Building **Peruru** of Mudinepalli Mandat **Estt Cost Rs.14.95 Lakhs** senctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

Forwarded to the principal

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Villago, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273967 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.

MISTE, MUETE, MIE, MOST, MISRS, MIAPR, MORSI

Principal

Ref: GEC/Consult/CE/MT-247

Date: 08-12-2020

Tα Sri P.Suresh Babu, M.Tech Deputy Exacutive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir

Sub:- Test results of the CC cubes for the construction of YSR healthi clinic (Wellness center) building pile caps work at Peruru of Mudinepalli Mandat - Regarding.

With reference to your letter dt.08-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

<b>—</b> — —		to days are as follows
Grade of Date of Concrete Casting	Date of Testing	Compressive Strength (N/mm²) Total Average
M 30 10-11-2020	08-12-2020	37 95 38 26 38.44 114.65 38 21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

(A.Jilapi) Lab Technician

(K Venkateswara Rap) Lab Incharge

(Dr A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N R V.Prasad) PRINCIPAL

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

MALES

The Principal Gudiavalleru Engineering college Gudlavatlen.

Lr no 44/ JTO/PRISD/Mandavalli / Gram Sachivalayom/ reports/2019 dt 06-12-2020

To,

Sir,

Sub:- PRI subdivision - Mandavatli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Reft:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples (  $3 \; \mathrm{nos}$  ) of size  $150 \mathrm{x} 150 \mathrm{x} 150 \mathrm{mm}$  cashed on 08-11-2020 with IM30 mlx concrete for obtaining the 28 days ( 06-12-2020) cube strength of the above concrete is used for Ground Ficor Slab of 'Construction of Gransa Sachivalayam building Guraja Village of Mudinepalli Mandal Est Cost (cs 40.00 Lakhs sanctioned under NREGS grant . Req rired payment will be made when the demand received from your end

Yours faithfulia

Daguly Executive Engineeer

PR1 subdivision Mandayai?i

Forwarded to The principal

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in, pfice@geogudlavalleru.ac.in, Web; www.geogudlavalleru.ac.in

# Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

MISCE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-248

Date 06-12-2020

To Shi P.Sureon Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavaki Mandal,

Sir.

Subtraction of Gramma sachivalyam building ground floor slow work at Geraja of Mudinepalli Mandal - Regarding

With reference to your letter dt.06-12-2020 we have conducted the compressive strength test on \$1.20 grade CC Cubes, Which are supplied by you. The Yest results for 28 days are as follows:

1			Compre	ssive Str.	apolh .		
Grade of	Date of	Date of Testing		N/man <sup>2</sup> )		I !	Aversas
concrete	Casting	Date of Testing	1	i		Total	(N/n r
·—	:		<u> </u>			: 	
M 30	08-11-2020	06-12-2020	37.95	38 26	38.44	114 65 (	38.21

This is for your kind information,

Thanking you,

Tested by

Apla

Yours faithfully,

(A Jilani)

Lab Technician

(K.Vankateswara Rac). Lab Incharge (Cr.A.Steenivasulu) Blant of Civil Engineering (Dr.C.V.S.N.R V Presad)

PRINCIPAL

G. us Rayon Kamar

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyst Ray Subdivision MF 249

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lrino | 2/ ITO/PRISD/Mudinepati/W.C./ reports/2019 dt 09-12-2020

Sir,

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 02-12-2020 with M30 mix concrete for obtaining the 7 days (09-12-2020) cube strength of the above concrete is used for **Roof Slab** of 'Construction of YSR Rural Health Clinic buildings at Vadavalli in Mudinepalli Mandal Est Cost Rs.17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand race yed from your end

Yours feithfully

Donaty Executive Engineeer

PRI subdivision Mangayalli

Forwarded to

2

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshada Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AfCTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9846779121 Fax No. 08674-273957 e-mail: principal@geogudiavaileru.ac.in, office@geogudiavaileru.ac.in, Web: www.geogudiavaileru.ac.in.

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Yech., Ph.D.,

MISTE, MIETE MIE, MCSZ, MISRS, MIAPR, MCRSI

Principal

Ref. GEC/Consult/CE/MT-249

Date: 09 12-2000

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Subt- Test results of the CC cubes for the construction of YSR rural health clinic buildings roof slab work at Vadavalli of Mudinepalli Mandai - Regarding.

With reference to your letter dt.09-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compres (h	ssive Str. V/mm²) 2	ength	Total	Average [ (N/mm)
M 30	02-12-2020	09-12-2020	22.78	22.51	22.49	67 78	22.59

This is for your kind information,

Thanking you:

Tested by

Yours faithfully.

(A Jilani) Lab Technician

(K.Venketeswara Rao) Lab Incharge

(Dr.A Srsénivasulu) Head of Civil Engineering

(Dr G.V.S.N.R.V.Prasad)

PRINCIPAL

Carried War

MT-250

From \_

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudfavallere

Lr no 52/ JTO/PRISD/Mandavalli / Gram Sarbivalayom/ reports/2019 at 04-12-2020

Sir.

Sub:- PRI subdivision - Mandavalii - submission of cubes of M30 concrete - required

Ref:- 1. Roino 26/C1/2020 at 01-05-2020 of the District Carlegion /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-11-2020 with IM30 mix concrete for obtaining the 7 days ( 64-12-2020) cube strength of the above concrete is used for VRCC M30 for Ground floor Roof slab of 'Construction of Gram Sachivalayam boilding at Padamatipalem in Kalidindi Mandal Est Cost Rs **40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

to principal fresh

Deputy Exceptive/Engineeer

Pis subaivisian

Mandavatlı

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavaileru.ac.in, office@geogudiavaileru.ac.in, Web: www.geogudiavaileru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

MASSINGER PLD.

MISTE, MIZTE, MIE, WOST, MISKS, MEAPR, WORST

Principa!

Ref: GEC/Consult/CE/MT-250

Date: 04-12-2020

To Sii P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam, building ground floor roof slab work at Padamatipalem of Kalidindi Mandal - Regarding.

With reference to your letter dt.04-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

	<del></del>		trays are as follows
Grade of	Date of		Compressive Strength T
concrete	Casting	Date of Testing	
M 30		— — <u> </u>	1
	27-11-2020	04-12-2020	23.42   22.81   23.19   69.42   23.14

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilanr) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Or.A.Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINC/PAL

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ra; Subdivision, Mandavalli. KINSV

The Principal
Gudlavallery Engineering college
Gudlavallery

Lrino / JTO/PRISD/Mudinepalli/ Gram Sachivalayam/ reports/2019 dt 15-12-2020

To,

Sir,

Sub:- PRI subdivision – Mandavalfi – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 17-11-2020 with M30 mix concrete for obtaining the 28 days ( 15-12-2020) cube strength of the above concrete is used for **Ground Floor Slab** of Construction of *Grama Sachwalayam* **Bullding Penumalli** of Mudinepalli Mandal **Estt Cost Rs.40.00 takks** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

to warded to The principal freeze

J/

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in. Web: www.gecgudlavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

MLS., NI. Tech., Ph.D.,

MISSE, MIETE, MIC, MOSI, MASRIS, MIAPPO MORSE

**Principal** 

Ref: GEC/Consult/CE/MT-252

Date: 15-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building groups floor slab work at Penumalfi Village of Mudinepaffi Mandal - Regarding.

With reference to your letter dt.15-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

						e i vii	
Grade of concrete	Date of Casting	Date of Testing	Compres (t	ssive Stre V/mm²) 2	ength -	Total	Average (N/mpri)
M <u>30</u>	17-11-2020	15-12-2020	37.96	38.44	38.28	114.68	38.27

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technician

(K Venkateswara Rad) Lab Incharge

(Dr.A.Sreenivasulu) Head of Ciwl Engineering

(Dr.G.V S N.R V.Presad)

PRINCIPAL

Las Rover Kumar

Sri P.Suresh Babu M.Tech.,
Deputy Executive Engineer,
Panchyat Ra; Subdivision,
Mandavalli.

W1-253

The Principal
Gudlavadero Engineering college
Gudlavatiero

Lrino / JTO/PRISD/Mudinepalli/ Gram Sachivalayam/ reports/2019 dt 1衞-12-2020 In

To,

Sir,

Subt- PR1 subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1: Roino 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 19-11-2020 with M30 mix concrete for obtaining the 28 days (pp-12-2020) cube scrength of the above concrete is used for **First Floor Slab** of Construction of Grama Sachivalayam Building **Peyyeru** of Mudmepaffi Mandal **Estt Cost Rs.40.00 takks** sanctioned under NREG5 grant Required payment will be made when the demand received from your choile.

Yeurs faithfully

Duranty Executive Engineeer PRI subdivision

Manda.....

Forwarded to the principal feen

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848778121 Fax No. 08674-273957

--mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Wab: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M.Toch, Ph.D., MISTE, MIEDE, MIE, MUSE, MIAPE, MORST

Principa!

Ref. GEC/Consult/CE/MT-253

Date: 17 12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sab Division, Mandavalti Mandal.

Sir.

Support Test results of the CC cubes for the construction of Gramma sachivalayam building first floor stab work at Payyeru of Mudinepalli Mandal • Regarding

With reference to your latter dt.17-32-2020 we have conducted the compressive strength lest on M 30 grade CC Gubes. Which are supplied by you. The Test results for 20 days are as follows

- 1				7 -7 -10 -0 10 07/5	
i	couctets C	Date of Casting	Date of Testing	Compressive Strength   Averages   Averages   1   2   3   Total   (N/m/ )	
!		11-2020		37.96 38.44 38.28 114.69 38.77	

This is for your kind information,

Thanking you,

Tasted by

Yours faithfully,

(A sitani) Lab Technisian

(K Vankateswara Rac) Lab Incharge

(D.:A.SrCentvasulu) Bead of Civil Engineering (Dr.G.V.S.N.R.V.Presad) PRINCIPAL

From ,

Sri P. Suresh Baby M. Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To.

The Principal Gudlavalleru Engineering college Gudfavalleru.

trino | 53/ ITO/PRISD/Mandavalli / GS kallapaleam / reports/2019 dt 19-12-2070

Ŝiг,

Subtr- PR1 subdivision - Mandavafli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05/2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (  $3~{\rm nos}$  ) of size  $150{\rm x}150{\rm x}150{\rm mm}$  casted on 14-11-2020 with M30 mix concrete for obtaining | 28 days ( 1% !2-2070) cube strength of the above concrete is used for First Floor Roof Slab 125mm thick of Construction of Graci-Sachivulayam building of Kallapoles to of Kalidindi Mandal, Ret Cost Rold Juklas sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Forwarded to two principal freeze

Yours faithfully

Deputy Expeditive Engineees PRI subdivision

Maixtava%

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade
Phone Nos. 08874-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

Phone Nos. 08674-273737, 273666, Mobile. 157 66407. ac.in. Web: www.gecgudiavalleru.ac.in. e-mail: principal@gecgudiavalleru.ac.in. office@gecgudiavalleru.ac.in. Web: www.gecgudiavalleru.ac.in.

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Teeb., Pb.D.,

MISTE, SCIETP, MDE, MCSI, MISRS, SILAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-254

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachival ayam building first floor roof slab 125mm thick work at Kallapaleam of Kalidindi Mandal - Regarding.

With reference to your letter dt.12-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

- 1		$\vdash$	·— — — —	
	Grade of	Date of		Compressive Strength !
1	concrete	Casting	Date of Testing	- (N/mm²) Fotal Average
Ė		<u>'</u>		
Ĺ	- WI 3D	14-11-2020	12-12-2020	37.96   38.44   38.39   444.59
				1 37.96   38.44   38.28   114.68   38.22

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 12-12-2020

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab incharge

(Dr.A.Sreenivasuru) Head of Civil Engineering (Dr.G.V S.N.R.V.Prasad) PRINC/PAL

pour y

From ,

M-255

To,

Sti P Soresh Babu M.Tech.,

Deputy Executive Engineer.

Parchyet Raj Subdivision

The Principal

Gudlavalleru Engineering college

Gudlavalleru

# Lr No / JTO/PRISD/Mandavalli / Gram Sachivalavam/ Adhavaram/ Reports/2020 dt 05-12-2020

Sir,

**Sub:-** PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:= 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Chilector / DPC MGNREGS Kilishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-11 2020 with M30 mix concrete for obtaining the 7 days ( 05-12-2020) cube strength of the above concrete is used for **Ground Floor Roof Slab 125mm thick** of **'Construction of Gram Sachivalayam building at Achavaram of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

-Yours faithi∰

Deputy Executive Engineeer

PR: Subdivision Mandavalfi

terwarded to the proving

5

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Red Knowledge Wilage, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 98574-273737, 273888, Mobile: +91 9848779121 Fax No. 98674-273957 6-mail: principal@gecgudlavalleru.ec.in, office@gecgudlavalleru.ec.in. Web. www.gecgudlavalleru.ec.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Techu Ph.D.

MISTE, MURTO, MIE, MOSE MISRS, MIADR, WORST

Principal.

Ref: GEC/Consult/CE/MT-255

Date 05-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building Ground from roof slab 125mm thick work at Achavaram of Kaikaturu Mandal - Regarding.

With reference to your letter dt.05-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)  1 2 3		. Total	Average (N/mm1)
	M 30	28-11-2020	05-12-2020	23.42	22.81   23 19	69.42	23 14

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilani)

Lab Technician

(K.Verikateswara Rac)

Lab Incharge

(Dr.A.Srećnivasulu)

Head of Civil Engineering

(Dr.G.V.S.N R V Presad)

PRINCIPAL

MPIST

From ,

N.

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavatlens

Lrino | 55/ JTO/PRISD/Mandavalli / YSRRHC pothumarro / recorts/2019 at 96-12-2020

Sir.

Sub: PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 af the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150$  mm casted on 12-11-2020 with M30 mix concrete for obtaining 28 days (£01-12-2020 ) cube strength of the above concrete is used for Footings of " Construction of YSR Rural health clinic in 'Pothumarru village of Kalidindi Mandal Est Rs 17,50 Lakhs sanctroned under NRSGS grant. Required payment will be made when the demand received from your end

Yourt faithnisy.

Reporty Executive Engineeer

PRI subdivision

Mandavalla

Forwarded to the principal decen-

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehadri Reo Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India (Approved by AICTE, New Onlhi and Pormitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273888, Mobile: +91 9848779121 Fax No 08874-273957 e-mail: pnneipal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Rech., Ph.D.,

MISTE, MISTO, MIE, MOST, MISRS, MIAPR, MORST

**Principal** 

Ref: GEC/Consult/CE/MT-251

Date: 10-12-2020

Τo Sn P Suresh Babu, M.Tech. Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavallı Mandal.

Sir.

Sub. - Test results of the CC cubes for the construction of YSR rural health clinic building footings. work at Pothumarru Village of Kalidindi Mandal - Regarding.

With reference to your letter dt.10-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)  1 2 3		Total	Average (N/mm <sup>2)</sup>	
M 30	12-11-2020	10-12-2020	37.96	38.44	38.28	114.68	38 22

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jifani) Lab Technician (K.Verikateswara Rao) t ab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL



M9-256

paster: 3.8/12/2020

To, The Department Head, Gudfavafletu Engineering College, GUDLAVALLERU.

Dear Sir,

Sub: Request to conduct Compressive strength Test of RCC MZ5 Comerete @ 7 days period.

We request your good self to conduct Compressive strength of RCC N425 grade concrete test for 97 days strength which was casted at Poojari quarters block ·2. Floor, Pokiparru Sn Venkateshwara Swamy Temple Buildings, Dokiparru-521 332.

Also request you to provide test reports as per the result at the earliest-

Thanking you sir,

Yours sincerely,

For Megha Engineering and Infrastructure limited

Authorized Signatory

700 philam

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudisvallers.ac in, office@gecgudiavallers ac.in, Web: www.gecgudisvetlers.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

MISTE, MISTY, MIF, BICS', MISRS, MIAPR, MURSI

Principal

Ref. GEC/Consult/CE/MT-256

Date: 18-12-2020

Tσ

The Protect Head. Mega Engineering Infrastructure's Limited, Sri Venkaleswara Swamy Temple, Dokiparru - 521332.

Sir.

Sub - Test results of the CC cubes for the construction of poojari quarters block-2.1 of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg

With reference to your letter dt 18/12/2020 we have conducted the compressive strength test on M25 grade CC Cubes. Which are casted and supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compressive Strer (N/mm²) 1 2	ngth	Total	Average : (N/mm²)
M 25	11-12-2020	18-12-2020	19 23 19.87	19 45	58 55	19.51

This is for your kind information,

Thanking you.

Yours faithfully.

Tested by

Lab Technician

(K Venkateswara Rao) Lab incharge

(Dr A.Sreenivasulu) Head of Cavil Engineering (Dr.G.V S.N.R.V.Prasad)

PRINCIPAL

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision,

Mandavalli.

To,

The Principal

Gudlavalleru Engineering college

Gudlavařlenu

Er no - 41/ 570/PRISD/Mandavalir / Gram Sachivalayam/ reports/2019 dr - 04-12-2926

Sir.

Sub:- PRI subdivision - Mandavalli - submission of cubes of MRII concrete -- required 28 days strength results - regarding

Ref:- 1. Rc na 26/C1/Z020 dt 01-05-2020 of the District Collector /DPC MGNREGS.

06/ft  $\frac{1}{1000}$  I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 \times 150 \times 150$ 25-10-2020 with M30 mix concrete for obtaining the 28 days ( 04-12-2020) tune strength of the above concrete is used for Footings of Construction of Grama Sachivalovam, Sudding Gannavaram of Mandavalli Mandal Estt Cost Rs.40.00 Lakhs | sanctioned uniter NRECS grant . Required payment will be made when the demand received from your end

Yours faithfuliv

Deputy Exactutive Engineeer

PRI subdivision Mandavalli

Forwarded to tive principal

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delbi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@pacgudiavalleru.sc.in, office@geogudiavalleru.sc.in, Web. www.geogudiavalleru.sc.in

Dr. G. V. S. N. R. V. PRASAD

MEST, MUTTHER, PAIR, MISTE, MUTTE, MIET, MUTTE, MICHAEL, MICHAEL, MICHAEL

Principal

Ref: GEC/Consult/CE/MT-257

Date: 04-12-2020

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavaili Mandal

Sir.

Sub.- Test results of the CC cubes for the construction of Gramma sachivalayam building, footings work at Gannavaram of Mandavali Mandal • Regarding

With reference to your letter dt.04-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

_				Compre	ssive Sm	ength	:	·—-	
i	Gracie of concrete	Date of Casting	Date of Testing	<u></u>	<u>Ņ/mm²)     </u>	· · · —	. Totas	Average	
!	00101616	- Gesting		1	2	3		(N/mm²)	
	M 30	06-11-2020	04-12-2020	37.96	38 44	38.2B	114 58	38.22	
			<del></del>		<del></del>			. <b>_</b> i	

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasuiu) Head of Civil Engineering (Dr.G.V.S.N.R V Prasad)

Sri P.Surcsh Babu M.Tech., Deputy Executive Engineer Panchyat Raj Subdivision

To.

The Principal Gudlavalleru Engineering college Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/R.B.K./ reports/2019 dt 13-12-2020

Sir,

Subt- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Reft- 1, Roine 26/C1/2020 at 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

Lam submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150$  mm casted on 06-12-2020 with IM30 mix concrete for obtaining the 7 days (13-12-2020), cube strength of the above concrete is used for Footings of 'Construction of R.B.K. building at Gannavaram in Mandavalli Mandal Est Cost Rs.21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy executive/Engineeer

PRI strodivision Mandavalli

Forwarded to the privated less

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rec Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Non 08674-273737, 273888, Mobile: +91 9846779121 Fax No 08674-273857

a-mail: principal@gecgudiavalleru.ac.in, offica@gecgudiavalleru.ac.in, Web: www.gecgudiavallaru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Teck, Ph.D., MISTE MIETE, MIE, MCSI, MISRS, MIAPS, MERSI

Principal

Ref: GEC/Consult/CE/MT-258

Date: 13-12-2020

To Sri P Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu bharosa kendram building footings work at Gannavaram of Mandavali Mandal - Regarding

With reference to your letter dt.13-12-2020 we have conducted the compressive strength test on Mi30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

:	Grade of concrete	Date of Casting	Date of Festing	:	Comprés (ñ 1	saive Stre V/mm²) 2	ength 3	Tota!	Average (N/mm²)
	M 30	06-12-2020	13-12-2020		23 42	22.81	23.19	69.42	23 14

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

(A.Jilani) Lah Technician (K.Venkateswara Rao) Lab Incharge (Dr.A Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R V.Prasad) PRINCIPAL

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalla 45.25ª

The Principal Gudlavalleru Engineering College.

Gudlavatleru.

To,

Lrino - / JTO/PRISD/Mudinepalli/ Gram Sochivalayani/ reports/2019 dr 13-12-2020.

Sir,

Sub:- PRI subdivision - Mandavallr - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1; Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 06-12-2020 with M30 mix concrete for obtaining the 7 days (13-12-2020) cube strength of the above concrete is used for **First Floor Slab** of Construction of Grama Sachivalayani Building **Guraja** of Mudinepalli Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Descrip Executive Engineeer

PRI subdivision Mandavalli

Forwarded to the principle ten principle

1

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nov. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273857 e-mail: principal@geogudiavalieru.ac.in, office@geogudiavalieru.ac.in, Web: www.geogudiavalieru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MIETT, MID, MOST, MISRS, MIATR, MORST

Principal

Ref. GEC/Consult/CE/MT-259

Date: 13-12-2020

Το Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Drvision. Mandavaili Mandati

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Guraja of Mudmepalli Mandal - Regarding.

With reference to your letter of, 13-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Yest results for 7 days are as follows:

:	Grade of	Date of Date Casting	e of Testing	Compr	essive Stre (N/mm²) 2	ength i	Total	Average : (N/mm²)
	M 30	06-12-2020   13	3-12-2020	23.42	22 81	23.59	69.42	23.14

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jrlani) Lab Technician

(K.Venkateswara Rab) Lab Incharge

(Dr A.Sceenivașulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V Prasad)

PRINCIPAL

MT - 260 To,

Sri P.Suresh Babu, M.Toch., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalli

The Principal Gudlavalleru Engineering College, Gudlavalleru

Lr no / JTO/PRISD/Mudinepalli/ Gram Sachlvalayam/ reports/2019 dt 12-12-2020

Sir,

Subt: PRI subdivision - Mandavalli - submission of cubes of MRB concrete - required 7 days strength results - recarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150×150×150mm casted on 05-12-2020 with M30 mix concrete for obtaining the 7 days (12-12-2020 ) cube strength of the above concrete is used for **First Floor Slab** of Construction of Grania Sachivalayam Building **Alluru** of Muxlinepalli Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under MREGS grant. Required payment will be made when the demand received from You'r end

Yours faithfully

Deputy/Exceptive Engineear

M.∋ndavalli

Farmerded to

1

Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Knahna District, A.P., India. (Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grede Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail; principat@gecgudjayalleru.ac.in, office@gecgudiavallaru.ac.in. Web: www.gecgudiavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Techs, Ph.D.,

MISTE, MISTE, MIF, SIGST, MISRS, MIAPR, NICRS)

Principal

Ref: GEC/Consult/CE/MT-260

Date: 12-12-2020

Tο Sri P.Suresti Babu, M.Tech. Deputy Executive Engineer. Panchayat Raj Sub Division. Mandavalti Mandal.

Sir.

Sub: Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Aliuru of Mudinepalli Mandal - Regarding.

With reference to your letter dt.12-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

:	Grade of concrete	Date of Casting	Date of Testing	Compres (N	sive Str //mm²) 2	engith ! 3	Total	Average (N/mm²)
Ì	M 30	05-12-2020	12-12-2020	23 42	22 81	23.19	69.42	23.14

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

A-DIL

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

NT-261

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru.

Lr no / JTO/PRISO/Gudivada / Grama Sachivalayam/ reports/2009 dt 23<sub>9</sub>12-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 14 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 10-12-2020 with M30 mix concrete for obtaining the 14 days ( 2½-12-2020) cube strength of the above concrete is used for VRCC M30 for Plinth beam 'Construction of YSR Health clinic centre building at Ilaparru (v) of Nandivada Mandal Est Cost Rs 14.95/17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudiyada

Subritted to the procedul

2

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06674-273737, 273868, Mobile: +91 9648779121 Fax No. 08674-273957 •-mail: principel@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Josh, Ph.D.,

MISTE, MIETE, 191E, MICH, WINES, 191ATR, MERSI

Principal

Ref: GEC/Consult/CE/MT-261

Date 24-12-2020

Ţά Sri A Harmadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudiyada.

Sir.

Subt. Test results of the CC cubes for the construction of YSR, health clinic centre, building, plints work at Baparru (V) of Nandivada Mandal - Regarding beam

With reference to your letter dt.24-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 14 days are as follows

. . . . .

ı				Compres	sive Stre	ength		Average
i	Grade of I concrete	Date of Casting	Date of Testing	1	2 2	; . 3	Total	Strength (Name ) !
	M 30	10-12-2020	24-12-2020	28.97	27.63	28.41	B5 01	28 3

This is for your kind information,

Thanking you,

Yours faithfully!

Tested by

Lab Technician

(K,Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasuiu). Head of Civil Engineering (Dr.G.V.S.N.R.V Prasad)

PRINCIPAL

M7-262

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal,
Gudlavalleru Engineering college ,
Gudlavalleru.

Lr no. / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 29-12-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref;- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 22-11-2020 with M30 mix concrete for obtaining the 28 days (19-12-2020) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of YSR Health clinic centre building at Flaparru (v) of Nandivada Mandal Est Cost Rs 14.95/17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully.

Deputy Executive Engineaer PR1 subdivision Gudivada

Submitted to The prometed

1

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Sethedri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

•-mail: principal@gecgudtevelleru.ac.in, office@gecgudtevalleru.ac.in, Web: www.gecgudtevalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech. Ph.D.,

MISTE, MEGTE MIE, MCSE MISRS, MIAPR, MICRSI

Principal

Ref: GEC/Consult/CE/MT-262

Date: 20-12-2020

To Sri A. Harinadh Babu, B. Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Gudivada.

Sir.

Sub:- Test results of the CC cubes for the construction of YSR, health clinic centre, building, pile caps, work at Repartin (V) of Nandivada Mandal Regarding.

With reference to your letter dt.20-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength Average (N/mm²) Total Strength
M 30	22-11-2020	20-12-2020	37.95 38.26 38.44 114.65 06.71

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

(A Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge (Dr.A Sreenivasulu)

(Dr.G.V.S.N.R.V Prasad)

Head of Civil Engineering PRINCIPAL

M8-263

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To.

The Principal Gudlavalleru Engineering college Gudlavalleru

Lr no | 52/ JTO/PRISD/Mandavalli / RBK / reports/2019 dt 2**4-**12-2020

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results - regarding

Ref:- 1:: Rc no 26/C1/2020 at 01-05-2020 of the District Collector I/DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150 \text{mm}$  casted on 23-11-2020 with M30 mix concrete for obtaining the 28 days ( 24-12-2020) cube strength of the above concrete is used for VRCC M30 for Piles of 'Construction of Rythu Barosakendaram building at Mattagunta in Kalidindi Mandal Est Cost Rs 21.80 **Lakhs** sanctioned under NREGS grant . Required payment will be made when the semand received from your end

Yours faithfully

Deputy Requeive Engineeer

PRI subdivision

Mandayaki

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rap Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principat@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M.TWIL, Ph.D.

MISTE MIETS, SHE MEST, SCISES, MIAPR, MCRST

Principal

Ref: GEC/Consult/CE/MT-263

Date: 21-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavatti Mandal.

Sir.

Sub - Test results of the CC cubes for the construction of Rythu bardsa kendram building olds at Mattagunta of Kalidindi Mandal - Regarding.

With reference to your letter dt.21-12-2020 we have conducted the compressive strength tost and MI30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

[	Grade of	Date of	Date of Testing	Compres (N	ssive Sec V/mm²)	ength .	Total	Average. Strengti.
!	concreta	Casting :		1	2	3		(N/more)
	M 30	23-11-2020	21-12-2020	37 <b>9</b> 5	38 26	38 44	114.65	38.01

This is for your kind information.

Thanking you,

Yours faithfully,

Tested by

(A.Jilani)

Lab Technician

(K Venkaleswara Rao)

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R V Prasad

PRINC:PAL

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer ,

Panchyat Raj Subdivision

Marzay

To,

The Principal

Gudfavalleru Engineering cuffege

Gudlavallere

Er no 52/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 25/12-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the Oistrict Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-11-2020 with M30 mix concrete for obtaining the 28 days ( 24/-12-2020) cube strength of the above concrete is used for VRCC M30 for Ground floor Roof slab of 'Construction of Gram Sachivalayam building at Padamatipalem is: KalidIndi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your and

Yours faithfully

Deputy Excautive Engineeer

PRI/sukaivision Mandavalli

beth -

Subutted to

Keen

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seabadri Rac Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 9848778121 Fax No. 09674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M.Terb., Ph.D.

ASISTE MIETE SCIENICSI MISRS, MIADR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-264

Date: 25-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Mandal

Sir

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab at Padamatipalers of Kafidindi Mandal - Regarding.

With reference to your letter dt.25-12-2020 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Tost results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres  (h	ssive Stre V/m/m²) 2	ength :	Total	, Averaq Strength (Nation)
M 30	27-11-2020	25-12-2020	37.95	38.26	38.44	114.65	38 21

This is for your kind information.

Thanking you,

Yours faithfully.

Tested by

(A.Jilani)

A-Julio

Lab Technician

(K.Venkateswara Rac)

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.K.V.Praseo)

PRINCIPAL

From

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli. Kris

To,

The Principa!

Gudlavallerii Engineering college

Gudlavallerii

Lrino / JTO/PRISD/Kaikafuru/ Gram Sachivalayam/ reports/2019 dt | 25-12-2020

Sir,

Sub:- PRI subdivision - Mandavalli - sub hission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150x150xmm casted on 27-11-2020 with M30 mix concrete for obtaining the 28 days (75-12-2020) cube strength of the above concrete is used for **Ground Floor Roof Slab 125mm thick** of Construction of Grama Sachivalayam Building **Chatakai** of Kaikaluru Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Desub Executive Engineeer PRI subdivision

Mandavafli

ber

1

Submitted to the pregal

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Red Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Deibl and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9648778121 Fex No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Reek, PED., STISCH MIETE, MIZ. MCSI, MISRS, MIATR, MCRSI

Principal

Ref. GEC/Consult/CE/MT-265

Date 25-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub - Test results of the CC cubes for the construction of Gramma sachival ayam building ground floor roof slab 125mm thick at Chatakai of Kaikaluru Mandal - Regarding:

With reference to your letter dt.25-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

	Grade of soncrete	Date of Casting	Date of Testing		ressive Stre (N/mm²)	ength	! Total	Average Strange (N/mm
	M 30	27-11-2020	25-12-2020	37.95	38 26	38.44	114.65	38.21

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jiláni)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr A Sreenivasulu)

Head of Civil Engineering

(Dr.G V.S N.R V.Pra-. :)

PRINC PAL

From

Sr. P.Surdsh Babu M.Tech., Ocputy executive Engineer , Panchyat Raj Subdivisien resolution

To,

The Principal

Gudlavalleru Engineering college.

Gudlayarleru

Lr no - JTO/PRISD/Mandavalli / Gram Sachivalayam/Achavaram/ reports/2019 dt 26-12-2020

Sir,

Sub:- PRI subdivision – Mantiavall – submission of tubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

Jam submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-11-2070 with M30 mix concrete for obtaining 28 days ( 26-12-7020) cube strength of the above concrete is used for **Ground Floor Roof Stab 125mm thick** of '**Construction of Gram Sachivalayam building Achavaram of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end** 

Yours faithfully

Deputy Executive Engineeer

FRE subdivision

Mandaya li

Submitted to the principal

freez

)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grede

Phone Nos. 08674-273737, 273888, Mobile; +91 9848778121 Fax No. 08674-273957 e-mail; principal@gecgudiavallaru.ac.in, office@gecgudiavallaru.ac.in, Web; www.gecgudiavallaru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MAN, ALTREAS, PARTS

MISTE MIFTE, MIE, MCSC, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-266

Date: 26-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalli Mendali

Sir.

Subr- Test results of the CC cubes for the construction of Gramma sachival ayam building ground floor roof stab 125mm thick at Achavaram of Kaikaluru Mandal - Regarding.

With reference to your fetter dt 26-12-2020 we have conducted the compressive strength test or M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

	Grade of Date of concrete Casting	Date of Testing	Compressive Strength Average (M/mm²) — Dotal Strength
	M 3028-11-2020	26-12-2020	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilagr) Lab Technician

(kateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Or.G V S N & V Prastici) PRINC:PAL

K. N.

Fram

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

ur no - JTO/PR(SD/Mandavalli / Gram Sachivalayam/Kaikaluru 3/ reports/2019 dt 13-17-2020

Sn,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 78 days strength results – regarding

Ref:- 1:: Rc no 26/C1/2020 dt 01-05-2020 of the District Callector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 15-11-7020 with M30 mix concrete for obtaining 28 days ( 33-12-2020) cube strongth of the above concrete is used for **Ground Floor Roof Slab 125mm thick** of **'Construction of Coart Sachivalayam building Chatakai of Kalkaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PR1 subdivision

Mandavalli

Subnitted to the

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rac Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permilled by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273868, Mobile: +91 9848778121 Fax No. 08674-273957 e-mell: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in.

Dr. G. V. S. N. R. V. PRASAD

M.S. M.Teck, Ph.B.

MISTE MIFTE ALIE, MEST, MISKS MIATEL MURST

Principal

Ref: GEC/Consult/CE/MT-267

Date: 13-12-2020

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Subr- Test results of the CC cubes for the construction of Gramma sachivalayam building ground floor roof slab 125mm thick at Kaikaluru 3i of Karkaturu Mandal - Regarding.

With reference to your letter du13-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of	Date of	Date of Testing		Compres (N	ssive Stre \/mm²)	ength ——       —	Tolal	Average Strength
concrete	Casting			1	2	3		(Marris
M 30	15-11-2020	13-12-2020	Ī.	37.95	38.26	38 44		38 ju

This is for your kind information,

Thanking you.

Yours faithfully,

Tested by

(A Jilanı) Lab Technician (K.Venkateswara Rao)

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G V S.N.R.V.Prasad)

-PR:NCIPAL

From
D.N.Kumar
Assistant engineer
Endowments Department,
Vijayawada.

To
The Principal,
Gudlavalleru Engineering College,
Gudlavalleru Village & (M)
Krishna District.

Sub:-Endowments Department-Works - M 20 Nominal mix - Sri Venkateswara Swainy Temple - Kaikafuru(V) & (M).Krishna (Dist) - Cubes of Footings - For want of inccessary test report - Submitted - regarding

## (d)(d)(d)

I request that please conduct necessary required tests i.e. 7 days and 28 days and issue certificates for the cubes of M 20 mix which were obtained from the site of the work of Re construction of temple relating to Sri Venkateswara Swamy Temple. Kaikaluru Village in the premises of above mentioned temple. The necessary payments will be paid by us.

$ \begin{bmatrix} -\frac{1}{2} & \frac{25.11.2020}{25.11.2020} & -\frac{1}{2} & \frac{M}{20} & -\frac{1}{2} & \frac{7}{days} & \frac{1}{2} & \frac{1}{28 days} \\ -\frac{1}{2} & \frac{1}{2} &$
---

Your's faithfully

Tr Mario 2511/28 Assistant ENGINEER

Encl: Cubes for 7 and 28 days

Copy to the Executive Officer of subject temple

Subscriffed to Principal

B-1

An \_ 5

wet !

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 a-mail: principal@geogudiavalleru.ac.in. office@geogudiavalleru.ac.in.

## Dr. G. V. S. N. R. V. PRASAD

Mills, M. Tech., Ph.D.

MINTE MIFTE, MICE MENT, MISSRS, MIADR, MORSE

Principal

Ref. GEC/Consult/CE/MT-269

Date: 28-13-2020

To

D.N.Kumar

Assistant Engineer,

Endowments Department.

Vijayawada.

Sir,

Sub: Test results of the CC cubes for the construction of Sri Venkataswara swamy temple building footings at Kaikaluru (V) of Kaikaluru Mandal - Regarding.

With reference to your letter dt 25-11-2020 we have conducted the compressive strength test on Mi20 grade CC Cubes, Which are supplied by you. The Test results for 7days & 28 days are as follows.

	Grade of concrete	Date of Casting	Date of Testing		sarve Stre N/mm²)	ength     3	Total	Averani Shemi Char
ĺ	M 20	25-11-2020	02-12-2020	17 26	16 93	17.18 i	51.37	1.' !.
	M 20	25-11-2020	23-12-2020	26.56	27.12	26 89	80.57	28.86

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.A.Srecnivasulu)

Head of Civil Engineering

(Dr.C.V.S.N.R.V.Pros. and

PRINCIPAL PRINCIPAL



M9-270

Date: 26/12/2020

To,
The Department Head,
Gudlavalleru Engineering College,
GUDLAVALLERU.

Dear Sir.

Sub: Request to conduct Compressive strength Test of RCC M25 Concrete @ 14 days period.

Dokiparru 521 332.

Also request you to provide test reports as per the result at the earliest.

Thanking you sir,

Yours sincerely,

For Megha Engineering and Infrastructure limited

Authorized Signatury

(act)

forwarded to be pringed

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Khowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273688, Mobile: +91 9848779121 Fex No. 08574-273957 a-mail: principal@gecgudfavalfaru.ac.in, office@gecgudfavalleru.ac.in, Web: www.gecgudfavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MESU METHOR: PRODU

MIRTE, MIETT, MIE, MCSC MISRS, MIAPR, MCRST

**Principal** 

Ref: GEC/Consult/CE/MT-270

Date, 26-12-2020

Tα The Project Head, Mega Engineering Infrastructure's Limited. Sri Venkateswara Swamy Temple. Dokiparrų - 521332.

Sir.

Sub:- Test results of the CC cubes for the construction of poolari quarters block:2.1 of Sn Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg

With reference to your fetter dt 26/12/2020 we have conducted the compressive strength test on M25 grade CC Cubes. Which are casted and supplied by you. The Test results for 14 days are as follows:

Grade of Date of Casting M 25 11-12-2020	Date of   Compressive Streng   (M/mni²)	Total	Average Strength (N/inm)
— — — -		6.89   80.57	26 85

This is for your kind information,

Thanking you,

Tested by

Yours faithfulig.

(A.Jilani) Lab Technician

(K Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivastilu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Pras.iii)

PRINCIPA!

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848778121 Fex No. 08674-273957 e-mail: principal@gecgudiavalleru.ec.in, office@gecgudiavalleru.ec.in, Web: www.gecgudiavalleru.ec.in

## Dr. G. V. S. N. R. V. PRASAD

MISS, M. Beck, Ph.D.,

MISTE, MICHE, MITE MCSI, MISRS, MEAZE, MERST

Principal

Ref: GEC/Consult/CE/MT-271

Date 26.12-201

To The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple, Dokiparru - 521332

Sir.

Sub:- Test results of the CC cubes for the construction of pradhana poojali quarters block 2 floor of Sn Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District. - Reg.

With reference to your letter dt.26/12/2020 we have conducted the compressive strength test on  $M_{\star}^{***}$  grade CC Cubes, Which are casted and supplied by you. The Test results for 14 days are as follows:

Grade of   Date of   Concrete   Casting	Date of	Compressive Strength Average Average Total Strength (N/mar
M 25 11-12-2020	26-12-2020	25.59   26 17   25.86   77 62   25 8°

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K Venkateswara Rag) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Pratseo)

PRINCIPAL

From

Sri P.Suresh Babu, M. Lech.

Deputy Executive Engineer

Panchyat Raj Subdivision.

Mandaelli.

127 To,

The Principal

Gudlavalleru Engineering College,

Gudlavelleru.

Lrino / JTC)/2005D/Kakdindi/ Gram Sachivalayam/ apports/2019 dt 23-12-2020

Sir,

Sub;- PRJ subgitivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results -- regarding

Reft- 1. Ruitic 26/C1/2020 dt 01 05 2020 of the District Collector I/DPC MGNREGS.
Kname

I am suprefer to the label samples (i3 nosli) of size 150x150x150mm casted on 16-12-2020 with 7/35 h. vi and out for obtaining the 7 days (23-12-2020) cube strength of the above concrete it used to latest Floor Stabillor Construction of Grama Sachivalayam Building Pedalanka of Kardindi horizol East Cost Rs.40.00 Lakhs is sanctioned under NREGS grant it Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineers

PRI subdivision Mandavalli

Enwarded to the principal trees

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 o-mail: principal@gecgudievalieru.ec.in, office@gecgudiavalleru.ec.in, Web; www.gecgudiavalleru.ec.in

Dr. G. V. S. N. R. V. PRASAD

51.5. M.Tech., Ph.D.,

VOSTE MIETE, MIE, MICH, MISTS, MIAPR, MCRSI

Principal

Ref; GEC/Consult/CE/MT-272

Date: 23 17-2020.

Tο Sri P Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalli Mandai.

Sir.

Subtraction of Gramma Sachtvallayam, calliding first floor slab lat Pegalanka of Kalidindi Mandel - Regarding-

With reference to your letter dt.23-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

			Compress	ive Stren	igth. T		Aggrand
Grade of concrete	Date of Casting	Date of Testing	1 (Mn	'm <u>m")</u>	3 (	16/2/	ian ann Nosan
	16-12-2020	23-12-2020	23 65	23 /1	73.26	70 GZ	

This is for your kind information.

Thanking you,

Yours faithfully.

Tested by

A-216

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr A.Sreeniyasulu) Head of Civil Engineering PRINCIPAL

were out of a pertino

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision, Mandaalli mr. 243

The Principal
Gudlavallero Engineering College,
Gudlavallero.

Lr no / JTO/PRISD/Kalidindi/ Gram Sachivalayam/ reports/2019 dt 19-09-2020.

To,

Sir,

Sub;- PRI subdivision – Mandavalli – submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:-  $1_{\odot}$  Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150xmm casted on 12-09-2020 with M30 mix concrete for obtaining the 7 days (19-09-2020 ) cube strength of the above concrete is used for Piles of Construction of R.B.K. Centre Building at Mulaupparagudem of Kaligingi Mandal Est Cost Rs.21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the deprend received from your end

Yours faithfully

 $(Sd/\cdot x \times x \times x \times x)$ 

Seputy Executive Enginees: PRI subdivision Mandayold

//t.c.f.b.o.//

YIVID. TSP. OF THE WITTEN

لمحسوا

Subson Ital to priorized ford

Conto direct

B. U. S.

19

ERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledga Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & FT for 3 Years Phone Nos. 08674-273737, 273886, Mobile: 9848779121 Fex No. 08674-273957

a-majl\_principal@gecgudlavalleru.ac.in. office@gecgudlavalleru.ac.in, Web; www.gecgudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

With Jacks S. Miljack Parlie. Sp. 3. Cag., sals re. 96 J.S. Massley, MaAS, Sps., Collin.,

Protecpat

Ref. GEC/Consult/CE/MT-273

Date 19-09-2020

Sri P Suresh Babu, M.Tech. Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalti Mandati

Siz

Sub. - Test results of the CC cubes for the construction of Rythu berosakendram center - building pites at Mulapparagudem of Kalidingi Mandat - Regarding.

With reference to your letter dt.19-09-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength  Average  (N/min²) — Total Strength  2 3	
į	M 30	12-09-2020	19-09-2020	23.65 23.71 23.26 70.02 1 23.54	

This is for your kind information,

Таапкілд уоц

Tested by

Yours faithfully:

(A Jilani) Lab Technician (K. Venkates wara Ran)

Lab Incharge

odanda Ramailao i Head of Civil Engineering

(Dr P.Rawinan Babu) PRINCIPAL

From

Sri P.Suresh Babu M.Yech., Deputy Executive Engineer Panchyat Raj Subdivision, Mandayalli.

M-224

The Principal

To,

Gudfavalletic Engineering college:

Ged/availeru

/ J7O/PRISD/Kalldindi/ Gram Sachivalayam/ reports/2019 dt | 09-10-2020

Бĭг,

Sub:- PRI subdivision - Mandavelli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1,: Roing 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MISNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size | 150x150x150mm casted on 12-09-2020, with, M30 mix concrete for obtaining the 28 days (09-10-2020) cube strength of the above concrete is used for **Piles** of Construction of R.B.K. Centre Building at Mulaupparagudem of Kalidindi Mandal Est Cost Rs.21.80 Lakbs sanctioned under NACGS grant Required payment will be made when the demand received from your and

Young feliging to

 $(Sd/-x \times x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandavaille

//t.c.f.b.o.//

Y N. J. TW. O TRANS .OW Senior Assistant

Subscribed to Bounded

For Card Servetor

B. L. L.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Pennitted by A.P. State Government).

Accredited by NAAC with 'A' Grade

NBA Accreditation: 8.Tech - OSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273688, Mobile: 9849779121 Fax No. 08674-273957 s-mail: principal@gecgudiavalleru.ac in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. POTLURI RAVINDRA BABIJ

COUNTY FOR MINTER MINER, MINER, MINER, MINER, MINER, MINER,

Billoch, M.S., Milliob, Ph.D.,

Principal

Ref: GEC/Consult/CE/MT-274

Date 09-10 2020

Τø Sri P.Suresh Babu, M Tech Deputy Executive Engineer. Panchayat Ra; Sub Division, Mandavalli Mandali

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu barosakendram center | building pites at Mulapparagudem of Kalidindi Mandal - Regarding.

....

With reference to your letter dt.09-10-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as to lows

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength			Total	Average Shearth IN S
M 30	12-09-2020	09-10-2020	38 65	38 19	38.44	115 29	381.40

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilani)

(K. Venkateswara Rao)

Lab Technician.

Lab Incharge

Head of Civil Engineering

PRINCIPAL

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer ,

Panchyat Raj Subdivision

Το,

тье Рласіраі

Gudfavalleru Engineering college

Gudlavalleru

U no 38/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 30-12-2020

Sir.

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required

Ref;- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size  $150 \times 150 \times 150$ mm casted on 22-12-2020 with M30 mix concrete for obtaining the 7 days ( 30-12-2020 ) cube strength of the above concrete is used for **Roof slab** of 'Construction of P.BK building Vadavalli of Mudinepalli Mandal Est Cost Rs 21. 80Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive/Engineeer

PRI subdivision Mandavalfi

Subulted to the gringer

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade.

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273857 e-mail: principal@geogudlavatleru.ac.in, office@geogudlavatleru.ac.in, Web; www.geogudlavatleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MURSI

**Principal** 

Ref: GEC/Consult/CE/MT-276

Date: 30-12-2020

 $T_{\alpha}$ Sri P.Suresh Babu, M.Tech. Deputy Executive Engineer, Panchayat Rai Sub Division. Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu bharosa kendram buildings roof slab work at Vadavalli of Mudinepalli Mandal - Regarding.

With reference to your letter dt.30-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		Compressive Strength (N/mm²) 1 2 3			Average Strength (N/mm²)
M 30	22-12-2020	30-12-2020	22.78	22.51	22.49	67.78	22.59

This is for your kind information.

Thanking you,

Tested by

Yours faithfully.

Lab Technician

Venkatešwara Rao) Lab Incharge

(Dr.A Sreeniyasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

Prom

To,

Sri P. Suresh Babu M. Tech.,

The Principal

Deputy Executive Engineer,

Gudlavalleru Engineering college

Panchyat Rai Subdivision.

Gudlavatleru

Mandavalli.

Lr no / JTO/PRISD/Mudinepalli/ Gram Sachwalayam/ reports/2019 dt 02-01-2021

Sir,

Sub: PR1 subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc по 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-12-2020 with M30 mix concrete for obtaining the 28 days (02-01-2021) cube strength of the above concrete is used for **First Floor Slab** of Construction of Grama Sachivalayam Building **Alluru** of Mudinepalli Manual **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive/Engineeer

PRI subdivision Mandavalli

Subritted to the pringed

\$

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rev Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delh) and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalteru.ac.in. office@gecgudiavalteru.ac.in. Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MIRTE, MIE, MCSF, MISTRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-277

Date: 02-01-2021

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalti Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Alluru of Mudinepalli Mandal - Regarding.

With reference to your letter dt 02-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compr 1	essive Str (N/mm²) 2	ength 3	Total	Average Strength (N/mm²)
M 30	05-12-2020	02-01-2021	37.96	38.44	38.28	114.68	38.22

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Şréenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL From

To,

Sri P.Suresh Babu M.Tech.,

pri ribciesii oabbi Mi techi,

Deputy Executive Engineer,

Panchiyat Raj Subdivision

The Principal

Gudlavalleru Engineering college

Godlavalleru

Lino / JTO/PRISD/Mandavalli/ W.C./ reports/2019 dt 03-01-2021

Sir,

Subt: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2070 of 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 06-12-2020 with M30 mix concrete for obtaining the 28 days (03-01-2021) cube strength of the above concrete is used for **Footings** of **'Construction of R B.K. building at Gannavaram in Mandavalli Mandal Est Cost Rs.21.80 takks** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

RI subdivision Mandavalli

Submitted to the principal decen

8

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Red Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government).

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal இgeogudiavalieru.ac.in, സ്റ്റേത്രൂട്ടെവർ[eveileru.ac.in, Web: www.geogudiavalieru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISSE MIETE, SCIE MUSI, MISRS MUCRS, MURSI

Principal

Rof. GEC/Consult/CE/MT-278

Τo Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Ray Sub Division.

Mandavalli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu bharosa kendram building footings at Gannavaram of Mandavath Mandal - Regerding...

With reference to your letter dt 03-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing		Compressive Strength (N/mm²) 1 2 3			Average Strength (N/mm²)
M 30	06-12-2020	03-01-2021	37.96	38 44	38.28	114.68	38.22

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 03-01-2021

(A.Jiřani)

Lab Technician

(K.Venkateswara Rao).

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R V,Prasad)

PRINCIPAL

MT-279

From

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer...

Panchyat Raj Subdivision,

Mandavalli

To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru

/ JTO/PRISD/Mudinepalii/ Gram Sachivalayam/ reports/2019 dt 03-01-2021

Sir.

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref: 1. Roing 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS. Krishna

I am submitting the cube samples ( 3 nos ) of size | 150x150x150mm casted on | 06-12-2020, with IM30 mix concrete for obtaining the 28 days (03-01-2021) cube strength of the above concrete is used for First Floor Slab of Construction of Grama Sachivalayam. Building Guraja: of Mudinepall: Mandal Estt Cost Rs.40.00 Lakhs: Sanctioned under NREGS. grant Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Eggineear

PRI subdivision. Mandavalli

Subriting to the ground

RU ENGINEERING COLLI

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Knahna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos, 08674-273737, 273888, Mobile, +91 9848779121 Fax No. 08574-273957 e-ma}i- principal@geogudiwyalleru.ac.in, office@geogudiav#lleru.ac.in, Web; www.geogudievalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MLS., M. Tech., Ph.D.,

SKISTE, MILITE, MIZE, MCSI, MISRS, HILAPRI, MCRSI

Principa)

Ref: GEC/Consult/CE/MT-279

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavatlı Mandal.

Sic.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor slab at Guraja of Mudinepallr Mandal - Regarding.

With reference to your letter dt.03-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Ī				
:	Grade of	Date of	Compressive Strength	_
	Congrete	Casting	Date of Testing L (N/mm²)   Average	ايو
_	-— — i		Total Strengin	1
ļ	M 30	06-12-2020		1
_	<u> — —                                 </u>		03-01-2021 38.66 38.19 38.44 115.29 38.43	$\dashv$
i				

This is for your kind information,

Thanking you.

Tested by

Yours faithfully.

Date: 03-01-2021

(A. Jilani)

Lab Technician

(K.Venkateswara Rag)

Lab Incharge

(Dr.A Steenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Presad)

PRINCIPAL

M7-281, 202

# GVR - PREMCO Joint Venture

Lr. No: GVR-PREMCO JV/RVNL/GDC-MTM/CJVIL/PEG-4/004 - lab: 56

Date: 27-11-2020

To Head of Department. Oxil angineering department, Gudlavalleru engineering college. Gudhavaileru.

Sub: Doubling with electrification of Railway line between Gudiwada - Machilipatriam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway (Package 4): "Regarding testing of concrete cubes for OHE REP:

Dear Sir,

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes location of cubes 10348 type of foundation MG-7.The age of cubes is 7 Days. Please conduct Compressive strength test As per i5 code.

Date of casting :-21-11-2026. Grade of concrete: - . M15

With regards:

For GVR-PREMCG JV

V.SATYANARAYANA (el 23/4) 10 QC

Project Manager

Samples.

No.of cube samples 02. (One sumple for 07 days and another sample for 28 days.)

Suborthed Bargel

6/271/B GVR PREMCO LV office, Reddy simhacharam road, Opp. To Bus stand, Gudivada E-Mail: site.gvrpremco@gmail.com

https://www.montes.com/most/s//DMah---mAnntitSphm/Projectors.t

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUBLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

க்-mail: principal@geogudlavaltaru.ac.in, office@geogudlavalleru.ac.in, Web; www.geogudlavalleru.ac.in

## Dr. POTLURI RAVINDRA RABIJ

Black, M.S., M.Ryb., Ph.D.,

Principal

Ref: GEC/Consult/CE/MT-281

Call of Fig. 2018 D. 2021 St., WASHING MISAT, MISTA, MIDNA

Date: 28-11-2020

To The Project Manager, GVR Premeo Joint Venture, Gudiyada.

Sir,

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4).

With reference to your letter Lr. No: GVR-PREMCO JV/RVNL/GDV-MTM/CIVIL/PKG-4/004 lab:-56, dt:27-11-2020. We have conducted the compressive strength test on M 15 grade CC Cubes Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Identification	Date of Casting	Date of Testing		ompressingth (N/)	_	Total	Average Strength (N/mm²)
M 15	Foundation -   1034B Type   of Foundation   MG - 07	21-11-2020	28-11-2020	12.85	13.12	    12.97 	38,94	12.98

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

(A Jilani) Lab Тесhniciaл

(K.Verikateswara Rab) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr P.Ravindra Babu) PRINCIPAL From ,

Srī A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada.

To.

The Principal, Gudlavalleru Engineering college, Gudlavalleru.

Lr no 2/ JTO/PRISD/Gudiyada / Grama Sachivalayam/ reports/2019 dt 24-11-2020

Sar.

Sub; PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-10-2020 with M30 mix concrete for obtaining the 28 days ( 24 -11 -2020) cube strength of the above concrete is used for VRCC M30 for Ground floor Roof Slab 'Construction of Grama sachivalayam building at Tamirisa (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end-

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudiyada

Submitted to General
for Capperove

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Osihi and Permitted by A.P. State Government)
Accredited by NAAC with "A" Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08874-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principat@gecgudtevelleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

th facts, M. s., M. skele, 25 D., For Charle Model present medical artists, with, Principal

Ref. GEC/Consult/CE/MT-283

Date: 24-11-2020

To Sri A.Harinadh Babo, B.Tech Deputy Executive Engineer, Panchaya: Raj Sub Division, Gudivada.

Sir.

 Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building Ground floor roof slab work at Tamirisa (V) of Nandivada Mandal - Regarding.

With reference to your letter dt 24-11-2020 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

Grade of	Date of	Date of Testing	Compressive Strength (N/mm²)			· Total	Average Strength İ
concrete	Casting		1	2	3		(N/mm²)
M 30	27-10-2020	24-11-2020	37.95	38.26	38.44	114.\$5	38 21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilahi) Lab Technician (K.Venkateswara Rad) Lab Incharge

(Or.P.Kodanda RamaRao). Head of Civil Engineering Dr R Rayindra Sabu) PRINCIPAL From

Shi A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada.

To,

The Principal,

Gudlayalleru Engineering college ,

Gudjavatleru.

Lr no / JTO/PRISD/Godivada / Grama Sachivalayam/ reports/2009 of 28-12-2020

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 14 days strength results – regarding

Ref:- 1, Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 15-12-2020 with M30 mix concrete for obtaining the 14 days ( 28-12-2020) cube strength of the above concrete is used for VRCC M30 for first floor Roof Slab \*Construction of Grama sachivalayam building at Ilaparru (v) of Nandivada Mandal Est Cost Rs 40,00 Lakhs sanctioned under NREGS grant. Required payment will be made when the

Yours faithfully

Deputy Executive Engineeer

PRI su bdivisión Gudivæda

Submitted to the processor

\_

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehadri Rao Knowledge Village, GUDLAVALLERU-521 355, Krishna District, A.P., India (Approved by AICTF, New Dathi and Permitted by A.P. State Government).

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@geogudlevalleru.ac.in, office@geogudlevalleru.ac.in, Web; www.geogudlevalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MUSU MUTERN, Ph.D.

903 E. MICH, ME, WOLLMISRY, MIXING 90351

Principal

Ref: GEC/Consult/CE/MT-284

Date: 28-12-2020

Tο Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Pancheyat Raj Sub Division, Gudivada.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor. roof slab work at Itaparen (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.28-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubas, Which are supplied by you. The Test results for 14 days are as follows:

Grade of	Date of	Date of Testing	Compressive Strength(N/mm²)			Total	Average Strength
concrete	Casting		1	2	3	Total	(N/mm²)
M 30	15-12-2020	28-12-2020	31.54	30.98	31.29	93 61	31.27

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilanl) Lab Technician enkateswara Racii

Lab Incharge

(Dr.A.Srgeniyasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

From ,

Srl A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalleru Engineering college ,

Gudfavalleru.

Lr no 2/ JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2019 dt 07-01-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 11-12-2020 with M30 mlx concrete for obtaining the 28 days ( 07 ·01 -2021) cube strength of the above concrete is used for VRCC M30 for first floor Roof Slab 'Construction of Grama sachivalayam building at Tambrisa (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Gudivada

Substitud to the principal the principal

2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 8848779121 Fex No. 08674-273957 e-meil; principal@gecgudievalleru.ac.in, office@gecgudievalleru.ac.in, Web; www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S. M. Deb., Ph.Dr.

MISTE, MIETE, STE, MCSI, MISES, MIATR, MIRSE

Principal

Ref: GEC/Consult/CE/MT-285

Date: 07-01-2021

Τo Sh A.Harinadh Babu, B.Tech. Deputy Executive Engineer. Panchayat Ray Sub Division, Gudiyada.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building first floor roof stab work at Tamirisa (V) of Nandivada Mandal - Regarding.

With reference to your letter dt 07-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

		T —— ——					
	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²) 1   2   3	Total	Average Strength (N/mm²)	
L	M 30	11-12-2020	07-01-2021	38.66 38.19 38.44	115.29	38.43	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rao). Lab Incharge

(Dr.A Sreenivasulu) Head of Civil Engineering

(Dr.G.V.\$, N.R.V.Prasad)

PRINCIPAL

From

MT-295-

Sri P.Suresh Babu, M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision.

Mandaaili.

The Principal

Gudlavalleru Engineering College,

Gudíavalleru.

/ JTO/PRISD/Mudinepally/ Gram Sachivalayam/ reports/2019 dt 07-01-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results – regarding.

Ref:- 1, Rc na 26/C1/2020 at 01-05-2020 at the District Collector / DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on. 31-12-2020 with M30 mix concrete for obtaining the 7 days (07-01-2021) cube strength of the above, concrete is used for. First Floor Slab, of Construction of Grama Sachivalayam. Building Singarayapalem of Mudinepalli Mandal Estt Cost Rs. 40.00 Lakhs | sanctioned | under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

FRI subdivision

Mandavalli

Submitted to the Constantion the principal to Constantion

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Dathl and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Teck., Pa.D., MISTE, PATETE, MIE, SKCSI, MISHS, MEAZE, WORST

Principal

Ref: GEC/Consult/CE/MT-295

Date: 07-01-2021

To Sn P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandaval/i Mandal.

Siz.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Singarayapalem of Mudmepalli Mandal - Regarding...

With reference to your letter dt 07-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compr	essive Str (N/mm²)   2	ength	Totai	Average   Strength   (N/mm²)
M 30	22-12-2020	30-12-2020	22 78	22.51	22.49	67.78	22.59

This is for your kind information.

Thanking you,

Tested by

Yours faithfully

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr A.Sreeniyasula) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL MJ-236

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision Gudiyada

Τo,

The Principal Gudlavalleru Engineering college Gudfavalferu

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 02-01-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 06-12-2020 with M30 mix concrete for obtaining the 28 days ( 02 -01 -2021) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Grama sachivaləyam bullding at Pedalingala (v) of Nandivada Mandal Est Cost Rs 40.00 laichs sanctioned under NREG5 grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Gudiyada.

Submitted to his principal freezy

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile; +91 9848779121 Fax No. 08674-273957 e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MON. NETWON, PAID

MISTE, MLEDE, MIE, MCSJ, MISRS, MJAPR, MCRSJ

Principal.

Ref. GEC/Consult/CE/MT-286

Date: 02-01-2021

Τa Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudiyada.

Šіг.

Sub:- Test results of the CC cubes for the construction of Gramma sachrvalayam building. Pries work at Pedalingala (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.02-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting Date	of Testing	Compre ()	ssive Stre N/mm²)   2	ength 3	Total	Average Strength (N/mm²)	1
_ M 30	06-12-2020 02-0	1-2021	38.66	38.19	38.44	115.29	38.43	ĺ

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

(A. Jilani) Leb Technician

(K.Venkateswara Rac) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr.G V.S.N.R.V.Prasad) PRINCIPAL

15.287

From .

Sri A.Harinadh Babu B.Tech... Deputy Executive Engineer. Panchyat Rai Subdivision. Gudiyada.

To,

The Principal, Gudlavalleru Engineering coflege, Gudlavafleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 14-01-2021

Sir.

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS Krishna

 $^{V}$  I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 18-12-2020 with M30 mix concrete for obtaining the 28 days ( 14-01-2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Pedalingala (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudiyada.

Submitted to the pringer

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rec Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalieru.ac.in, office@gecgudiavalieru.ac.in, Web: www.gecgudiavalieru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Teele, Ph.D., MISSE: MIETE, MIE, MCSI, MISSE, MIATE, MCHSI

Principal

Ref. GEC/Consult/CE/MT-287

Date: 14-01-2021

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sm,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayem building Pile caps work at Pedalingala (V) of Nandivada Mandal - Regarding

With reference to your letter dt 14-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compr 1	essive Stre (N/mm²) 2	ength 3	Total	Average Strength (N/mm²)
M 30	18-12-2020	14-01-2021	31.54	30.98	31.29	93.61	31.27

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr A Szeenivasulu) Head of Civil Engineering (Dr.G.V.S.N,R.V.Prasad)

ngineering PRINCIPAL

From .

Sri A.Harinadh Babu B.Tech.,

Députy Executive Engineer,

Panchyat Raj Subdivision

Gudivada

To,

The Principal

Gudlavalleru Engmeering college

Gudlavallen i

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 02-01-2021

Sir.

Subt: PRI subdivision - Gudiyada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Roino 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS. Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 06-12-2020 with M30 mix concrete for obtaining the 28 days ( 02 -01 -2021) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of RBK building at Pedalingala (v) of Nandivada Mandal Est Cost Rs 21.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Gudiyada.

Submitted to pureful fee pureful

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.sc.in, office@gecgudiavalleru.sc.in, Web: www.gecgudiavalleru.sc.in

Dr. G. V. S. N. R. V. PRASAD

MUST, MUEST, MIE. MOST, MISRS, MIADR, MORSI

Principal

Ref. GEC/Consult/CE/MT-288

Date: 02-01-2021

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

5ir.

Sub: Test results of the CC cubes for the construction of Rythu bharosa kendram building Piles work at Pedalingala (V) of Nandivada Mandal - Regarding.

With reference to your fetter dt.02-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade		Date of Casting	Date of Testing		ssive Stre N/mm²) 2	ength 3	Total	Average Strength (N/mm²)
M 3	<u> </u>	06-12-2020	02-0 <b>1-20</b> 21	38.97	38.65	38.43	116.05	38.68

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jifani) Ləb Technician (K.Venkateswara Rao) Lab Incharge

(Dr.A.S/eenivasulu) Head of Givil Engineering (Dr.G.V.S N.R.V.Prasad) PRINCIPAL NS 1289

From ,

Sri A.Harmadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru.

Lr no / TTO/PRISD/Gudivada / Grama Sachivalayam/reports/2009 dt 14-01-2021

Siz,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1:: Rc no 26/C1/2020 of 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 18-12-2020 with M30 mlx concrete for obtaining the 28 days ( 14 -01 -2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of RBK building at Pedalingala (v) of Nandivada Mandel Est Cost Rs 21.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer (1) (20)

Gudivada

Subulled to The printed Sheen

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-S21 356, Kriehna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Recht, Ph.D.

MISTE, MLETE, MIE, MOSE MISTS, MIAPR, MORSI

Principa!

Ref: GEC/Consult/CE/MT-289

Date, 14-01-2021

To Sn A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

SII.

Sub\* Test results of the CC cubes for the construction of Rythu bharosa kendram building.

Pile caps, work at Pedalingala (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.14-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of	Date of	Date of Testing	Compressive Strength (N/mm²)			Total	Average Strength
concrete	Casting		1	∟2	3		(N/mm²)
M 30	18-12-2020	14-01-2021	37.95	38.26	38.44	114.65	38.21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully:

(A.Jilanı) Lab Techniçian

(K.Venkateswara Rao) Lab Incharge (Dr.A.Sreenryasulu) Head of Civil Engineering (Dr.G.V,\$ N.R.V.Prasad) PRINCIPAL 1 M - 124

From D.N.Kumar Assistant Engineer Endowments Department, Vijayawada.

TO
The Principal,
Gudlavalleru Engineering College,
Gudlavalleru Village &(M)
Krishna District

Sub:- Endowments Department-Works-M20 Nominal mix - Sri Venkateswara Swamy Temple- Kaikaluru (V)&(M)Krishna (Dist)-Cubes of Slab- For Want of necessary test report-Submitted-Regarding.

## @@@@@

I request that please conduct necessary required tests i.e. 7 days and 28 days and issue certificates for the cubes of M20mix which were obtained from the site of the work of Re construction of temple relating to Sn Venkateswara Swamy Temple, Kaikaluru Village in the premises of above mentioned temple The necessary payments will be paid by us.

## CUBS For Slab -Temple

S.NO	Date of casting	Mix	for test results
1	27-12-2020	M 20	7 Days
2	29-12-2020	M 20	28Days

Your's Faithfully

Assistant Engineer

Encl: Cubes for 7 and 28 days

Copy to the Executive Officer of subject temple

tu principal

199

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Oelhl and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 a-mail: principal@gecgudiavaileru.ac.in. office@gecgudiavaileru.ac.in, Wab: www.gecgudiavaileru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

MES., NUTWIN, PILID.,
MISTER MIETE, MIE, MCSI, MISRS, MCAPIL MCRSE

Principal

Ref. GEC/Consult/CE/MT-290

Date: 04-01-2021

To D.N.Kumar Assistant Engineer, Endowments Department, Vijayawada,

Ŝт.

Sub: Test results of the CC cubes for the construction of Sri-Venkateswara Swamy Temple, building slab work at Kaikaluru Village & Mandal, Krishna District - Regarding.

With reference to your letter dt.27-12-2020 we have conducted the compressive strength test on Mi20 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Stre Vmm²) j 2	ength 3	Total	Average Strength (N/mm²)
M 20	27-12-2020	03-01-2021	16.21	15.89	16.57	48.67	16.22

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao)

Lab Incharge

(Dr A Szeenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

MLS., M.Titch., Ph.ID., MISTE, MIETE, MITE, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-291

Date: 25-01-2021

Τò D.N Kumar Assistant Engineer. Endowments Department, Vijayawada.

Sir.

Sub:- Test results of the CC cubes for the construction of Sri-Venkateswara Swamy Temple, building slab work at Kaikaluru Village & Mandal, Krishna District - Regarding.

With reference to your letter dt.27-12-2020 we have conducted the compressive strength test on Mi20 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing		Sive Strength  Vmm²) 2 3	Total	Average Strength (N/mm²)
M 20	27- <u>12-2020</u>	24-01-2021	26 56	26,39   26,87	79.82	26.50

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

4.716-i

(A.Jilani) Lab Technician (K Venkateswara Rao) Lab Incharge

(Dr A Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

M9-292-

From D.n Kumar Assistant engineer Endowments Department, Vijayawada.

To
The Pricipal,
Gudval:eruEngineering Coollege
Gudlavalleru Village &(M)
Krishna District.

Sub:-Endowments Department-Works-Mi20 Nominal mix-still Verkateswara swamy Temple-Kaikalunu(V)&(M),Krishna(Dist)-Cubes of footings-For Want of necessary test report-submitted- regarding.

**@@@** 

I request that please conduct necessary required test i.e 7days and 28days and issue certificates for the cubes of M 20mix which were obtained from the site of the work of re-construction of temple relating to Sni Venkataeswara Swamy Temple Kaikaluru Village in the premises of above mentioned temple The necessary payments will be paid by us.

Are For Footings, prakers mandagem,

S.NO	Date of casting	 1 Max	For test resu	Its
! 1	12.12.2020.	 M20	7Days	
2_	12.12.2020	 M20	28 Days	

Yours faithfully

Assistant Engineer

End, cubes for 7 and 28 days

Copy to the Executive Officer of subject Temples.

lacy subnited principal

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 366, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mall; principal@gecgudiavalleru.ec.in, office@gecgudiavalleru.ec.in, Web: www.gecgudiavalleru.ec.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Toch., Philb.,

MISTE, MIGST, MIE, MCST, MISRS, MIAPR, MCRST

Principal

Ref. GEC/Consult/CE/MT-292

Date: 09-01-2021

To D.N.Kumar Assistant Engineer Endowments Department, Vijayawada

Sir.

Sub:- Test results of the CC cubes for the construction of Sri-Venkateswara Swamy Temple, building footings work at Kaikaluru Village & Mandal, Krishna District - Regarding.

With reference to your letter dt. 12-12-2020 we have conducted the compressive strength test on Mi20 grade GC Cubes. Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (i\(\frac{i\text{Vmm}^2}{m}\))  1 2 3			Total	Average Strength	
M 20	12-12-2020	19-12-2021	16.21	15.89	16 57	48 67	16.22	
M 20	12-12-2020	09-01-2021	26.56	26.39	26.87	79.82	26 60	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(AlJdani) Lab Technician (K.Venkateswara Rag) Lab Incharge

(Dr A Sreenivasulu) Head of Civil Engineering (Dr.G.V.S N.R.V Prasad) PRINCIPAL S. Maria

From ,

5ri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision, Gudrvada

To,

The Principal, Gudlavatleru Engineering college , Gudlavalleru,

Lr no 2/ JTO/PR15D/Gudivada / Grama Sachivalayam/ reports/2019 dt 30-12-2020

Slr,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 14 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples (  $3~{
m mos}$  ) of size  $150{ imes}150{ imes}150{
m mm}$  casted on 17-12-2020 with M30 mix concrete for obtaining the 14 days ( 30 -12 -2020) cube strength of the above concrete is used for VRCC M30 for first floor Roof Slab 'Construction of Grama sachivalayam building at Rudrapaka (v) of Nandivada Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREG\$ grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudiyada

Submitted to The principal trees

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Reo Knowledge Village, GUDLAVALLERU-621 368, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273666, Mobile: +81 9648779121 Fax No. 08674-273957 e-mail: principal@gecgudlevalleru.sc.in, office@gecgudlevalleru.ec.in, Web: www.gecgudlevalleru.ec.in

Dr. G. V. S. N. R. V. PRASAD M.S., M. Feel, Ph.D., MISTE, MIETE, MIE, MCM, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-294

Tο Sл A.Haллаdh Babu, B.Tecn Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivaloyam building, first floor reof slab work at Rudrapaka (V) of Nandivada Mandal - Regarding

With reference to your fetter dt.30-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 14 days are as follows

1	The Tage		. 10 15 (D)
Grade of   Detail	The Test results for 14 da	lys are as fo	llaws
Concrete   Date of	Compressive Strength		<u></u>
	Date of Testing i (N/mm²)	— Total	Average
M 30   17-12-2020	3		(N/mm²)
	31-12-2020   30.59   29.48   31.6	7	i
is for your kind information		(   91.74	30.68 :

This is for your kind information

Thanking you,

Tested by

Yours faithfully

Date: 31-12-2020

(A. Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

From

To,

Sri P.Suresh Babu M.Toch.,

The Principal

Deputy Executive Engineer »

Gudlavalleru Engineering college:

Panchyat Raj Subdivision,

Gudlavalleru.

Mandavalli.

/ JTO/PRISD/Mudinepelli/ Gram Sachivalayem/ reports/2019 dt 27-01-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding.

Refr- 1. Rc no 26/CI/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (  $3~\rm nos$  ) of size  $150 {\rm x} 150 {\rm x} 150 {\rm mm}$  carted on 31-12-2020 with M30 mix concrete for obtaining the 28 days (27-01-2021) cube strength of the above concrete is used for First Floor Stab of Construction of Grama Sachiyalayam. Building Singarayapalem of Mudinepalii Mandal Estt Cost, Rs.40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the damand received from your end

Yours faithfully

PR1 subdivision

Mandavalli

Submitted to the principal for concolmation

(An Autonomicus Institute with Permanent Affiliation to JRTUK, Kakinada)
Scahada Reo Knowledge Village, GUDI AVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Dobli and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web; www.geogudiavelleru.ac.in

Dr. G. V. S. N. R. V. PRASAD 808, 31 log 1, 80.0.

MINITE SENTE AND ARREST AREA MINITED RESERVE

**Principal** 

Ref: GEC/Consult/CE/MT-296

Date: 27-01-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Singarayapalem of Mudinepath Mandal - Regarding.

With reference to your letter dt.27-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	, , , Calabi teasing		Comprés (f	ssive Stre V/mm²)   2	ength 3	Total	Average Strength (N/mm²)
M 30	31-12-2020	27-01-2021	37.95	38.26	38 44	114.65	38.21

This is for your kind Information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilani)

Lab Technician

(K.Venkateswera Rao)

Lab Incharge

(Dr.A.Sreen(yasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engingering college

Gudlaval/eris

Lr no: 72/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 23-01-2021 Sir,

Sub: PRI subdivision - Mandavallr - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1# Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNRKGS Krishna

I am submitting the cube samples (  $3~{
m nos}$  ) of size  $150{ imes}150{ imes}150{
m mm}$  casted on 16-01-2021 with M30 mix concrete for obtaining the 7 days ( 23-01-7021 ) cube strength of the above concrete is used for Firstr floor slab of 'Construction of Gram Sachivalayam building at Kaikaluru – 3 of of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deput/ Executive Engineers

PRI subdivision Mandavalli.

Submitted to
The private for Caldelins

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06874-273737, 273688, Mobile. +91 8846779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MASTE, MIETE, MIE, MOSE, MISKS, MIAPR, MORSE

Principal

Ref: GEC/Consult/CE/MT-297

Date: 23-01-2021

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam buildings first floor slab work at Kaikaluru-3 of Kaikaluru Mandal - Regarding.

With reference to your letter dt 23-01-2021 we have conducted the compressive strongth test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing		essive Str (N/mm²) 2	ength	Total	Average Strength (N/mm²)	-   
M 30	16-01-2021	23-01-2021	22.78	22 51	22,49	67 78	22.59	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilanı) Lab Technician (K.Venkatoswara Raq) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Or.G.V.S.N.R.V Prasad) PRINCIPAL

# **GVR - PREMCO Joint Venture**

Lr. No; GVR-PREMCO JV/RVNL/GDC-MTM/CJV1L/PKG-4/004 - lab:-59

Date: 02-02-2021

To
Head of Department,
Civil engineering department,
Gudlavafleru engineering college,
Gudlavafleru

Sub:-Doubling with electrification of Railway line between Gudiwada --Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C.Railway-(Package-4)- "Regarding testing of concrete cubes for OHE REF;

Dear Sir,

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes location of cubes 35/48 A type of foundation-P8. The age of cubes is 28 Days. Please conduct Compressive strength test as per IS code. Samples are submitting before one day.

Grade of concrete; - M15.

Date of Casting :- 06-01-2021

With regards:

For GVR-PREMICO JV

V.SATYANARAYANA

Project Manager

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Oelhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Teeb., Ph.D.,

MISTE, MIETE, MIE, MOSI, MISRS, MIAPE, MORSI

Principal

Ref: GEC/Consult/CE/MT-298

Date: [3-01-202]

Ϊo

The Project Manager, GVR Premoo Joint Venture,

Gudivada.

Sic.

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Railway line between Gudiyada - Machilipatnam section from KM.0.00 to 35.740 on Vijayawada Division of S.C. Raifway "- (Package-4).

\* \* \* \* With reference to your letter Lr. No: GVR-PREMCO JV/ RVNL/ GDV-MTM/CtVIL/PKG-4/004 lab:-59, dt:02-02-2021. We have conducted the compressive strength test on M 15 grade. CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

Grade of	Identification		Date of	Compre	ssive -	¬ ——	Average
Concrete	⊢ - <sub>оне</sub>	Casting	│ Testing ├ ─ ─	Strength ()	1 3 Name - 3	Total	Strength (N/mm²)
M15	Foundation - 35/48 A	٠	i		<del>-</del>	1——	((v/mm))
"(1)	Type of Foundation	06-07-2021	13-01-2021	23.41 22.90	23.26	69.63	23.21
, 	_ P-8		· — —!	!		, 	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Lab Technician

(K.Venkateswara Rao) Lab incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr G.V S.N.R.V.Prasad) PRINCIPAL

From ,

To,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

The Principal
Gudlavalleru Engineering college
Gudlavalleru

<u>Lr No / JTO/PRISO/Mandavalli / Gram Sachiyalayam /Vemavarappadu/ Reports/2020 dt 20-01-2021</u>

Sir,

**Sub:-** PRI subdivision – Mandavalil – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13-01-2021 with M30 mix concrete for obtaining the 7 days ( 20-01-2021) cube strength of the above concrete is used for **Ground Level Roof Slab** of 'Construction of Gram Sachivalayam building at Vernavarappadu of Kalkaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end.

2

Submitted to for The principal for Constitution

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshedri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna Dialrici, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade.

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru ac.in, office@gecgudiavalleru.ac.in. Web: www.pecgudiavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, 9LIETE, MIE, 90081, MISRS, MIADR, MORSI

Principal

Ref: GEC/Consult/CE/MT-299

Date: 20-01-2021

Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Ray Sub Division, Mandavelli Mandal

Sir.

Sub.- Test results of the CC cubes for the construction of Gramma sachivalayam building, ground level roof slap work at Vernavarapadu of Kaikaluru Mandal - Regarding.

With reference to your letter dt 20-01-2021 we have conducted the compressive strength test on MI30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	I Date of lesing F		Compressive Strength (N/mm²)			Average (N/mm²)	
M 30	13-01-2021	20-01-2021	22.78	22.51	22.49	67.78	22.59	

This is for your kind information.

Thanking you,

Yours faithfully.

Tested by

(A.Jilani) Lab Technician Lab Incharge

Head of Civil Engineering

(Dr.G.V.S.N.R V.Prasad)

PRINCIPAL

M - 360

From .

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no 2/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 10.02.2021

Şir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13-10-2020 with M30 mix concrete for obtaining 28 days ( 10-02-2021) cube strength of the above concrete is used for **Ground Level Roof Slab of 'Construction of Gram Sachivalayam building at Vernavarappadu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

M

Submitted to the principal for Cardintin

Yours faithfully

Deputy Executive Engineeer

PRI subdivision
Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Yeeb., Ph.D.,

MISTE, MISTE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principal\*

Ref\_GEC/Consult/CE/MT-300

Date: 10-02-2021

To Sri P Scresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavath Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building ground level roof slab work at Vemavarapadu of Kaikaluru Mandal - Regarding.

With reference to your letter dt.10-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compre (I	ssive Sin Wmm²)   2	ength 3	Total	Average (N/mm²)	
M 30	13-01-2021	10-02-2021	37.95	38.26	38.44	114.65	38.21	

This is far your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilanı) Ləb Techniqjan

ini) (K Venkalesivara Rad thrician Lab Incharge

(Dr.A.Sreeniyasulu) Head of Civil Engineering (Dr.G.V S.N.R.V.Prasad) PRINCIPAL

## **GVR - PREMCO Joint Venture**

Lr. No: GVR-PREMCO JV/RVNL/GDC-M1/M/CIVIL/PKG-4/004 - lab:-60

Date: 02-02-2021

To Head of Department, Civil engineering department, Gudlavalleru engineering college, Gudlavalleru.

Sub:-Ooubling with electrification of Railway line between Gudiwada —Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C Railway-(Package-4)- "Regarding testing of concrete cubes for OHE REF:

Oear Sir,

This has Reference to above subject and reference as required by RVNL/PMC we are here with to submit you samples of OHE cubes location of cubes 3/3 type of foundation MG-5. Samples are submitting before 28 Days. Please conduct Compressive strength test as per 15 code.

Grade of concrete: - M15.

Date of Casting : - 23 01-2021 Date of resting : - 20-02-2021

With regards:

FOR GVR-PREMICO IV

V.SATYANARAYANA

Submitted in principal

Project Manager

H.No: 18/271/B ,GVR PREMCO JV office, Reddy simhachalam road, Opp. To Bus stand, Gudivada E-Mail: site.gvrpremco@gmall.com

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seahadri Reo Knowledge Village, GUDLAVALLERU-521 356, Kriehne District, A.P., India
[Approved by AICTE, New Delhi and Permitted by A.P. State Government]

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M.Treb., Ph.D., MISTE, MIETT, MIE, MCST MISRS, MIAPR, MCRST

Principal

Ref: GEC/Consult/CE/MT-301

Date: 20-02-2021

To

The Project Manager, GVR Premeo Joint Venture, Gudiyada

Sir,

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Rathway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4).

With reference to your letter Lr. No: GVR-PREMCO JV/ RVNL/ GDV-MTM/CIVIL/PKG-4/004 lab:-60, dt:02-02-2031. We have conducted the compressive strength test on M 15 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Identification	Date of Casting	Date of Testing	Compressive Strength (N/mm²)  1 2 3	Total	Average Strength (N/mm²)
M 15	OHE Foundation - 35/3 Type of Foundation MG-5	23-01-2021	20-02-202t     20-02-202t	23.39   22.91   23.16	69.46	23.15

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

(A Jilani) Lab Тесплісіан (K.Venkateswara Raq) Lab Incharge

(Dr.A.Sréenivesulu) Head of Civil Engineering (Dr G.V.S.N.R.V.Prasad) PRINCIPAL From ,

Guďavada

Srl A.Harinadh Babu 8.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Urino / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 2g-01-2021

\$іг,

Sub:- PRI subdivision = Gudivada = submission of cubes of M30 concrete = required 28 days strength results = regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Knishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 01-01-2021 with M30 mix concrete for obtaining the 28 days ( 29 -01 -2021) cube strength of the above concrete is used for VACC M30 for Piles 'Construction of YSR Health Clinic building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Gudivada

submitted to the principal

2

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada)

Seahadri Reo Knowledge Village, GUOLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.

MISTE, MIETE, MIF, MCSI, MISRS, MIAPR, MCRSI

**Principat** 

Ref\_GEC/Consult/CE/MT-302

To Sri A.Hannadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division Gudivada

Sir.

Sub:- Test results of the CC cubes for the construction of YSR Health clinic building. Piles work at Thurnmalapatti (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.29-01-2021 we have conducted the compressive strength test on M 38 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

_			2
Grade of concrete	Date of Casting	Date of Testing	Compressive Strength  (N/mm²)  1 2 3 - Total (N/mm²)
M 30	01-01-2021	29-01-2021	37.95 38 26 38.44 114.65 38 21

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 29-01-2021

A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engrneering

(Dr.G.V.S.N.R V.Prasad) PRINCIPAL

Srl A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 06-02-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 10-01-2021 with M30 mix concrete for obtaining the 28 days ( 06 ·02 ·2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of YSR Health Clinic building at Thurnmalapalli (v) of Nandivada Mandal Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineee PRI subdivision

Gudivada

Subulting to the procept

2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273888, Mobile: +91 9848778121 Fax No. 08674-273957

e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.

MISTE, MIETE, MIE. MICSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-303

Date: 07-02-2021

To Sn A Harmadh Babul B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudiyada.

Sir.

Sub:- Test results of the CC cubes for the construction of YSR Health clinic building. Pile caps work at Thurnmalapalli (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.07-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

Grade of	Date of	Date of Testing	Compres (N	ssive Stro Vmm²)	Total	Average	
concrete	Casting	20.00	1	2	3	1 Diai	(N/mm²)
M 30	10-01-2021	07-02-2021	38.66	38.19	38.44	115.29	38.43

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

A.Jilant) Lab Technician (K Venkateswara Rao)

Lab Incharge

(Dr.A.Sreenivasuiu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

Srl A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyət Raj Subdivision

To.

The Principal

Gudlavalleru Engineering coflege

Gudlavalleru

Gudiyada

Lrino / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 of 10-01-2021

Sir,

Sub;- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 14-12-2020 with M30 mix concrete for obtaining the 28 days ( 1 € -01 -2021) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Grama sachivalayam building at Thummalapalii (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision

Gudiyada.

Subutter to the primed

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-621 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9848779121 Fax No. 08674-273957 o-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web. www.gecgudiavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S. M. Feehli Ph.D.,

MISTE, MICHE, MICHARDS, MISTES MIAPE, MCROL

Principal.

Ref: GEC/Consult/CE/MT-304

Date: 11-01-2021

To Sri A Harinadh Babu, B Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir.

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building. Piles work at. Thummalapalli (V) of Nandrvada Mandal - Regarding.

With reference to your letter dt.11-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

- 1									
	Grade of concrete	Date of Casting	Date of Testing	Compre:	ssive Stra V/mm²)	erigth	Total	Average	
-	M 30	14-12-2020	11-01-2021	38.97	38.65	3 38.43	116.05	(N/mm²) 38.6¢	

This is for your kind information,

Thanking you.

Tested by

 $A \cap M_n$ 

Yours faithfully.

A.Jitani) Lab Technician

(K Venkateswara Rao) Lab Incharge

(Dr.A.Sreeniyasulu) Head of Crvil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 at 20-01-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc na 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 24-12-2020 with M30 mix concrete for obtaining the 28 days ( 20 -01 -2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREG5 grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Gudiyada

Submitted to the Port

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Raq Knowledge Village, GUDLAVALLERU-521 358, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: princepat@gecgudlavatleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Dich., Ph.D.

MISTE, MIGHT MID, MOST, MISRS, MIAPR, MORST

Principal

Ref. GEC/Consult/CE/MT-305

Date: 20-01-2021

Τ'n Sri A.Harinadh Babu, B.Tech. Deputy Executive Engineer, Panchayat Raj Sub Division. Gudivada.

Sir.

Subr - Test results of the CC cubes for the construction of Gramma sachivalayam building. Pile caps work at Thummalapalli (V) of Nandivada Mandal - Regarding,

With reference to your letter dt.20-01-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows:

į	Grade of	Date of	Date of Testing	Compressive Strength (N/mm²)			Total	Average	
	concrete		Casting		1	2	3		(N/mm²)
	M 30	:	24-01-2021	20-01-2021	37.96	38 44	38 28	114.68	38.22

This is for your kind information.

Thanking you,

Yours faithfully,

Tested by

Lab Technician

(K.Venkateswara Rac)

Lab Incharge

(Dr.A.Sreenivasulų)

Head of Civil Engineering

(Dr.G.V S N.R V.Prasad).

Sn A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudlavalleru Engineering college , Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 06-02-2021

Sit.

Sub;- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1; Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 10-01-2021 with M30 mix concrete for obtaining the 28 days ( 06 -02 -2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of R8K building at Thummalapalli (v) of Nandivada Mandal Est Cost Rs 22.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Submitted to the prince Submitted to the prince Submitted to the prince of the prince

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nov. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273957 e-mail: principal@geogudlavalleru.ac.in. office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M-S., M. Pech., Ph.D.,

MISTE MIETE, WIF, MCSI, MISSES, MIAPR, MCBSI

Principal

Ref: GEC/Consult/CE/MT-307

Date: 07-02-2021

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir,

Sub: Test results of the CC cubes for the construction of Rythu bharosa kendram building. Pile caps work at Thurnmalapalli (V) of Nandivada Mandal - Regarding.

With reference to your letter dt 07-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

			r		s or c as 10110M2
	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)	]
	M 30 - +			1 2 3	Total (N/mm²)
Į			07-02-2021	38.97 38.65 38.43	116 05 38.68

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

A.Jilani) Lab Technician

(K.Veлkateswara Rao) Lab Incharge

(Dr A.Sreeniväsulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision, Gudivada. To,

Тъе Ргілсіраї,

Gudlavalleru Engineering college,

Godlavalleru.

Lr ло / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 03-02-2021

Siz,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /OPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-01-2021 with M30 mix concrete for obtaining the 28 days ( 03 -02 -2021) cube strength of the above concrete is used for VRCC M30 for P!las 'Construction of RBK centre building at Ilaparru (v) of Nandivada Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRJ subdivision

Gudhvada

abouted to tie

property.

2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ec.in. office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MES., MLTEGE, PALD.,

MISTE MIETE, MEE MKSI, MISRS, WARRI MCRSI

Principal

Ref: GEC/Consult/CE/MT-308

Date: 04-02-2021 。

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Sir,

Sub - Test results of the CC cubes for the construction of Rythu bharosa kendram building. Piles work at Паралги (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.04-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

					-a aala	and ora lear	CALC.	
Grade of concrete	Date of Castrog	Date of Testing	Compres (f	ssive Stre V/mm²) 2	ength 3	Total	Average (N/mm²)	
M 30	07-01-2021	04-02-2021	38.89	38.43	38.26	115.58	38.52	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr G.V.S.N.R V.Prasad) PRINCIPAL

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal,
Gudlavalleru Engineering college ,
Gudlavalleru.

Lr no / JTO/PRISD/Gudrvada / Grama Sachivalayam/ reports/2009 of 10-02-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS . Krishna

I am submitting the cube samples ( 3 nos ) of size 150×150×150mm casted on 1401-2021 with M30 mix concrete for obtaining the 28 days ( 10 ·02 ·2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of RBK centre building at Ilaparru (v) of Nandivada Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREG5 grant . Required payment will be made when the demand received from your end

Yours [aithfully.

Deputy Executive Engineeer
PRI subdivision

Gudivada

Substitut & the property

8

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@pecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gacgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

 $M.S_{\star}M.Tech_{\star}Ph.D_{\star}$ 

MISTE, MIETT, MIE, MUSC MISRS, MIAPR, MURSI

Principal

Ref: GEC/Consult/CE/MT-309

To Sri A.Harinadh Babu, B Tech Deputy Executive Engineer, Panchayat Raj Sub Division Gudivada.

Ŝл,

Sub;- Test results of the CC cubes for the construction of Rythu bharosa kendram building. Pile caps, work at Ilaparru (V) of Nandivada Mandal - Regarding

With reference to your letter dt.12-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade concre	 Date of Casting	Date of Testing		ssive Strength	- Total	Average (N/mm²)	
M 30	 15-01-2021	12-02-2021	37 96	38.44 38.2	8 114.68	38.22	İ

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 12-02-2021

- A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.\$ N.R.V Prasad) PRINCIPAL MT- 310

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer. Panchyat Raj Subdivision, Mandaalk:

To,

The Principal

Gudlavalleru Engineering College,

Gudlavalleru.

Lr no / JTO/PRISD/Mandavaili/ Gram Sachiva(ayam/reports/2019 dt 01-03-2021)

Sir,

Subt- PR1 subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples (  $3~{
m nos}$  ) of size  $150{ imes}150{ imes}150{
m mm}$  casted on 22-02-2021 with M30 mix concrete for obtaining the 7 days (01-03-2021) cube strength of the above concrete is used for Ground Floor Slab of Construction of Grama Sachroglayam. Building Korukollu-I of Kalidindi Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREG5 grant . Required payment will be made when the demand received from your end

Yours faithfully

Derry Executive Engineers PRI subdivision

Mandavaili

Submitted to the priper

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Parmitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 06674-273957 e-mail: principal@geogudiavalleru.ac.in, സ്റ്റേത്രുക്കുവേദ്യയിലെ ac.in, Web: www.geogudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTA, MIETE, MEE, MCSI, MISRS, MIAPR, MCRSI

Principal

Rel GEC/Consult/CE/MT-310

Date: 01-03-2021

Tο Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub - Test results of the CC cubes for the construction of construction of Gramma sachivalayam building Ground floor slab work at Korukollu-I of Kalidindi Mandal - Regarding.

With reference to your letter dt.01-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compres (N	sive Stre	ength 3	Total	Average (N/mm²)	
M 30	22-02-2021	01-03-2021	23.29	23.72	23 36	70.37	23.45	

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

Lab Technician

(K.Veňkateswara Rao)

Lab Incharge

(Dr.A.Sreenwasulu)

Head of Civil Engineering

(Dr.G.V \$.N.R.V Prasad)

Sri P.Suresh Sabu M.Tech., Deputy Executive Engineer Panchyat Raji Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Le No / JPO/PRISD/Mandavall / Gram Sachivalevam/ Achavaram/ Reports/2020 dt. 26-02-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete :required 7 days strength results - regarding

Reft - 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 19-02-2021 with M30 mix concrete for obtaining the 7 days (26 -02-2021) cube strength of the above concrete is used for First Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building at Achavaram of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end .

Yours Sincerely

Deputy Executive Engineeer PRI subdivision

Mandavalli

Subnitted to a principal lecen-

As Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tiech, Ph.D.,

AUSTEL MILETE, MCR, MCST, MISRS, MIA/MUNICIPALS;

**Principal** 

Ref\_GEC/Consult/CE/MT-311

Date: 26-02-2021

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir.

Sub:- Test results of the CC cubes for the construction of construction of Gramma sachivalayam building. First floor roof slab 125mm thick slab, work at Achavaram of Kaikaluru Mandati-Regarding.

With reference to your letter dt.26-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows.

Grade of concrete	Date of Casting	Date of Testing	Compressive 3 (N/mm² 1 2		- Total	Average (N/mm²)
M 30	19-02-2021	26-02-2021	23.67 23.43	2 23 81	70.95	23.65

this is for your kind information,

Thanking you,

Tested by

Yours faithfully

A Jilani)

Lab Technician

(K. Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr G.V.S.N.R.V.Prasad) PRINCIPAL M3312

Sri P Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli.

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lrino / JTO/PRISD/Mandava/li/ Grard Sachivalayam/ reports/2019 dt 08-03-2021

Sir,

Sub:- PRT subdivision - Mandaval? -- submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- I. Roino 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNRLGS Krishna

1 am submitting the cube samples ( 3 nos ) of size 150x150x150mer costed on 01-03-2021 with 1430 mix concrete for obtaining the 07 days (08-03-2071) cube triangth of the above concrete is used for **Footings** of Construction of Grama Sachrvafayam. Building **Rachapatriam** of Kaikaluru Mandal **Estt Cost Ro.40.00 takes** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfaily

Departy Executive Engineers

PRI subdivision Mandavall:

The printed for Caridation

ليحعا

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rad Knowledge Village, GUDLAVALLERU-521 358, Krishna Olstrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government).

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273957

●-mell: principal@gecgudiavalleru.ac.in, offica@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in,

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Teck. Ph.D., MISTE MILTE, MIC MCSI, MESRS, MIAPR, MITEST

Principal

Ref: GEC/Consult/CE/MT-312

Date: 08-03-2021

Τo Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Ral Sub Division. Mandavalli Mandat∴

Sir.

Sub:- Test results of the CC cubes for the construction of construction of Gramma sachivalayam building Footings work at Rachapatham of Kaikaluru Mandal - Regarding.

With reference to your letter dt 08-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Str V/mm²)	ength	Total   Strength	Average   Strength
- Candiele	Castilia		1	2	3	(N/mm²)	(N/mm²)
M 30	01-03-2021	08-03-2021	23.67	23.42	23.81	70 95	23.65

This is for your kind information.

Thanking you.

Tested by

Yours faithfully,

A. Jilani). Lab Technician

nkateswara Rao) Lab Incharge

(Dr A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R V.Prasad)

M313 C

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision, Mandavalli,

The Principal Gudfavalleru Engineering college Gudlavalleru

/ JTO/PRISD/Mandavatli/ Gram Sachivalayam/ reports/2019 dt 08-03-2021 Lr no

Sir,

Sub:- PRI subdivision - Mandavalti - submission of cubes of M38 concrete - required 7 days strength results - regarding

Ref:-  $1_{\odot}$  Rc no 26/CI/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size | 150x150x150mm casted on 01-03-2021 with M30 mix concrete for obtaining the 07 days (68-03-2021) cube strength of the above concrete is used for Footings of Construction of Grama Sachivalayam Building Kaikaluru -4 of Kaikaluru Mandal Estt Cost Rs.40.00 Lakhs sanctioned unxier NREGS grant Required payment will be made when the demand received from your end

Yours faithը։//v

Doyalty Executive Engineer PRI subdivision

Mandavalli.

Submitty to the principal for conduction &

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 \$58, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273868, Mobile: +91 9648779121 Fax No. 08674-273957 e-mell: principal@gecgudlavalleru.ac.in. office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tirek, Ph.D.,

MISTE, MIETE, MIEL MCST, MASKS, MIAPRO MCBSS

Principal

Ref: GEC/Consult/CE/MT-313

Date: 08-03-2021

To Sri P,Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Mandat.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building Footings work at Kaikaluru-4 of Kaikaluru Mandal - Regarding.

With reference to your letter dt.08-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of	Date of	Date of Testing -		essive Stre (N/mm²)	Total Strength	Average Strength		
concrete	Casting	E-444 41 1441115	1	2	3			:
M 30	01-03-2021	08-03-2021	22.91	23.06	22.75	68.72	22.90	ļ

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

A.Jilani) Lab Techniciani (K.Venkateswara Rao)

Lab Incharge

(Dr.A Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R V.Prasad)

From

Sri P.Suresh Babu, M.Tech.,

Deputy Executive Engineer

Panchyat Raj Subdivision,

Mandaalli.

To.

The Principal

Gudlavalleru Engineering College.

Gudlavafleru.

Lr no / JTO/PRISD/Mandavalli/RBK/reports/2019 dt 03-03-2021

Sir.

PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required

7 days strength results - regarding

Ref:- 1. Roing 26/C1/2020 dt 01-05-2020 of the District Callector I/DPC MGNREGS.

Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 24-02-2021 with M30 mix concrete for obtaining the 7 days (03-03-2021) cube strength of the above concrete is used for Files Concrete of Construction of RBK Building Putlacheruvu of Mandavalli Mandal Estt Cost Rs.21.80 Lakhs: sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Sepublic Executive Engineeer

PRI subdivision. Mandavalli

Submitted to
The principal for Conduction
Submitted to

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshada Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. Stele Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +31 9848779121 Fax No. 08874-273957 e-mail: principal@gocgudjavalleru.ac.in, offica@gocgudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.

MISTE, MICTE, MIE, MCST, MISRS, MISPR, NICKST

Principal.

Ref: GEC/Consult/CE/MT-314

Date: 03-03-2021

To Sri P.Suresh Babu, M.Tech Deputy-Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Piles.

Concrete work at Putlacheruvu of Mandavalti Mandal - Regarding.

With reference to your letter dt.93-93-2021 we have conducted the compressive strength test on Mi30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Caşling	Date of Testing	Compres (N	sive Stre Vmm²) 2	ength 3	Total Strength (N/mm²)	Average Strength (N/mm²)	i
M 30	24-02-2021	03-03-2021	23.86	23.41	23 39	70.66	23.55	ĺ

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge (Dr A.Sreenivasulu)
Head of Civil Engineering

(Dr.G V S.N.R.V.Prasad)

From

Sri P,Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalti.

The Principal Gud/avallere Engineering College, Gudlava llenu.

Lrino / JTO/PRISD/Mandavalli/YSRHC/reports/2019 dt 26-02-2021

Sir,

Sub:- PR1 subdivision - Mandavalti - submission of cubes of M30 concrete - required 7 days strength results - regarding

To,

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm custed un 19-02-2021 with M30 mix concrete for obtaining the 7 days (26-02-2021) cube strength of the above concrete is used for Files Concrete, of Construction of YSRHC Building Putlacheruvu of Mandavalli Mandal Estt Cost Rs.17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Puty Executive Engineers PRI subdivision

Mandayallı

Submitted to
the pringry for cardition

Keesa

Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-malt: principal@gecgudiavalteru.ac.in, office@gecgudiavalteru.ac.in, Web: www.gecgudiavalteru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Teck, Ph.D.,

MISTE, MIETE, MIE. 9XISI, MISRA, 95478, 9K RSI

Principal

Ref: GEC/Consult/CE/MT-315

Date: 26-02-2021

Tα Srt P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Rar Sub Division. Mandavalli Mandal.

Sir.

Subr- Test results of the CC cubes for the construction of YSR Health Clinic building. Piles Concrete work at Putlacheruvu of Mandavalli Mandal - Regarding.

With reference to your letter dt 26-02-2021 we have conducted the compressive strength lest on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

- 1				ibi i baya aig (	as rungws	
	Grade of concrete Milion	Date of Casting	Date of Testing	1 2 3 Str	otal Average ength Strength (mm²) (N/mm²)	 
l		19-02-2021	26-02-2021	22.19 23.57 23.68 68	8.44 22.81	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Lab Technician

(K.Venkateswara Rao) Läb Incharge

(Dr.A.Sreénivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer. Panchyat Raj Subdivision, Mandaalle.

MT-316

The Principal

To,

Gudlavalleru Engineering Callege,

Gudfavalleru.

/JTO/PRISD/Mudmepalli/RBK/Reports/2019 dt 25-02-2021

Śīr,

Sub;- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results – regarding

Ref:- L. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 19-02-2021 with M30 mix concrete for obtaining the 7 days (25-02-2021) cube strength of the above concrete is used for Roof Slab of Construction of R.B.K. Centre Building at Vandurru of Mudinepalli Mandal Mandal Estt Cost Rs.21.80 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

(50/-xxxxxxxx)

Deputy Executive Engineeer PR! subdivision Mandavalti

//Ec.f.b.o.//

Submitted to

Eu principal for Carellation

July

Y. V. J.R. J. Power Ov. Senior Assistant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grede

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mall: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Wab: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M.Tich. Ph.D.

MISTE, MILTE, MIG. MCSC MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-316

Date: 26-02-2021

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Roof Slab work at Vandurru of Mudinepalli Mandal - Regarding

With reference to your letter dt.26-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing			Total Strength (N/mm²)	Average Strength (N/mm²)	
M 30	19-02-2021	26-02-2021	22.97	23.18	22.79	68. <del>94</del>	22.98

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

A. Ila

A J⊮laņi)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R V.Prasad)

MT-317

From

Sri P Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision Τo,

The Principat Gudlavalleru Engineering college Gudlavalleri

Lrinc - 2/ JTO/PRISD/Mandavalli / Rythu Barosa Kendram/ reports/2019 dt 09-01-2021

Sir,

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days and 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 6 nos ) of size 150x150x150mm casted on 02-01-2021 with M30 mix concrete for obtaining the 7 days ( 09-01-2021) and 28 days (28-02-2021) cube strength of the above concrete is used for Pile Caps of 'Construction of Rythu Barosa Kendram building at Kondangi of Kalidindi Mandal Est Cost Rs 21.80 Lakhs sanctioned under NREGS grant & Agricultural Department. Required payment will be made when the demand received from your end

Yours faithfully

Subnitted to Condontine the principal for Condontine

Deputy Executive Engineeer
PRI subdivision
Mandava(li

RU ENGINEERING CO

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Defhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru,ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru,ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Teeb., Ph.D.,

MISTE, MISTE, MIF, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-317

Date: 09-01-2021

Tα Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Piles caps work at Kondangi of Kalidindi Mandel - Regarding.

With reference to your letter dt 09-01-2021 we have conducted the compressive strength test on

M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

<u> </u>		
Grade of Date of	Compressive Strength	
concrete Casting	Date of Testing $\downarrow $ (N/mm <sup>2</sup> ) $\downarrow $ otar _ Ave	wage ¦
<b>」</b>		ength
M 30 02-01-2021	09-01-2021	μτη <sub>5</sub> )
	99-01-2021 23.91 23.63 23.59 71.13 23	.71 İ
is for equal time to a		

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

A.JiJani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreeńivastriu) Head of Civil Engineering

(Dr.G.V.S.N.R V.Prasad) PRINCIPAL

From

MT-318

Lrino 79 / DTO/PRISD/Mandavaill /CC Roads/ reports/2019 dt. 20-02-2021

To,

Sri P.Suresh Babu M.Techia

Deputy Executive Engineer.

The Principal Gudlavalleru Engineering college

Panchyat Raj Subdivision

Gudiavalleru

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M20 concrete - required 7 days strength results – reparding.

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13-02-2021, with IM20 mix concrete for obtaining the 7 days 20-02-2021) cube strength of the above concrete is used for 'Providing CC Road from: Boddu Appa Rao House to Gandukota Yedukondalu House at Vibrampuram, H/o Chinatadinada of Kalidindi Mandal Est Cost Rs 12.00 Lotths sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Duputy Executive Engineeer PR1 subdivision. Mandavalli

//t.c.f.b.o.//

Y.V.97.4. Parison

Submitted to
The principal for
Condonlar

Freeze

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Villege, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Oelhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grede

Phone Nos. 08674-273737, 273688, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

54 S. M.Tech. Ph.D.,

MISTE, MIETT, MIE, MOSI, SEISRS, MIAPR, MORSI

Principal

Ref. GEC/Consult/CE/MT-318

Date: 20-02-2021

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mendal

Sir.

Sub:- Test results of the CC cubes for the providing CC Road from **Boddu** Appa Rao House to Gandukota Yedukondalu house at Vibrampuram, H/o Chinatadinada of Kalidindi Mandal - Regarding:

With reference to your letter dt 20-02-2021 we have conducted the compressive strength fest on Mi20 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Stre V/mm²) 2	ength 3	Total Strength (N/mm²)	Average Strength (N/mm²)
M 20	13-02-2021	20-02-2021	16.21	15.97	16.34	48.52	16.17

This is for your kind information,

Thanking you.

Yours faithfully,

Tested by

i A.Jitani) Lab Technician

(K.Venkateswara Rao) Lab Incharge (Dr A.Sreepivasulu) Head of Civil Engineering (Dr.G.V S.N.R V.Prasad) PRINCIPAL



Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer.

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lrino - 2/ ITO/PRISD/Mandavalli / YSR Health Cfinic Center/ reports/2019 dt 19-12-

2020

Sir.

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days and 28 days strength results – regarding

Ref:- 1. Rc na 26/C1/2020 dt 01-05-2020 at the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 6 nos ) of size 150x150x150mm casted on 12-12-2020 with M30 mix concrete for obtaining the 7 days ( 19-12-2020) and 28 days ( 10-01-2021) cube strength of the above concrete is used for **Pile Caps** of **'Construction of YSR Health Clinic Center building at Kondangi of Kalidindi Mandal Est Cost Rs 17.50 Lakhs** sanctioned under NREGS grant & Health

Department. Required payment will be made when the demand received from your end-

Susanded to purper of w Susanded to purper of w

Yours faithfully.

PRI subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehedri Rac Knowledge Villege, GUDLAVALLERU-521 356, Krishne Dietrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08874-273957 e-mail; principal@gecgudiavaileru.ac.in, office@gecgudiavaileru.ac.in, Web; www.gecgudiavaileru.ac.in

# Dr. POTLŪRI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D. THE CIPIC MISTER MENTIL MASKIT MISAL MISTA MIST

Principal

Ref: GEC/Consult/CE/MT-319

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Piles Sub.caps work at Kondangr of Kalidindi Mendal - Regarding.

With reference to your letter dt.19-12-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

		abbred Of MC	U. Inc. Tout		4	ool all
Grade of			U. The Test results fo	or 7 days a	ire as follow	rs
concrete	Date of Casting	Date of Testing	Compressive St	renglh T	Total	
ļ	T	- +- · Catalif.	<u>(N/\pim_s)</u> .	j	04	Average
[M_30	12-12-2020	19-12-2020	+- <sup>2</sup>	3	(N/mm²) (	Strength [ (N/mm²)
ie farmanni		· — — — — — i	23.15 23.69	23.27	70.11	!
is for your kind i	лformation.			<b>-</b> .— — ⊥		23.37

This is for your kind information,

Thanking you,

Tested by

Lab Technician

(K.Venkateswara Rac) Lab Incharge

(Dr P.Kodanda RamaRao) Head of Civil Engineering

PRINCIPAL

Date: 19-12-2020

Yours faithfully,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudtavalteru Engineering college

Gudlavalleru

Lr no 42/ JTO/PRISD/Mudineapli/9 / Gram Shchlvalayam/ reports/2020 dt17-03-2021 Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding.

Ref:- 1., Roing 26/C1/2020 dt 01-05-2020 of the District Collector / DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm tasted on 10-03-2021 with IM30 mix concrete for obtaining the 7 days (IIV 93-2021 ) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building Valvaka of Mudicapatil Mandal Est Cost Re 48.00 Lathor sanctioned ender MREGS grant . Required payment will be made when the demand received from your end

Yours faithfully.

PR1 subdivision

Mandavaili.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rac Knowledge Välage, GUDLAVALLERU-621 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273957

e-mail; principal@gecgudlavatleru.ac.in, offica@gecgudlavalleru.ac.in, Web; www.gecgudlavallaru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Teek, Ph.O.

MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-320

Date 17-03-2021

Tο Sri P.Suresh Babu, M Tech. Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalti Mandal...

Sir.

Sub: Test results of the CC cubes for the construction of Gramma sachival ayam building Footings. work at Vaivaka of Mudinepalli Mandal - Regarding.

With reference to your letter dt.17-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres (t	ssive Stri V/mm²) 2		Total Strength (N/mm²)	Average Strength (N/mm²)
M 30	10-03-2021	17-03-2021	23.15	23 69	23.27	70 11	23.37

This is for your kind information.

Thanking you.

Tested by

Yours faithfully,

Lab Technician

A Anunda Bopp

Lab Incharge

(A.Ananda Gopal) (K.Venkateswara Rao) (Dr.A Spećnivasulu)

(Dr.G.V.S.N.R.V.Prasad)

Head of Civil Engineering

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalli. mas2)

To,

The Principal
Gudlavalleru Engineering College,
Gudlavalleru

Lr. no / JTO/PRISD/Mandavajii/Y5RHC/reports/2019 dt 06-03-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1 Rc no 26/C1/2020 ut 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-02-2021 with M30 mix concrete for obtaining the 7 days (06-03-2021) cube strength of the above concrete is used for **Casting of Providing CC** Road from **Water Tank**: **Ramalayam to Modugu Bode in 1st ward of Kotakalidindi in Kalidindi Village in Kalidindi Mandal Estt Cost Rs.14.40 Lakhs** sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully.

 $(5d/x \times x \times X \times X \times X)$ 

Deputy Executive Engineeer PRI subdivision Mandavalb

//t.c.f.b.o.//

Charles Ancietant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakineda) Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Knahna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile, +91 9848779121 Fax No. 08874-273957 -a-mail: pnnoipal@geogudiayallaru.ac,in, office@geogudiayallaru.ac,in, Web: www.geogudiayallaru.ac,in

#### Dr. G. V. S. N. R. V. PRASAD

MISTE, MIETE, MTE, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref. GEC/Consult/CE/MT-321

Tσ Sri P.Striesh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Mandali

Sub.- Test results of the CC cubes for the construction of ICC roads from water tank Ramalayam to Modugu Bode in 1st ward of Kotakalidinds in Kalidindi village in Kalidindi Mandal - Regarding.

With reference to your letter dt 06-03-2021 we have conducted the compressive strength test on MI 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Compressive Strength Grade of Date of **Total** Average  $(N/mm^2)$ Date of **T**esting concrete Casting Strength | Strength 2 3  $(M/mm^2)$  $(N/mm^2)$ M 30 09-03-2021

22.75

23.54

This is for your kind information.

Thanking you,

ted by

...A. Amendal

Yours faithfully,

23.89

(A.Ananda Gopal)

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

Dr G.V.S.N.R.V.Prasad) PRINCIPAL

70.18

23 39

Date: 20-03-2021

From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdrvision, Mandaalli. MF-322

The Principal
Gudiavalleru Engineering College,
Gudlavalleru.

Lrino / JTO/PRISD/Mandavalli/Y5RHC/reports/2019 dt 06-03-2021

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete -- required 7 days strength results – regarding

To,

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGP(REGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 26-02-2021 with M30 mix concrete for obtaining the 7 days (06-03-2021) cube strength of the above concrete is used for **Casting of Providing CC Road from Atreya babu house to Smasanam Cross Road in Petakalidindi Devudi Thota of Petakalidindi in Kalidindi Village in Kalidindi Mandal Estt Cost Rs.10.80 Lakhs sanctioned under NREGS grant.

Required payment will be made when the demand received from your end** 

Yours faithfully

(Sd/-xxxxxxxxx)

Deputy Executive Engineer PRI subdivision Mandavalli

//t.c.f.b.o.//

Senior Assistant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinade).
Seahedri Rao Khowledge Village, GUDLAVALLERU-521 356, Kriahna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9848779121 Fax No. 08574-273957 e-mail: principal@geogudlayatleru.ac.in, office@geogudlayatleru.ac.in, Web: www.geogudlayatleru.ac.in

# Dr. G. V. S. N. R. V. PRASAD

NLS., M.Tierk, Pluft.,

MISTE, MIETE, MIE, MCSI, MISRS, MSAZR, MCRSI

Principal

Ref\_GEC/Consult/CE/MT-322

Date: 20-03-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal,

Sir,

Sub:- Test results of the CC cubes for the construction of CC roads from Atreya babu house to Smasanam Cross Road in Petakalidindi Thota Devudi Thota of Petakalidindi in Kabijindi Village in Kalidind, Mandal - Regarding.

With reference to your letter dt.06-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

	Grade of concrete	Date of Casting	Date of Testing	Compres (N	serve Stre l/mm²) 2	ength 3	Total Strength (N/mm²)		!
	M 30	25-02-2021	06-03-2021	23.66	24.09	23 38	71,13	23.71	

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Anenda Gopal) Lab Technician (K Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V Prasad) PRINC!PAL From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision Тο,

The Principal
Gudlavalleru Engineening college
Gudlavalleru

Lr no. 72/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 26-02-2021

Sir,

Sub: PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref;- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 20-02-2021 with M30 mix concrete for obtaining the 7 days ( 26-02-2021 ) cube strength of the above concrete is used for **Footings** of 'Construction of YSR Rural Health Clinic Building at Gannavaram in Mandavalli Mandal Est Cost Rs 17.50 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandayalfi

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rec Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08574-273737, 273688, Mobile. +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.sc.in, office@geogudlavalleru.sc.in, Web: www.geogudlavalleru.sc.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Test., Ph.D., MISTE, MIRTE, MIR, MCSI, MISRS, MIAPS, MERSE

Principal

Ref. GEC/Consult/CE/MT-323

Date: 26-02-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer Panchayat Raj Sub Division, Mandavatli Mandal.

Sir

Sub:- Test results of the CC cubes for the construction of YSR Health Clinic building footings work at Gannavaram of Mandavalli Mandal - Regarding.

With reference to your letter dt.26-02-2021 we have conducted the compressive strength test on Mi30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Stre V/mm²)   2	ength 3	Total Strength (N/mm²)	Average Strength (N/mm²)
M 30	20-02-2021	27-02-2021	22.19	23.57	23.68	68.44	22.81

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilańi) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr A.Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL Minm ,

SAP. Suresh Babu M. Tech., **₽**≥puty Executive Engineer ,

Runchyat Raj Subdivision

To.

The Principal

Gudiavalleru Engineering college

Gudlavalleru.

# Lr No / JTO/PRISD/Mandavalli / Gram Sachivalavam/ Kottada / Reports / 2019 dt 28-02-2021

Mr, 17/10/11

Sub:- PRI subdivision - Mandaval/i - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 21-02-2021 with M30 mix concrete for obtaining the 7 days ( 28-02-2021) cube strength of the above concrete is used for Ground Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building at Kottada of Kaikaluru Mandal Est Cost Rs 40.00 Akhs sanctioned under NREG5 grant . Required payment will be made when the demand poeived from your end .

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalfi

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in.

# Dr. G. V. S. N. R. V. PRASAD

MLS., M.Taele, Plufts,

MISTEL MIETE, MTE, MSSI, MESRS, MIATRO MORSA

**Principal** 

Ref. GEC/Consult/CE/MT-324

Date: 28-02-2021

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub: Test results of the CC cubes for the construction of Gramma sachivalayam building Footings work at Kottada of Kaikaluru Mandal - Regarding.

With reference to your letter dt.28-02-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete Casting Date of Testing Compressive Strength Total Average Strength Strength (N/mm²) Strength (N/mm²) (N/mm²)			_			
<u> </u>	concrete j	 Date of Testing		Strength (N/mm²)	Strength (N/mm²)	

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K Venkateswara Rao) Lab Incharge

(Dr A.Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S N.R V.Prasad) PRINCIPAL From

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision,

Mandavalti.

M1-325

The Principal

To,

Gudlavalleru Engineering college

Gudlavalleru

Lr no /JTO/PRTSD/Mudinepalli/RBK/Rcports/2019 dt 18-03-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1.: Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 156x150x150mm casted on 19-02-2021 with M30 mix concrete for obtaining the 28 days (18-03-2021) clube strength of the above concrete is used for **Roof Slab** of Construction of R.B.K. Centre Building at **Vanudurru** of Mudinepalli Mandal **Estt Cost Rs.21.80 Lakhs** sanctroned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully.

 $(Sd/-X \times X \times X \times X)$ 

Doputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

Y.V. J. T.C.), Practice (W) Senior Assistant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Kriahna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08874-273957 b-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Wab: www.gecgudlavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S. M. Terbs, Ph.D.

MISTE, MIECK, MIE, MOSE MISRS, MIAPR, MORSE

Principal

Ref: GEC/Consult/CE/MT-325

Date: 18-03-2021

To Sri P Swesh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Roof slab work at Vanudurru of Mudinepalli Mandal - Regarding.

With reference to your letter dt. 18-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

	·				,-	- 010 00 101	IO IFQ	
Grade of concrete M 30	Date of Casting 19-02-2021	Date of Testing	Compres (f 1 38.89	V/ <u>mm²)</u> 2		Total Streng(h (N/mm²) 115,58	Average Strength (N/mm²) 38.52	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

- ( A.J⊪api) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenryasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V Prasad) PRINCIPAL MT- 326

From ,

Sri P. Suresh Baby M. Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudfavalleru Engineering college:

Gudlavalleru

Lr no2/ JTO/PRTSD/Nandavali/Gram Sachivelayam/Achavaram/reports/2019dt 19-03-2021

Sir,

**Sub:-** PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size L50x150x150mm casted on 19-02-2021 with M30 mix concrete for obtaining 28 days ( 19-03-2020) cube strength of the above concrete is used for First Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building Achavaram of Kalkaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours Sincerely

Deputy Executive Engineeer
PRI subdivision
Mandayalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rec Knowledge Village, GUDLAVALLERU-621 356, Krishna District, A.P., India

(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavatleru.ac.in, office@gecgudlavatleru.ac.in, Web: www.gecgudlavatleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

heal, acteeb., Ph.D.,

MISTE, MITHEL MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-326

Date, 19-03-2021

To Sir P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma sachivalayam building. First floor roof slab 125mm thick slab work at Achavaram of Kaikaluru Mandal - Regarding

With reference to your letter dt.19-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

l	: — — —					O CO CO IVI	IDIVS	
Grade of concrete	Date of Casting	Date of Testing	Compres	ssive Str V/mm²)	ength	Total Strength	Average Strength	1
M 30	1 <del>9-02</del> -2 <del>02</del> 1	19-03-2021	<u>:</u> 1 <sup>37 96</sup> —	38.44		(N/mm²) 114.68	(N/mm²)	
				· — —			i l	1

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

( A.Jilani) Lab Technician

(K.Venkateswara Rad)

Lab Incharge

(Dr.A Sreenivasulu) Head of Civil Engineering

(Dr.G V.S.N.R.V Prasad)

PRINCIPAL

From

M-327

To,

Sri P. Suresh Babu M. Tech,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalli.

The Principal

Gudlavatlera Engineering college

Gudtavalleru

I.r no / JTO/PRISD/Mandavalli/YSRHC / reports/2019 dt 19-03-2021

Sw,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector I/DPC MCNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 19-02-2021 with M30 mix concrete for obtaining the 28 days (19-03-2021) cube strength of the above concrete is used for **Files Concrete** of Construction of YSRhC Building **Putlacheruvu** of Mandavatli Mandal **Estt Cost Rs.17.50 Lakhs** sanctioned under fIREGS grant Required payment will be made when the demand received from your end

Yours faithfully

acy Expective Engineeer

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seahadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 a-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD M.S. M.Tesh. Ph.B.

MISTE, MIETE, MIE, MOSI, MISRS, MIAPR, MORSI

Principal

Ref. GEC/Cansult/CE/MT-327

Date: 19-03-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalti Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of YSR Health Clinic building piles concrete work at Putlacheruvu of Mandavafli Mandal - Regarding

With reference to your letter dt.19-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

		ı — — —		to 20 days are as follows
	Grade of concrete	Date of Casting 19-02-2021	Date of Testing	Compressive Strength
				<del> </del>

This is for your kind information,

Thanking you

Tested by

Yours faithfully,

(A Jirani) Lab Technician

(K.Venkaleswara Rao) Lab Incharge

(Dr A.Sreenivasuru) Head of Civil Engineering

(Dr.G V.S.N.R.V Prasad) PRINCIPAL From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Rat Subdivision

To,

The Principal

Gudfavalleru Engineering college

Gudfavəlleru

Lr no \_JTO/PRI5D/Mandavalfi / Gram Sachivalayam/Kottada/ reports/2019 dt 21-03-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1., Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNR&GS Krishna

I am submitting the cube samples ( 3 nos ) of size 150×150×150mm casted on 21-2-2021 with M30 mix concrete for obtaining 28 days ( 21-03-2021) cube strength of the above concrete is used for Ground Floor Roof Slab 125mm thick of 'Construction of Gram Sachivalayam building Kottada of Kalkaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully.

Deputy Exceptive Engineeer

PRI subdivision Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Khowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@pecgudiavaNeru.ac.in, office@gecgudiavaNeru.ac.in, Web; www.gecgudiavaNeru.ac.in

# Dr. G. V. S. N. R. V. PRASAD

MLS., M.Teck., Ph.D.,

MISTE, MIETE, MIE MYST, WSRS, MIAPE, MCRST

Principal

Ref: GEC/Consult/CE/MT-329

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

\$ir,

Sub.- Test results of the CC cubes for the construction of Gramma sachivalayam building Ground floor roof slab 125mm thick work at Kotlada of Karka/uru Mandat Regarding.

With reference to your letter dt 20-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

- 1	í				A DUE NO INVIDANCE	
	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)	Total Average Strength Strength	
ļ	M 30	21-02-2021	21-03-2021	38 66 38.19 38 44	(N/mm²) (N/mm²)	
					115 29   38.43	

This is for your kind information,

Thanking you,

Tested by

A. XL

Yours faithfully,

Date: 21-03-2021

( A.JiJani) Lab Technician

(K.Venkateswara Rad) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr G.V.S.N.R.V.Prasad)

PRINCIPAL

From

MI-330

To,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Rej Subdivision,

Gudlavalleru Engineering college

Gudlavatlezu

The Principal

Mandavalli.

Lr ло — / JTO/PRISD/Mandavalfi/ Gram Sachivafayam/ reports/2019 dt 22-03-2021

Sir.

Subtr PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 22-02-2021 with M30 mix concrete for obtaining the 28 days (22-03-2021) cube strength of the above concrete is used for **Ground Floor Slab** of Construction of Grama Sachivalayam Building **Korukollu-I** of Kalidindi Mandal **Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deput Executive Engineer PRI subdivision

Mandavallı

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seahadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Dethi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273888, Mobile. +91 9846779121 Fax No 08674-273957 e-mail. principal@gecgud/avallaru.ac in, office@gecgud/avallaru.ac.in. Web, www.gecgud/avallaru.ac.in.

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Joshi, Ph.D.,

MISTE, MILTE, MIE. AZON, MISRS, MIAPR, MORSE

Principal

Ref: GEC/Consult/CE/MT-330

To Sri P.Suresh Babu, M Tech Deputy-Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Şir.

Sub.- Test results of the CC cubes for the construction of Gramma sachivalayam building Ground floor slab work at Korukollu-I of Kafidindi Mandal Regarding.

With reference to your letter dt 22-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

	_	$_{1}$ $   -$	word as tollows	
Grade of concrete	Date of Casting	Date of Testing	Compressive Strength Total Average   Strength Strength	ĺ
M 30 — —	22-02-2021	22·03-2021 — — — — .	37.96 38.44 38.28 114.68 38.22	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 22-03-2021

(A Jilani) Ləb Technician

(K Veлkateswara Rac) Lab Incharge

(Dr A.Sréeлivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL From

M5-331

To,

5ri P.Suresh Babu M.Tech.,

Deputy Executive Engineer ,

Panchyat Raj Subdivision,

Mandayalli.

The Principal

Gudlavallere Engineering college

Gudlaval/eru:

Lr no / JTO/PRISD/Mandaval/i/RBK/ reports/2019 dt 24-03-2021

Sir,

Sub:- PR3 subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREG5 Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 24-02-7021 with M30 mix concrete for obtaining the 28 days (24-03-2021) cube strength of the above concrete is used for Files Concrete of Construction of R6K Building Putlacheruvu of Mandavallr Mandal Estt Cost Rs.21,80 Lakhs sanctioned under NREG5 grant Required payment will be made when the demand received from your end

Yours faithfully

Depary Executive Engineeer

PRI subdivision. Mangayalli

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seehadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08574-273737, 273888, Mobile: +91 9848779121 Fex No. 08574-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

MES., MLTHAL, PA.D.,

MISTE, MIETE, MIE, MKISI, MISRS, MEAPH, MCREI

Principal

Ref. GEC/Consult/CE/MT-331

Date: 24-03-2024

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Pites Concrete work at Putlacheruvu of Mandavalfi Mandal - Regarding.

With reference to your letter dt.24-03-2021 we have conducted the compressive strength test on \_\_\_\_\_\_ Cubes, Which are supplied by your. The Test results for 28 days are as follows:

		. — — -— -	/ *		⊬28 day:	5 are as fol	lows	
[ [	Grade of concrete M 30	Date of Casting	Date of Testing	Compressive Sta		Total Strength (N/mm²)	Average Strength (N/mm²)	]

This is far your kind information,

Thanking you,

Tested by

Yours faithfully

(A.Jilani)

A- 21/w

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasula) Head of Civil Engineering

(Dr.G.V S.N.R.V.Prasad) PRINCIPAL M1-352-

From

Sn P.Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalli. To,

The Principal Gudlavatleru Engineering Collegis, Gudlavalleru.

Lr no / JTO/PRISD/Mandavalfi/YSRHC/reports/2019 dt 01-03-2021

Sir,

Sub:- PRI subdivision – Mandavafli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1; Rc no 26/C1/2020 dt 01-05-2020 of the District Collector | /OPC MGNRF 15 Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150x150mm casted on 22-02-2021 with M30 mlx concrete for obtaining the 7 days (01-03-2021) cube strength of the above concrete is used for Footings of Construction of Grama Sachivalayam Building at Kotecherla Village of Kalidindi Mandal Estt Cost Rs.40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

 $(5d/- \times \times \times \times \times \times \times)$ 

Deputy Executive Engineeer
PRI subdivision
Mandavalli

//t.c.f.b.o.//

Senior Assistant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rec Knowledge Village, GUDLAVALLERU-521 368, Krishna Diatrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06874-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

# Dr. G. V. S. N. R. V. PRASAD

M.S., METech., Ph.D.,

MISTS, MIETE, MUE, MCSI, MISRS, MUADR, WORSE

Principal

Ref: GEC/Consult/CE/MT-332

Date: 01-03-2021

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building Footings work at Kotecherla village of Kalidindi Mandal - Regarding

With reference to your letter dt.01-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

Grade of concrete	Date of Casting	Date of Testing		ssive Stre N/mm²) 2	ngth 3	Total Strength (N/mm²)	Average Strength (N/mm²)
M 30	22-02-2021	01-03-2021	22.91	23 08	22.75	68 72	22.90

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G V.S.N.R.V.Prasad)

PRINCIPAL

mn-333

From

Sri P.Suresh Babu M.Tech...

Deputy Executive Engineer,

Panchyat Ray Subdivision,

Mandavalti.

To,

The Principal

Gudlavalteru Engineering college

Gudlavatleru

Lrino / JTO/PRISO/Mandavalli/YSRHC / reports/2019 dt 22-03-2021

5îr,

Sub:- PRI subdivision - Mandavalli - submission of cub, s of M30 concrete - required 28 days strength results - regarding

Reft- 1. Rd no 26/C1/2020 at 01-05-2020 of the District Collector I/DPC MGNRESS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 22-02-2021 with M30 mix concrete for obtaining the 28 days (22-03-2021) cube strength of the above concrete is used for Footings of Construction of Grama Sactivalayous Building at Kotecherla Village of Kalidindi Mandal Estt Cost Rs.40.00 Lakins spectroned under NRSGS grant Required payment will be made when the Germand received from your end

Yours faithfully

 $\{5d/-x \times x \times x \times x\}$ 

Deputy Executive fingine usin PRI subdivision Mandaval'i

//".c.f.b.a.//

Senior Assistant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848778121 Fax No. 08674-273967 e-mail: principal@geogudiavelleru.sc.in. office@geogudiavelleru.sc.in, Web: www.geogudiavelleru.sc.in.

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tiele, Ph.D.,

MISTE, MIETE, MCL, MCSI, MISRS, SIEARR, MCRSI,

Principal

Ref: GEC/Consult/CE/MT-333

To Sri P Suresh Babu, M.Tach Deputy-Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandat.

Sir.

Sub: Test results of the CC cubes for the construction of Gramma sachivalayam building Footings work at Kotecherla village of Kalidindi Mandal - Regarding.

With reference to your fetter dt.22-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

					eo days	are as toil	O\V\$	
	Grade of concrete	Date of Casting 22-02-2021	Date of Testing 22-03-2021	Compressive Stre (N/mm²) 1 2 37.96 38.44	элgth :	Total Strength ( (N/mm²)	Average Strength	
					ı I			

This is for your kind information,

Thanking you,

Tested by

Axles

Yours faithfully,

( A.Jilanı) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Ciwl Engineering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

Date: 22-03-2021

16, 33U

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli.

The Principal
Gudiavalleru Engineering college
Gudiavalleru

Lr no / JTO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 06-03-2021

Sir.

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 26-02-2021 with MEO mix concrete for obtaining the 28 days (06-03-2021) cube strength of the above concrete is used for Casting of Providing CC Road from China Ramalayam to Puk Suri Babu House at Lodidalanka Village of Kalidindi Mandal Estt Cost Rs.6.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

PRI subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: •91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavafleru.ac.in, office@gecgudiavafleru.ac.in, Web: www.gecgudiavafleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

MLS., M. Reck., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-334

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer Panchayat Raj Sub Division, Mandavalli Mandal,

Sir.

Sub:- Test results of the CC cubes for the castingof, providing, CC Road from china Rama/ayam, to Pulr suri babu house at Lodidalanka village, of Kalidindr Mandat -Regarding.

With reference to your letter di 06-03-2021 we have conducted the compressive strength test on Mi2D grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

- 1						- 2	10110	7 P	
[	Grade of concrete  M 20	Date of Casting	Date of Testing   06-03-2021	1 16 21	(N/mm²) 2 15.97	ength 3 16 34	Total Strength (N/mm²) 48.52	Average Strength (N/mm²) 16.17	]

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 06-03-2021

(A.Jilani) Lab Technician

(K.Venkateswåra Rao) Lab Incharge

(Dr.A.Sreeniyasulu) Head of Civil Engmeering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL Mr. 335

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli.

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 26-03-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of 130 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 26-02-2021 with Mao mix concrete for obtaining the og days (26-03-2021) cube strength of the above concrete is used for Casting of Providing CC Road from China Ramalayam to Puli Suri Babu House at Lodidalanka Village of Kalidindi Mandal Estt Cost Rs.6.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

PRI subdivision

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273868, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in. office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in.

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MISTE, MIE, MCSC, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-335

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the casting of providing CC Road from china Ramafayam to Puli suri babu house at Lodrdalanka village of Kalidindi Mandal -Regarding.

With reference to your letter dt.26-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

				,	
	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength Total Average  (N/mm²) Strength Strength	: :
	M 20	26-02-2021	26-03-2021	26.56 26.39 26.87 79.82 26.60	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jilanı) Lab Technician

(K.Verikateswara Rao) Lab Incharge

(Dr A.Sreekivasulu) Head of Civil Engineering (Dr.G.V.S N.R.V.Prasad) PRINCIPAL

Date: 26-03-2021

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli. MT-336

The Principal
Gudlavallero Engineering college
Gudlavallero

Lt no // JTO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 05-03-2021.

Sir,

Subt- PRI subdivision – Mandavalfi – stromission of cubes of M30 concrete – required 7 days strength results – regarding

Reft- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector (DPC MGNREGS Krist:na

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-02-2021 with M20 mix concrete for obtaining the 07 days (05-03-2021) cube strength of the above concrete is used for **Casting** of Providing CC Road from K.Suryanarayana Inc. se to Anganwadi Building At Ramreddy nagar H/o Guravipalem in Kalidindi Mandal **Est Co.:t Rs.3.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deput Elecutive Engineeer PRI subdivision

Mandavaili

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Kriehne District, A.P., India
(Approved by AICTE, New Delh) and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

MS, M. Beal, Palit,

MISTE, MIETE, MIE. MCSI, MISRS, MIAPR, MCRSI

Principal

Ref: GEC/Consult/CE/MT-336

Date 07-03-2021

To Sn P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir,

Sub:- Test results of the CC cubes for the castingof providing CC Road from K.Suryanarayana house to Anganwadi Building at Ramireddty nagar H/O Guravipalem of Kalidindi Mandal - Regarding.

With reference to your letter dt.07-03-2021 we have conducted the compressive strength test on Mi20 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

- 1			$\Box - \Box -$		n r days	and as tolk	XVS	
	Grade of concrete	Date of Casting	Date of Testing	Compressive Str (N/mm²)	rengih	Total Strength	Average	
_ _	M 20	28-02-2021	07-03-2021	16.21 15.97	3 16.34		Strength (N/mm²)	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully

(A.JiJani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL Sri P.Svresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision, Mandavalli. MT/337

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lrino / JTO/PRISD/Mandavallr/ Gram Sachivalayam/ reports/2019 dt 06-03-2021

Sir,

Sub:- PR3 subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm cashed on 27-02-2021 with M20 mix concrete for obtaining the 07 days (06-03-2021) cube strength of the above concrete is used for **Casting** of Providing CC Road from M.Suhharao house to Buritla ground at Maddivanigudem H/o Guravipalem in Kalidir. Gi Mandal **Est Cost Rs.12.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Desacy Executive Engineeer PRI subdivision

Mandavala

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rec Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273668, Mobile: +91 9846779121 Fax No. 08674-273957 e-mail: principal@gecgudlayelleru.ac.in, office@gecgudlayalleru.ac.in, Web: www.geogudlayalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S. M.Tech, Ph.O.,

MISTS, MIETY, MIE, MOST, MISKS, MIATR, MORST

Principal

Ref: GEC/Consult/CE/MT-337

To Sni P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir

Sub - Test results of the CC cubes for the casting of providing CC Road from M.Subbarao house to Burilla ground at Maddivanigudem H/O Guravipalem of Kalidindi Mandal -Regarding

With reference to your latter dt.06-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows

	ĺ		r - l - l - l .		+ 44,5	6.0 GB 1010	WYS	
	Grade of	Date of		Compressiv	/e Strength	<del></del>	. — —	1
١	concrete	Casting	Date of Testing	(N/m	am²)	Total	Average	l
l		"	•	1 1	<u>~</u> ′ ;	Strength	Strength	ï
	M 20	1	<del> </del>	<u> </u>	<u> </u>	(N/mm <sup>2</sup> )	(N/mm²)	
	— — — .	27-02-2021	06-03-2021	16.38   16	6 17   16.41	48.96		l
				느 —		40.00	16 32	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 06-03-2021

( A Jilani)

Lab Technician

(K Venkateswara Rao)

Lab Incharge

(Dr.A.Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

MT-338

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli.

The Principal
Gudlava/leru Engineering college
Gudlavarleru

Lr no / JTO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 06-03-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2030 of the District Collector I/DPC MGNREGS Knishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-02-2021 with M20 mix concrete for obtaining the 07 days (06-03-2071) cube strength of the above concrete is used for **Casting** of Providing CC Road from K.Paramkusam house to MPP School at Ramreddy nagar H/o Guravipalem in Kalidindi Manifal **Est Cost Rs.3.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your and

Yours faithwelly

PRI subdivision

Mandavadi.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshedri Rao Knowledge Villege, GUDLAVALLERU-621 358, Krishne Dietrict, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 06674-273737, 273888, Mobile: +91 9848779121 Fax No. 06674-273957 e-mail: principal@gecgudfavalleru.ac.in, office@gecgudfavalleru.ac.in, Web: www.gecgudfavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD Mt.S., M. Teek., Ph.D.,

MISTE SCIETT, MIE, MOST, MISRS, MIAPR, MORSI

**Principal** 

Ref: GEC/Consult/CE/MT-338

Τo Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalli Mandal

Sir.

Sub-- Test results of the CC cubes for the castingof providing CC Road from M.Paramkusam house to MPP School at Ramareddy nagar H/O Guravipalem ил Katidindi Mandal -

With reference to your letter dt.06-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

т — т			M. THE THAT THAT THAT		
			T	sare as follows	
Grade of	Date of		Compressive Strength		
Concerte	Date of	b	I Tombiessive Strength		-
concrete	Casting	Date of Testing	$\pm = - (N/mm^2)$	'   Otal   Average	
├ <i>─</i> ;	:	_		- Strength   Strength	ı
M 20	27-02-2021		+ 3	$(N/mm^2)$ $(N/mm^2)$	i
└── <i>─</i> ∟		06-03-2021	16.81 15.65	<del></del>	I
. :			L <sup>15.81</sup>   15.65   16.42	48.88 16.29	
s is for your kind in	formation.			7 _ 1 10.28	1

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

Date: 06-03-2021

(A. Jilanı) Lab Technician

(K.Venkateswara Rao)

(Or.A.Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdrylsion, Mandavalli. MI-339

The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lrino / JYO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 06-03-2021

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krishna

Lam submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-02-2021 with M20 mix concrete for obtaining the 07 days (06-03-2021) cube strength of the above concrete is used for **Casting** of Construction of CC Road from R & B Road to MRO's Office **Kalidindi Village** in **Kalidindi Mandal Estt Cost Rs.3.85 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

 $(5d/-x \times x \times x \times x)$ 

Deputy Executive Engineeer PRI subdivision Mandava li

//t.c.f.b.o.//

Ywo are Assistant

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 98674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Beck., Ph.O.

MISTE, MEETE, MIE, MOSE MISTS, MIAPR, MORSE

Principal

Ref: GEC/Consult/CE/MT-339

Date 06-03-2021

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Penchayat Raj Sub Division, Mandavalli Mandal.

Sir.

Sub:- Test results of the CC cubes for the casting of providing CC Road from R&B Road to MRO'S Office Kelidind: Village in Kalidindi Mandal -Regarding.

With reference to your letter dt.06-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

		$_{ m I}$	$\Box$		asp as tolic	NVS	
	Grade of concrete	Date of	Date of Testing	Compressive Strength (N/mm²)	Total	Average	
I	CONTRECE	Casting	Date of Testing		Strength,	Strength i	
٦	M 20	77 02 7024		<u>-</u> 1 2 1 3 1	(N/mm²)	(N/mm²)	
L		27-02-2021	06-03-2021	16.59 16.14 16.39	49.12	·	
	_			· — — — — — i	49.12	16.37	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A JiJani) Lab Technician (K Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL M9-340

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision, Mandavalli.

The Principal
Gudiavalleru Engineering college
Gudiavalleru

Lr no // JTD/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 26-03-2021

Sir,

Sub:- PRI subdivision = Mandavalli = submission of cubes of M30 concrete = required 2% days strength results = regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-02-2021 with M20 mix concrete for obtaining the 28 days (26-03-2021) cube strength of the above concrete is used for **Casting** of Providing CC Road from K.Suryanarayana house to Anganwadi Building At Ramreddy nagur H/o Guravipalem in Kalkdard Mandal Est Cost **Rs.3.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

PRI subdivision

Mandavalli.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriehne District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +B1 9848779127 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.m. office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

# Dr. G. V. S. N. R. V. PRASAD

 $M.S_{\infty}M.Tech., Ph.D.,$ 

MISTE MIETE, MIE MCSI, MSRS, MATRI MCRSI

Principal

Ref: GEC/Consult/CE/MT-340

Date: 26-03-2021

To Sri P Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Sir,

Sub:- Test results of the CC cubes for the casting of providing CC Road from K.Suryanarayana house to Angariwadi Building at Ramreddy nagar H/O Guravipalem of Kafidindi Mandal - Regarding.

With reference to your letter dt.26-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

	1		$_{ m I}$ $   -$			s are as to	IOW5	
	Grade of _	Date of		Compressive Str	enath	$\vdash \$	1 — — -	
ľ	concrete	Casting	Date of Testing	(N/mm <sup>2</sup> )		Total	Average	
		ousting .	7 7		$\overline{}$	Strength	Strength .	
ľ	M 20			+ — — 2	1 3	(N/mm²)	(N/mm²)	
ı	i	28-02-2021	28-03-2021	26.54 27.12		⊢ — ∸	<del>'</del>	
				26.54   27.12	26.79	80,45	26.81 L	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilanı)

Lab Technician

(K.Venkateswara Ran)

Lab Incharge

(Dr.A.Sreefiivasufu) Head of Civil Engineering

(Dr.G.V.S.N.R.V Prasad)

PRINCIPAL

MT-341

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavalli.

The Principal
Gudiavalieru Engineering college
Gudiavalieru

Lr no / JTO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 27-03-7021

Sir,

1

Sub:- PRI subdivision - Mandavalii - submission of cubes of M30 concrete - required days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-02-2021 with M20 mix concrete for obtaining the 28 days (27-03-2021) cube strength of the above concrete is used for **Casting** of Providing CC Road from K.Paramkusam house to MPP School at Ramreddy nagar H/o Guravipalem in Kalidindi Mandal **Est Cost Rs.3.00 Lakhs** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully.

Density Executive Engineeer PRI subdivision

Mandaya'li

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08574-273957 e-mail: principal@geogudiavalleru ac in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

# Dr. G. V. S. N. R. V. PRASAD

M.S. M.Tech , Ph.D.,

MOSTE, MIETE, MCF, MCSI, MISRS, SEATR, MIRKS

**Principal** 

Ref\_GEC/Consult/CE/MT-341

Date: 27-03-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandava/li Mandal,

Sir.

Sub:- Test results of the CC cubes for the casting of providing CC Road from M.Paramkusam house to MPP School at Ramareddy nagar H/O Guravipalem in Kalidindi Mandal - Regarding

With reference to your letter dt.27-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

' - I			T — — —	is are as fol	lows	
Grade of	Date of		Compressive Strength -	-;		
concrete	Casting	Date of Testing	! (N/mm²)	1 (018)	Average	
M 20	27-02-2021		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Strength   (N/mm²) 	Strength   (N/mm²)	
IS for your kind to	c			0.00	26.78	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

( A.Jilani) Lab Technician

(K Venkateswara Rao) Lab Incharge

(Or.A.Sreenivasuly) Head of Civil Engineering

(Dr.G.V.S.N R.V Prasad) PRINCIPAL MT-342

Srl P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandavafli. The Principal
Gudlavalleru Engineering college
Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/ Gram Sachivalayam/ reports/2019 dt 27-03-2021

Sir,

Sub;- PRT subdivision - Mandavalli - submission of cubes of M30 concrete - required 7 days strength results - regarding

Ref:• 1// Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 27-02-2021 with M20 mix concrete for obtaining the 28 days (27-02-2021) cube strength of the above concrete is used for **Casting** of Construction of CC Road from R & B Road to MRO's Office **Kalidindi Village** in **Kalidindi Mandal Estt Cost Rs.3.85 Lakins** sanctioned under NREGS grant Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer
PRI subdivision
Mandavaki

//t.c.f.b.o.//

y . v . o o o . P 5-w/w · C/k-Senjor Assistant

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakineda)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
Approved by AICTE. New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

ுருது principal@geogudjavalleru actin, uffice@geogudlavalleru.ac in, Vieb: www.geogudkavalleru ac in

Dr. G. V. S. N. R. V. PRASAD

M. S., St. Tveh., Ph.D.

MISTE, SCETE, MIS. MIST, MISRY, MIAPR, MCRST

Principal.

Ref: GEC/Consult/CE/MT-342

Date: 27-03-2021

To Sri P.Suresh Babu, M Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandat,

Sir.

Sub:- Test results of the CC cubes for the castingof-providing CC Road from R&8 Road to MRO'S Office Kalidindi Village in Kalidindi Mandal -Regarding.

With reference to your letter dt 27-03-2021 we have conducted the compressive strength test on M 20 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compre	ssive Str V/mm²) 2		Total Strength (N/mm²)	Average Strength (N/mm²)
M_20	27-02-2021	27-03-2021	26.19	25.98	26.38	78.49	26 16

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

( A Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Cryll Engineering (Dr.G.V.S.N.R V.Prasad) PRINCIPAL From ,

5ri A.Harinadh Babu B.Tech., Deputy Executive Engineer. Parichyat Raj Subdivision Gudiyada

To,

The Principal Gudlavalleru Engineering college Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 06-03-2021

Sir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna.

1 am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-02-2021 with M30 mix concrete for obtaining the 28 days ( 06 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Piles Construction of RBK building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 22.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

PRI subdivision

Gudiyada

Substituted to Coulder

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rad Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Pennitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavatieru.ac.in, offica@gecgudiavatieru.ac.in, Web: www.gecgudiavatieru.ac.in.

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Deck, 19(10).

MASTE, MIGTE, ALC, MUSI, MIGRIS, MIATR, MERST

Principal

Ref. GEC/Consult/CE/MT-344

Date: 06-03-2021

Tο Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Siz.

Sub:- Test results of the CC cubes for the construction of Rythu Sharosa Kendram building Piles. work at Kudaravalli (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.06-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows.

_			/ 4 00 10110113	
Grade of concrete	Date of Casting	Date of Testing	- Strength Strength	]
M 30	07-02-2021	06-03-2021	37.95 38.26 38.44 (N/mm²) (N/mm²) 38.21	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.JiJani) Lab Technician

fikateswara Rao) Lab Incharge

(Dr.A Sreeńiyasulu) Head of Civil Engineering

(Dr.G.V.\$ N.R.V Prasad) PRINCIPAL

Fram ,

Sri A.Harinadh Babu 8.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudfavalleru Engineering college , Gudfavalleru.

Lr no / JTO/PRISO/Gudivada / Grama Sachivalayam/ reports/2009 dt 12-03-2021

Sir,

Sub: PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13-02-2021 with M30 mix concrete for obtaining the 28 days ( 12-03-2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of RBK building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 21.80 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engli PRI subdivision

Gudivada

Subjection to the principal of Condensations

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seahadri Rec Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848778121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.sc.in, office@gecgudlavalleru.sc.in, Web: www.gecgudlavalleru.sc.in

Dr. G. V. S. N. R. V. PRASAD

MISS MUTCES, PALD.

MISTE, MITTE, MILL MOST, MISRS, MIAPR, MARKE

Principa(

Ref: GEC/Consult/CE/MT-345

Date: 12-03-2021

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division. Gudivada.

Sir

Sub:- Test results of the CC cubes for the construction of Rythu Bharosa Kendram building Prie caps work at Kudaravalli (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.12-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows.

		ı — —- —		
	Grade of concrete	Date of Casting		erage
İ	M 30	13-02-2021	$\frac{1}{12-03-2021} + \frac{3}{38.89} + \frac{2}{39.43} + \frac{3}{39.23} + \frac{(N/mm^2)}{12-03-2021} + \frac{1}{38.89} + \frac{1}{39.43} + \frac{1}{39.23} + \frac{1}{39.23} + \frac{1}{39.43}$	/m/m²)   9.52

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A Sreenivasulu) Head of Civil Engineering

(Dr.G.V.S.N.R.V Prasad) PRINCIPAL prito 30th

From .

Sri A.Harmadh Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

Guđivada

To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru

Li no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 06-03-2021

Sir,

Sub:- PRT subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-02-2021 with M30 mix concrete for obtaining the 28 days ( 06 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Pites 'Construction of YSR Health Clinic building at Kudaravaili (v) of Nandivada Manda! Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineee (1)

PR1 subdivision

Gudiyada

Subwitted to conduction the prohested for conduction

8

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Villege, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Dathi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: •91 9848779121 Fex No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S. M.Tech, Ph.D.,

MISTE, MIDTO, MID, MCSC MISRS, MIAPR, MURSI

Principal

Ref\_GEC/Consult/CE/MT-346

Date: 06-03-2021

To Sri A.Hannadh Babu, B Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudiyada,

Sir,

Sub.- Test results of the CC cubes for the construction of YSR Health Clinic building. Pries work at Kudaravalli (V) of Nandivada Mandal - Regarding.

With reference to your fetter dt 06-03-2021 we have conducted the compressive strength test on MI3C grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

	te of   sting   Date of Testing		erage   ength
M 30 07-02	-2021 06-03-2021	1 38.18 2 3 (N/mm²) (N/ 38.57 38.42 115.17 38.	/mm²}

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A Jiřani) Lab Technic.an

(K.Venkateswaza Rad) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering

(Dr.G V.S.N.R.V.Prasad) PRINCIPA: pr 7- 34L

From ,

Sri A.Harlnadh Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

Gudiyada

To,

The Principal

Gudlavalleru Engineering college

Gudlavatleru

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 06-03-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-02-2021 with M30 mix concrete for obtaining the 28 days ( 06 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of YSR Health Clinic building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineer 1)

PRI subdivision

Gudivada

Subritted to coolantion the principal for coolantion

٤

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seehadri Rao Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principat@geogudfavallaru.ac.in, office@geogudfavallaru.ac.in, Web: www.geogudfavallaru.ac.in

Br. G. V. S. N. R. V. PRASAD

56 S. ALDROL, PA.D., MISTE, MIETE MIT, MOSI, MISRS, MIAPR, MORSE

Principal

Ref: GEC/Consult/CE/MT-346

To Str A.Harinadh Babu, B.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudivada.

Şir.

Sub. - Test results of the CC cubes for the construction of YSR Health Clinic building. Pries. work at Kudaravalii (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.06-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 26 days are as follows

					s are as follows
	Grade of concrete	Date of	Date of Testing	Compressive Strength	Tatal Average
	<del></del>	<u></u>		1 2 3	Strength Strength (N/mm²)
٠	<del></del>		06-03-2021	38.18 38.57 38.42	

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

Date: 06-03-2021

(A.Jilanı) Lab Technican

(K.Venkateswara Rab) Lab Incharge

(Dr.A.Sreenrvasulu) Head of Civil Engiлeering

(Dr.G.V.S.N.R.V.Prasad) PRINCIPAL From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudiavalleru Engipeening college , Gudiavalleru.

Lr no / JTO/PRISD/Gudlvade / Grama Sachivalayam/ reports/2009 dt 12-03-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 28 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13-02-2021 with M30 mix concrete for obtaining the 28 days ( 12 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of YSR Health Clinic building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 14.95 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineer
PRI subdivision

Gudivada

Shimited to Cardeting the principal to Cardeting

5

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshedri Red Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Pb.O.,

MISCE, MIETE, MIE MOSI, MISKS, MIAPR, MORSI

Principal

Ref: GEC/Consult/CE/MT-347

Date: 12-03-2021

To Sri A.Harinadh Babu, B.Tech Deputy Executive Engineer, Penchayat Raj Sub Division, Gudivada.

Sir.

Subr- Test results of the CC cubes for the construction of YSR Health Clinic building. Pile Caps work at. Kudaravalli (V) of Nandivada Mandal - Regarding.

With reference to your letter dt.12-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows:

	Grade of concrete	Date of Casting	Date of Testing	Compres (h	sive Sto I/mm²) 2	eng(h 	Total Strength (N/mm²)	Average Strength (N/mm²)	] :
	M 30	13-02-2021	12-03-2021	38.65	37.98	38.41	115.04	38.34	

This is for your kind information.

Thanking you.

Tested by

Yours faithfully,

– (A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.A Sreenivasulu) Head of Civil Engineering (Dr.G.V.S.N.R.V.Prasad) PRINCIPAL MT-ZUS

From ,

Sri A.Harinadh Babu B.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

Gudiyada.

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru.

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 06-03-2021

Śίς,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna.

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-02-2021 with M30 mix concrete for obtaining the 28 days ( 06 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Piles 'Construction of Grama' sachivalayam building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 40.00 laichs sanctioned under NREGS grant . Required payment will be made when the demand received from your end.

Yours faithfully

Deputy Executive Engineeer

PR1 subdivision Gudivada.

Submitted to constitution
The principal for constitution

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade
Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail. principal@geogudlavalleru.ac.tn, offica@geogudlavalleru.ac.in, Web; www.geogudlavalleru.ac.in

## Dr. G. V. S. N. R. V. PRASAD

M.S., M. Feels, Ph.Tt.,

MISTE, MTETE, MIE, MK SI, MISBS, MIATRO MORSI

Principal

Ref: GEC/Consult/CE/MT-348

Date: 06-03-2021

To Sri A Harinadh Babu, B Tech Deputy Executive Engineer, Panchayat Raj Sub Division Gudivada.

Sec.

Sub:- Test results of the CC cubes for the construction of Grama Sachivalayam, building, Piles work at Kudaravalli (V) of Nandivada Mandal - Regarding.

With reference to your letter dt 05-03-2021 we have conducted the compressive strength test on Mi30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

- 1					-			
!!!	Grade of concrete	Date of Casting	Date of Testing	Compressive S (N/mm²)		Total Strength	Average   Strength	
	M 30	07-02-2021	06-03-2021	$\frac{1}{38.52} + \frac{2}{37.89}$	$\frac{3}{9} \left  \frac{3}{38.27} \right $	(N/mm²) 114.68	(N/mm²) 38,22	

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civit Engineering

(Dr.G V.S.N.R.V Prasad) PRINCIPAL M1-349

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Gudivada. To,

The Principal, Gudfavalleru Englineering college , Gudfavalleru

Lr no / JTO/PRISD/Gudivada / Grama Sachivalayam/ reports/2009 dt 12-03-2021

\$ir,

Sub:- PRI subdivision - Gudivada - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 at 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 13-02-2021 with M30 mix concrete for obtaining the 28 days ( 12 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Pile Caps 'Construction of Grama sachivalayam building at Kudaravalli (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant. Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision
Gudivada

Submitted to the property

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshedri Reo Knowledge Village, GUDLAVALLERU-521 356, Kriehna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@geogudiavatieru.ac.in, office@geogudiavatieru.ac.in. Web: www.geogudiavatieru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., MLTeels, PILD.,

MISTE, SCIETE, MIE, MCRI, MISSES, SHAPP, MCRSF

Principal

Ref: GEC/Consult/CE/MT-349

Date: 12-03-2021

To Sm

Srr A.Harinadh Babu, B Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudiyada

Sır,

Sub:- Test results of the CC cubes for the construction of Grama Sachrvalayam, building, Pile Caps, work at, Kudaravalli (V), of Nandrvada Mandal - Regarding.

With reference to your letter dt.12-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compr	essive Str (N/mm²) 2	ength 3	Total Strength (N/mm²)	Average Strength (N/mm²)	]
M 30	13-02-2021	12-03-2021	38.26	38.64	38.39	115.29	38.43	1

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jifani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.A Sreenivasulu) Head of Civil Engineering

(Or.G.V.S.N.R.V Prasad) PRINCIPAL From

M7-350

To,

Sri P.Suresh Babu, M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision, Mandaalli.

The Principal
Gudlavalleru Engineering College,
Gudlavalleru

Lr no / JTO/PRISD/Mandavalli/YSRHC/reports/2019 dt 06-03-2021

Sır,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 25/C1/2020 at 01-05-2020 of the District Collector I/DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm cashed on 28-02-2021 with M30 mlx concrete for obtaining the 7 days (65-03-2021) cube strength of the above concrete is used for **Piles Concrete** of **Construction of Grama Sachivaleyam Building at Koduru Village of Mudinepath Mandal Estt Cost Rs.40.00 Lakhs** sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours feithfully

362xectiblive Engineeer 980 (applies on

Mandavalli

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshedri Rec Knowledge Village, GUDLAVALLERU-621 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273688, Mobile: +91 9848779121 Fex No. 08674-273957 e-mail: principal@gecgudiavalleru.sc.in, office@gecgudiavalleru.sc.in, Web: www.gecgudiavalleru.sc.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.

MISTE, MIETE, MIE. MCSI, MISRS, ALEAPR, MICROI

Principal

Ref: GEC/Consult/CE/MT-350

Date: 08-03-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal

Siг,

Sub - Test results of the CC cubes for the construction of Gramma sachivalayam building Footings work at Keduru village of Mudinepalli Mandal - Regarding.

With reference to your letter oft.06-03-2021 we have conducted the compressive strength test on Mi30 grade CC Cubes. Which are supplied by you. The Test results for days are as follows.

	<u> </u>		tord days 6	ne as londwa	5
   	Grade of Date of concrete Casting	Date of Testing	Compressive Strength (N/mm²)	Total Strength	Average Strength
-      -	M 30 28-02-2021		$\frac{1}{22.97} - \frac{2}{23.18} + \frac{3}{22.79}$		(N/mm²) 22.98

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

- ( A.Jilani) Lab Technician

(K Venkateswara Rao) Lab Incharge

(Dr A.Sreénivasufu) Head of Civil Engineoring

(Dr.G.V.S.N R.V Prasad)

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ec.in, Web: www.gecgudiavalleru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Feeb., Ph.D., MISTS, MIETE, MIE, MOST, MISRS, MIAPR, MORSI

Principal

Ref\_GEC/Consult/CE/MT-350

Date: 06-03-2021

To Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division. Mandaválli Mandat

Sir.

Sub - Test results of the GC cubes for the construction of Gramma sachivalayam, building Footings work at Koduru village of Mudinepalli Mandal - Regarding.

With reference to your letter of 06-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days are as follows

			7	444-7	
Grade of Date of concrete Casting	Date of Testing	Compressive Strength	— Strength		1
M 30 28-02-2021	07-03-2021	22.97 23.18 22.	79 68.94	(N/mm²) 22 98	

This is for your kind information,

Thanking you,

Tested by

Yours falthfully.

(A JiJani) Lab Technician

(K.Venkateswara Rac) Lab Incharge

(Dr.A. Sreenivasulu) Head of Civil Engineering

(Dr.G V.S.N.R.V.Prasad)

PRINCIPAL

Rein be-24/04/22/

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalieru Engineering college

Gudiavalleru

t<u>r No / JTO/PRISD/Mandavalli / Gram Sachivalavam /Vemava</u>rappadu/ <u>Reports/</u> 2020 dt 26-03-2021

Sir,

Sub:- PRI subdivision -- Mandavalli -- submission of cubes of M30 concrete -- required 7 days strength results – regarding.

Ref:- I = Rc no 26/C1/2020 at 01-05-2020 of the District Collector /DPC MGNREGS Krisbna

I am submitting the cube samples (  $3\ \mathrm{nos}$  ) of size  $150\mathrm{x}150\mathrm{x}150\mathrm{mm}$  casted on 19-03-2021 with IM30 mix concrete for obtaining the 7 days ( 20-01-2021) cube strength of the above concrete is used for First Floor Roof Slab of Construction of Gram Skahivalayam building at Vernavarappadu of Kaikaluru Mandal Est Cost &s 40.00 Laiths senctioned under NREGS grant . Required payment will be made when the demand received from your end,

Your⊊yfaithfully.

PRI subdivision Mandavalii

Mune No: - 9059690627 Name: J. Raju

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MIETE, MIE, MCS(, MISRS, MIAPR, MCRUS

Principal

Ref. GEC/Consult/CE/MT-358

Date: 26-03-2021

Τņ Sri P.Suresh Babu, M.Tech Deputy Executive Engineer. Panchayat Raj Sub Division

Mandavalli Mandali

Sir

Sub: - Yest results of the CC cubes for the construction of Grama Sachivalayam, building, First Floor Roof Slab work at - Vernavarappadu of Kaikaluru Mandar - Regarding.

With reference to your letter dt.26-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes. Which are supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compressive Strength Total Average   Strength Strength
M 30	19-03-2021	28-03-2021	23 12 22.94 22.29 68.35 (N/mm²) 22.78

This is for your kind information.

Thanking you.

Tested by

Yours faithfully,

Lab Technician

Venkateswara Rap) Lab Incharge

(Dr.A Sreenivasulu)

Head of Civil Engineering

(Dr.G.V.\$ N.R.V Prasad)

PRINCIPAL

From ,

Sri A.Harinadh Babu B.Tech., Deputy Executive Engineer , Panchyat Raj Subdivision To,

The Principal

Gudiavalleru Engineering college

Gudlavalleru

\_Gudivada

Lr no / ЛО/PR(SD/Gudivada / Grama Sachivalayam/ reports/2009 dt 13-03-2021

Sir,

Sub:- PRI subdivision – Gudivada – submission of cubes of M30 concrete – required 14 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 18-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 28-02-2021 with M30 mix concrete for obtaining the 14 days ( 13 -03 -2021) cube strength of the above concrete is used for VRCC M30 for Footings 'Construction of Grama sachivalayam building at Anamanapudi (v) of Nandivada Mandal Est Cost Rs 40.00 lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Gudivada

Corwarded to St KVE

654

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Villago, GUDLAVALLERU-521 358, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273868, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ec.in, office@gecgudiavatleru.ac.in, Web: www.gecgudiavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISRS, MIAPE, MURSI

**Principal** 

Ref: GEC/Consult/CE/MT-361

Date: 13-03-2021

Tο Sn Al Harinadh Babu, B. Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Gudiyada.

Sir.

Subr - Test results of the CC cubes for the construction of Grama Sachivalayam, building, footings work at Anamanapudi (v) of Nandivada Mandal - Regarding.

With reference to your letter dt.13-03-2021 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 14 days are as follows

 Grade of concrete	Date of Casting	Date of Testing	Compre ()	ssive Sto N/mm²) 2	ength 3	Total Strength (N/mm²)	Average Strength (N/mm²)
M 30	28-02-2021	13-03-2021	28.96	27.67	28.39	85 02	28.34

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.A.Speeniyasulu) Head of Civil Engineering (Dr.G.V.\$ N R.V.Prasad) PRINCIPAL

news & Soutot 13/0,/2021

Fram

MT - 362-

To,

5ri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision,

Mandavalfi.

The Principal

Graffevelferu Engineering college

Gudfavalleru

/ JTO/PRISD/Mandavalli/YSRHC / reports/2019 dt 28-03-2021

5iг,

PRI subdivision - Mandavatli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples ( 3 nos ) of size | 150x150x150mm casted on 28-02-2021 with M30 mix concrete for obtaining the 28 days (28-03-2021) cube strength of the above concrete is used for Piles Concrete of Construction of Grama Sachivalayam Building at Koduru Village of Mudinepalli Mandal Estt Cost Rs.49.00 Lakhs sanctioned under NREGS grant Required payment will be made when the demand received from your end.

Yours faithfully

Doputy Executivy Engineeer

PRI subdivisioni Mandavalli

Ferwarded to SX K.VR

Seshadri Rao Knowledge Village, GUDLAVALLERU-621 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade.

Phone Nos 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 o-mail; principat@gecgudlevalleru.ac.in, office@gecgudlavelleru.ac.in. Web: www.gecgudlevalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MISTE, MIETE, MIE, MUSI, MISES, MIAPR, MORSE

Principat

Ref GEC/Consult/CE/MT-382

Date: 28-03-2021

ſα Srt P.Suresh Babu, M. Techi Debuty Executive Engineer. Panchayat Raj Sub Division, Mandavalii Mandalii.

Sir

Sup - Test results of the CC cubes for the construction of Grama Sachival ayam, building, Piles work at Kaduru village of Mudinepalli Mandal - Regarding.

With reference to your lotter dt.28-03-2021 we have conducted the compressive strength fast on Mi3D grade CC Cubes. Which are supplied by you. The Test results for 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Comp 1	ressive Stri (N/mm*)2	ength	Total Strength (N/mm²)	Average Strength (N/mm²)
M 30	28 02-2021	28-03-2021	38 46	38.62	38.29	115 37	38.45

This is for your kind information.

Thanking you.

Yours faithfully,

Tested by

(A.Ananda Godal) Lab Technisian

(K.Venkateswara Rac) (Dr.A Sregnivasutu). Lab Incharge

Head of Civil Engineering

(Dr.G.V.S.N.R.V Prosad)

PRINCIPAL.

Roivelley - 24 Johns

HT-345

From

Sri P.Suresh Babu M. Tech.,

Deputy Executive Engineer ,

Panchyat Raj Subdivision,

Mandavalliš

To,

The Principal

Gudlavalleru Engineering college.

M20

Gudlavalleru

Trino / JTO/PRISD/Mandavalli/NREGS/reports/2019 di 08-05-7020

Sic

Sub: PRI subdivision - Mandavala - submission of cubes of MXI concrete - required

7 days strength results - regarding.

Ref:- 1. Rc no 26/C1/2020 dt 01 05 2020 af the District Collector /DPC MGNREGS

Krjshna

[ am submitting the cube samples (3 nos ) of size 150x150x150mm casted on 17.20 with 1450 mix concrete for obtaining line / days (08 05-2020) cube strength of the above concrete is used for Footings of Construction of Compound wall to MPPS

Putlacheruvu of Mandavalli Manda? Estt Cost Rs.7.08 aikhs sanctioned under NREGS grant. Required payment will be made when the demark reserved from your citd.

\_Years laithtolly

Seputy Executive Engineeer PRI substitution

Maedarolli

Submitted to fraideliens the Pronugal breeze

M8

Ry 300/---

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshedri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dathi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NSA Accreditation: 8.7ech - CSE for 5 Years and CE, EEE, ME, ECE & iff for 3 Years. Phone Nos. 08674-273737, 273868, Mobile; 9848779121 Fax No. 08674-273957

o-mail: principal@geogudiavalleru.sc.m, office@geogudiavalleru.sc.m, Web: www.geogudiavalleru.sc.in

#### Dr. POTLURI RAVINDRA BABU

U. Tech. M.S., M. Seele, Ch.D.,

19. C.Phys. B 1981 C. A85; AC, 2205; ASSAN, 22070. Berlin,

Principal

Ref: GEC/Consult/CE/MT-365

Date 09-05-2020

To Sri P.Suresh Babu, M.Tech. Deputy Executive Engineer, Panchayat Raj Sub Division. Mandavalii Mandat Sir.

Sub - Test results of the CC cubes for the construction of footings of Construction of compound wall to MPPS Putlacheruvu of Mandavalli Mandal - Regarding.

With reference to your latter we have conducted the compressive strength test on M20 grade, CC Cubes. Which are casted and supplied by you. The Test results for 7 days are as follows.

	Grade of concrete	Date of Casting	Date of Testing	Compressive Strength (N/mm²)			Total Strength	Average Strength
ŀ				f	2	3	(N/mm²)	(N/mm²)
İ	M 20	02-05-2020	09-05-2020	16.29	16.75	16 42	49 <b>4</b> 7	16.49

This is for your kind information.

Thanking you,

Tested by

Yours faithfully,

(A.Jilani)

Arthai

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao) (Dr.P.Ravintiga

Head of Civil Engineering

PRINCIPAL

Received by A.V. Ramankon

LERU ENGINEERING

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Daihi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web. www.geogudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

# Fock, M.S. M. WOLLIND, THE CREEK SHATE AREST SEASOF MEAN AREA AREA.

Principal

Ref: GEC/Consult/CE/MT-368

Date: 30-05-2020

Tο Sri P.Suresh Babu, M.Tech Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal Sir.

Sub:- Test results of the CC cubes for the construction of footings of Construction of compound wall to MPPS Pullacheruvu of Mandavalli Mandal - Regarding.

With reference to your letter we have conducted the compressive strength test on M20 grade, CC Cubes. Which are casted and supplied by you. The Test results for 28 days are as follows:

Grade of concrete	- GILL DI	Date of Testing	Compressive Strength (N/mm²)	Total Strength	Average :
M 20	02-05-2020	30-05-2020		(N/mm²) 80,59	(N/m/m²) 26.86

This is for your kind information.

Thanking you

Tested by

Yours faithfully.

Lab Technician

94

Lab Incharge

Head of Civil Engineering

(K.Venkateswara Rao) (Or.P Kodanda RamaRao) (Or.P Ravindra Babu) PRINCIPAL

Received By: AV. Ramolo

From

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Ray Subdivision, Mandavalli To,

The Principal

Gudiavaliero Engineering college

Gudlavaligne

Lnino / JTO/PRISD/Mandavalii/NRFGS/ reports/2019 dt 30-05-2020

Sir,

Sub: PRI subdivision - Mandavalli - submission of cubes of \$136 concrete - required 28 days strength results - regarding

Reft: 1<sub>33</sub> Rc no 26/C1/2020 dt 03-05-2020 of the District Callectox /EFC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size: 150x150x150mm casted on 02-05-2020 with was mix concrete for obtaining the 28 days (30-05-2020) cube strength of the above concrete is used for **Footings** of **Construction of Compound wall to MPPS Putlacheruvu of Mandavalli Mandal Estt Cost Rs.7.08** Leichs sanctioned under NREGS grant Required payment will be made when the demand received from your ope

Yours faithfully

136puty Existing & ngiocher 1931, subdivision

Manuscotti

Submitted to Submitted to principal for contension for contension

RS

Dy 300/

FOOD Sri S B V Reddy, M Tech Dy.Executive Engineer(R&B) (R&B) Sub divisions Machilipatnam

To The Principal College of Engineering Gudlavalleru

\*1T-376

MX

Lr. No. RTO office/DEE/2021 Dt 18 01 2021

Sir.

Works - Construction of MVI office, Machilipatnam, Krishna district Sub: Mix design reports - Requested - Reg

GR Agreement No.52/2020-21 Dt 06 01 2021 of Superintending Ref :: Engineer (R&B) Vijayawada

The work ' Construction of MVI office, Machilipatnam, Krishna district was sanctioned for Rs 90.00 Lakhs and was entrusted to Sri M/s Somuri Constructions Machilipatnam To start the work we required mix design Hence we are sending the required materials for testing. The design mix may be communicated for the following items at an early date. Necessary testing charges will be paid by the contractor

VRCC M 30 Grade using 20mm graded HBG crushed chips for for all RCC items

Yours faithfully

Encl

1 20mm graded HBG crushed chips

2 Sand

3 Ultratech 43 grade cement

s p.v. ledy 18/1/21 Dy Executive Engineer(R&B) (R&B) Sub division Machilipatnam

Courada KAR

#### REPORT ON

#### M = 30 GRADE CONCRETE MIX DESIGN

Name of Work :- Construction of MVI office, Machilipatnam, Krishna District.



Dy.Executive Engineer(R&B), (R&B) Sub division, Machilipatnam, Krishna District.

CONSULTANCY CELL

\*\*DEPARTMENT OF CIVIC ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

SESHADRI RAO KNOWLEDGE VILLAGE

GUDLAVALLERU – 521 356.

#### REPORT ON

### M-30 GRADE CONCRETE MIX DESIGN.

#### INTRODUCTION:

The Department of Civil Engineering, Gudlavalleru Engineering College, Seshadri Rac Knowledge Village Gudlavalleru was requested by The Sri S.B.V.Reddy, M.Tach. Dy.Executive Engineer(R&B), (R&B) Sub division, Machilipatriam. to recommend mix design for M-30 grade concrete using 20 mm. HBG grade coarse aggregate and fine aggregate, a slump of 25-50 mm is adopted.

The materials used for the above mix design are. Cement. (Ultratech OPC 53 Grade).

20mm H B G metal as coarse aggregate, fine aggregate supplied by the client.

This report includes the test results of various materials supplied and the mix proportions of materials in the mix design.

Mix Procortion is designed accreding to IS: 10262-2019 and the cubes were cast to determine the compressive strength at the age of 28 days of curing...

#### TEST RESULTS ON CEMENT

The Cement – Ultratech OPC 53 Grade supplied by the client was tested as per IS:4031(Part-4,Part-5,Part-6,Part-11) - 1988 & IS:4031(Part-1)-1996, & IS12269-2013 specification and the results are given below.

Sample Designation as per Client : Ultratech OPC 53 Grade Table - I

SL.	Name of the Test	Red. as per IS Code	Test Results
1.	Fineness of cement (Sieve Analysis)	Not more than 10% retention (IS:4031(Part-1)-1996	5% retention
2.	Standard Consistency (Water %)	25% • 35% (IS:4031(Part-4)-1988	32%
	Setting Times (minutes)		
3	Initial Setting Time     Final Setting Time	Not less than 30 min. Not more than 600 min. (IS 4031(Part-5)- 1988	70 min 490 min
4.	Compressive strength (N/mm²)  3 day strength  7 day strength	Not less than 27.00 Not less than 37.00 (IS.4031(Part-6)- 1988	28.33 N/mm² 38.04 N/mm²
5	Specific Gravity	3 - 3.15 (iS.4031(Part-11)-1988	3.15

### TEST RESULTS ON COARSE AGGREGATES:

The coarse aggregate samples 20mm size supplied by the client are tested according to IS:2385 (Part I) - 1963 & IS:383 - 2016 and the resturts are given in Table -

Table – II Test on coarse aggregate:

### Test on HBG metal (20mm):

SI No.	Name of the experiment	As per IS code	Results
1	Flakiness Index	As per IS :2386	10.3 %
		(Part I) – 1963	10.5 %
2	Fineness Modulus	As per IS :383 - 2016	7 24
3	Specific gravity	As per IS :2386	1 2.75
	<u> </u>	(Part III) - 1963	4.10

### TEST RESULTS ON FINE AGGREGATE:

The fine aggregate Fine aggregate sample supplied by the client was tested according to IS : 2386 (Part-3) - 1963 & IS :383 - 2016 and the results are given below :

FINE AGGREGARE :- Table - III

SI.No	Seive Sıże	Weight retained in each sieve (gms)	Percentage of Weight Retained in each sieve (gms)	Parcentage of weight Passing in each sieve (gms)	Cumulative percentage of weight retained	
1	4 75 mm	5	0.5	99.5	0.5	Fineness
2	2 36mm	20		975	2.5	Modulus:2.43 Specific
3	1.18mm j	90		88 5	11.5	Gravity = 2.63
! 4	0 6mm	315	31,5	<u> </u>	43	Zone-li
5	0.3mm	440	44	13	87	i
6	0 15mm	130	13	<u> </u>	100	
	TOTAL	1000		<u> </u>	242,85	1

### MIX DESIGN FOR M-30 GRADE CONCRETE

### DESIGN STIPULATIONS:

1: Characteristic compressive strength required in the field at 28 days.

 $= 30N/mm^2$ 

 $= 20 \, \text{mm}$ Maximum size of coarse aggregate

= 25 - 50mm slump Degree of workability Gnod

 Degrees of quality control ≤ Severe Type of exposure

 Ultratech OPC 53 6. Quality of dement

 $= 38.25 \text{ N/mm}^2$ 7. As per IS: 10262 - 2019 Target mean strenth

The following mix proportion according to IS: 10262 = 2019 is proposed using 20mm size coarse aggregate and fine aggregate and Cement (Ultratech OPC 53 Grade) which are supplied by you. For M-30 concrete cubes were cast to determine the 28days cube compressive strength

Compressive strength of cubes at the age of 28 days,

Table IV

Date of Casting:19-01-2021

Date of Testing:16-02-2021

Lisi1	Cement Kg	F.A Kg	C A Kg	Mix Proportion (By weight)	Water Lt	Water Lt W/C ratio	compréssive strength at the age of 28 days
j 1	413	672	1197	1:1.64:2.92	180	0 44	38.70 N/mm²

#### Note:

- The above mix proportion is valid for the materials supplied by the client.
- ii) This mix design is valid for executing all types of RCC works for Construction of MVI Office, Machilipatnam, Krlshna District

Tested by

(Auiliani) Lab Technician (K. Venkateswara Rad) Lab Incharge

(Dr.A.Sreenivasulu) Head of Civil Engineering (Dr.G.V \$ N.R.V.Prasad) PRINCIPAL

Head of Civil Engineering

CONSULTANCY CELL Gudiavalleru Engineering vollevalleru Engineering College. PRINCIPAL. Gubtavallerii Engineering College Beatladiri Rao Knowledge Cubtavallerii 199

Kristnie Disc, A.P.

GUDLAVALLERU-52:65

MT - 384 393 HI-394, MT-395

From

Mas CE

D.N.Kumi r. Assistant engineer. Endowments Department, Vijavawada.

To

The Princesal. Gradiavaliero Engineering College, Gudlavollero Village- 521356, Kaishin a Disti

5ir.

Subt-Endowments Department - Krishna Dist- Gri - Venkateswara Swamy Temple -Godugupeta, Machilipatnum Town - Krishna Olst - Execution of certain work-Test Reports for materials of cement , metal, steel, Pricks and Sand - Submitted -Test reports - Requested ...

I submit that it is proposed to Re Construction of Itemple of Sri Venkateswara Swamy Temple of Gorloguesta, Machelipatnem Town with CGF. Grant. The samples of materials like coment, fine aggregate, Bricks, course angregate and Steel which are collected by the contractor in connection of execution of works taken up and the samples are herewith submitting for conducting honestary following tests. We will pay the requisite fee for the test reports pay by the temple Authorities and bill is also issued Executive Officer Sri Venkateswara Swamy Temple at Godugupeta, Machilipatnam Towns

S.No.	Name of the item	Test to be conducted
1	Red Bricks	1.Compressive Strength 2.Water Absorption % 3 Efforescence
2	Test Method: IS 2386(Part 3): 1963   /RA2016)	2 Fineness Modulus 3.Specific Gravity
		4.Bufk Density <loose 5.589="" compaction="" content<="" td=""></loose>
3	Test Method: IS 23%-1983 (Reaffirmed )	6.Average Moisture Content 2.:5 Sieve 2.Angregate Impact Value
<u>ded \</u>		3.Angregate Croshing Value 4.Enkiness 5.Congation Index

	1	1. 7.Water Absorption
		8.Bulk Density <loose< td=""></loose<>
		Compacted
4	Coment Bhavya Coment 58 Grade OPC	1 Sample Identification
		3 Standard Consistency
	ı	4 Setting Time
		5.Compressive Strength
_	!	្តី6-S <u>/undnes</u> s
5	Steel 6 mm ,8mm, 10mm 12mm 16mm	11. Weight as per IS 1786-2000
	&20mm 415 grade or 500 grade	2.Y-old Stress
	5. SEE 1.	3 U'timate tensile Strength
	<u></u>	4.Percentage elongation

Yours faithfully,

polium

Assistant Engineer

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Sechadri Rad Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fex No. 08874-273957

e-mail; principal@gecgudfavalleru.sc.in, office@gecgudfavalleru.sc.in, Web; www.gecgudfavalleru.sc.in

### Dr. G. V. S. N. R. V. PRASAD

### Principal

Ref: GEC/Consuft/CE/MT-393

Date: 25-03-2021

To

Sri D.N.Kumar.

Assistant Engineer,

Endowments Department.

Vijayawada.

Sir.

Sub: Test results of the materials for the construction Sri Venkateswara Swamy Temple. Godugupeta, Machilipatnam Town, Krishna District - Regarding,

With reference to your letter dt. 15-03-2021, we have conducted tests on tor steel & fine aggregate samples supplied by you.

The details:

15.No	Dia of bar (mm)	Actual dia (mm)	Yield Stress (MPa)	% clongation
L_ ]	8 mm	7.9	755.55	22.02
1 - 2	10 mm	9.9	7(3 94	19.58
_ 3	i 12mm	11.9	671.92	18.13
_ 4	mmo	15.9	664.72	16.45
_5	20mm	19.9	652.86	<u> </u>

Aggregate Type	Description of tests	Result :
1	Specific gravity of fine aggregate (As per IS code 15 2386-1963 Part-3)	2.62
	Finesse Modulus of fine aggregate (As per 15 code 1S 383-1970.)	2.73
	Zone Test (As per IS code IS 383-1970)	Zone-tf Material
j Fine	Bulk Density of fine aggregate	1615 kg/m <sup>3</sup> 1
Aggregate	Silt Content (As per 15 code (8 2386-1953 Part 2)	3%
! .	Bulking of Sand (As per 3S code itS 2386-3963 Part-3)	% of bulking of sand 25%
 		% of moisture content of sand 6%

This is for your kind information,

Thanking you,

Tested by

(A.Jilani)

Lab Technician

(K.Venkateswara Rap)

Lab Incharge

(Dr.A.Sregriivasulu)

Head of Civil Engineering

Yours faithfully.

(Dr.G V S.N.R.V.Prasad) PRINC:PAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna Dialrict, A.P., India.

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos, 08674-273737, 273888, Mobile, <91 9848779121 Fax No. 08674-273957 e-mail: principal@geogudlavatloru.ac.in, office@geogudlavalleru.ac.in, Web; www.geogudlavalleru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Tech., Ph.D.,

MINTE, MIETE, MIE, MUSI, MISRS, MIARR, MORSI

### **Principal**

Ref: GEC/Consult/CE/MT-394

Tο

Sri D.N.Kumar

Assistant Engineer,

Endowments Department,

Vijavawada.

Sir.

Sub; Test results of the materials for the construction Sri. Venkateswara Swamy. Temple, Godugupeta, Machilipatnam Town, Krishna District - Regarding,

With reference to your letter dt. 15-03-2021, we tested clay bricks and cement samples which are supplied by you, as per 18 specifications. The Test results are as follows:

### Tests on Bricks:-

Average Compressive strength of Brick:

Average Compressive strength of Brick is 52 Kg/cm<sup>2</sup>

(As per IS 1077-1992 standards it should not be less than 35Kg/cm<sup>2</sup>).

Water absorption of Brick:

Average Water absorption of Brick is 11.44% (As per IS 3495 Part-2 (1992) standards it should not be greater than 20%)

Efflorescence:

Efflorescence - Nill (As per 1S 3495 Part-3 (1992))

Tests on Cement (Bhavva 53 grade opc):-

SL.No	Name of the Test	Req. as per IS Code	Test Results
1.	Fineness of cement (Sieve Analysis)	As per 18 4031 Part-1 (1996)	6% Retention
2.	Normal Consistency	As per IS 4031 Part-4 (1988)	32%
	Soundness Test of Coment	As per 1S 4031 Part-3 (1988)	3тт
4.	Initial Setting Time Final Setting Time	As per IS 4031 Part-5 (1988)	70 Minutes 580 Minutes
5.	Compressive strength (N/mm²)  • 3 day strength(not<27N/mm²)  • 7 day strength(not<37N/mm²)	As per IS 4031 Part-6 (1988)	27.92 N/mm <sup>2</sup> 39 19 N/mm <sup>2</sup>

This is for your kind information.

Thanking you,

Tested by

(K.Venkateswara Rap)

(Dr A.Sreenivasulu) Head of Civil Engineering Yours faithfully

Date: 25-03-2021

(Dr.G.V.S.N.R.V.Prasad)

PRINCIPAL

(A.Jitani) Lab Technician

Lab Incharge

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTS, New Deihi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9846779121 Fex No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. G. V. S. N. R. V. PRASAD

M.S., M. Teels., Pb.D.,

MISTE, MIETE, MIE, MUSI, MISRS, MIAPS, MCRSI

**Principal** 

Ref: GEC/Consult/CE/MT-395

To

Sir D N.Kumar

Assistant Engineer,

Endowments Department,

Vijayawada.

5it.,

Sub: Test results of the materials for the construction Sri Venkateswara Swamy. Temple: Godugupeta Machilipatnam Town, Krishna District. - Regarding.

\* \* \*

With reference to your letter dt. 15-03-2021, we have conducted the following tests on coarse

aggregate samples which are supplied by you. The Test results are as follows:

Aggregate   Type	Description of	Result
l č	Specific gravity of coarse aggregate (August 15 code 18 7386/1963 Pan-3)	2 74
19	Engasse Medulus of course aggregate (As per IS code IS 2386-1951, Pex-1)	113
	(As per IS code IS 2.386-1963 Part-4)	11.K°%
Coarie :	Crishing value test (As per IS code IS 2386-1963 Part.4)	1+600
Aggregate (20 mpr)	Hakiness Index (As per IS code IS 2386-1963 Pare I)	10.2%
Ī	Diorgation Index (As per IS code IS 2386-1963 Part-1)	15.6%
	Bulk Density of course aggregate	1620 kg/m²
ŀ	Water Absorption (As per IS code (S 2086-1963 Part-3)	0.25%
	Specific gravity of coarse aggrégate (As per 18 code 18 3386-1963 — Paul-3)	7.59
İ	Finesse Madulus of coarso approgate 4 As per SS code IS 2386-1963 Part (1)	8.55
Course	https:// Value text (As per 15 cody 18 2386-1963 Part-4)	17"4
Ageropate (40 mm)	Crushing value test (As per IS code IS 7386-1963 Part-4)	26.00
	Bulk Density of crease aggregate	1485 kg m
	Water Absorption (As per IS code IS (186) 1963 Part-3)	i 41.15%

This is for your kind information.

Thanking you,

Lested by

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge (Dr.A.Sreemvasulu) Head of Cwil Engineering Yours faithfully.

or.G.V.S.N.R.V.Prasad

Date: 25-03-2021

PRINCIPAL

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudisvalleru)

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell RECEIPT

No.345

Date: 10/06/2020.

Received an Amount Rs. 60-000. (Rupees... Sixty ... Thousand only ..... from Sri/Smt. 37 ... S. Venterlywan few cla: See workatywan tube well will formali towards 31.1. Luting ... Depay ... 57-156, 37-15. 8T.-1.57, 158, 9T.154, 57, 160, 37-164, ST 162, ST. K. J. 114, 5T-166, 57-167, 97-118 57-169, 57-170 Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU




No. 345

Date : 25 /07/2020

Received an Amount Rs. 4.5.01=
(Rupees four hundred Fifty Rumory
from Sri/Smt. Stee chaler a court uchion
owards GNORCCT, by tollings



RECEIPT Distre | D. January Received an Amount Re. Rupees Amy Amended Lile rom Sn/Smt...... SWEIGE . . MC3.C. Cillian bus the a aculty Incharge onsultancy Cell



Consultancy Call RECEIPT Date 1/2/2020 ceived an Amount Rs.1.1 . 000 1-m Sri/Smt. The Special ... 6th ... 1 Secretary Branco Saddy alayam, Ikhan Cally Comb



# Consultancy Cell RECEIPT

No. 350

Received an Amount Rs. 14., DO	
(RupeesfourtoumI.ha.	Handl-only
from Sri/Smt. The special 25.	and Secretar
Cramono Sachistaloyean y	mda.kudum
towardsSol. Latting G.T.	150

Faculty Incharge



SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

No. 351

Date: 34.48. 3020

Received an Amount Rs. 9.54
(Rupees Four hundred Rity andy)
from Sri/Smtpeouty Free Land Love Longmen
Endrement popularet injugante.
towardscatalbef6

Consultancy Cell





Received an Amount Rs. 450./-----Date: ...3.1.4842020

rom Sri/Smt. 70607. Sen 646ef. Compleyed..... 

culty Incharge onsultancy Cell



# SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell



Date: 14/09.1.20.20

Received an Amount Rs 225
(Rupees 7 cochumbred wenty Breedy
from Sri/Smt. V. San Baby Mylyland Engma
PRI subdiction, Quelivoper
towardscacubel-3.nld

Faculty Incharge
Consultancy Cell

Prineipal

## SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

No. 354

Date: 19/109/2020

Received an Amoun	t Rs.1350/
(Rupees	found Those propoded & & onl
from Sri/SmtDe.put	y Executive tongineer,
Mandewalin	Perocexypt Bay Subdishon
	use, -18 Nas
Faculty Incharge	Principal
Consultancy Cell	



## Consultancy Cell RECEIPT

No.

355

Date 22 01/2020

Received an Amount Rs...4.59.-(Rupees to 41 hundred for ty Ry an only from Sri/SmtDePuty Executive English Ind. Vell. Panchy at Ray subdiver towards CC Culous - 6 not

# SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

No. 356

Date: .23/9/2020

Received an Amount Rs8
(Rupees teght Thougandonly )
from Sri/Smt. Sazadagumal. Sacharakyang
Lusma pyliict
towards

Faculty Incharge
Consultancy Cell



# Consultancy Cell RECEIPT

Date: 24/9/2000

Received an Amount Rs. 1350.

(Rupees one Thousand Three hundred fiftyonly

from Sri/Smt. Deputy. Frecutive. Gagoner.

Panchayat log Subdiction, Mondowski

towards ...... CC. Cube .- 18

Faculty Incharge Consultancy Cell



# Consultancy Cell RECEIPT

Date: 25/9/2020





No. 360

Date: 38/9/2020

Received an Amount Rs. 1,350
(Rupees. one morgand have hunder bity
from Sri/Smt Deputy 6xe entire Engrader
Enchayed Ray Stebalishon, 17 and walli.
towardscc.a.by18

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



Consultancy Cell
RECEIPT

Date: 30/09/2020

Received an Amount Rs. 13504
(Rupees ne. Though of Three hundred fillyon)
from Sri/SmtpepulyE. Deculivetragmen
Handraget by subdushing mondable
towards

Faculty Incharge Consultancy Cell

### KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell RECEIPT

Date: 3/10/2020

Received an Amount Rs. 8.,000.
(Rupees
from Sri/Smt. The Comany uses Kennelife
Apolahon, Hackeligelman
owards5118.5



# Consultancy Cell RECEIPT

Date: 6./10/2020 ...

Consultancy Cell



# Consultancy Cell RECEIPT

No. 364

Date : 6/10/2020.

Received an Amount Rs1,350.1	
(Rupees one thousand three has	
from Sri/Smt. Deputy 6 recolute.	bryman
Princhayat Pay dufton,	
towardsCc.c.beg -18	

Faculty Incharge

# Consultancy Cell M1.166,167 Date: 08/10/2020. Received an Amount Rs. 1, 350. (Rupees...... me. they and . Thee hands fry my from Sri/Smt. Deputy txecutive tongonos. .. Parelicyest Ray Subdition, Handevalli... towards.....ccc.sq.~18....

ancy Cell

# Consultancy Cell 366 MT-169 Date: ..8/10/2020 Received an Amount Rs. 4.5a. (Rupees for hundred http.only) from Sri/Smt. Deputy. Executive. Engineer. Pararayat ky Subdurston, standavalle towards......Cc.cubej.-.6.... Consultancy Cell

### GODE AVALLERO ENGINEERING COLLEGE

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

No.

367

Date: 14/10/2020

Received an Amount Rs.9	100/:
(Rupeespanch.und.u	d.ordy)
from Sri/Smt. Deputy (xq.	culie tongmact.
PRI Subdurtion, itch	00.0
towards. Coursey12	
11.1.172.111.1	.13, .п.: 114

Faculty Incharge
Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

Date: .. 14/10/2020

Received an Amount Rs. 900.
(Rupees
from Sri/Smt. Depety. Executive. Executive. Executive.
PRI Duggon, mondadalli
towards

Consultancy Cell



# SESHADRIRAD KNOWLEDGE VILLAGE GOLD

RECEIPT

No. 369

Date: 14+10+2090

140	
Received	an Amount Rs900
(Runees	P. Bone. humehed Only
Cri/S	mt Do. Oster f. Recentite
F	RI Sub-divinon, Handwalli
	CGLuber - +2 iso
	177, FIT-180



# Consultancy Cell

RECEIPT

Date : .. 1/10/2020.

Received an Amount Rs450	<i></i>
(Rupees Sanhundre Sity or	Jy)
from Sri/Smt. reputy executive &	ngionces
PRI Sub division item	davalli
towards CC.cusep-6	
TT-18/	

# SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

No. 371

Date: 27/10/2020

Received an Amount Rs9004	•••••
(Rupeesnimchunden	Ly)
from Sri/Smt Deputy Greculive PRI Subdistion waxday	
towardsC.c.ubay12	
FIF-182, 11.T.	.18.3

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAG KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

No. 372

Date: .20.10-2020

Received an Amount Rs/0,000
(Rupees
from Sri/Smt. Ba. P. S. E. S. S. S. S. S. S. S. S. S. S. S. S. S.
to be wently
towards Part Payment & (Blass
Forf tisular truse DESBON

Faculty Incharge Consultancy Cell

- 1/2

SESHADRIBAD KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

## RECEIPT



Date : .31/10/2020

Received an Amount Rs	700+
Rupeesnma.ha	melad only)
from Sri/Smt. Deputy6	Retective commence
IRI Sub-dusting	Tarretoutell
towardsactives	
11.T184	18.5



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 374

Date: .02/11/2020

Received an Amount Rs6c0
(Rupees312 Lupday mly)
from Sri/Smt. Kaddu Kama Kristimayya Building
towards.
Flyanhbacky -6, 117189

Faculty Incharge
Consultancy Cell

Consultancy Cell

### RECEIPT

No. 378

Date: 04-11:2020

Received an Amount Rs900
(Rupees
from Sri/Smt. Deputy. Executive. Engineen,
PRI Subditation, nandowally muchal
towardsCs. whey -12.
77-187, TI-188

Faculty Incharge Consultancy Cell



SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 377

Date:04-11-2020

Received an Amount Rs4.50.	
(Rupees	lenalu )
from Sri/Smtg	May 1 = t
aman the Sub- Guinner	duada
towardsCL.Luby 6.N.C.	17.7190
TT19.)	

Paculty Incharge
Consultancy Cell



### SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

### RECEIPT

No. 374

Date: 65.14.2020

Received an Amount Rs.4., ac
(Rupees
from Sri/Smt. Gowtham paul,
and avalley
towards 3 distang Fre in valeyang.
Kat Mandalam 57-187

Faculty Incharge Consultancy Cell

# SESHADRIBAD KNOWLEDGE VILLAGE GUDLAVALLERU COnsultancy Cell

RECEIPT

No. 3791-

Date: .07-11-2020

Received an Amount Rs	
(Rupees	)
from Sri/Smt. G. Vendenkenanntero; menten tem	-
Englisher to Anal	
towardsce:::::::::::::::::::::::::::::::	

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 380

Date: ...09-11-202

Received an Amount Rs900.
(Rupees
from Sri/Smtpapidyesca.die.commen,
PRI Sub-dumm, nandaulli
towards

Faculty Incharge
Consultancy Cell

CONSULTANCE COLLEGE COLLEGE COLLEGE COLLEGE



### RECEIPT

No 381

Date: .. 7-11-2000

Received an Amount Rs. 1,2001
RupeesTwelve-tranded-mly)
rom Sri/Smt. Daputy exerctive exergence
P.R.I. Sub. d. wagner, Hardand!
owards
12666466

Consultancy Cell



#### GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 382

Date: 18.11:2020

Received an Amount Rs3004
(Rupees
from Sri/Smt. P. Sunces Babu, populy weeralse
Explorer, PRI Suddullm, Ilandoually
towards
7.1-200

Faculty Incharge Consultancy Cell



SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU

### Consultancy Cell



No. 383

Date: ..19:11-2020

Received an Amount Rs600.
(Rupees
from Sri/Smt. R. Saryh. G. 64. Deputy. Exec.
Engener, P.R.I. Superinner, Hendavalli
towardsacmber-6
177-201-177-202

Faculty Incharge Consultancy Cell Phycipal

# Consultancy Cell

### RECEIPT

No. 384

Faculty Incharge
Consultancy Cell



# SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

No. 385

Date: ...19 .-. 11 -- 2020

Received an Amou	unt Rs9001
(Rupees	word. Lumphed enly)
from Sri/Smt.P.Su.	1194 Brising populy free list
tragraeur, P.R.	I Subdininger, madenally
	26.6. Beg. 9.
	FIT-2014-71+7-2025
Faculty Incharge Consultancy Cell	

## SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

No. 386

Date: .54-41-2020

Received an Amount Rs1, 200.
(Rupees
from Sri/Smt. P. Seereph Balan, De Huly
G. T. C. Continue Congressory PR. ty Florebrutally
towards
17.7-506; 17.7-207, 17.7-209
Faculty Incharge Principal Consultancy Cell

# SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

Na.87

Date: aylıl 2020

Received an Amount Rs	1,2001
(Rupees	indred mly)
from Sri/Smt. P. Sever	Breber Departy.
Lacety C. Emgmeen	PRI Trandonl
towards C. C. C. C. C. C. C. C. C. C. C.	424
117-210, 177 211	11
	5
Faculty Incharge Consultancy Cell	Puncipal

# SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

RECEIPT

388

martality Call

from Sri/Smt. ..... Gerteph Better ne Detty & cechie ..... Lingstein, IRI. Sub-driften, Hundowilli 17 - 211 122 ... 212, ... 151 ... 212, ... 111-22 - - 111 - 223 , ... 1, 225 ... 226 Faculty thorraige Principal

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

Date: Halia Rese

Alarge at anny Cell

Consultancy Cell

RECEIPT

Date: 12-1-20-20

Received an Amount Rs.8.460.
(Rupees Light. Hangand.ord.p)
from Sri/Smt
Granding FRI Sub dingen, Guderad
towards

Faculty Incharge

SESHADRIRAO KNOWLEDGE VILLAGE GOIL
CONSUltancy Cell
RECEIPT

Date: 18:12.2:20

Received an Amount Rs304.
(Rupees
from Sri/Smttilee.m.de.m.
towards
V-T-2-56

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



No. 392

Date: 29/19/2020

Received an Amount Rs. 15, 825/
(Rupees. Fifteen Thougand Enth. hundard)

from Sri/Smt. Som venter transa Surroug temple,

has kalvered tralage. & Mandal, Kushmanyt et

towards. Malandaletting. 117-232, 111-233,...

Faculty Incharge Consultancy Cell

# SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell

RECEIPT

No. 393

Date: 29/12/2020

Received an	Amount Rs. 60.0.
(RupeesS	12 hundred only )
from Sri/Smt.	Surankalywara waray topk
barkalını.	ellage & Handled , Kishoupe Add
towardsca	cubef-6.NA
171-269	

Faculty Incharge Consultancy Cell

#### GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

Date: 27...12-2020

Received an Amount Rs. 600
(Rupees
from Sri/Smt. The harjell head, 170-ga
towards
17-270, AT-271
Faculty Incharge Principal

Consultancy Cell

# SESHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell

### RECEIPT

No.

Date 27/12/2040.

Received an Amount Rs.1,200/-
(Rupeesare Livergand Two hundred
from Sri/Smt.P. Sweeps. B. B. L. D. E. E., P. R. T. Sweet
144400, 11 modavalli
towards ccuber -12
117-227, 111-235, 111-236, 111-237.

Faculty Incharge Consultancy Cell

#### GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 396

Date: 29/12/2020

Received an Amount Rs600.
(Rupees
from Sri/Smt. P. Sweph Baby, DEE,
FRISub druppon, 17 andwalli
towards
117-243-117-248

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

No. 397

Date :29.1.12/2020

Received an Amount Rs. 600
(Rupees
from Sri/Smt. A. Hounadh Babu, DEE
RISisbalishon, and woda.
towards
117-249, 177-252

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 398

Date: 29. 2120

Received an Amount Rs. 600.
(Rupees. Syx. Jaundard. only.
from Sri/Smt. P. Swaga. Baby. DEE.
PRI Subdicisson, Handwalli
towardsccc.seg-6
117-254, 117-272

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

### RECEIPT

No. 399

Date: .27./01/2021

Received an Amount Rs. 4,000/
(Rupees
from Sri/Smt. Sacoutented ywara. Swang top le
ackedian 5T - 347
towardssaltuling

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



Date: 27/1/2/

Received an Amount Rs600.
Rupees
from Sri/Smt Sice ventralipus to Swing
temple, Kaikaluses
towardsccuses6
177-290,177-29)

Faculty Ancharge Consultancy Cell

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade
Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. G. V. S. N. R. V. PRASAD

M.S., M.Tech., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI

Principal

REF: GEC / Consultancy / 2021 /2

Date: 15th May, 2021

To

The Manager, State Bank of India, GUDLAVALLERU - 521 356.

Sri.

Sub:- Consultancy remuneration- Academic year 2018-19 & 2019-20 - Amounts payable to Faculty & Staff - Disbursement - Regd.

We are enclosing herewith yourself cheque bearing No.917769, for Rs. 92685.00 (Rupees Ninety two thousand six hundred and eighty five only) towards consultancy share amount of our staff members for the academic year 2018-19 & 2019-20. The details the staff members and their account numbers are furnished hereunder.

S.No.	NAME OF THE STAFF	SBI A/C NO.	CHEQUE NUMBER	AMOUNT (Rs)
, 1	Dr. P. Ravindra Babu	11588377465		7,723.75
2	Dr. G.V.S.N.R.V. Prasad	11588365766		3,089.50
3	Dr. M.R.Ch. Sastry	11588371633	917769	7,723.75
4	Dr. B. Karuna Kumar	11588360858		2,160.00
5	Sri K.Ch. Kishor Kumar	11588370130		16,470.00
6	Dr. J.A. Ranga Babu	11588366497		3,517.50
7	Sri J. Phani Kumar	20072917445		13,950.00
8	Sri T. Nagaraju	31592046416		8,970.00
9	Sri P.N.S. Srinivas	20242126858		1,275.00
10	Sri K. Chandraiah	11588367649		17,762.50
11	Sri N. Koteswara Rao	11588406454		2,150.00
12	Sri Subhan Khan	32243993516		2,385.00
13	Sri Md. Sileman	30746959884		813.75
14	Sri G.V. Krishnaiah	31940397234		60.00
15	Sri B. Rama Krishna	11588405949		3,089.50
16	Sri V. Hanumantha Rao	11588404162		1,544.75
(c)	17		Total Amount	92685.00

Please credit the above amounts to the individual's accounts of the staff concerned.

Thanking You,

Yours faithfully,

N PRINCIPAL

PRINCIPAL
Gudlevalleru Engineering College
GUDLAVALLERU-521356

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)



(01461) - GUDLAVALLERU POST BAS NOT MAI N ROAD GUDIWADA TALLIKA DIST KRISHNA ANDHRA PRADESH 521366 Tal: 1874-272367 Fax: 273253 IFS Code : SBIM0001461

15052021 00 M M Y Y Y Y या धारक को OR BEARER

PAY Your Selb

Nime by Two Thousand six hundred Eighty five only रूपये RUPEES

VALID UPTO ₹ 10 LACS AT NON-HOME BRANCH

WI. 6. A/C No. 11588344394

SB ACCOUNT

PREFIX: 1515800020

NULTI-CITY CHEQUE Payable at Par at All Branches of SBI

GUDLAVALLERU EN

Gudlavalleru Engir GUDLAVALLE

#917769# 520002783# 004043# 31

IGINEERING COLLE . CIPAL . Intering Collegi- ERU-521356			

## Seshadri Rao Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

RECEIPT

Date: 28.12.2020

Name of the College

JN7V, pulivendula

Name of the Student(s)

FROSEARCH Scholar OF HE Dept.

Utilized Laboratory

: RAD Lab

Name of the Equipment Utilized

: Vacuum Bagging Equipment

Amount charged toward utilizing the equipment: 5000 /-

H.M.E

GUDLAVALLERU, Date: 17.04.2021.

(P.T.O)

#### From

Dr. A. Jawahar Babu Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU.

To

The Principal Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU.

Respected Sir,

Sub: - Mechanical Engineering - Disbursement of Consultancy amount - Accounts - Up to 30.03.2021 - Regarding.

For your kind information, the total consultancy amount received from 2018-19 & 2019-20 is Rs. 92685.00

As per the disbursement policy mentioned in the college quality document, the statement showing the disbursement of above said consultancy amounts is presented in Annexure-II. Accordingly the disbursement amounts to various faculty and non-teaching staff members involved are given below.

With reference to Annexure-II		
A) Total Consultancy amount received		1,54,475.00
B) Disbursement Amount:		110 111 1 2 100
I. Principal (5%): For category A		
I, Dr. P. Ravindra Babu	7,723.75	
II Dean R & D and Consultancy (2%)	Michigan	
1. Dr. G.V.S.N.R.V. Prasad	3,089.50	
III HoD (5%): For category A&B		
I. Dr. M.R.Ch. Sastry	7,723.75	
IV Staff Involved (45%): For category A	100000000000000000000000000000000000000	
(a) Faculty:		
1. Dr. B. Karuna Kumar	2,160.00	
2. Sri K.Ch. Kishor Kumar	16,470.00	
3. Dr. J.A. Ranga Babu	3,517.50	
4. Sri J. Phani Kumar	13,950.00	
5. Sri T. Nagaraju	8,970.00	
6. Sri P.N.S. Srinivas	1,275.00	
(b) Technical & Non-technical (15% for Category A):	-0.000000000000000000000000000000000000	
1. Sri K. Chandraiah	17,762.50	
2. Sri N. Koteswara Rao	2,150.00	
3. Sri Subhan Khan	2,385.00	
4. Sri Md. Sileman	813.75	
<ol><li>Sri G.V. Krishnaiah</li></ol>	60.00	
	88,050.75	1,54,475.00

::1::



	88,050.75	1,54,475.00
V Maintaining records, Typing, Covering Letters:		
(a) Junior Assistant (2%) For category A	* 000 50	
1. Sri B. Rama Krishna	3,089.50	
(b) Attender (1%) For category A 1. Sri V. Hanumanth Rao	1,544.75	
VI Expenses: For category A	8	
Deposited in the Consultancy Account	27,805.50	
VII College Share (20%): For category A	30,895.00	
Deposited in the Consultancy Account	3089.50	
VIII Depreciation (2%): For category A		1 54 475 00
	1,54,475.00	1,54,475.00

I request you to kindly approve the statements and provide permission for making the disbursement of the amounts.

Thanking you Sir,

Yours faithfully,

AT H.M.E

Gudlavalleru Engineering Colle Geshadri Rao Knowledge Village GUDLAVALLERU 521 356

Gudlavolleru Engineering College GUDLAVALLERU 521356

SECRETARY & CORRESPONDENT GUDLAVALLERU ENGINEERING COLLEGE GUDLAVALLERU - 521 356

#### ANNEXURE -I

GUDLAVALLERU ENGINEERIGN COLLEGE

[An Autonomous Institute with Pormanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village ::Gudlavalleru

CONSULTANCY CELL

Statement showing the disbursment consultancy amounts received upto 01-06-2018 to 31-12-2020 (Catageory - A)

5.		Desired Name					1	Staff I	Dist	oursement of a	mounts		1	-		_
NO	Date	Project Name  KIIT, Bhubaneswar	Amount	Principal 5%	Dean R&D 2%	HOD 5%	Fac	ulty 30%	Techr	nical & Non- hnical 15%	Jr.Asst 2%	Attender 1%	Share 20%	Expenditure 18%	Depreciati on 2%	Total
1	22.11.2018		7000.00	350.00	140.00	350.00	윤석	2100.00	F 0	1050.00	140,00	70.00	1400.00	1260.00	140.00	7000.00
2	21.02.2019	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	1250.00	62.50	25.00	62.50	AARE	375.00	MS	187.50	25.00	12.50	250.00	225.00	25.00	1250.00
3	27.02.2019	Sir C R. Reddy College of Engineering, Eluru, West Godavari Dist.	1500.00	75.00	30.00	75.00	17.44	450,00	Snin	225.00	30.00	15.00	300.00	270.00	30.00	1500,00
4	02.03.2019	MIC College of Teeh: Kanchikacherla	450.00	22.50	9.00	22.50	PNS PNS	135.00		67.50	9.00	4.50	90.00	81.00	9.00	450.00
5	02.03.2019	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	750.00	37:50	15.00	37.50	Drawe	225.00	SriMS	112.50	15.00	7,50	150.00	135.00	15.00	750.00
6	67.03.2019	PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore	2000.00	100,00	40.00	100.00	Sri JPK	600.00	Sri KC	300.00	40.00	20.00	400.00	360.00	40.00	2000.00
-	11.03.2019	MIC College of Tech. Kanchikacherla	800.00	40.00	16.00	40.00	Sri PNS	240.00	Sn MS	120,00	18.00	8.00	160.00	144.00	16.00	800.00
1	08.03.2019 to 09.03.2019 & 11.03.2019,	D.M.S.S.V.H. College of Engineering, Machilipatnum	3600.00	180.00	72.00	180.00	KCHIKK	1080.00		540.00	72.00	36.00	720.00	648.00	72.00	3600,00
10	07.03.2019 to 09.03.2019 & 12.03.2019,	D.M.S.S.V.H. College of Engineering. Machilipatrium	3600.00	180,00	72.00	180.00	SHKCH	1080.00	Sri KC	540.00	72.00	36.00	720.00	648.00	72.00	3800.00

5.	2000	b sweetnesses	1.0	51.04-07			1	Pine	Dist	bursement of a	mounts							
NO	Date	Project Name	ct Name Arount Principal D 5%						Faculty 30%		Technical & Non- Technical 15%		Jr.Asst 2%	Attender 1%	College Share 20%	Expenditure 18%	Depreciati on 2%	Total
10	08.03.2019 & 12.03.2019 to 13.03.2019		7200.00	380.00	144.00	360.00	Dr. 9KK	2160.00		1080.00	144.00	72.00	1440.00	1296 00	144.00	7200.0		
11	09.03.2019	MIC College of Tech. Kanchikacherla	750.00	37.50	15.00	37.50	PAR	225.00	15 8	112.50	16.00	7.50	150.00	135.00	15.00	750.00		
12	10.03.2019	VKR, VNB & AGK College of Engineering, Gudivado	3000,00	150.00	60.00	150.00	五英	900.00	E S	450.00	80.00	30.00	600.00	840.00	60.00	3000.0		
13	14.03.2019	D.M.S.S.V.H. College of Engineering, Machilipstnam	1000.00	50.00	20.00	50.00	JARB	300.00	MS	150.00	20.00	10.00	200.00	180.00	20.00	1000.0		
14	14.03.2019	D.M.S.S.V.H. College of Engineering, Machilipatnam	1000.00	50.00	20.00	50.00	Dr.JA	300.00	SH	150.00	20.00	10.00	200.00	180.00	20.00	1000.0		
15	15.03.2019	MIC College of Tech. Kanchikacherla	1950.00	52.50	21.00	52.50	SHIKCHIKK	315.00	Sri NC	157.50	21.00	10.50	210.00	189.00	21.00	1050,00		
18	16.03.2019	MIC College of Tech. Kanchikacherla.	100.00	5.00	2.00	5.00	SH THR	30.00	Shims	15.00	2.00	1.00	20.00	18.00	2.00	100.00		
17	17.03.2019	Gudlavallera Engineering College	400.00	20.00	8.00	20.00	Sit JPK	120.00	Sn KK	60.00	8.00	4.00	80.00	72.00	8.00	400.00		
58	16.03.2019, 18.03.2019 & 19.03.2019	S.R.K.R. Engineering College, Bhimavaram	13000.00	650.00	260.00	650.00		3900 00		1960.00	280.00	130.00	2600,00	2940.00	250.00	13000.0		
19	14.03.2019, 18.03.2019 & 19.03.2019	Sai Spurthi Institute of Technology, Sattupelli Mandal, Khummann District	4700.00	235.00	94.00	235.00		1410.00		705.00	94.00	47.00	940.00	845.00	94.00	4700.00		
80	15.03.2019, 18.03.2019 & 19.03.2019	PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore	8900.00	445.00	178.00	445.00		2670,00	İ	1335.00	178.00	89.00	1780.00	1602.00	178.00	8900.00		
1	13.03.2019, 14.03.2019, 18.03.2019, 19.03.2019, 22.03.2019 & 25.03.2019	S.R.K.R. Engineering College, Bhimavaram	2700,00	135.00	54.00	135.00	и кснкк	810.00	Sri KC	405.00	54.00	27.00	540.00	486.00	54.00	2700.00		

	0.00000			-	Description of		t turvia	1	Sayro-e-		Staff I	Dis	bursement	of amo	ounts	_					
S. NO	Date	Project Name	Amount	Principal 5%					HOD 5%	Fa	culty 30%	Tech	Technical & Non- Technical 15%		Jr.Asst 2%		ttender 1%	College Share 20%	Expenditure 18%	Depreciati on 2%	Total
22	08.03.2019, 09.03.2019, 11.03.2019 &14.03.2019	S.R.K.R. Engineering College, Bhimavaram	4450.00	Babu	222.50	Prasad	89.00	, Ca	222.50		1335.00		667.60	13	89.00	ngu	44.50	890,00	801.00	89.00	4450.0
23	08.03.2019, 09.03.2019, 13.03.2019 & 14.03.2019	S.R.K.R. Engineering College, Bhimavarum	2900.00	Dr.P.Ravindra B	145.00	GVS.NRV.	58.00	Dr.M.R.Ch. Sastry	145,00		870.00		435.00	Sri B. Rama Kriet	58.00	Sri G. Hanumant	29.00	580.00	522.00	58.00	2900.00
24	22.03.2019	Tirumala Engineering College	7800.00	1	350,00	à	140.00		350.00	1	2100.00		1050.00	"	140.00		70.00	1400.00	1260.00	140.00	7000.00
25	29.01.2020 & [1.02.2020	VKR VNB & AGK College of Engineering, Gudiavada	4000.00		200.00		80.00		200.00		1200.00		600.00		80.00		40.00	800.00	720.00	80.00	4000.00
25	05.02.2020	Usha Rama College of Engineering & Technology, Telaprolu	1900.00		50.00		20.00		50.00	중 복	300.00	NKR.	150.00		20.00		10:00	200.00	180.00	20.00	1000.00
	10.02.2020 & 11.02.2020	DMS SVH College of Engineering, ACIM	200.00		10.00		4.00		10.00	DrJAR	60.00	Sri MS	30.00		4.00		- 2.00	40.00	36.00	4.00	200.00
28	12.02.2020	VKR VNB & AGK College of Engineering, Gudisvada	2000.00		100.00		40.00		100.00	¥,	600.00		300.00		40,00		20.00	400.00	360.00	40.00	2000.00
29	1.5 (32, 231,251	Ramachandra College of Engineering, Eluru	4000,00		200.00		80.00		200.00	SPLES	1200.00	Srt KC	600,00		80.00	1	40,00	800.00	720.00	80.00	4000.00
30		Sir C.R. Reddy College of Engineering, Eluru	750.00		37.50		15:00		37.50	8.8	225.00	92	112.50		15.00		7.50	150.00	135.00	15.00	750.00
33	F3.M4-204211-1	Sir C.R. Reddy College of Engineering, Elunu	750.00		37.50		15.00		37.50	Dr.JA	225.00	Sri MS	112.50		15.00	1	7.50	150.00	135.00	15.00	750.00
12	1.75 DEC 201901 - 1	Raghu Engineering Collge, Visakhaputnam	6000.00		300.00		120.00		300.00		1800.00		900.00		120.00	1	60,00	1200.00	1080.00	120.00	6000.00
33	1.7.102.20.1217	Ramachandra College of Engineering, Eluru	600,000		300.00		120.00		300.00		1800.00	8	900.00		120.00	1	60.00	1200.00	1080.00	120.00	6000.00
и		Sri Vasavi Engineering College, Tadepalligudem, West Godavari Dist.	2000.00		100.00		40.00		100.00		600.00	9 8	300.00	1	40.00	1	20.00	400.00	360.00	40.00	2000.00
5	2000 KILZ - ZITEZOF - 0.	Raghu Engineering Collge, Visakhapatnam	4900,00		200.00		80.00		200.00	CHRA	1200.00		600.00	1	80.00	t	40.00	800.00	720.00	80.00	4000.00

ac				- 7			_	Staff I		bursement of	emounts			-		
S. NO	Date	Project Name  Raghu Engineering Collge, Visakhapatnam	Amount	Principal 5%	Dean R&D 2%	HOD 5%	Fac	culty 30%	Technical & Non- Technical 15%		Jr.Asst 2%	Attender 1%	College Share 20%		Depreciati on 2%	Total
36	25.02.2020		4000.00	200.00	80.00	200.00	S 8	1200.00		600.00	80.00	40.00	800.00	720.00	80.00	4000.00
37	25.02.2020	PBR VITS, Kavali	3000.00	150.00	60.00	150.00		900.00		450.00	60.00	30.00	600.00	540.00	60.00	3000.00
38	25.02.2020	VKR VNB & AGK College of Engineering, Gudinvada	3000.00	150.00	60,00	150.00		900.00	Sh KC	450.00	60.00	30.00	600.00	540.00	60.00	3000.00
39	25.02.2020	VKR VNB & AGK College of Engineering, Gudiavada	3200,00	160.00	84.00	160.00		960.00		480.00	64,00	32.00	640.00	578,00	64.00	3200.00
40	26.02.2020	Raghu Engineering Collge, Visakhapatnam	4000.00	200.00	80.00	200.00		1200.00		600.00	80.00	40.00	800.00	720.00	80.00	4000.00
41	27.02.2020	Raghu Engineering Collge, Visakhapatnam	4000.00	200.00	80.00	200.00		1200.00		600.00	80.00	40.00	800.00	720.00	80.00	4000.00
42	28 02.2020	Raghu Engineering Collge, Visakhaputnam	4000.00	200.00	80.00	200.00	ShilPK	1200.00		600.00	80.00	40.00	800,00	720.00	80.00	4000.00
43	28.02.2020	DVR & Dr. HS MIC College of Technology, Kanchikacherla	1000,00	50.00	20.00	50.00	1	300.00		150,00	20.00	10.00	200.00	180.00	20.00	1000.00
	29.02.2020	Ramachandra College of Engineering, Eluru	500.00	25.00	10.00	25.00		150.00		75.00	10.00	5.00	100.00	90.00	10.00	500.00
45	29.02.2020	K.L. University, Vaddeswaram, Guntur Dist.	275.00	13.75	5.50	13.75	Dr JARB	82.50	Sri MS	41.25	5.50	2.75	55.00	49.50	5.50	275.00
46	02.03.2020	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.	3600.00	180.00	72.00	180.00	КСНКК	1080.00	9	540.00	72.00	36.00	720.00	648.00	72.00	3600.00
47.	02.03.2020	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.	4600.00	230.00	92.00	230.00	SHKC	1380.00	Su t	690.00	92.00	46.00	920.00	828.00	92.00	4600.00
48	02.03.2020 to 05.03.2020	DVR & Dr. HS MIC College of Technology, Kanclukacherla	1000.00	50.00	20.00	50.00	JARB	300.00	52	150.00	20.00	10.00	200.00	180.00	20.00	1000.00
49	02.03.2020 to 05.03.2020	DVR & Dr. HS MIC College of Technology, Kanchikacherla	1000.00	50.00	20.00	50.00	Dr.JA	300.00	Ski MS	150.00	20.00	10.00	200.00	160.00	20.00	1000.00
	03.03.2020 to 06.03.2020	DVR & Dr. HS MIC College of Technology, Kanchikacherla	1500.00	75.00	30.00	75.00	Dr.JARB	450.00	SriMS	225.00	30,00	15.00	300.00	270.00	30.00	1500.00

				- 1		100000		Staff In		oursement of a	450 00000	CAMPING AT	College	Expenditure	Depreciati	
S. NO	Date	Project Name	Amount	Principal 5%	Dean R&D 2%	HOD 5%	Faculty 30%		Technical & Non- Technical 15%		Jr.Asst 2%	Attender 1%	Share 20%	18%	on 2%	Total
51	04.03.2020	Lendi Institute of Engineering & Technology, Jonnada, Vizionagaram Dist.	4000.00	200.00	80.00	200.00	KCHKK	1200.00	U NC	600.00	80.00	40.00	800.00	720.00	80.00	4000.00
52	07.03.2020	LBRCE, Mylavaram	2000.00	100.00	40.00	100.00	20	600.00	60	300,00	40.00	20.00	400.00	360.00	40.00	2000.00
	The state of the s	Total (in Rupees)	154475	7,723.75	3,089.50	7,723.75		46,342.50		23,171.25	3,089.50	1,544.75	30,895,00	27,805.50	3,089.60	154475.0

<sup>\*</sup> The expenditure statement is shown seperately.

Kun tustion the

Dept. of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU-521 356

HoD, ME

Gudlavalleru Engineering Coilege Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

PRINCIPAL

Gudlavalleru Engineering Coffeg> GUDLAVALLERU-52135fi

REF: GEC / Consultancy / 2020 /2

Date: 15th November, 2020

To The Manager. State Bank of India,

Sri.

GUDLAVALLERU - 521 356.

Concultancy terminaration - Amounts Payable to Faculty Stay

Sub: Consultancy share amounts of our staff members for the academic year 2018-19 & 2019-20 .... .... ....


, dated 30th January, 2020 We are enclosing herewith yourself cheque bearing Nos. for Rs. 92685.00 (Rupees Ninety two thousand six hundred and eighty five only) towards consultancy share amount of our staff members for the academic year 2018-19 & 2019-20. The details the staff members are furnished hereunder.

and by account numbers ! S.No. NAME OF THE STAFF SBI A/C NO. CHEQUE NUMBER AMOUNT (Rs) 1 Dr.P.Ravindra Babu 7,723.75 2 Dr.G.V.S.N.R.V.Prasad 3,089.50 3 Dr. M.R.Ch.Sastry 7,723.75 4 Dr. B. Karuna Kumar 2,160.00 5 Sri K.Ch.Kishor Kumar 16,470.00 6 Dr. J.A.Ranga Babu 3,517.50 Sri J.Phani Kumar 13,950.00 8 Sri T.Naga Raju 8,970.00 9 Sri P.N.S. Srinivas 1,275.00 Sri K.Chandraiah 10 17,762.50 11 Sri N.Koteswara Rao 2,150.00 12 Sri Subhan Khan 2,385.00 13 Sri M.Sileman 813.75 14 Sri M.Krishnaiah 60.00 15 Sri B.Rama Krishna 3,089.50 16 Sri G.Hanumanthu 1,544.75 Total Amount 92685.00 College amount 61790.00 Total amount 154475.00

Please credit the above amounts to the individual's accounts of the staff concerned. Thanking You,

Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK Kakinada)
Sevindo Realizage Village, GODLAVA LERU 521 256, Kriehne District, A.P., India
(Approved by A)CTC, New College Permissal by A.P. State Government)
Accredited by MUC with A Grade

9 ho :e Not. 03674-273737, 273848, Mobile: +91 9343779121. Fax No. 08674-273867. E-mail: prigrepal@geogudiavalleru.ec.in, office@geogudiavalleru.ec.in, Web: www.geogudiavalleru.ec.in.

But of Supply SE NAME CAPITAVALLEAD ENDINGERING CONSUME A 104655 WARLAVALLERY ARRADOR ROAD VLATAWADA RAISHNA DISTRICT GUULAVA, E.P. J. ANGARA PRADUEN 681366 E vice of Simply Mature had a. ( Popus Private a mater), Invotor & ICET1009204.P23 i", Raj lindight, in Bergot, A Treatment News . AF ICET W. mbar - 470 007 Andreament Cale - 40 & 91sh Sop 2020 Manten producer file com Lie at TOTAL CHANG HSN SAC Code 64,400 00 Capping to having conducting AP ICET seam on 10 & 15th Sep 2010 338599 54,400,00 84,400 60 TOTAL SERVE OF SERVE PAN WARTASSES Surprints PAK F. AAICSOTTOL Bendicary mana. Principal Budleveller Engig Chilege Exercicien Argonne No. 11588-43310 Spentialis GS1 & 2/APIGS0170L120 ира филосотия**т** 

AC

PRINCIPAL
Gudenuleru Freineering College
GUDL WALLERIN 5213(4)

GDVL COO & TO

(Sponsored by A.A.N.Iv. & V.V.R.S.R. Educational Society, Gudisvellery)

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru, 571 366 Krishno Pilinia

(An Autonomous Institute with Permanent Afficiation to JNTUK, Kaldnado)

Feshadri Pao Kristviedse Valagri, GLIOLAVALLERU-521 358, Krishna Dietriot, A.P., India
(Approved by AICTE, New Daint and Permitted by A.P. State Government)

Assorbited by MAAC with 'A' Grade

Phone Nos. 08674-773797, 273885, Nobès, +97 8648779121 Fee No. 08674-273957 E mail princip il@geografisvolvru. -c la, office@geografisvolvru. -c la, office@geografisvolvru.

Jan Waller Coloni AVAIL FALL F HIS INTERIOR COLLEGE SUDVESS: GUDI AVALEERII ADDIADA EDAD SIRAKAWADA ARSHKA DISERGIT DUOLAVALLERU AADARA PAADESH SINSSA Pace of Supply Maliarachire San Pome Freeto Lunkid. Reference | 1940 11 6, 80671900-01697) Radiometric description for the 190 (see 1920) passes record where the CEF 167, Raje Inshabies Espaço. Nunder all's hab As presument Date: 10 E 11th Sep 2020 Ada-don BURNING ST. खणानंत्र TOTAL WHRD CHANDEY PERUNC Is conducting AP 2.5.1 usamen 10% Sep 2020 Exceptions I pass # \*60 DO 175 und fell Expensive Country conducting AP ICST name on time Sup made 6,800.00 60 79 194599 non stanish 1,728,09 895599 895599 11:25 Tour Conter Admirate and Kir Day 1 128 00 11.25 Manager by Pay 1 DE SONIA GO BANGO 600.00 Charassard to Day 9 4,600.00 760 490 men, attribute Cent. Park or atten Monagors Contraged Wester M WHO DO 6983B this wide Stuff Int. Day 1. Sitting Automobile Conf. 450 4 956 00 V##589 1 125 00 998189 988549 1125 (Agree Compositator los Bay 2) 1175 500 750 1,175 00 the major of the 2 600.00 eartes huller Transfer to Can 2 4,500 00 they take to the Day 2 2,250 00 NAS SAIL 450 предная дву и Мартиграта Са 800.09 69459 Statement of the Cap 2 4 950 UG PR 1423 Supervisor Support Charges for: 1.460.00 700 760 71017 Food BALKINSPA 1,400.00 Stationary Expended 1,570 40 45 Genset andred fluor Charges for Day a Campet a Grot Fuer Energes for Day 2 361 4.5 54 400,00 TOUR 54,409,60 TOTAL Serabié n/ KCM PAS: AAATA 919)N Samprints PAR 8" AAIČŠÍTZUL "Had, Beneficiary name. Political Gusteval'in Engo College Sulplims GST # 27AAIUS97:6L120 Denaficiery of Joure No. 11586341210 IF SC. 5(3)46401461

1/2.

TOAC

DRINGIPAL CONCL

Social dere Engravone College GUDL MALL SOLLAS LOSE



(Sponeored by A.A.N.M. & V.V.R.S.R. Educational Society Gudlavaliery)

PRINCIPAL Seshadri Reo

Gudlavalleru Engineering College Seshadri Roo Knowledge Village Gudlavalleru - 521 356 Krishna Dishirt A.P.



#### WORK ORDER

Gudiavalleru Engineering College (1284)

Gudlavalleru Addada Road Vijayawada, Krishna District, Gudlavalleru, Andhra Pravlesh, India

Date 6-Sep-2020 APICET100920AP23

Dear Sir/Madam,

We are pleased to release a Work Order for the item's as given in Annexone A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services. Ltd. and GudlaveRere Engineering College ("Agreement")

Project Details	
Assessment Name	I AP ICET
Assessment Data(s)	10-Sep-2020 11-Sep-2020
Assessment Shift(s) &Time(s)	Shift-1:: 09.90AM-11:30PM Shift-2:: 03.00PM-05.30PM
Project Andress	Gudlavateru Engineering College, Gudlavateru-Addada Rhad, Vijayawada, Krishna District Gudlavalleru Anuhra Pradosh, India
Invelo: Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement
Entiri for Communication	Ion.assessment@ics.com

USP facilities are exclusively for TCS use TISP agrees that should not conduct any other online assersment(s) during the usage period.

Please mention the Work Order Number APICET10092QAP23 for all your future correspondence to easy reference and payment facilitation

Request you to kindry acknowledge and accept this Work Order.

Thanking you

FOR YAYAN COMBULTANCY SCHUICES

GDAT CO

For Gudtevælleru Ergineerlog College

PRINCIPAL
GUSPOTION Engreeming College
GUOL AVALLERU-52\*356

POAC

Page 1 of 2

Fig. 1 Curl AL Seshadh Reo Gudlavelieru Engineering College Seshadri Reo Knowledge Village



## TATA CONSULTANCY STRVICES

## WORK ORDER

Budiavalleru Engineering College (1284)

Gudlavalleru-Adriada Road Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh India

Date 6-Sep-2020 APICET:00920AP23

Anaexure "A"

			Andexure	"A"		AND DESCRIPTION OF THE PARTY OF
Assessment	Shift1	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
Dato(s)	Count	- Shirt Street	D. A.A. MA		2	8750 00
10-Sep-2020	174	175			2	\$800 DO
11-Sep-2020	176	175				
THE RESERVE				WE TAKE IT		17,550.00
(Annekure A): Air	ount for No	des Utilizati	on (Single &	Wmirhie		16 500,00
					(B)	14,400.00
						0.00
(Annuxure D): An	anial for Sul	veillance R	ecord Facili	ty (Single &	(Biglishum)	48,450.00
(Mulakuje D): Wa	making At	B+C+D)	200			40,430,00
Total Amount (An	HEXULE S MI	0.00				

Total Exam Days 2

Manpower (Facility Requirement Table

Manpower (Facility Requirement Table	Requirement Ratio		
Manpower / Facility Title Test Center A3ministrator	1 : Test Center 1 : 250 Cancidales		
IT Admin	1: 30 Candidates		
Registration Managers	1:40 Candidates		
Support Staff SD Voluntoers	Adequate Count as per Center requirement		

Annexure "B"

Дпияхигр	D CONTRACTOR OF THE PARTY OF TH
Manpower Title	Amount Rs.
'Test Center Administrator	7250.00
	2250 00
IT Admin	1200 00 .
11 Assistant	9,000.00
Invigilators	1,800.00
Support Staff	
Total	15,500.00

Аппехиге "С"	
Manpower (Additional)	Amount Rs.
SD Volunieers	9,900.00
Registration Managers	4 500 00
	0.00
Frisking Manpower	14,400.00

Annexure "D"

Annexure "D"	- CONTRACTOR AND A STATE OF THE PARTY OF THE	ount Rs.
Surveillance Facility	Aill	0.00 (
Surveillance Camera Record  Note: Surveillance Camera	Facility to	Racord
Rs.10/- per node for one day	No office and	000
Total		

 Fuel Charges for Generator, Rs.4.5/ Per Candidate Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Pro-Rate basis.

PRINCIPAL Guberniere Engineering Corege GUDL WALLERU-521,356 PRINCIPAL Sespoin War

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 52 F 350, Ørleh Ra Clistrict. A P.

(An Autonomous Institute with Permanent Affiliation to JNTUIC, Kakinada)
Seshadri Ren Knowledge Village, GUDLAVALLERU-S21 356, Krishna Disaries, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'N Grade

Phone ifox. 08674-273737, 273588, Mubile: ◆91 9848779123 Fax No. 08674-273957 E-mbil: principal ∰geogradisvaliaru.ac.in. office@ajacqudlavallaru.ac.in. Was: www.gucqudlavallaru.ac.in.

Bill of Supply LISP NAME : BUOLAVALLERO ENQUESERING COLLEGE. ADDRASS : QUOLAVALLERU ADDADA ROAD VUAYAWADA KRISHNA (#\$TRKCT GIOLAVALLERU ANDRHA PRADESH 521166 Place of Supply: Maharashtra San Pinda Phyme Limited, Imrofes #: EAM170920AP46 167, Raja Instructival Estate, America Date: 16th Oct 2020 Numbal - 420 980. Assessment News: AP EAMCET Assessment Date : 17,16,21,22,23,24 & 28th Sep मारा Altention SMR Piname Email smb.f/rgnser/Sha.go// TOTAL (MIS) Description Expenses triangle conducting 4P EAMCET was on 17,18,21,32,33,34 & 25th 100549 7.64,539,00 Sep 2020 2,64,589.00 Total 2,64,599,00 TOTAL бо**та), ги** от голи Sanporta PAN #: AAUCSU170L PAN: AAATA3093K Sensition, parks: Principal Gudleveter Engg College Samprints GST #- 27AAICE0770L1Z0 Bend Solary Account No. 11588343210 IFSC: 39IN5001461

A STORY

GOUL OF

PRINCIPAL
Guttanakaru Engilaranya Compa
GUDLAN LLERU-52135

TOAC

PRINCIPAL

Seshadri Rao

(Spursoned by A.A.M.M. & V.V.R.S.R. Reductional Society, Gudlangessisters Red Knowledge Village

Gudlevallery - 521 356, Krishna District A.P.

TUP NAME - GUPCAVALLERU ENGINEERING COLLEGE

ADONESS : GUDLAMAIZEAU -ADDADA ROAD MIJAMANAAA KIREHNA DISTRICT GUDLAMALLERU AACHRA PRADESH SELESA

Place of Society Mahareshira Sun Printe Private Limited

167, Rejo Industrial Belate, Mumber - 405 082

Reference Involve #: EAR (YOLK APIL) Brown Debt 18th Dep 2020 Parameterat Harris: AP EAACET

Administrated Cally; 17,18,21,22,23,28 & 25th \$4p 2000

Affinition Email

SMIII Funance most of Experient date

	1.		THREE HER	
Description Historia Participation of 17th Sep 1020	igde	GUANTITY	UNIT	TOTAL (MR)
Exports towards conducting AP EAMCET avail on 17th Sep 1020			7	
YDDes (count)	390339	250	50	12,500,00
Expenses toward conducting AP PANCET examin 19th Sep 2020.	- 1			
Nodes (court)	948599	250	60	12,5 <b>0</b> 0,00
Expenses fowards conducting AP EASECRT expending 31st Sep 2020	i.		1 3	F
Nindug (sourt)	B98656	250	) 50 F	:2,500.00
Expenses towards conducting, AP EAMCET, assuming 2 and Sep 2020.	- 1		1 1	ì
Note (count)	998699	245	50	12 450 cm
Sepenses towards conducting AP BANCET warm on 23rd Sep 2598			i I	
Hodes (cs.m)	<b>956</b> 503	246	60	12,300.02
Caperises towards conducting AP EARCET solaw on 249, Sep 2020			1 3	
Nodes (count)	22 \$2 940	154	50	R,659.00
Expanses forwards conducting AP EAMILET exam to 25th Bop 2020			: 1	
Apriles (Joseph)	191539	191	50 5	8,569,00
Janel Combra Arto, to agreem, Louise, a	h		1 1	
lest Conter Admin Area: Inc. (Bry 1)	इक्तान्यस्	1	1725	1,123 90
F Wanager for Cay	204728	1	1125	1,128.90
T Asc estant for Eay 1 Year agons for Cay 1	996599	> 1	800	809.00
	mana hè	P	750	5,7\$0,00
Repsitation Managors for Buy 1 Support Staff for Day 1	998588	7	45G	315000
O Volunteers for Day 1	996599	4	450	1 800 00
O vocale a for pay 1	595569	21	450	R,450 (00)
est Conter Arimin strates for Day 2			I . I	
	\$68598	1	1125	1,123.00
F Manager for Poy 3 F Assissant for Des 2	990599	1	1:75	1,125.00
Magicalant of California	856763	1 23	800	B00.00
	990599	В	156 B	0.750.00
Registration Makingura for Bay 2 Repport Staff for Our 2	REBLES	7	450	0.4000
Ripport dan iki baya Rip Volumeers for Day 2	BA15783	1 1	450	1,060,06
o too tels o baji 2	0u5Sau[	21	450	9,450.00
est Custer Artiming lights for Day 3	998549	, [	1125	- 407 8-
F Wanagen for Doy 3	898509	- i I	1126	1,125.06 1,125.00
Assissass for Day 3	D3850 <del>5</del>	i 1	800	505.50
mplacers for they di	998599		750	8.750.00
egistration Numbers to Day 3	898590	7 1	460	3 156 úp
utpoil Rts 4 by (Vey 1	200599	- 4 1	460	1,500 an
D Waterleurs for Say 3	908500	zi I	490	
		• 1	130	9,450,00
eal Gentar Administrato Asi Day 4	998599	1 I	1125	1.535.00
Manager No. Dey 4	918503	- i !	9125	1,535.00
Amiscort to 2074	D20599	; }	BG0	
NICHERT TO THE A	Düreiput	· · ·	750	£00 G0
egishel on Managars for they #	V81598	7 [	453	6.750.00
ippori Staff lei Day 4	984558	54	(50	3,150.00
D Volunteers for Day 4	788599¢	21	450	1,805.00
	-000044	41	100	9,450,50
ed Conter Administration Deg 5	806280	1 1	1125	1,125.00
Manager for City 6	665656	- 1	1125	1,125 00
Applicated for Cery a	858589	- 1	BOIL	500.50
viligator (©2 Statts (or Clay 5	<b>\$24</b> 598	7 1	75u	6 280 BD

PRINCIPAL Gudavaden Englisering College GUDEARSMLERU-\$21353

PRINCIPAL

Seshadri Raq

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlevgliery - 521 356, Krishna District, A.P.

4 2	500	1,000.06
6	450	2,250 00
2	200	600 00
5 7	450	1,850 00
a 1	220	350 00
65	450	7,200.00
s s	330	1,500,05
•	1 1	
1	'125	1,125 00
1	1125	4,125.0G
1	850	900 00
2 7	750	9,260.00
al 6	450	2,280.03
al 3	456	1,390.03
16	490	7,200 03
al 5 1	1125	1,125 00
1	1125	1,125 00
N 1 -	800	800.00
7	7:0	5,250 05
	450	2,250.05
3	450	1,360.02
i ië	450	7,200.03
	1 1	.,
1	1.0	
3194	2	4,348,60
3194	2	6,348.00
1	1 [	
669	4.5	2.246.50
500	4.5 E	2,250.00
409	4.5	2,245.50
498	4.5	2,241 00
437	4.5	1,966.60
381	4.5	1,724 60
360	4.6	1,710.00
	l i	3,46,599.00
TOTAL	i I	2 64 599 CD
		тотац

IS bridge of Center Head PAY: AAA TAC IRDK Burnefulary name: Principal Godfeveller Engg College Beral diany Augusts No.: 41588543350 #9C: SRIW001461

Samprints PANA: AA CS0779L

Susprives GST #: 27AAUGS0770L120



PRINCIPAL Gurfanstera Engineering College GUDL/WALLERU-521366

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna Dishict, A.P.



## TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineoring College (1284)

Gudfavalleru-Audada Road, Vijayawada, Krishna District, Gudlavateru, Andhra Pradesh, India, 521356

Date: 14-Sep-2020 APEAM1:70920AP46

Dear Sir/Magami

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sop-2017cetween Tala Consultancy Services Ho, and Gudlavalleru Engineering College("Agreement").

Project Details	Management of the second secon
Assessment Name	AP EAMOET
Assessment Date(s)	17-Scp-2020
	18-Aliq 2020
-	21-Sep-2920
	, 22-Sep-2020
,	23-Sep-2020
	24-Sep-7020
1000 Walter 1000 2 Walter 1000 2	25-Sep-2020
Assessment Shift(s) & Time(s)	Shift-109 00AM-12.00PM
	Shift-203:00PM-06:00PM
Project Address	Gudlavalleru Enginodring College,
	Gudlavalleru-Addada Road, Vijavajvada Krishna Diatrict
	Gudlavalleru, Andhra Pradesti, India, 521358
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estaté,
	Mumbai - 400 090,
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	uncer the Agreement
Entail for Communication	Ion.assessment@tos.com

LISP facilities and exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage periou.

Please mention the Work Order Number APEAMT170920AP46 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Green

Thanking you.

FOR YAXYA CONSULTANCY SCHUICES

ForGudlavarieru Engmeening College

PRINCIPAL Gudavellary Engineering Cologe GUOLAWA LERU-521356

Seshadri Rap

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalteru - 521 356, Krishna District, A.P.

Page 1 of 2



#### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalle/u Engineering College (1284)

Gudavalleru-Addada Road, Vijayawada, Krishne District, Gudlavalleru, Andhra Pradesh, India, 52:356

Oste: 14-Sep-2020 APEAMT170920AP46

Annexure "A"

Acisessment Pate(s)	Shift1 Count	Shift2 Count	Shift3 Count	SH SC Castal	# of Shifts	Amount Rs.
17-Sep-2020	250	249			2 !	12,500 00
18-Aug-2020	25C	250		•	2	12,500.00
21-Sep-2020	249	250	*,		2	12,500.CC
22-Sep-2020	249	249	·#.	1	2	12,450.00
23-Sep-2020	246	191			2	12 300.00
24-Sep-2020	. 191	190	**************************************		ż	9,550.00
25-Sep-2020	191	189			2	9.550.00
(Almexure A): Amo	: punt for Nod	es Uunzatio	n  Single &	Wultiples .		31,350.0D
(Annexure B): Ame	ount for Man	power Utiliz	abon[S ngl	e & Multiple	1	75.250.00
(Annexum C): Amo	bbA tof Inuc	itional Many	power Utiliza	ation (Single	& Multiple)	80,850,00
(Angexure D): Amo	ount for Sury	eillance Re	cord Facilit	y (Single & I	Multiple)	0.00
Total Amount (Ann	exure's A+B	+C+D)		23-20-22-1		2,37.450.00

Tolal Exam Days:7

Mangower / Facility Regulrement Table

Serrogravior / Pspelitry 11to	Regularement Ratio
Test Center Administrator	1 Test Center
IT Adm *	1 250 Candidates
IT Assistant	1 : 250Cand.dates
Invigilators	1:30 Candidates
Registration Managers	1 : 40 Candidates
Support / Volunteers (Indivisive of Security Guards and Electrician)	1 75 Candidates
SD Volunteers	Adequate Count as per Center requirement
Surveillance Camera Facility to Record	Not Required

Аппехиге "В"

ruinena a	
Misraphower Title	Amount Rs.
Test Center Administrator	7875.00
IT Admin	7875.00
IT Assistant	4200.00
Invigilators	43750.00
Support / Volunteers	11550.00
Total	75.250.00

Аппезике "С"

Williamic C	
Manpower (Additional)	Amount Rs.
Invigrators	0
Registration Managers	19,950.00
SD Volunteers	60,900.00
Total	80,850.00

Аппехште ""

Stort officerse Pandity	8810071 85
Survertance Camera Record	0.00
Note: Surveillance Camera Rs.10/- per node for one day	Facility to Record
Total	0.00

Fuel Charges for Generalor: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Pro-Sala bas s

PRINCIPAL

Guidenstate Engineering College GUDLAUN LERU-521366

PRINCIPAL

Seffagéré libés

Gudlavalleru Engineering College Seshadri Reo Knowledge Village Gudlavallera - 521 358, Krishna District A.P.

(An Autonomous Institute with Permanent Affiliation to JMTUK, Kastnada)
Seshedd Nilo Kristeledge Village, GUOLAVALLERU-521 365, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Covernment)
Accredited by NAAC with 'A' Grade

Photos Nos. 36674-273737, 273868, Mobile; +\$1 9848778121 Fee no. 68674-373957 E-resil, predpre Beacqueinvelleru, edin, office@geogradizableru albie, Web; www.gacqueilavel.eru ab.in

OUR BILLIAN (O. C. SMAN NO. SEARCH IN SEARCH	WOMETERS COLLEGE MONETERS COLLEGE MONEY MONEY CANADA (ACAMA DET)	RICT GUOLANALLE RUAN	DHIRA PHACALSA
type of Society (Belombrian an Private Produc Limited) (C. Augustina Derica) (C. Augustina Derica) (C. Augustina Derica)	- 150 B	Linches F. 60ETH-LIGHT weeks Date: 100 Oct Jacobson & Hame: All Assessment Call. 141	2020 @CEF
unamian in of	grap Finance get 115 pt 45% aucom	9	100
Case y then		#26 gracos	form, ink
parties (events conducting	per PC &T saam on 14 to Sep 2020	PEOPER	44, 71.85
			44,171.00
	24		
	Parit		44,1T1 PÅ
9 Technol Certain (1922) Odgo, popore addition Bengification promote Principal G Cermitolog paccount No. 1979	South - Vib	SAMPÉRIO PARI DI JAMES S	±91/01

13-

PRINCIPAL Gudneralere Engineering Codoge GUDL/WALLERU-621348

Mr S

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

(Sponecred by A.A.M.M. & V.V.R.S.R. Scientificnal Society, Wiled Valley) 521 300, Mentil District A.

(An Autonomous Institute with Permandni Affiliation to JNTUK, Kakinede)
Sesharif Ren Knowledge Yillage, GUDLWALLERU-321 356, Krishan District, A.P., India
(Approved by ArC 16, New path) and Parmitted by A.P. State Government)
According by NAAC with 'W Grade

Fhune Nos. 08574-273737, 273886, Mobile: +91 9848779121 Fax No. 08674-275957 F-mail: pricropal@geogudavateru.sc.in, office@geogudavateru.sc.in, Wash www.geogudlavateru.sc.in

Part   April 1987   April 1					
Deposition   Dep	gan Pennik Bilikani Lardini. 151. app.: en.ardin Balada.	<u></u>	-	Physical state of the	
Description					
10   10   10   10   10   10   10   10	Description	IISNEAC COM	as ASTITA		TOTALLINE
Control   Cont	THE PARTY OF THE PROPERTY OF THE PARTY OF	167, 595 \$220	913	. BH	
Manager () 1 State		una.keOl	1	1125	
Managery (C)   Sect			1	1125	
** According () 2 (Max - According () 2 (Max			1	750	
Part   Part   Part	PRINCE DE L'EST	194.5%	1	500	
Application   Application		708.948	1	621	
1.4 journ (2) Clarist  1.4 journ (2) Clarist  1.5 journ (2) Clarist			6	780	
Tayof deficilitinages (1970)  **Caprotice (197			3	500	
Capper personal personal personal control co	Caffern & Louis	TAMES.	b	410	2,780,00
Application   Application	Cappi degr. Managera 🖺 FIGU		*	200	
Support 204 (2 1588)   Support 204 (2 1590)	- Care Office (A) 中央企業 (A) [1] [1]			450	
10   10   10   10   10   10   10   10			1	3.70	330 (0)
50: Vocarianni () Substituti () 100   1,00   100   1,00   100   1,00   100   1,00   100   1,00   100   1,00   100   1,00   100   1,00			13.	490	
Cod Cuprom         58400 1 1 A 2 1,001 00 1,000 000 000 000 000 000 000			9.	300	-,650.00
Condition   Continue	Support sen Sacoup (compar for:				
Cond Department   Selection   Cond Department		MANUA S	4.66	1 2	1,053.00
Carrier exploit Half Drurgae (conf.)					
The same of the sa		3H2M	M.C	15	
· · · · · · · · · · · · · · · · ·	17.	F VI	TODAL	-	44 1/10:
A Company No. 10 Security Manager Additional Company C		O COL	Approval HCS	100	

IQAC

GDV1.

PRINCIPAL

Gudantino Engrado Calogo

SUDLANA LERU-52100

PRINCIPAL

Seehadri Rao Gudlavallero Engineering College

Seshadri Rad Knowledge Village

Gudlavatiery - 521 358, Kristma District, A.P.



## TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalteru Engineering College (1284)

Gud avalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 09-Sep-2020 APECET140920AP28

Dear Sir/Madam.

We are pleased to release a Work Order for the item's as given in Annexure A, B, G& Dibblow. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Taria Consultancy Services Lid and Gud!svalleru Engineering College("Agreement").

Project blinds	
Assessment Name	AP ECET .
Assessment Dato(s)	14-Sep-2020
Assessment Shift(s) &Time(s)	Shiri-109:00AM-12:00PM Shiri-203:00PM-06:00PM
Project Address	Gudlavaltaru Engineering College, Gudlavaltoru-Adopóa Road, Vijayawada, Krishna District, Gudlavalteru Andhra Pradesh, India, 521356
Invaice Address	San Prints Private Limibed, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	150% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tos.com

LISP facilities are exclusively for TC\$ use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APECET140920AP28 for all your future correspondence to easy. reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TAYA CONSULTANCY SERVICES

For Gudlavallery Engineering Gollege

PRINCIPAL Gudlavallere Engmer by Codege GUDLAVALLERU-521358



Seshadri Reg

Gudlavatleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna Dishett A.P. Page 1 of 2



#### TATA CONSULTANCY SERVICES

## WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vsayawada, Kashna District, Gudlavalleru, Andhra Pradesh, India, 521356

Date: 09-Sep-2020 APECET14092CAP28

Annexure "A"

			MILIECAL C	and the second s	
Assessment Tapagaj	Shift1 Count	SHIRZ General	Shift Shift4 Count Count	# of Shifts	Amount Rs.
14-Sep-2020	312	214		2	15,600.00
			6à.		•
	*	v iii v 🔳 i iii v	- WA 1	•	
			in we		
	1			. **	
, w	w	*	- t		
W.	•	*	√v		
	a				
	1				
Annexure At: Amo	ount for Nod	os Utilizatio	in (Single & Multiple)		15,600.00
Annexure B): Arm	ount for Mar	power Utili	zalion(Single & Multip	ple)	13150.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Muttiple)					10,950.00
(Annexure D): Amount for Surveillance Record Facility (Single & Multiple)				0.00	
Annaxiura D1: Ame	JUNE TOL SUL	よんいいちゅうしゅ しょん	the first and the state of the	THE LALL OF LAND AND ADDRESS OF THE PARTY OF	M191

Total Exam Days:1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Centyr /xdministrator	1 Test Center
IT Admin	1 250 Candidales
IT Assistant	1 250Candidates
Involators	1 · 30 Cendidates
Registration Managers	1 : 40 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1 75 Candidates
5D Volunteers	Adequate Count as per Center requirement
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Manpower Title	Amount Fa
Test Center Administrator	1125 00
IT Admin	1875 00
4T Assistant	1000.00
Invigilators .	7500.00
Support / Volunteers	1050.00
Total	13150.00

TAMOURKUTE -		
Manpower (Additional)		Amount Fig.
lowing letters		0
Registration Menegers	,	3,300.00
SD Volunteers	ı.	7,850.00
Total		10,950.00

Annexure "D"

Spiresel	Meaning Smith	The state of the s		Anac	oust Ru.
Surveillance Camera Record					Ø 00
	Surveillance per node for		Facility	50	Record
Total					0.00

Fuel Charges for Generator, Rs.4.5/- Per Cardidale

Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Pro-Rata basis

Gudavalins Espinsaring College GLIDLAWALLERU-521356

Sestion Had

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudtavalleru - 521 358, Krishna District. A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Sontwell Rea Knowledge Village, GUDLAVALLERU-521 358, Kristen District, A.P., India (Approved by AIC (6, New Doll) and Parieltled by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nov. 08674-273737, 273088, Mabillo, +91 9848778121 Fax No. 08674-273957 g-mail: principat@geogudiavalleru.ac.ió, oftica@geogudiavatieru ac.in, Wab; www.geogudiavajteru.ac.in

Anneyum

HAN MAMIL: GUOLAYAN FRILLI MCINI EHING COLLEGE

ARONYM <u>– BUDDAN</u>ALLERIE-ADBADA <u>RÓMU WIAYAWAD</u>A KRISIWA BISTRICT GUDLAVALLERU ANDHRA FRADESH 323.156

Place of Society: Mahares Side Sporter als Private Limited.

107, faga nidusvizi Estele. Mumbat - 400 080

Invoice # IACA27093(AP2) Reference - Tayolde Purta: 24th Oct 2000 Apparement Name : JET ASTVANCED

Assassment Cate - 17th Sep 2026

Asjeullan Final

Shap Farasan age has margon a com-

HARLEY. JEMIJ JATOT DIJANIPEY HANISAC DOAR UNIT Onechja on Lapensos (desarts conflocting, USA ALIVANCAD, susm on 27th Sep 782) s, repida 162 2525951 1105 00 1125 098595 Levi Center Agencies harge 1,125.00 1125 **\$149507** II Marraya 600 050 40 998592 II Assissan 4,500,00 \$56505 Ģ 250 Investigations 2,700 00 450 400500 п Regelizeen Manageri 620 60 450 958595 Support Statt 2 450 900.00 090598 Security Goulds 098599 433 UARO DO i-cone 1,600,00 B383B3 4 455 Creative Stoff есл ав 455 gende: Ingmip Qualitati 1 250 ag 800500 450 Crew/Management 2 450 \$30.05° 006599 Banasis access Sipperyenn Support Charges for: 391599 334 z 641.M Four Entenses 641 00 771560 374 Stallawary Figuresia 994545 1,600,00 Cannot and/or Fun Charges 29,496.00 Talai 79 496 UC TOTAL

Signicio di Center Habit PAN: AAA TABBISA

Segnature of NOV

Isonahulary warme: Principal Godiaveller Engg College

Dentificary Account No. 11888041210

IFSQ: STINCOORAST

Samprime PAN at AMICSOFFOL

Sangrinte GS2 4: PrAAICS8720L4Z0



PRINCIPAL Gudlanglieru Engineering College GUDLAWALLERU-\$21356

PRINCIPAL Seshadri Rac

<u> Gudlevelleru Engineering College</u>

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlav Silethidri Rao Knowledge Village

Gudtavalleru - 521 356, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Virlage, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by ATCTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phono Nos 08674-273737, 273888, Mobile: +91 9849779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalfaru.ac.in, office@gecgudlavalferu.ac.in, Web; www.gecgudlavalfaru.ac.in

igni al Supply AAME : GUDÇAVALLERU ENÇINEERING DOLLEGE ADDRESS . GUDLAVALLERU ADDADA ROAD VIJAYAWADA KRISHNA DISYRICE GUDLAVALLERU ANDHRA PRADESH 571958 Place of Supply: Maharashire Involce #: JE4270970AP21 it), Raja Industrial Estato, Invokes Date: 34th Oct 2020 Mymhel - 405 050. Agendament Navag : JEE ADVANCED Assessment Date: 27th Sep 2020 SMB Firance Allected resemblement cons ! TIEL тотациин Specialtics 958559 29,496.00 Papanasa 10wards conducting USE ADVANCED assum on 27th Sep 2020 29,496,00 Total 29,436,00 Sonature of HOM particle of Center Bead Sanphora PANA: AAICSGITGL PAN-ARATASISIN Careliciary come: Principal Gudlevallar Enga College Bireliciary Account No: 1858343250 IFSC: SCHNOX1464 Specifica GST &: 27AUGS0770L120

18

0

TQAC

PRINCIPAL — Gudayaletu Erginearing College GUDLAVALLERU-521356

> PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshado Red Knowledge Village

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Garden 1975) 21 356, Krishna District A.P.



## TATA CONSUCTANCY SERVICES

#### WORK ORDER

Gudtavatleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna Distoct, Andhra Pradesh

Date: 25-Sep-2020 JEEAD270920AP21

Dear SrrMadam,

We are pleased to release a Work Order for the ilem/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services. Ltd. and Gudlavakeru Engineering College("Agreement")

Project Catalia	
Assessment Name	JEE ADVANCED
Assessment Dale(s)	27 Sep-2020
Assessment Shift(s) &Time(s)	Shilt-1 09 00AM-12 00PM - Shilt-2 02 30PM-05 30PM
Project Address	Gedlavallera Engineering College, Gedlavallera-Aridada Road, Vijayawada,Krishna District, Andhra Predesh
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbal - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion assessment@les.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usago period.

Pleaso mention the Work Order Number JEEA0270920AP21 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Englneering College

PRINCIPAL

Qualitative Engineering College

GUDCAWALLERU-621356

10

PRINCIPAL

Seshadri Rad

Gudlavalleru Engineering College Seshodri Rao Knowledge Village

Gudlavalteru - 521 356, Krahna District, A.P.



## TATA CONSIDERREY SERVICES

#### WORK ORDER

Gudlavallero Engineering College (1204) Gudlavəlleru-Addada Road, Vijayawada,Krishna Disirici, Andhra Frindosh

> Date: 25-Sep 2020 JET A192799320AP24

Andessee "A"

			Application	M	.01	an a surroyance
Avademicant	Shift1	Shift2	Shift3	Shift4 Count	# of Shifts	AmountRs.
104(4)	Count	Count	Count	COUNT	7	8,100 00
27-Sep-2020	152	162				
			amounts #	Aruttledal		n,100.00
(Annexure A): Amo	unt for Noc	DB Utilizati	on tandio o	Minimizer	n.k	8250.00
Oly disease	seems lose fifteen	50 AUU 67 1 [[]]	tation(5)00	այլը գություններ	la & Maritinia)	10,350.00
Pit Amount for Additional Mailtower Utilization Jaining & Mailton			0.00			
(Appexure D): Amount for Surveillance Record Facility (Single a material)		26,700.00				
Total Amount (Ann	exure's Arl	B+C+D)		17.00		

Total Fixam Days: 1

tanpower / Facility Requirement Table	Requirement Ratio
Fri Strate and Parketing	1 Test Cepler
est Center Administrator	1 250 Candidalos
T/dm n	1 250Candidates
FA56 stant	1:30 Candidates
	1 30 Candidalos
Registration Managers	1 100 Candidates
upport / Volunteers (Inclusiva Electrician)	3 125 Candidates
Cicaning Slati	1 100 Candidates
Security Guards	1 125 Candidates
hermo Gun Staff	2 125 Candidates
Crowd Management	1, 125 Candidates
Stroppy Scanner Staff	2 100 Candidates
Pega Surveillance Camera Facility to Record	Nol Required

Аплехиго "В" Amount Rs. Manpower Title 1125.00 Test Center Administrator 1125.00 IT Admin 600,00 T Assistant 4500.G0 (swigilators 900.CO Support / Volunteers 8250,00 Total ...

		ESSA!	-	
Son	-44	nPO.	-	C-24

Amount Rs.
1800.00
2,700.00
900.00
900.00
1350 00
900.00
1800.00
10,350.00
֡

Annexure "D"

	llance Facilit	VIDE SELECTION	THE STREET	Amo	ount Rs.
Survel	lanco Camera	Record	1		0.00
Note:	Surveitance - per nodo for	Camera	Facility	10	Record
			con-St		

Fuel Charges for Generator: Rs.4.5/- Per Condidate

Mote: In case the number of days/podes specified above may increase or decrease Pro-Rata basis.

PRINCIPAL Gudaraters Engineering Codego UDLAWALLERU-571366

PRINCIPAL

Seshadri Rad

Gudlavalteru Engineering College Seshadri Rao Knowledge Village Guellavafferu - 521 356, Krishne District, A.P.

TQAC



## TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalieru Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356.

Date: 18-Nov-2020 APPSC211120AP51

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudiavalleru Engineering College ("Agreement").

Project Details	
Assessment Name	APPSC DEPARTMENTAL
Assessment Date(s)	21-Nov-2020
	22-Nov-2020
	! 23-Nov-2020
	24-Nov-2020
Assessment Shift(s) &Time(s)	Shift-110.00AM-12.00PM
9 19 19 10	Shift-203:00PM-05:00PM
Project Address	Gudlavalleru Engineering College,
	Gudlavalleru-Addada Road, Vijayawada, Krishna District.
	Gudlavalleru, Andhra Pradesh, India, 521356
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
-	under the Agreement.
Email for Communication	lan.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APPSC211120AP51 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TAYA CONSULTANCY SERVICES.

ForGudlavalleru Engineering College

TOAC

Seshadri Rao Gudlavalleru Engineering College - Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District A.P.



## WAYA CONSULTANCY SERVICES

## WORK ORDER

Gudiavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India. 521356

Date: 18-Nov-2020 APPSC211120AP51

Annexure "A"

			MIIIIOANI	/ .		THE RESERVE TO SHARE THE PARTY OF THE PARTY
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
21-Nov-2020	247	256	Shalladed Advisor		2	12,900.00
22-Nov-2020	330	330			2	16,500.00
23-Nov-2020	300	303			2	15,150.00
24-Nov-2020	320	315			2	16,000 00
241101-2020	0	0				
	1 0	Ð				<u>-</u>
	0	- 0				
	0					
		a a Mallimatic	a iCinala 8	Mulliple	i	60,550.00
(Annexure A): Am	ount for Noc	162 Officer	m tomgre o	to & Multiple	a1	65925.00
(Annexure B): Am	ount for mai	power our	zation only	estion (Sing	le & Multiple)	50,100.00
(Annexure C): Am	ount for Auc	inconai man	power out	to islanta &	Mulliple	0.00
(Annexure D): Am	oum for Sur	Vehilanca K	ecoru Pacini	rà l'ambie o	indicipie)	166,575.00
Total Amount (An	nexure's A+1	3+G+D)	*			

Total Exam Days:4

Mannower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
	1 : Test Center
Test Center Administrator	1 : 250 Candidates
IT Admin	1 : 250Candidates
IT Assistant	1 : 30 Candidates
Invigilators	1 : 30 Candidates
Registration Managers Support / Volunteers (Inclusive of Security Guards and Electrician)	
SD Volunteers	Adequate Count as per Center
2D valatilisera	requirement
Surveillance Camera Facility to Record	Not Required

Ánnexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	4500 00
IT Admin	7875.00
IT Assistant	4200.00
Invigilators	31250 00
Support / Volunteers	B100.00
Total	56925.00

Annexure "C"	
Manpower (Additional)	Amount Rs.
Invigilators	0
Registration Managers	18,750.00
SD Volunteers	31,350 00
Total	60,100.00

Annexure "D"

Surveillance Facility		ount Rs.	
Surveillance Camera Record		<u>a</u>	0.00
Note: Surveillance Camera	Facility	10	Record
Rs 10/- per node for one day			
Total			0.00

Fuel Charges for Generator Rs 4.5/- Per Candidate Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

PRINCIPAL

SeshPage@2001 2 Gudlavalteru Engineering College

Seshadri Reg Knowledge Village Manager pay and white

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUOLAVALLERU ANDHRA PRADESH 621356

EMAIL ID: principa@geogud#ava#eru ac.in

Place of Supply: Maharaslitra San Printe Provets Limited.

167, Raje Industrial Estate,

Minnibai - 400 080.

Invoice #: APS211120AP51

Invoice Date: 2nd Dec 2020

Assessment Name: APPSC DEPARTMENTAL

Assessment Date : 21st, 22nd, 23rd & 24th

Attention [€me1

5MR Finance

such finance@jos com

Description		HSN (SAC Code	TOTAL (INR)
Expenses rewards conducting APPSI 24st 22nd 23rd & 24th Nov 2020	DEPARTMENTAL avaro on	998599	1,87,000.50
Tota'	i de la companya de l		1.87.000 50
	TOTAL		1,87,000.50

Sign:ure of Center Head

Signature of SGM

PAN: AAATAJOUJK

Beneficiary name: Principal Gudlevatler Engg College

Bursellclary Account No. 11588343210

IFSC 58IN0001481

Sampsinja PAN #: AAIČSC770L

Samplints GST#: 27AAIGS0770L120

PRINCIPAL Seshadri Reo

Gudlavalleru Engineering College Seshadri Rad Knowledge Village

Gudlavalloru - 521 358, Krishna District, A.P.

#### Amneuur<u>e</u>

LISP NAME : 6UDLAVALLERU ENGWEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VUAYAWADA HRISHMA DISTRUT GUDLAVALLERU ANDHRA PRADESH 521356

PMAIL N/ pancipM@geogudinallery.ac.in

Place of Supply: Waharashbra

San Prints Privace Correted.

167, Raja Industrial Estate, Mumbji - 406 080.

Meturenco Invoice Cale: 2nd Dec 2070 Reference

Invace & APB2(1)200/51

Assessment Name - APPSC DEPARTMENTAL

Addonomiem Dato , 2141,2264,23rd & 24th Hoy 2020

Attention Final

SMB Finance வம் நீங்களின் கொ

Final <u>6</u>	<u>ாய் சீர்காண்ணின் கூக</u>			
<del></del>		Γ'	PAICE PER	
Description	NSN/SAC Code	QUANTITY	UNIT	TOTAL (BES)
Expenses sewards collabiliting APPSC DEPAR			F-1	
Modes (count)	201/38		50	12,900.90
Expension sowards conducting APPSC DEPART				
Morká (count)	99899		50	18 500 60
Expensor towards conducting APPSC DEPART			1 . 1	
Nodes (count)	998699		50	15 15D C0
Expension towards conducting APPSC DEPART			1 [	
Norles (count)	36120)	320	50	16 000 00
Test Genter Administrator for Day 1	898589	1	1125	1 125 00
iT Manager for Cay 1	998699	1	1125	1 125 CD
H. Amunichmitter Cay 1	992594	1	8113	etiti ou
Invitable's for Day 1	894599		750	6,750.00
Registration Managers for Day 1	938599	1 5	450	4,050,00
Support Staff for Ony 1	999599	1 4	450	1,800 03
GD Volunteers for Day 1	998599		450	6,300,00
			1	
Test Center Agministrator for Day 2	896599		1125	1,125,00
IT Manager for Day 2	998599	- 2	1125	2,250.00
IT Assistantina Gay 2	998539	2	RUO	1,200,00
Invigrators for Day 2	290599	11	750	8.256.00
Registration Managers for Cay 2	998599	- 11	450	4,950.00
Suppose Statifice Day 7	. 598539	±	450	2,250 00
SD Volunteers for Day 2	990599	20	450	9,000 00
Test Denier (Administrator for Day 3	998599	1 1	1125	1,122,00
IT Manager for Day 3	598540		1125	2 250,00
II Assissimation Day 3	988553	2	FOC	1,200,00
Investation (DSh No 2 Int Day 3	90000	10	720	7,560,00
hroughteanin(QSh f) 1 for Day 2	508500	" :	500	900 00
Registration Managers (ES with 2 km Day 3	99059	17	450	4,52R 00
Registration Wanagors(SSNIT 1 for Day 3	598549	;; ;	300	300.00
кеуылаган манада мусын түст бау э Suqaat Sadi ke Day II	998599	9	450	1,500.00
SO Valunteers for Day 3	588299		450	7,650 PG
Les) Center Admin styptor for Cay 6	SHESSER		1125	1 125 CH
IT Wanagor for Day 4	998599	Z	1125	2.25D.C0
IT Assessment for Day 4	998399	2	600	1 200 00
Invigilations for Cay 4	ansaas	- 11	750	5.253 CB
Registration Managers for Day 4	998593	- 11	457	4,950.00
Support Staff for Clay 4	908899	5	490	2,250 00
SO Volumbeering Shaltin 2 for Day 4	908593	15	450	9,100.00
SD Volunteers@Sn#f 1 for Day 4	898589	1	300	202.60
Supervision Support Charges for			1 1	
	998699	2 000	1 . I	4 000 00
Food Experience			1 2 1	4,665.00
Stationary Expenses	090694	2497	<sup>2</sup>	4,806.00
Gorsof and/or Fuol Charges for Day 1	994699	P06	4.5	2,272.50
George and/or Fuel Charges for Day 2	998596	. 860	4.5	2,970.00
Gensel and/or Fuel Charges for Day 4	996699	600	4.6	2,713,60
General and/or Fuel Charges for Day 4	998699	636	4.5	2,857.50
Total	•		1 / L	1,87,990,89
		TOTAL	1	1,87,000 50
		10/14/		1/4 / 7/00/02

Signaire of Contenies Head

PAN: AAATA3093K Beneficiary name: Precipal Gudlaveller Engg College

Beneficiary Account No. 11548343210

IFSC: \$80000004641

Signature of ROM

Sempretta PARIR: AARCS0770L

Sanprints GST #: Z7AAICS9770L1Z9

PRINCIPAL Seshadri Rao

**Gudlavalleru Engineering College** Sestedri Rao Knowledge Village Qualityafforu - 521 356, Krieten District. A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Approved by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9846775121 Fix No. 08674-273957 E-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

pet of Soughly ISP NAME: CUCLAVALLERU INDINERRING CO. LEGI. ADDRESS CAPIL AVALLERU ADDALIA HORE YUAYAWADII KRISHNA DISTRICT GUQLAYALLERU ANUHRA PRAQESH 521556 EMAIL ID: principal gigat goddworiaru ac an Place of Sample, Mahmashl-n San Prints Poyale I (mited), Invoice A. NP13 17 13/20APC4 167 Raje Industrial Estate. Invuice Date: 28th Des 2920 Manufige - 400 060. Assessment Name : NPTEL Assertance Date : 17th,18th, 19th 6 20th Dec 2020 SMIR Fraging Albandon 2000年の中のことなって Smill 10 (को सामेरि) TIGNIESAC Code Dev i biron Lipponess describe conducting addition many on 17th 18th 19th & Zern Dec 4-5595 49,669.07 2020 49 885 00 Total 49.680.70 PATAL Sanprius PANA: AARCS077G. PAR-AAAYA2003K Schollt say name: Practical Godwyalki Engg Golege Sanprinis GST #: 77A4IC30770L120 Screlicary Account 40, 1166() 623(0 \$C \$3(N.001461

in



on, P. 100 PANCIA RAMA RAO Vice Principal - Contributional Gelievelteru Enghiosting College Seeli No Korldje Ifice, Edeclar - St. 19

IQAC

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Sephadu Rap Knowledge Village
Guillavallery - 521 356, Krishna District, A.P.



TOP HAVE GODDAVALLOW PROPERTIES (OLDG)

NOOPESS: GOODANGLEEGUACHANA COLECUI NOOPESS: GOODANGLEEGUACHANA ELAD VIANAMED ARIPINA DRITHT MUDICINAL CRU ANDRES FROUGH 511356 CURUL OF Printy Mighandhan For An Open Mighandhan No (Aligh Mighandhan No (Aligh Mighandhan Missing Mid Driv.

Helisper Induces & NP 11.171 (2004)93 Reference Interfere City Ham Dec. 2329 Automobile 1001 (1975). Research Interference Mich.

Dec 2021

are pla lead

mq I ROLLING COURT LOCAL

CHAI LINE	#SN-\$40-1000	OU-NUTY	PRH:T	TOTAL SHIP
aparter Smith that the SALE SELECT	D=1 20 20		1	
Anter chart	Presso	21	56	1,3(3)(0)
therese the polymentation of RPTEL execution that	>c h/2:			
Manual Control of the	F98559	3.5	50	1,307.12
spenses heartide commenting NETEL engineer and alle	Charles Nr. 25.			
Inite straff	661865	727	50	3 6 to 15.
Contract tractage contracting NP (E), seam on 20th	Dec 2024			
CONTRACTOR CONTRACTOR OF THE PERSON OF THE P	94493	TO .	50	1.300
16. 04.1			1000	
separation of the Contract But			1 1	
existence services = 44	en or		1220	1.025.04
Switzer Gr Ctv V	4519	1	133	1.125 (0)
	196600		930	600,000
F Andread Action	196196	2	1.00	1,500,60
oguro iste	200		4.80	440.70
Salari Eleft (# Day	9850		453	1.00000
Strang Strick De 1	98.25	2 2	450	48100
herwitish William Racial	045,000		100	200.0
Disent Management or they for			400	J (2) 76
amete firman to say 1	100314			
The state of the s	2.656	1	1426	1.125.05
the case of this section is	1 40-2	1	1029	1.12500
This syntame 7	1,86.29	l i	P24	6545 (00)
Theorem with a	5191304	,	700	1870-00
register to De Y		1	1 650	494.00
Singlest Class Sor Eggs 2	and day.			1 250 30
BOTH ANTHONY 2	richa-	1	1,80	
Committee States Com 2	6.70.00	1	420	450.00
Country to prove to Environment	125500	- 8	<50	1-6.0
Paper in State of the State of	Che vo		4311	155.0
45 Taplot Ad asserting of Dec. 2	9.570		1 1771 - 1	: 555.00
	GGE 197	200	7120	1,125.00
Character to the 1	0.5776	4	6.76	H(0. H)
1 Samples of City Line 2	9850	3	155	2.28H10
regulator for Co. 2	90020	1	257	450.30
suggestable to the .			150	1.960
Capture, Carliffer Cay 2	*10413	3	423	401:00
Segment (year \$100 to \$100 to \$1	VINITA			
Count through out to Day 2	25539	2	49	DOM: NO
mente har enter Pay f	course		439	450.00
and the second second	MARKET	1 1	1 715	1.129.96
to the second second to 4	11.014	1 1	1557	1.115-640
" Decoration is 4	0.00		670	516.63
Lister Lands says	traction	2	+710	50000
provident to Cap to			450	450 (2)
Supplied Add Supe	1,507			2250.00
Capital Statements 4	250,000		+9°	44/100
Charle College Coll Lay 4	5 552		5%	
Street its little contract Ties a	214. V		477	1.00 K
David Science to Visit	2.710	1	3/2	453,50
				743.00
rend Especials	9,844		3	740.50
Statements Systematics	636176	379	1 ' 1	. 4170
				1 535-40
sear out a rehalf to did Changes for Buy 5	-38500			
Company of the band to partie a front that 2	931 514			,556.50
Concer and to Paul to height for Day 5	210.581			1 July 184
Secretarian fuels wiges as Day a	418484			1,500 (0)
Fest				49.083.00
10-1			1	
		1014	1.	en feet of

egypter of motor and Syret (AAC 2009) ( Ognolous), remi Procepts (Anthodolys Seng, Caracy Bandaria y activative (AC 2000484716 Swittenbook (AC)

Saguete FAW AUCSOFFEL

DIT.

30101100 00 1 21AAK \$0170 1120



PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlevallers - 521 356, Krighna District, A.P.



#### WORK ORDER

Gudiavalieru Engineering College (1284) Guillavallen,-Addada Road, Vijayawada, Krishna District

> Date: 15-0ix:-2020 NPTEL171220AP04

Lieur SirtMarlam.

We are pleased to release a Work Order for the flom/s as given in Andexure A, B, C& D below. This Work Order shall be governed by Facilities Agraement calcul 15-Sep-2017 between Tata Consultancy Services Ltd. and Guellavallers Engineering College: "Agreement").

Project Details Assessment Name	NITEL
Assessment Dale(4)	17-Dec-2020 18 Dec-2020 19-Dec-2020 20-Dec-2020
Associament Bhiltis) &1 (0e(s)	\$5:4539 COAM 12:00PM \$5:4:202:00PM 05:00PM
Project Address	Gudlavallitru Engineering College, Gudlavallere-Addada Road, Vijayawada, Krisbno District
nyoda Addiess	San Prints Private Limited, 167, Raja Industrial Estate. Mumba: - 400 980.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Emisii le: Commanication	Ion assessment@tcs.com

LISP facilities are exclusively for TCS use ILISP agrees that should not conduct any other unline assessments, during the usage period,

Picaso mention the Work Order Number NPTEL171220AP04 for all your feture correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order

Thank he you

FOR TATA CONSULTANCY SERVICES

ForGuolavaileru Engineering College

Dr. P. KEDAHI A RAMA RAO McePrince 1- Ininistration Gudiasolienu Engineering College Server fine structuring offerer, Continuolena - 521 356

Sashadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalteru - 521 358, Krtehna District A.P.



#### WORK ORDER

Gudlavalleru Engineering College (1284) Gudlavalleru-Accada Road, Vijayawada, Kristina District

> Date: 15-Dec-2020 NPTTL 17:220A934

Annexure "A"

			BERNELL LINE SERVICE AND ADDRESS OF THE PARTY	P T	Maria Wa	CONTRACTOR OF THE PARTY OF THE
Assessment Solete)	Shitt1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	AmountRs.
17-Dec-2020	36	39			2	1,900.00
18-Dec-2020	3,3	31			2	1,650,(31
19-Dec-2020	69	- 64	••		2	3,450,00
20-Dac-2620	53	44			2	2,650,00
20.000 2000					0	*
		,			0	-
-		,,,,			Ġ .	
(Апизанте А) Аны	aunt ine Nac	las Utilizatu	s (Single &	Multiple		9,650.00
(Annexuro 8). Ann	ount for Mar	nower Utili	zation/Sino	le & Multiple	e)	19,950 00
(Annexure C) Am:	quet for Ade	litional Man	nower Utile	ration (5)ng	le & Multiple)	12,600.00
(Annexore U): Am	oughter Sur	veltlance R	cord Facili	ty (Single &	Multiple)	0.00
Total Amount (Ac)						42,200.00

Total Exam Dayer4

hianpower J Facility Requirement Table

Mangover spacific Title	Requirement Ratio		
Test Cer Err Administrator	1 Test Center		
IT Admin	1 250 Carvidatés		
IT Assistant	1 250Candidates		
frug, ators	1 : 30 Candidates		
Sr.poort / Volunteers (Inclusive Electrician)	1 . Test Center		
Cleaning Staff	3 . 125 Candidates		
Thermic Guin Staff	1 : 125 Candidates		
Crowd Management	2 125 Candidates		
Barcode Scanner Staff	1 . 125 Candidates		
Surveillance Cumera Eschily to Record	Not Required		

Annexure "B"

Mappower Title	Amount Rs.
Test Center Administrator	4500.00
IT Admin	4500.00
IT Assistant	2490.00
Invigrators	6750.00
Support / Volunteers	1800.00
Total	19950.00

A	me	XI	ire	"C"

Allucante o	The second secon
Manglota ér (Addul eren )	Annothing For
Cleaning Smit	5400 00
Themio Gur Staff	1800 00
Crowd Management	3600 JJ
Barode Songer Staff	1800.00
Total	12,600.00

#### Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Repord	0.00
Note: Surveillance Camera Facilit Rs 104 per node for one day	ly to Record
Total	0.00

File: Charges for Generator, Rs.4.64 Por Candinate

Note: In case the number of days/ricons specified above may increase or decrease. Balling agreed on a

Pro-Rate panis

TOAC

CONT

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Reo Khapteage Village

Guellavalliera - 621 356, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUOLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web- www.gecgudlavalleru.ac.in

SA NAME : CUEVLAVALLERU E XXRESS : GUDLAVALLERU-A RADESH 621156	engineering college Odada Road Vijayayada Krishka Di	STRICT GUÓLAVALLERU A	AAND
MAIL ID: pr:n±lpak@gecgudim	raffe ru. II C. MT		
lace of Supoly: Meharastica in Prints Private Lamited, \$7, Raje Industrial Estate, Igeobal - 400 000.	TOTAL STREET	Lovoice #: NPTL 2103 Invoice Date: 28th M Aguessment Name : Assessment Date : 2	MPTEL
ettention med	SMB Finance amb. Transportes SMT	HSN /SAC Code	TOTAL INR
Description	100 700		
Expanses towards conducting	NPTEL exam on 21st MAR 2011	943599	15.068.00
Total		F/5	
1/3	101	AL	18,000,00
Signtre of Center Hand PAN: AAATAJ099K Boneficiary neme: Principal Boneficiary Account No. 115	Şiqnaturş Gudinyallar Enga College	2//3/	

TOAC

GOVL CONT

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Khisena District A.F

Vice Principal - Administration Vice Principal - Administration Gudlavelloru Soni hacring Consule Scient Ro Kurisha Consults - 10 Kin

Annakure

LISP NAME : GUICLAVALLERU ENGINEERING COLLEGE

ADDRESS : BUDLAVALLERIJA ADDADA RDAD VIJA YAWADA KRISHNA DISTRICT BUDLAVALU, RU ANDERA PRADESH 521356

eMAE. ID: principal@geogradimalloru.se.in

Place of Supply; Mehoreshtra Sen Prints Private Lindper,

167, Raja Industrial Estato,

Mumbal - 400 086.

Invoice 4. NPTL210321APQA

Reference Involve Cale: 26th MAR 2021

Aggregation Name: MPTEL Assessment Oale: 21st Mach 2021

Attention Email:

SWB Finance

emb.hrjenou@kgl,epm

Description +	ISN/SAC Code	QUANTITY	PRICE PER	TOTAL (MR)
Expenses towards conducting INPTEL exam on 23st MA. Nodes (cond)	K 2021 198599	84	50	4,200.00
Supervison Support Charges for:	<b>'</b> .		[	
Test Center Administrator	899556	1	1126	1,125,00
IT Admin	995398	1	1125	1,125,00
T Assistant	Da3599	1 [	600	600 00
excell gland	993699	3 1	7≦0	2 250 90
Support Staff	296588	1	450	450 00
Cleaning Forti	968590		450	1,350 00
Dieumo Gun Staff	\$985@@	1	457	450 og
Growd Maragement	998996	2	450	230 ac
Barrode Staff	889580	1	490	450.00
				ŧ
oed Exponses	\$88899	187		*****
Stationary Expenses	\$98589	157	2 2	334.90
	*******	121	1	334.00
Sansat and/or Puel Charges	PR6499			1,600.00
	- 1	- 1	- 1	
SED .		F	1	
		1		15,968.00
	. I	Y		
		TOTAL		16,068,00

Signification Center Need

РАМ; АЛАТАЛОРЗК

Boneficiary came: Principal Gedlevaller Engg College Beneficiary Account No: 11583343210

IFSC: SBINDOS9861

Sanprints PAN#: AAICS0770L

\$\$4prints GST #. 27AAIC\$07701,120

PRINCIPAL

Seshadir Rao

Gudtavalleru Engineering College Seshadri Rao Knowledge Village Budlaralleru - 521 356 Krishna District A.P .

. P. Office and a recognise Vice Proteins - Admin Sec. Gudlavalloru Engazorung Collega Schrid & Krazoga Waje, Granden - 31 (3)

## WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavelleru-Addada Road, Vijeyewada, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Dolor 19-Mar-2021 NPTEL210321AP04

Dear \$ir/Madam,

We are pleased to release a Work Order for the item's as given at Annexure A, B, C3, D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudtavalters Engineering College ("Agreement").

Project Details Assessment Name	NPTEL March 2021
Assessment Date(s)	j 21-Mar-2021
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM
	Shift-203:00PM-08:00PM
Project Adultess	Gudavalleru Engineering College,
N.	Gudlavelleru-Addada Road, Vijeyawade, Krishna Destrict
	Gudlevalleru, Andhra Pradesh, India, 521356
. esanbbA epkynt	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Involce or as agreed
	under the Agreement.
Email for Communication	, lon.assasameni@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other unline assessment(s) during the usage period,

Please mention the Work Order Number NPTEL210321AP04 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thankog you,

FOR TATA CONSULTANCY SERVICES

For Gudlavalloru Engineering Codege

Me --

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Valage Gudlavalleru - 521 355, Kristiga District, A.P.

Jr. P. KODANDA ROMA, RUSO Vice Principal - Administration Gudlavalleru Engliseering College Selati Rolkinskip Visy, Gubeka - 91 56



### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavallaru Engineering College (1284)

Guttavalleru-Addada Roed, Vijeyeweda, Krishna District, Gudlavalleru, Andhra Pradesh, India, 521356

Oste: 19-Mar-2021 NPTEL210321AP04

Annexure "A"

THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I			L	F 7			
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts		Amount Rs.
21-Mar-2021	84	83			2		4,200.00
(Annexure A): Armo	unt for Nod	es Utilizatio	on (Single &	Multiple)		1 10 11	4,200.00
(Annexure B): Ami	ount for Man	power Utill	zation(Singl	e & Multiple		CONTRACTOR	5550.00
(Annexure C): Ame	ount for Add	tional Man	power Utiliz	ation (Singl	le & Multiple)	43 Billion	3,150.00
(Annexure D); Am	ount for Sun	relijanco iRg	cord Facilit	y (Single &	Multiple)	<b>III MC</b>	0.00
Total Amount (Ann	exure's A+B	HC+D)	West Officer	NAME OF STREET	E WALLEY		12,900.00

Total Exam Days:1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	i 1 · Tost Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 259Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers	1 Per Center
Cleaning Staff	3 : 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2: 125 Candidates
Barcode Scanner Staff	1 : 125 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

PATHFOXERS	_
Manpower Title	Amount Rs.
Tost Center Administrator	1125.D0
ITAdmin	1125.00
ITAssistant	. 600.00
Invigilators	2250.00
Support / Volundeers	450.00
Total	5550.00

Annexure "C"

A second second	Amount Rs.
Cleaning Staff	1350.00
Thermo Gun Staff	450.00
Crowd Management	900,00
Baroode Scanner Staff	450.00
Total	3,150,00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Racord	0
Note: Surveillance Camera Facilit Rs.10/- per node for one day	y to Record
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

DAC

GDVL S

Or. P. KODANDA RAMA RAO Vice Principal - Administration

Gudiavailleru Sprone neg ter 193 Stadiffer Adalah Page 2 of 2

PRINCIPAL

Seshadri Rso Gudlevalleru Engineering College Seshadri Rao Knowledge Vitage Gudlavatteru - 521 356, Krishna Dishiot, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rac Knowledge Villege, GUDLAVALLERU-521 356, Krishna Dietrict, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavaReru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in.

Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADORESS : GUDLAYALLERU ADOADA ROAD YIJAYAWADA KAISHNA DISTRICT GUDLAYALLERU ANDHRA PRADESH 521J56 EMAIL ID: principal@geegudlavallenu.ge,kg Place of Supply: Managashtra Sell Prints Pahata Limited, 167, Raja bolostnut Estate, Invoice #: JEM230329AP49 Mumbal - 400 040 Invoice Date: 64th MAR 2021 Assessment Name JEE MANS FEB 2021 Assessment Date : 24th,25th & 26th FEB 2021 Attantion SMB Finance Email е<u>ть. Всий верпрой, итв</u> Description HSN /5AC Cade FOTAL JINES Expenses towards conducting SEE MAINS, exem on 24th 25th 5 28th FEB 2021 998599 69,438,00 Total 69,438.00 TOTAL 69,438,66 Senium of Center Head PAN: AAATAJ933K Condition of RIGHT. Boneficiary name: Principal Gudlaveller Engig College Samprints PAN 4; AAICS0770C Bonsfielery Account No. 11549343210 Sanprime GST # 27AAJCS0770L120 MSG: BENNOOM481

<u>D</u>

P- K

PRINCIPAL Sexhadri Rap

Gudlavalleru Engmeering College Seshadri Roo Knowledge Vitage Gudlavalleru - 521 356, Krishna Dishid, A.P. USP NAME : GUDLAVALLERU ENGINEERING CORLEGE

ADDRESS : GLOLAVALLERU-ADDADA ROAD VILAYAWADA KRISHNA DISTRICT CUDIAVALLERU ANDHRA PAADESH 521356

EMAIL ID: principal@geogudiavallanu.sc.in

Place of Supply: Makeroshtra

San Prints Private Limited, 167, Refa Industrial Estate, Mumbel - 400 080.

Raferanda layoto 6: JEM2302214/Pas Raferanda layoto Date: Oth Maja 2021 Addebboumi Mame : JEE MAIRS FEB 2021

Attable Leneral Orde : 24th, 35th & 25th Pgg 2021

Attention Email BMR Finance <u>ടന</u>്ധിന<u>ുന്നുൻയുടെ com</u>

Donoriotion (46act)			PRICE PER	I
Exponsor (owards conducting JEE MAINS exam on 24th FEB 202	AD Code	QUANTITY	UNIT	TOTAL (INR)
Nedos (count)			1	
	\$99588	180	50	8,000.00
Expenses towards conducting JEE MANS exam on 25th FEB 202 Nodes (count)			1	
	998590	75	50	3,750,00
Expenses lowerds conducting USS MAINS exam on 25th FEB 202: Nodes (count)	¹ 1		ı	
recoes (count)	994399	160	50	8,000.00
Sunsatura & constant and a second	_		1	
Supervisor Support Charges for:				
T1-51- b			1	
Total Center Administrator for Day 1	008509	1	1125	1,128.00
IT Admin for Day 1	098500	1	1725	1,120.00
T Assistent for day 1	888999	. 1	.800	600.00
nvigBators @ 2 Shitts for day 1	8985 <del>96</del>	4	750	3,000 00
and find the CEL I require this CEV I	P\$8596	2	500	1,000.00
Registration Managers @ 2 Shirts for Day 1	996699	4	450	1,000.00
Registration Managers @ 1 Shifts for Clay 1	998599	2	300	
Security Guarde @ 2 Shifts for Day to	888599	1	450	670.00 450.00
Security Guarde & 1 Shiffly for Day 1	R98500	i	300	
Support Staff @ 2 Shirts for Day 1	008500	1		300.00
Support Stell @ 1 Shifts for Day )	000500	1	45C	450.00
Yeon s @ 2 Shifferfor Day 1	966549		300	200.00
Pécne 🖸 1 Shifts for Day 1	666288	3	450	1,350.00
Searing Start of 2 thirty for Day 1	998533		200	300 00
Reaning Staff @ 1 shifts for Day 1		3 1	450	1,350.00
herma Gun Slatt	808900	1	200	300.00
Rowd ≜fanagement @ 2 Shifts for day 1		Z	450	900.00
rowd Menagement @ 1 SNRs for day 1	995556 996588	2	450	960 00
barcode Stell for Day 1		1	300 -	300.00
	298500	2	480	920.00
ast Center Administracor for Day 2				
Admin for Day 2	994459	1	750	750.00
Asalplant for day 2	998599	1	750	750.00
ringlalors for day 2	<b>\$16</b> 338	1	400	400.00
égistration Managere for Day 2	\$98688	3 .	500	1,500,00
ecurity Guard for Day 2	996598	3	300	900.00
upport Staff for Day 2	898500	1	300	300 00
pons for Day 2	988999	1	300	300.00
leaning Steff for Day 2	\$96393	2	300	669.00
herma Gun Staff for Day 2	996433	3	930	SCO.DD
acode Staff for Day 2	\$90599	7 "	300	300.00
	998598	1 1	300	300.00
rowd Managament for day 2	898599	2	300	833.00
ert Charles da				433.04
est Center Administrator for Day 5 Administer Day 3	984493	1 1	1125	1,125.00
Assiglant for day 3	993599	1	1125	1,125,00
Annual to the second of the se	398599	- i	600	800 55
vigilators for day a	888599	6 1	730	4,500.06
egistration Managera for Day 3	898590	6	450	
cently Guards for Day 3	998599	2	450	2,700.00
epoxi Staff for Day 3	9935381	2	450 450	900.00
ONE for Day 3	996626	4 1		900.00
easing Staff for Day 9	898530	- 4 1	450	4,800.00
ermo Gun Staff for Day ()	888500		450	7,800 OG
rcode Staff for Day 3	- 2012399	2	450	900 00
ment Management for day 3	990543	2 3	450	908 00
1/1/1	h-0-2653]	3	450	1,360.00

1h

8 Jan 2007

Canto ..... 2

PRINCIPAL
Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village

Food Expanses	H944/SAC Code 998599	QUANTITY	PRICE PER UNIT	TOTAL (INA)
Stationary Expanses	868844	6.59 659	2 2	1,318.00 1,318.00
Senast and/or Fuel Charges for Day 1 Senast and/or Fuel Charges for Day 2 Senast and/or Fuel Charges for Day 3	998399 994388 998689	,	5.0	1,500,66 400,00 1,600.00
odi	. [			69,430.00
<del></del>		TOTAL	' I	69,436.00

Signalure of ROM

Signifie of Center Head PAN: AAATASCESK Beneficiary name: Principal Gudlovaller Engg College Beneficiary Account Not: 11588348210 IPSC: SERVO01464

Sangulinta PAN#: AAICS0770L

Samprints GST 8: 27AAICS07701,420

PRINCIPAL

Seshadri Rao

Gudtavalleru Engineering College Seshadri Rad Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.



## TATA CONSULTANCY SERVICES

## WORK ORDER

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada RoadVijayawadaKrishna District

> Date: 21-Feb-2021 JEEMA230221AP49

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tate Consultancy Services Ltd. and Gudlevalleru Engineering College("Agreement").

Assessment Name	JEE Mains Feb 2021
Assessment Date(s)	24-Feb-2021
	25-Feb-2021
	26-Feb-2021
Assessment Shift(s) &Time(s)	Shin-109:00AM-12:00PM
	Shift-203:00PM-06:00PM
roject Address	Gudlavatleru Engineering College
	Gudlavalleru-Addada RoadVijayawadaKrishna District
Tvoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080,
ayment	100% Payment within 30 days of receipt of Involce or as agree
	under the Agraement
mail for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number JEEMA230221AP49 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order

Thanking you.

800

FOR TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

1/2

PRINCIPAL .

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 358, Krishna Dishict A.P.



## **TAYA CONSULTANCY SERVICES**

#### WORK ORDER

Gudlavalleru Engineering College (1284)

GudfavaNeru-Addada RoadVijayawadaKrishna District

Date: 21-Feb-2021 JEEMA230221AP49

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
	D		770000000		1	THE RESERVE OF THE PARTY OF THE
24-Feb-2021	160	105			2	8,000.80
25-Feb-2021	75	Ů.			1	
2/26/2021	159	180				3,750,00
				-	·	8,000.00
	<del></del>				0	00
(Ammanuse M. N.		inu 8 5			0	00
(Annexure A): Amou	Int for Nodes	Utilization (S	ingle &Multip	(e)	THE RESERVE TO A SECOND	19,750.00
Annexure B): Amou	ut tot manpo	wor Utilizatio	ruSingle & M	umple)		19,550.00
Annexure C): Amou	int for Additio	nel Manpowe	r Utilization	Single & Mul	tiple)	23,700,00
Annexure D): Amou	int for Surveil.	ance Record	Facility (Sin	gle & Multiple	)	0.00
Total Amount (Anne)	kure's A+B+C	+D)	The state of the s			63,000.00
<ul> <li>Total Evans Davis</li> </ul>	19					00,000,00

Total Exam Days :3
 Manpower / Facility Re-

Requirement Ratio
f . Test Center
1 : 250 Candidates
1 : 250Candidates
I 1 : 30 Candidates
i 1:30 Candidales
f : 100 Candidates
. 1 : 100 Candidates
3 : 125 Candidates
1 : 125 Candidates
2 : 125 Candidates
1 : 125 Candidates
2 : 100 Candidates
. Not Required

Аллежиге "В"

Manpower Title	Amount Rs.
Test Center Administrator	3000.00
IT Admin	3000.00
IT Assistant	1600.00
Invigilators	10000.00
Support / Volumeurs	1950.00
Total	19550.00

Annexure "C"

TA PORTUGUES PROPERTY OF THE PA	
Manpower (Additional)	Amount Rs.
Registration Managers 1	6000,00
Security Guards	1960.00
Cleaning Staff	4350.00
Thermo Gun Staff	2100.00
Crowd Management	3150.00
Barcode Scanner Staff	2100 00
Peon	4050.00
Total	23,700.00
- Friedrich / -	

.~	•	
		200

Surveillance Facility	Amount Rs
Surveillance Carneva Record	
Note: Surveillance Camere Facility to node for one day	Record Rs.10/- per

Fuel Charges for Generalor Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

. .::

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Krasing Stage

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Villege, GUDLAVALLERU-621 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888. Mobile: +91 9846779121 Pax No. 08674-273957 E-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Bill & Supply LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE ADDRESS : GUOLAVALLERU ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521556 EMAIL ID: principal@gecoudlevalloru.ac.in Ptaco of Supply: Mebalgehira San Prints Private Limited 147, Raja Industrial Estate, Involce & RENTP2812264204 Mumbri - 400 030. hwolee Date: 22nd 344 2021 Assessment Name: RRB NTPC Assessment Dete : 26th,28th & Joth Dec 2020 Attention SMB Finance Email атф.барасе@бся соль Qescapilon TOTAL JIMR) Expenses towards conducting RRB NTPC exam on 28th,28th & 30th Dec 2020 998599 91,569,00 Total \$1,669.00 TOTAL 91,559.00 Signal or a of ROM. PAN: AAATA3U93K Sampring PANN: AAICS0770L Centriciary name: Principal Budlevaller Engg College Beneficiary Account Nov. 11548343210 Samprioria GST # 27AAJCS0770L120 IF9C: \$8INC001461

1



On. P. RODANIOA RAMA RAM Vice Ponental - Administració Genferzügen: Entimerang Colleg: 2001 for Norwig New, avec let - 90 de

IQAC

PRINCIPAL Seshadri Rao

#### Ashexure

LISP MAME: GUALAVALLERU ENGINEERING COLLEGE

ADDRESS : QUDIAVALLERU-ADDADA ROAD VUQVAWADA KRISHNA DISTRICT GUDNAVALLERU ANDHRA PRADESH 521356

EMAIL ID: principal@geogudfavellanuac.tn

Place of Supply: Mahametics San Prints Private Länked, 167, Roje Industrial Estata, Mumbel - 400 0to.

Invoice #: RBNTP381224AP06

Imrolas Date: Zand JAN 2021 Mederance

Association Name: RRB NTPC

Assessment Cate : 24th,25th & 50th Cate 2020

Aftenlion Emad

SMB Finance

amb.hrance@fcs com

			PRICE MER	
Dosenption HSN/SAC Co		DUANTITY	UNIT.	TOTAL JINKI
Expenses towards conducting IRRS NTPC examples 28th Oec 202	0			
Nodea (coun)	568599	169	50	8,450.00
Expenses towards conducting IRRB NTPC exem on 29th Dec 202			1 1	-
Nodes (count)	998599	108	60	8,450.00
Expenses towards conducting RRB NTPC exam on 30th Dec 202		>	1 1	
Nades (cashi)	886538	180	50	0.450.00
Supervision Support Charges for:			]	W.
Test Center Administrator for Day 1		` .		
IT Admin for Day 1	898699 968599	1	1125	1,125.50
7 Assistant for day 1	098500	1	1125	1,125 00
and placers for gay 1		1	600	600 000
	884289	7	750	6,250 00
Lab Supervisor for Day 1	200500	.1	750	7 <i>5</i> 0 oq
Registration Managery for Day 1	998596	7	46D	3,150.00
Scanning Spot for Day 1	998509	F	460	450.00
Surveillance Mondor Spac for Day 1	998599	1	460	450:00
Support Staff for Cay 1	889550	2	450	900.00
Cleaning Staff for Day 1	996599	5	450	2,250,00
Thermo Gors Staff for Day 1	099590	2	450	900 90
Barcode Staff for Day 1	885488	2	450	400.00
Crowd Management for day 1	005598	3	490	1,050 00
Tost Denter Administrator for Day 2	958589	1	1125	1,125 00
IT Admin for Day 2	998899	1	1125	1,125.00
IT Assistant for day 2	998599	1	500	000.00
nwalaters for day 2	998554	7	750	
Lab Supervisor for Day 9	888639		75u	5,250,00 750,00
Registration Managers for Day 2	998549	7 :	450	++
Scanning Specifor Day 2	886599	- 1	450	3,150.00
Surveylence Monitor Spot for Day 2	991138	- 1	450	450,00
Support Stati for Cay 2	994500	2	450	450.0D
Clearing Staff for Day 2	894599	5	450	900.00
Thermo Con Staff for Day 2	114569	2		2.250.02
Barcode Staff to Ogy 2	994529	2	450	900.00
Crowd Management for day 2	998599	3	450	500.00
	- decense	3	450	1,350.00
Test Canter Automoristrator for Day 3	998698		1125	1,125.00
T Adminifor Day 3	998599	. ]	1125	1.126.0D
T Assettant for day 3	988599	1 1	800	\$9\$.00
mylgations for day 3	998599	7 7	750	5.260.00
At Supervisor for Day 3	886599	1	790	750.00
Registration Managers for Cray 3	998589	7	450	3,150.00
Scanning Specifor Day 3	Марве	1	650	450 00
Survisitance Monitor Specifor Day 3	MASES	i 1	450	450.00
Support Staff for Cey 3	198699	2	450	900 00
Degrung Staff for Day 3	\$98659	5	450	
Plenma Gun Staff for Day 3	908590	2	450	2,250,00
Barcole Stell for Cay 3	898589	2		000 00
Crowd Management for day 3	998598	i	450	906.00
	400330		450	1,340,00

Seepadri Rao

Gudiavallaru Erigineering College
Seshadri Rao knowledge Viltage
Gudlevalleru - 521 356, Krishna District A.P.

1414 **Ra**go

Food Expenses	993589	1014	2	1	2,028.00
Shillowery Expectant	998589	1014	2	-	2,028.00
Seasot and/or Fuel Charges for Day 1	999499	338	4.5		1,521.00
Genset end/or Fuel Charges for Day 2	998699	358	4.5		1,621.90
General and/or Fuel Charges for Day 3	995599	338	4.5	100	1,021.00
Total					94,569.00
	- 1	TOTAL			91,569.00

Signature of ROM

Saaprints PAN #: AAIC50770L

Signiure of Contin Head

PAN: AAATA2093K

Beneficiery nemic: Principal Gudlaretter Engly College

Bonoficiary Account No: 1158343210

IFEC: 98IND001481

Samprinte GST #: 27AAICS0770L120



PRINCIPAL

Seshadri Reo

Gudiavalleru Engineering College

Seshadri Rao Knowledge Village

Gudlavatleru - 521 356, Krichna District, A.P.



#### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishne District Plocode- 521356

1. 176 A 1 Cale

Date: 24-Dec-2020 RRBNTPC261220AP05

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B. C& D below. This Work Order shall be governed by Facilities Agreement dated 16-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details	
Assessment Name	RRB NTPC
Assessment Date(s)	28-Dec-2020
	29-Dec-2020
	30-Dec-2020
Assesament Shift(s) &Time(s)	Shift-1 10.30 AM - 12.00 PM
	Shirt-2 03:00PM - 04:30 PM
Project Address	Gudlavalleru Engineering College (1284)
	Gudlavalleru-Addede Road, Vijayawada, Krishna District Pincode- 521356
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	under the Agreement
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number RRBNTPC281220AP06 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

11-

IQAC

Vice Provided A Control College
Godh was a line of specific College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of the College
Substitution of th

PRINCIPAL Seshadri Rao Javalleru Engineeriog Colleg

Gudlavalleru Engineering College Ceshode Roo Knowledge Village

Gudlavalleru - 521 356, Krishna District A Page 1 of 3



#### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284) Gudfavalleru-Addada Road, Vljayawada, Krishna District Pincode- 521356

> Date: 24-Dec-2020 RRBNTPC281220AP05

Аппехиге "А"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
28-Dec-2020	169	169	(		2 1	8450.00
29-Dec-2020	169	169	'		2	8450.00
30-Dec-2020	169	169			2	8450.00
(Annexure A): Amo	unt for Nod	es Utilizatio	on (Single &	Multiple		25,350.00
(Angerure B): Amo	unt for Man	power Utili	zation/Sinol	a & Multiple	9)	27,000,00
(Annexure C): Amo	unt for Add	itional Man	power Utiliz	ation (Sleet	e & Multiple)	30,600.00
(Annexure D): Amo	unt for Surv	eillance Re	cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Anni	exuro's A+B	+C+D)		DESIGNATION		82,960.00

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1: 250 Candidates
IT Assistant	1 : 250Candidates
Lab Supervisor	1 Per 10 Invigilators
Invigitators	1 . 25 Candidates
Registration Manager	, 1 . 25 Candidates
Scanning manager SPOC	1 Per Exam Venue
Surveillance Monitor SPOC	1 Per Exam Venue
Support staff for maintenance of centres	Minimum Two per Venue(One male &
	One Female)
Cleaning Staff	3 . 125 Candidates
Thermo Gun Staff	1 : 125 Candidates
Crowd Management	2: 125 Candidates
Barcode Scanner Staff	1 ; 125 Candidates

Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	3375.00
IT Admin	3375.00
IT Assistant	1800.00
Invigilators	15750.00
Support / Volunteers	2700.00
Total	27,000.00

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Scahadri Reo Knowledge Village Gudtavalleru - 821 356, Krishna Dishiot, A.P.



DE P. KOMENDA RAMA RAT Vica in . Per - administration applicable of a present Schego Comment of the Control of the Contro



#### TATA CONSULTANCY SERVICES

#### WORK CROER

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District Princode- 521356

> Date: 24-Dec-2020 RRBNTPC281220AP05

Annexure "C"

Manpower (Additional)	Amount Rs.
Lab Supervisor	2250.00
Registration Manager	9,450.00
Scanning manager SPOC	1350.00
Surveillance Monitor SPOC	1350.00
Cleaning Staff	6750.00
Thermo Gun Staff	2700.00
Crowd Management	4050.00
Barcode Scanner Staff	2700.00
Total	30,600,00

Annexure "D"	
Surveillance Facility	Amount Rs.
Surveillance Camera Record	0.00
Note: Surveillance Camera Rs.10/- per node for one day	Facility to Record
	0.00
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate
 Note:In case the number of days/nodes specified above may increase or decrease. Bitling agreed on a Pro-Rata basis.

15



P. Maria Maria Nasa Walio Sang Cologo Walio Sang Cologo Walio Sang Cologo

IQAC

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Guglavalleru - 521 356, Krishna District, A.P. **GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08874-273737, 273888, Mobile: +91 9648779121 Fax No. 08674-273957 E-mail: principal@geogudlavalleru.sc.in, office@geogudlavalleru.sc.in, Web; www.geogudlavalleru.sc.in

ISP WATAE . GUIDLANAMERU ENGINEERING TON FIGE

ADDRESS . GUDLAVALLERI: ADDADA SDAD VIJAYAWADA KRISANA (; STRICT GUDLAVALLERU AMDREA PRADESH \$21368)

EMAIL HE PRINCIPAL GREED OUT OF NEW YORK OF THE PRINCIPAL ACT IN

Pince of Supply: Patientality San Prints Private Limited.

t87, Rajo Indusorial Essets,

Mumbal - 405 080.

Helemone.

DEVIAL OF MITTARE & SHOWN lawoign David: 10th five 2001

**Вифилсо** Assessment Namu | BARTRO Other Laur

Added (fivet Date :

(41)), 19th 20th Chair, 22nd (2m), 27th 28th 45th 4, 20th

Jan 20≩H

AD4ct no Lings

SMB Finance STACK THE PROPERTY AND

Dystrotion HSMM ex	Code .	QUANTITY	PRICE PER LINIT	TOTAL HAM
espanses towards conducting SASTES Offers sum on 16th Jan 21	121		- MIDE - EN DINIS	TOTAL JIMEL
Notes (Sourc)	Deache	25	55	1.175.00
Expanses towards conducting EASTRA Offens examing the Jan 20	121			1.500
PEOCEA (INCLEA)	000000	75	58	1.5.45 000
Expenses towards compacting SASTRA Offline exem on 20th Jen 20.	71	1,	1 "	1,075.00
PROBE (COMM)	SUBSECUL.	<b>*</b> 5	25	
Expenses lowurds compacting SA2TRA Offline exam on trouten the	11	4+		1,357,05
Morted (calcul,	- teatitions	25		
Exteriors Ignards conducting SASTRA Office sources on 19nd July 20	29	13	55	1,375.50
₩XI— (co.qt)	991699	7	227.5	
Expenses fowards conducting SASTRA Office example 23rd and 200	70 000 0	25	55	1,375.00
N0665 (000 PS)	DOLEAR	-	E 275.2	
sponses cowards conducts of SASTRA Chilling stars on 27th Jan 203	909039		55	1.375.00
Nodes (cours)	990594	- 20	111111	
Expension towards conducting SASTAA Offices beam on 20th Jan 200	380 229	52	65	1 375 CO
hades (cours)	P98533	July 1	12	
exporters towards compacting. SASTRA Offline syam on 29th Jan 207	PARTON A	74	55	1,375,00
Modes (Com II)	19850m		1.00	
Experience Inwentile conducting Asserts Offline Javes on 30th Jen 200	P2039W	25	55	137500
Modes (co. et),			200	
	988699	25	2.5	1 775 95
Supervision Support Charges for:	0.00			
SD Maripower for Lawy 1	993696	1000	1	
SD Micharwer for Day 2		1	300	390.00
SD Manprage ogr Day 3	914565	200	300	300.00
SO Manpower for Day 4	9988993	CAN'S	300	200 00
SG Management for Day 5	998555		300	300 00
SC Management to Cay 8	88 8540	1	300	300 00
G Manpower for Ca. 7	698399		bot	ວັນຕະເຄຣັ
SU Marmover for Day 8	388238	- 1	340	300.00
ALI Migrapower for Day 6	994689	1	300	300.06
SO Memory for Day to	788699	1	300	90,00
and the second of section	998695	1	100	040.00
Sietlonary Expenses		12000		
rans at asker 443	\$69.085	250	2	100,00
Total				
San Control of the Co		>		17,280,00
			!	
	To	436		17,250,50

Significant Cester Maga

PAH AAATA3093K

Symmetrical

Samprente Pay or AAICBOTTOL

Beneficiary name. Principal Guillavator Engg College Beneficiary Account No: 115(8343210)

F50 58IND00144r

Sauprodu GST W. STRAIGS07T0L1Z0

PRINCIPAL (Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gu

Seshadiri Rao Gudlavalleru Engineering College Seshaori Rao Knowledge Village Gudlavatteru - 521 356, Krishna District, A.P.

# GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village. GUDLAVALLERU-521 356. Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade.

Phone Nos. 08674-273737, 273888, Mobile: +91 9846779721 Fax No. 08674-273957

E-meil: principal@geogudiavalleru.ac.in, office@geogudiavalleru.ac.in, Web: www.geogudiavalleru.ac.in

Bis of Supply LISP NAME ; GUDLAVALLERU ENGINE ERING COLLEGE ADORESS: GUDLAVALLERU-ADOADA ROAD YUMYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521386 EMAIL ID. principal@garqudlavailaru.ac.in lace of Bupply: Mangraphica Stan Private Limited, 167, Raja Induştriyi Esraig, Mumhar 400 bild Invoice # SABT170121AP60 Invoice Date: 10th Fee 2021 Avangament News : BASTRA DIMINE Earn Awarences Dues 18th, 19th, 20th, 21st, 22nd, 23rd, 27th, 28th, 29th & Junh Jan 2021 Addresion SMB France Small and intermedings con-Description HISH BAC Code DIAL (NR) Extranses lowerds conductors: SASTRA Offline same on 18th 19th 20th 21yt 22nd 22nd 27th 28th 19th & 10th Jan 2021 **\$26599** 17,250,00 Tutal 17,730.00 TOTAL 17.250.00 PAN: AAATAMSK menuo er Paliv Senunces PAR a AAIC 3776L Beneficiary name: Principal Gudlavatter Engg Coffees Bermfictery Account No. 11588343210 FSC. 681N0001461 Senonth GST 9: 27AAK 50770L120

18

IOAC

P. Lot Wylnor

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### TAYA CONSULTANCY SERVICES

#### WORK ORDER.

Gudfavalleru Engineering Collage (1204)

Gudavalleru-Addada Road, Vijayawada, Krishna Dietrict, Gudlavalleru, Andhra Pradesh - 521356

Date 15-Jan-2021 SASTRA1701/14P50

Dear Sir/Madami,

We are pleased to release a Work Order for the item's as given in Annexure A. B. C& D below This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tala Consultancy Services Ltd. and Dr. Jyothirmayi Degree College ("Agreement")

Assessment Name	SASTRA Offina Exam
Assessmens Date(s)	18-Jan-2021 19-Jan-2021 20-Jan-2021 21-Jan-2021 23-Jan-2021 27-Jan-2021 28-Jan-2021 29-Jan-2021
	30-Jan-2021
Assessment Shift(s) & Time(s)	Shift-2 02:00AM-12:00 PM Shift-2 02:00AM-05:00 PM
Project Address	Gudlavalteru Engineering College (1284) Gudlavalteru-Addade Road, Vijayawada Krishna District, Gudlavalteru, Andhra Pradesh - 521356
Invocc Adaress	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement
Email for Communication	Ion assessment@acs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment's) during the usage period.

Please mention the Work Order Number SASTRA170121AP50 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For Thirtie (Charling and April 1988)

1/4

For Gudlavallern Engineering College

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 52† 358, Krishna District, A.P.



## TATA CONSULTABLY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlave/eru-Audeda Road, Vijayawada, Krishna Districti Gudlavalleru, Andhra Pracesh - 521356

Date: 15-Jan-2021 SASTRAT/0121AP50

			Annexure	"A"		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	AmountRs
12-Jan-2021	25	0			1 1	1375.00
19-Jan-2021	25	5	***, W.W. / // ** **		1	1375.00
20-Jan-2021	25	0			1	1375.00
21-Jan-2021	25	0			1	1375.DC
22-Jan-2021	25	0			1	1375 00
23-Jan-2021	25	G ^			1	1375 00
27-Jan-2021	25	0			1	1375 00
23-Jan-2021	25	0			1	1375.00
29-Jan-2021	25	0			1	1375.00
30-Jan-2021	25	ū			71	1375 OC
(Annewste A): Am	ount for No	les útilizati	on (Single 8	ivaltiole)		13,750.08
(America 3): Am	ount for Ma	nnower Util	zation(Sina	le & Sultipl	e)	0.00
(Annexure C): Am	ount for Ade	titional Mar	prower Hill	zation (Sing	le & Multiple)	3,000.00
(Annexure D): Am	aunt for Su	waillance P	occord Facili	by (Single 5	Multiple	0.00
Total Amount (An				2000		16,750.00

Total Exam Days: 10

Manpower / Facility Requirement Table

Manpower / Facility Requirement Table Manpower / Facility Title	Requirement Ratio
Chief Supervitencent	Not Required
Deputy Chief Superintendent	Not Required
Invigilators	Not Required
Registration Managers	Not Required
Electrician	Not Required
Security Guards	Not Required
Class 4 Staff	Not Required
Clerk/Packing Expert	Not Required
Covid Manpower	Adequate Count as per center requirement

Annexure "B"

Phylogenia	The same and the s
Manpower Title	Amount Rs.
Test Center Administrator	0.00
IT Admin	0.00
IT Assistant	0.00
Invallators	0 00
Support / Valunteers	0 00
Total	5 50 4

Arinexula "C"	The second second second
Manpower (Additional)	Amount Rs.
Covid Staff	3 000.00
Frisking Manpower	0.00
Peon	0.00
Total	3,000,00

Seshadri Rad Annexure "D" Surveillance Facility Gudlavalle (Jansuit Geting College Surveillance Camera RecoreSeshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishiya District. A.P.

Note: Surveillance Camera Facility to Record Rs 10/- per node for one day Total

0.00

Mote:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro Rata basis



# SESHADRI RAO GUDLAVALLERU. ENGINEERING. COLLEGE.

Ow Autonomous Institute with Pronouncit Affiliation to INTER, Katawara; Seshadri Ran Knowledge Village, GFDLAVALLERG Department of Computer Science and Engineering

#### CONSULTANCY DETAILS.

Academic Year; 2020-21

Faculty Name	Purpose	Venue	Client	Amount	Dated	Check No
K. Ashok Reddy	AWS.HCL.MICROSOFT.ORACLE Certification Program	Pearson VUE	Western Union Global Pay	7,398	06-98-2020	NEFT
K. Ashok Reddy	AWS.IRT.MRCROSOFT,ORACLE Certification Program	Pearson VUE	W1. Business Solutjon	7,055	24-09-2020	NEFT
K. Ashok Reddy	HCL Microsoft/Oracle Certificate	Pearson VIIIE	Western Union Global Pay	347	04-09-2020	NEED

Administrator

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Vstage Gudlavallera - 521 356, Krishna District, A.P. IIII, ČŠE

Head of the Department
Computer Science and Engineering
Sechadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 355 Krishna Dishirt A.P.

IQAC



# Monthly Service Revenue

# Certification Testing

PRARSON CONFIDENTIAL

Site ID: 72295

Cuatomar Number: 4340515

Sent To: lashok@geogudjavatieru ác.in

Gudavallers Engineering College Ashok Reddy Kandisa Seshadii Rau Knowledge Village Krishna District Gudlavalleru, AND 521356 Inda

Involce #: V20070000073285 Invoice Date: 08 Aug 2020 Reporting Period: July 2020

#### Remittance Address:

Amount

Pearson India Education Services Private Limited Ground Floor, SD Tower 1AM Sector 16A, Nalua, U.A. 201331 1ndia Telaphone: 91 6120 4at/1600 Email: pwepfinance@pearson.com

Contar VATIO: NOTAXIDONFILED I Center Contract Corrency: INR

#### Examps

Seg ID	Candidata Name	Status	Description	Date	Form of Payment	Amount	Fs. Refe	Golfeened by Center	Rég Féé	Del Fon	Val Fee	Hei
Amazon W	leb Sorvices											HEI
277750945	Subdianisingem Koksu	CEL	CLF-CD1	09Jul20	Washer - 6158	USD190.00	74 9221	C (%)	בח.ם	137.00	0.00	107,99
377250973	Cuggirsia Rekest	DEL	CLF-681	CSJA42N	Voucher - 1F35	9 USD100.95	74,9221	0.00	0.00	137.00		
377603612	Ицифевскага Rad Анцит	061,	CLF-C01	1536120	Vousbar - 5069	USD190 00	74 9221	000	0.00	137.00	0.00	137.00
27795	U Gereysh Nadu	CF.	CLF/CD1	21Jul20	Vouchart, 1479	US5100.ta	74 9221	CCU	0.00	137.00		127.00
377865292	Айніія Кохранізінта	DFI	CLF-GR1	220.420	Voucner 9866		74 9221				0.00	127.00
	(CAAMMAIII IL)				1040161 3231	V10 W.S	14 9221	0.00	2.0	127.00	C.00	137.00
								0.99	û.ŲĢ	635.00	0.00	665.00
HCL Techn	s-logias											
077400829	Yaffeyedda Glyaid:	NOS	HOLSAT-i	1034/20	None	INROC	1.CUU <del>0</del>	0.00	0.06	69.50	9.00	68.50
377403858	Yarlayadda Giyaah	REV	OCEGATA	1034120	None	IKRC,DD	1 3300	3.99	0.00	(68,50)	0.00	(68 59)
377410218	Pendyala Chowdary	OCL	HCUSAIT-I	1030/20	None	INR0 (0)	1,9600	0.00	300	137,00	0.33	137.00
377416743	Gorgania Nagaguna	DFL	STABLICH	10Ju 20	None	4480.00	*.000.1	U.00	0.00	137.00	0.00	137.00
177462258	Chidvitasın Bandi	DFI.	HCLSAT-J	103.120	None	INRO.33	1,0006	0.00	0 00	137 00		
77466580	Komapas Akhil Chizacary	CEL	HCL5AT-I	10.lint20	None	INRO 00	1,0000	0.00	000	107 00	0.00	137.00
17/405674	Vertulapali Sai	DE.	HC:SAT-	1035/28	Skew	iM50 00	1.0000	П ээ	c.nn			137 00
1774App48	Shabijer Shaik	DFL	HCLSAT-I	*Buil20	None	INRO.CC	1,0000	000	0.00	107.00	0.00	137.00
					Pa	age 1/1		000	0.55	137 00	0 00	137 66
					Pa	age 1.•1						





₹0 <b>0</b> ID	Candidate Nas	audelB en	Description	Date	Form of Payment	Ainnian	Fz Rele	Attount Gollected by Cunter	Reg For	Det Fine	Vol Fee	Fel
3774400	Thanuja 1 <sup>1</sup> Chydegam	DEL	HGLSAT-I	103/0120	None	INFIG.00	:.0030	0.00	000	197.00	000	137.00
37746910	91 Dadla Gowthan	n DEL	HOLŞAT-i	10Jaf20	None	INR9 30	1 0000	0.60	000	137.60	0.00	137.00
37747267	, annivas Nayek Banavathy	DEL	HQLSA14	1000120	None	.NP0.00	1.0000	0.00	0.00	:97.00	0.00	137.00
a**47310	95 Unyadeep Buru;	gu DEI.	HCLSAT-I	1030120	Мспа	INPG.00	1,0000	9.90	200	137.00	9.00	137.99
37747365	6 Maintabu Gumin	DEC	HOLSAT-I	10,18(20)	Мале	INRII.00	1 0000	ð au	0.00	137.00	0.00	(37.00
37750587	1 Tuedkonsa Deepthi	OBL	HOUSATA	10,0420	None	INRo.cc	1 0000	C 00	C.00	107,00		
07788499	i1 Anninde Naga 8	ia: CEL	HULSATA	1020120	None	INFIC.00	1 0000	300	0.00	197.90	0 00 0 00	137.00
37/58728	Lekalimi 2 Chairenya Kambala	DEL	HCLSAT-I	100020	None	INR0.00	19000	0.00	0.00	137.00	0.00	137.00
3777gepg		CEL	HCLSA)4	10.6120	None	INAO CC	1.0000	ca.n	0.05	197.00	0.00	137.00
37749196	4 Ambasi Somanadh	UE.	HOLSAT-I	1120120	Nana	INRC OU	1.0900	0.00	300	137.00		
37749389	1 Binduso Panglia	la DEL	HOLSAT-F	113.420	None	INRU 90	1,0000	0.00	0.00	137,00	0.00	127,00
37754784	e Ziellegiteri) B	D€C	HCLSAT4	1133/20	None	1450.00	1.0000	0.00	0.00	137.90	0.00 0.00	137 GG
27759548	Kanshma Mohammad	CCL	HCLSAT-I	11Jul29	Ngpa	3NA0.00	1,0000	0.00	U 000	137.00	0.00	137.00 137.00
3776572 19	9 Parisi Moliniky	NOS	HOUSAT-I	11.lat20	None	INR0 00	1.0000	0.00	0.66	68.50	C.FIN	58 50
377667219	R Pans Mounka	REV	PCESATA	1199/20	Nome	INR0.00	1.0000	U.UU	C 00	(68.30)	0.35	168 50;
3776	, Gangasan Sii Lakshmi	DEL	HCL8AT-I	11,5425	Nane	IN56.00	1.0000	0.30	3.00	137.00	0.00	107,00
177909074	Saranya Kandula	DEL	HGLSAT-I	11Jul20	None	INR0 00	1,5000	0.00	0.00	127 00	G.00	137.00
377401846	, Jangyala Sasighan	DEC	PCL5AT#	133,020	Nove	INR076	1,0000	0.00	0.00	137.00	0.50	137.00
3774 ° 61 75	Munical Ajay	OBL	HCLSAT4	13JUI20	None	JMR0,00	1.0000	0.00	0.55	137 (0)	0.05	127.00
277509517	Lokesh Napumanthu	DEL	HCI,SAT-I	13Jul20	None	MAG.00	1 0000	9.00	900	137 00	0.00	137.00
377572754	Spolam . raight	DP"	HOLGA)-I	133600	Nano	INRU.00	1,0000	000	0.00	137,00	6 00	137.00
	Uday Marviem	vos	HCLSAT4	120,420	None	6NR0.00	1.0000	G.00	0.00	69.50	0.00	ca 5u
	Jday Marnem	REV	HCUSATA	18,0120	Моле	INFO.01	1.0000	0.00	9.00	(58.50)	000	(68.50)
177753256	Sasi Mona Mana Sasa	NOS	HCL5AT-I	13Jul20	None	INRO 00	1,0000	000	0.00	F8 50	0.00	69.50
377791636	Janghyala	DEC	HC15AT-I	1331,20	Vone	NR000	1,0000	0.00	6.00	197.00	0.50	137.06
377647319	Sure Dinarani	DEL	HCLSAT4	143475	None	IMRO CC	. 0000	0.55	0.00	137.00	0.00	137.00
277792244	Hanni Saladiyi Gudula	0CL	HOLSAT-I	14411120	Mane	UNRULUD	1 3390	0.00	0.00	137.00	C 00	137.00
	Chand ni Shak	DEL	MOLSAT-I	15Ja20	Nane	INR3 00	1.0000	0.00	C.00	137.00	8.00	137.00
	Manno Sababu	DEL	HC(SAT4	15A+20	None	PVE60100	1,0000	0.00	0.00	137.00	0.00	137,00
077ggm12		CEL	HGLEAT-I	153/120	Nore	INR0 00	1.0000	0.00	900	137.00	0.00	137-00
	Ponnan Vivilha Kama Ser	NOS	HCI SAT-I	153,620	None	INRU.DD	1,0000	0.00	0.00	68.50	0.00	68.50
37765,5706	Mahankali	NCS	HCI SAT-1	16.kr20	None	INR0 00	1 0000	t: 00	دە.ם	89.50	3.90	68 50
	Trid konda Naga Athyw Carlo Badrinad:	DEL.	HIGLEAT I		Мінги	INSC co	1.0000	0.00	3.00	137 00	0.00	137 00
	Mandarapy	DE1	HOLSA7-I		None	INRU DO	1 9000	000	0.00	137.03	U DO	137.00
	Aasa Sujatra Marid Angoch	Duc O=1	HC_SAT4		None	INKS 00	1,0000	0.00	6.00	(37.00	200	107.00
377466436	Palevell	DEI DEI	HCLSAT-I		hone	.NS0 (0)	B000)	0.50	0.00	137.00	0.00	137.00
	Katawas	rel	HGLSAT-I	17Jul20   F	4GPE	INRC.UU	1 3300	0.00	0.00	137.00	0.03	127.00
3.3311740	Nicosia		MOLSAT-I	17Ju/20 F	dorner .	INR0 99	1 0000	0.00	6.00	107.00	0.00	137.00
377467309	Ša Vaskala		HCLSAT4	1834120 P	Cone	1A780 CC	. 0000	0.33	3 33	02.86	0.00	85.50
3114-333h	Λαίγης		HCI SAT-I	20mil20 N	ane	IMRG.00	1 3330	0.00	0.00	137.99	0.00	107.00
			HBI SAT-1	24Jul20 N	anci	INR3-00	1,0000	0.00	C 00	GS 30	0.00	60.50
			HOUSATA	2400/20 1	k-ra-	WR0.00	0000	0.33	0.90	168,50;	0.00	(68 SC)
			HCI SAT-I		спа	INHC.00	1,9900	9.00	0.00	127.00	C.00	137.00
377010055 (	at 14 Kgray	OFI	HULSAT-I	25Jul20 N	one	INR() (3)	1,0000	0.06	0.00	(07.00	θω	137,00
Ī												



Page 2/4

leg M	Candidate Neme	Štatus	Description	Dáte	Form of Payment	Annayot	Fp Plate	Amount Collected by Center	Reg Fee	Dal Fee	Vol. Fee	#8e1
277928773	Rejesvan Pakšingrij	NOS	HCLS4T-I	2530128	Nune	INRO 00	1,000	U.90	0.00	68.50	9.00	- t8.50
077924690	Lakalıman İnamovel	NOS	HCLSAT4	273/0/20	Nena	INRC.00	1.0000	900	9.60	68.50	0.00	88.50
377817686	Sayed Sameera	NCS	HOLSATA	29,5420	None	INR0.50	1 0000	6.00	0.00	68.50	6.00	66.60
277584354	Maheswaram Naga Sai	DEI,	HCLSAT4	0000120	Note	ANRO GC	*.coan	0.33	0.0μ	137.00	200	137.55
376499001	Pakinzi, Pavani Szladli	CF_	HCLSAF4	30Jul20	None	INFIC.OO	1,5500	0.00	0.00	137.00	0.00	197.00
								ρúd	0.00	5.231.50	0.00	6,233,50
Michoepth												
377;322125	Інднізьі Водди	281,	A2-300	113423	Vanigher - 9508	NR4 800.00	4.0000	0.00	0.00	137.00	0.00	137,00
07752775	Vehradapu Prasenth	DEL	AZ-900	113/1/20	Voucher 3F30	!NR0,695.00	1 0000	0.00	900	137.08	0.00	137.00
								0.00	0.00	274.00	<b>0 0</b> 0	274.00
	Réallon Program											
		DCL	129-521	13Jul20	Vaucher - 5976	INR (0,475.00	1 9000	0.60	0.00	137 00	0.00	127.00
726 3	Göwdhain Kumar Naidu	NCS	120-1067	253920	Эйфил	INR10,475 (x)	1.0000	0.33	G.DU	88 50	0.00	68.50
							-	0 00	0,0	285.50	0.00	765.50



#### Invoice #: \2D070000073285

HGL Technologies 53 0.00 3.00 6,230 50 0.00 6,230 50 0.00 6,230 50 0.00 6,230 50 0.00 6,230 5			Сիմառիդի	Collected by Center	Registration Fees	Detrogry Fees	Volume Fees	Nas
Microsoft 2 0.00 000 274 00 0.05 N, Oracle Centification Program 2 0.00 0.00 206.50 0.00 Total	Exams	Amswim Web Services	5	6.00	0.00	685,00	0.00	585.00
Orazie Centificațion Program 2 000 000 206.50 0.00 Total		HGL Teshnologies	53	0.00	3.00	6,230.50	0.09	8,233.50
Total		Microsoft	8	0.00	000	274.00	3.05	274.00
	7.41	Oracie Centification Program	2	0.00	0 00	206.5П	0.00	205.50
	lotal		32	0.00	0.00	7.398,00	0.00	7.398.00

Suropean Union Obstomers Only If the two amount is zero (0.00), this service may be subject to reverse charge procedures by the customer which 44 VAT Oregive 2007 12/50 applies

Pearson Vull Owes:	7,398.00	INR
(Do Not Pay)		



# GUDLAVALLERU ENGINEERING COLLEGE

FAR Automorphic landings with a commission Additions to Juril K. Radinasion Brahadra Backmondesign vide of Godfandingus + 52,1365. Kristiana Godfan & A. L.

12 / 1/1/16

Yo The trincipal, Gadiavaliera Engineering Colices, Sighado Xao knowledge Village, OCDEAVALLENO - 501 356.

3 ...

We that Conducted Landance and Conductors Exponentions in our conductors of the companies of the conductors we have recover regarder and of conducting examination and accord to AWS, as I Universities. Main SCOT ORACLE and other nettransion escape for an amount of Rs. 7055/- thomas, NEUT from Will Fusiness Sources of 24 (5),2020.

I herear request you to sunction on majoret of Rs. 42337. (6000) is remulierance for the coordinates who have conducted for exactinations.

Thinking you

Yours Mishighte

Prior S.A. R. Prasadi Vace Principal Academies

POS -

TOAC

## ENT OF ACCOUNT

STATE BANK OF INDIA **GUDLAVALLERU** 

POST BAG NOT MAI NIROAD GUDTWADA

DIST: KRISHNA Branch Code: 1461 Branch Phone: 273367 IFSC:SBINOCD1461

CHAIRMAN AND SECRETARY&CORRESPONDENT GUDLAVALLERU ENGGCOLLEG

MJCR:520002783

C/O GEC Account No.: 11588342852

Product : REGULAR SB CHQ-INDIVIDUALS Currency : INR

GUDLAVALLERU, KRISHNA DT

521356

Time: 16:45:29 E-mall:

Date: 08/10/2020 Cleared Balance :

29,91,885.34Cr

0.00

+MOD Bal:

0.00

Limit:

0.00

Drawing Power:

Uncleared Amount:

0.00

Int. Rate: 2.79 % p.a.

Nominee Name :

Stag\_nent From 01/07/2020 to 08/10/2020

Page No. : 6

Ba)	Credit	Debit	Съ∉,№.	Details	Value Dato	Post Date
			11	BROUGHY FORWARD :		
***************************************				291		
4020372	7055.50			NEPT 200289495241 INDB0000000 WESTERN UNION IN	24/09/20	24/99/20
				AT 00400 CAYMENT MYS INTEREST CREDIT	25/09/20	25/09/20
4016060.3 40867.6.5	56666.10	1.'6"2.00 3	207900	TAS PRES DAG BON ICEC: COMBARD	29/03/20	897,00420
3464316.5		200000.00	1479;9	CAS CASE CHEQUE CASE WITHHEAWAL BY C	29/09/20	29/09/20
2954505.5	92243.00 <b>(</b>		234632	50798999984 OF Mr. 5	29/09/20	29/04/20
12530927.5	7572268.05			A7 01461 GUGLAVALIZA DEP TER on ous req	03/10/20	64/10448
19115)	7794341 00			35415107161 OF CHAIR MATURED ON 15/61/21 AT 01461 DUD:AVAILER DE2 TEM ON DUE DEQ 39415107730 OF CHAIR	01/10/20	01/10/20
17895.24 34		15:00:47 <sub>+</sub> 20 <sub>4</sub> _	207972	MATURED ON 15/01/21 AT 01451 GUDLAVALLER REMT THRE CHO RIGS OTR NO: SEINGSZ	01/10/20	PI/10/20
·				020120100015064 00820001154 COMPORAT GRC CAS CHQ XFER WI		11710/20
€ 157425 - 3/		12857899,000,	207EB9	CHEQUE TRANSFER TO 35405548754 OF CHAIR AV 01461 GCULAVALLER		
4526923.3		230500.00	207659	CAS CHO XFER WD CHEQUE TRANSFER TO CARRIED FORWARD :	03/10/20	03/10/20
45,26.975.340				CARGED ECKWARD ;		

Dr. Count 42

Cr. Count 19

7,72,51,548 32

4,98,21,085.76



## Invoice

#### **Gertification Testing**

PEARSON CUMPIDENTIAL

Site ID: 73285

Customer Number: 4340515

Sent To: ashok@geogudlavalloni agin

Gud'avalleru Engineering College Ashow Reddy Kandura Seshadri Ras Khowledge Wilage Krishna District Gudlavalleru, AND 521356 India Invoice #: V20060000073285 Invoice Date: 04 Sep 2020 Reporting Period: August 2020

## Bank Information:

The Hongkong and Sharghal Banking Corporation Limited Pearson India Education Services Private Limited Acct # 052-711903-602, RTG SINEF7/FSC: MSBC0110062 Sank Address: 25, Barakhambal Road, New Detni- 110 031

#### Remittance Address:

Pearson India Education Services Private Limited Graind Hoor, SB Tower 1A/1 Sector 16A, Noida, U.P. 201501 India Telephone: 91 0120 4001600 Email: pyaplicance@pearson.com

Center VAT ID: NOTAXIIX)NHILE(I1 Center Contract Currency; INR

#### Exauns

5mg 1€	Canolicate Name	Status	Description	Date	Form of Payment	Althount	F± Rate	Amoura Golloclod by Genter	Reg Fee	Del Foo	Vol Fre	Net
HCL Teclin	eologias											
377753256	Sasi Meda	ALV	HCI SAT-I	133//25	None	INFI0.00	1,0000	0.00	0.00	(68,50)	9.00	.00
377402424	Potentia Veripo	REV	HCLSAT-I	16Ju[20	None	INKO.00	1,0000	500	900	(88 50)	000	(89.50)
377928732	Rayerean Padécam	REV	HCUSAT4	2535/20	None	INR0 00	1 0000	0.00	0.60	(68.80)	6.00	(68.50) (68.50)
9779.	vaksomen Inampudi	RZV	HCLSAT4	275.120	Mone	INAC.CO	: 0090	0.85	U.00	(68.50)	4.00	(89.53)
3779:7693	Sayed Sometra	BEV.	HOLSAT I	2900129	Нспе	INR0 33	1,0000	200	0.00	(68 50)	0.00	
377806820	Thakkella Krishilu	NCS	HOLSAT-	31Jul20	Name	INR0.00	10000	900	0.00	GB.50	(68 50)	168 501
377805829	Thakkeila Austra	REV	HCI SATe	313426	None	NR) (C	. 4000	0.00	C.UU	(88.50)		0.00
378422837	Enarshirus Ankaris	OEL	HOLSAT-I	B14ug20	None	IrsR0.00	1 0000	0.53	3.39	137 60	68.50 (137.60)	C.CG U.DB
378510525	Sinçakı i Soluto	UEL	HOLSAT-I	01Ang20	None	INR0 00	1,0000	0.00	0.00	197.00	(137,00)	
977589297	ANDE SALRAM	NCS	MOUGATA	CEAug25	Nane	INR0 06	1.0000	0 00	0.00	58 SC		000
278774025	Sasidim Perasa	OBL	HCLSAT-I	05A(g2)	None	JNA0.00	1 0000	0.00	U.DO		(65.50)	0.00
377740974	Osniyala Adva	fo(19	HCLSAT-I	95ALq20		INE0 00	1.3000	U.00		137,00	(137.00)	0.00
322740974	Dantyelo Reus	REV	HCLSAT-I	08Aug20	-	INROLOG	1 0006	0.00	300	68 50	(80.50)	0.00
377429724	Adilhya Chitajali i	NOS	HCLSAT4	CS6mA30		JAROO	. 0000		0.00	(58.50)	68 50	0.00
277832320	Gonnaetraksala	NOS	HCLSAT-I	084u <sub>4</sub> 20				осп	6.00	58.50	(68.50)	U.RG
377832320	Dayash Gamadahasa Ja					INRC,CU	1.0000	0.55	U.33	F8 50	[G8.50;	בכ ע
	Jayasa	RFV	HDLEAT-I	08/mg20	Nume	INE0 00	1 0000	0.00	0.00	(68-30)	60.50	0.00
377918646		NOS	HCLSAT4	C8Aug20	Jame -	1950-00	4.0000	0.00	0.00	58 SC	(68.50)	0.00
.177403898	Acsoru Sr	CEL	HCLSA14	114 ig/di	None	INRC.00	1 0000	con	0.00	137.00	(127.00)	a aa

Page \*/3



leg ID	Candidata Name	Status	Description	Date	Form of Payment	Amount	Fx Kate	Amount Collected by Genter	Reg Fee	Del Fee	Val Fee	Med
	Tammiserry Vivid	N/IS	HCL84T-I	12Aug20	Nate	INFC CO	כפעש.:	0.90	200	69.50	(66.5П)	G.00
	Yamini okulle Pitala	NOS	HCLSAT-I	14Aug20	Моне	INR0 00	1,5000	9.00	0.06	08.80	168 501	200
								0.00	0.00	\$48.00	(890.50)	[342.60]
ndlan Teetir 279543164		DEC	48ТОВ-СТА	1 <i>2/</i> /ug20	None	IKR0.00	4 0000					
	16,	E-E-E		IXLINKER	ГКим	INFO.00	1.0000		0.00	127,00	[137.00]	3.00
								0.00	6.00	137.00	(437,00)	0.60
	Adireden Mounka Ranjen	DEL	AZ-204	<b>29</b> Aug <i>G</i> ()	Voucher - 1E2D	INR4,630 co	1.0000	900	one	137.00	(197 99)	2 00
								<b>\$</b> \$0	0.00	137.00	(197,00)	0.00
1776 a <	ficetion Program Go∞tham Kumar Neidu	NOS	1 <b>2</b> U-1077	09VT82U 1	Distract	INR13,476 00	I.CCCE	0.00	(A.n	KH.50	(88 50)	6.06
								9.00	9.00	G8.50	[88,\$0)	0.00



## Invoice #: V20080000073285

		Quantity	Amount Collected by Center	Registration Fees	Delivery Fees	Vakimė Fees	file;
Examp	HCL Technologies	12	000	0.95	548.00	(890.50)	(342.50)
	Indian Testing Brend	1	0.00	n-oo	137.00	[107.00]	C.03
	Migrosoff	1	C.00	2.90	137.00	(137.00)	0.00
	Oracle Calification Program	1	0.00	2.00	66.50	(58,60)	0.99
Total		15	0.00	0.00	890.50	(1 233.00)	[342.50]

Surapsan Donno Custoners Only If the Jen emount is zero (3.00), this
service may be subject to toverso charge possedures by the customer.
Article 44 VAT Oxective 200/11/2/2C applies

Please Remit:	342.50	INR



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delbi and Permitted by A.P. State Government)

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

# 3.5.1: Revenue generated from consultancy and corporate training for the Academic Year 2019-20

S. No	Name of Teacher/ Consultant	Name of the beneficiary/ corporate agency	Name of the beneficiary/ corporate agency	Revenue generated (INR in Lakhs)
l	Phani Kumar.V, Ch.Naga Bharath	Soil test - 1 No's	Gutta ramana 1-31, ramalayam street, dondapadu village, gudivada mandal	0.07
2	Phani Kumar.V, Ch.Naga Bharath	Material testing - 4 No's	GVR Premco Joint Venture	0.067
3	K. Venkateswara Rao	Material testing - 8 No's	Mega Engineering Infrastructure Limited	0.022
4	K.Venkateswara Rao	Material testing - I No's	ms.k. bharghavi, b.tech final year, s.r.k.r engineering college, bhimavaram	0.013
5	Phani Kumar.V, Ch.Naga Bharath	Soil test - 8 No's	Sachivalayam	0.70
6	Phani Kumar.V, Ch.Naga Bharath	Soil test - 9 No's	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	0.90
7	Phani Kumar.V, Ch.Naga Bharath	Soil test - 4 No's	Sri p. narayana rao, contractor, narasapuram	0.40
8	Sri K.Ch. Kishor Kumar	R & D Lab	VKR VNB & AGK College of Engineering, Gudiavada	
9	Sri J. Phani Kumar	Manufacturing Processes Lab	Usha Rama College of Engineering & Technology, Telaprolu	
10	Dr. J.A. Ranga Babu	FueIs Lab	DMS SVH College of Engineering, MTM	0.75
11	Sri J. Phani Kumar	R & D Lab	VKR VNB & AGK College of Engineering, Gudiavada	
12	Sri J. Phani Kumar	R & D Lab	Ramachandra College of Engineering, Eluru	
3	Dr. J.A. Ranga Babu	Thermal Engineering	Sir C.R. Reddy College of Engineering, Eluru	

14	Dr. J.A. Ranga Babu	Thermal Engineering	Sir C.R. Reddy College of Engineering, Eluru
15	Sri K.Ch. Kishor Kumar	R & D Lab	Raghu Engineering Collge, Visakhapatnam
16	Sri K.Ch. Kishor Kumar	R & D Lab	Ramachandra College of Engineering, Eluru
17	Sri K.Ch. Kishor Kumar	R & D Lab	Sri Vasavi Engineering College, Tadepalligudem, West Godavari Dist.
18	Sri K.Ch. Kishor Kumar	R & D Lab	Raghu Engineering Collge, Visakhapatnam
19	Sri K.Ch. Kishor Kumar	R & D Lab	Raghu Engineering Collge, Visakhapatnam
20	Sri K.Ch. Kishor Kumar	R & D Lab	PBR VITS, Kavali
21	Sri K.Ch. Kishor Kumar	R & D Lab	VKR VNB & AGK College of Engineering, Gudiavada
22	Sri K.Ch. Kishor Kumar	R & D Lab	VKR VNB & AGK College of Engineering, Gudiavada
23	Sri J. Phani Kumar	R & D Lab	Raghu Engineering Collge, Visakhapatnam
24	Sri J. Phani Kumar	R & D Lab	Raghu Engineering Collge, Visakhapatnam
25	Sri J. Phani Kumar	R & D Lab	Raghu Engineering Collge, Visakhapatnam
26	Sri J. Phani Kumar	R & D Lab	DVR & Dr. HS MIC College of Technology, Kanchikacherla
27	Sri J. Phani Kumar	Mechanics of Solids Lab	Ramachandra College of Engineering, Eluru
28	Dr. J.A. Ranga Babu	Fuels Lab	K.L. University, Vaddeswaram, Guntur Dist.

	Total				
37	K. Ashok Reddy	LPU,SNU,MIT University and Others	WU Business Solution	0.24	
		ARMEZO STEP			
36	Sri.B.Srinivasu Kumar	JEE Mains	TCS ION	2.09	
	Dr.B.Karuna Kumar,	NPTEL NPTEL			
35	Sri K.Ch. Kishor Kumar	R & D Lab	LBRCE, Mylavaram		
34	Sri K.Ch. Kishor Kumar	R & D Lab	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.		
33	Dr. J.A. Ranga Babu	Thermal Engineering	DVR & Dr. HS MIC College of Technology, Kanchikacherla		
32	Dr. J.A. Ranga Babu	Thermal Engineering	DVR & Dr. HS MIC College of Technology, Kanchikacherla		
31	Dr. J.A. Ranga Babu	Thermal Engineering	DVR & Dr. HS MIC College of Technology, Kanchikacherla		
30	Sri K.Ch. Kishor Kumar	R & D Lab	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.		
29	Sri K.Ch. Kishor Kumar	R & D Lab	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.		

IQAC

Principal
PRINCIPAL
Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356, Krishna District, A.P.

# ANNEXURE-I GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village :: GUDLAVALLERU
DEPARTMENT OF CIVIL ENGINEERING
CONSULTANCY CELL

A.Y.: 2019-2020

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
1	10-07-2019 ST-118	Sub soil investigation and recommendation for the foundation of drill site "MDSGA" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
2	10-07-2019 RF-144	"MDSGA" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
3	20-07-2019	Conducting the compressive strength test on CC cubes cured in accelerating curing tank – 2 samples	The Project Manager, GVR Premco, Joint venture, Gudivada	1,500/-
4	23-07-2019 ST-119	Sub soil investigation and recommendations for the foundation of drill site "BTSAE" D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
5	23-07-2019 RF-145	"BTSAE" D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
6	26-07-2019	Test results of the CC cubes for the construction of slab at Sri Venkateswara swamy temple, Dokiparu, Gudlavalleru Mandal	The Project Manager, Mega Engineering infrastructure's limited, Dokiparru, Gudlavalleru Mandal	225/-
7	30-07-2019	Test results of materials for the construction MPUP secondary school building at Kondangi village, Kalidindi Mandal and Tumalapalem Village, Bandar Mandal	Sri B.Prasad, Assistant Engineer, APEWIC, Krishna District	1,650/-
8	19-08-2019 MT-109	Test results of CC cubes for the work of "Doubling with electrification of railway line between Gudivada-Machilipatnam section from KM 0.00 to 36.740 on Vijayawada division of SC railway	The Project Manager, GVR Premco joint venture, Gudivada	1,500/-
9	19-08-2019 MT-106	Test results of CC cubes for the work of "Doubling with electrification of railway line between Gudivada-Machilipatnam section from KM 0.00 to 36.740 on Vijayawada division of SC railway	The Project Manager, GVR Premco joint venture, Gudivada	1,500/-
10	24-08-2019 MT-107	Test results for the mix design for M-25 using 20mm HG grade coarse aggregate with a slump of 10-20mm.	The Deputy General Manager (Civil), ONGC, Rajahmundry, East Godavari District	12,000/-

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
11	24-08-2019 MT-108	Test results for the mix design for M-20 using 20mm HG grade coarse aggregate with a slump of 10-20mm.	The Deputy General Manager (Civil), ONGC, Rajahmundry, East Godavari District	12,000/-
12	16-09-2019 MT-111	Test results of CC cubes for the work of "Complex construction" at Siddhartha Nagar, Vijayawada	Reliance Builders, Siddhartha Nagar, Vijayawada	
13	23-09-2019 MT-112	Test results of the CC cubes for the construction of Kalyanakatta ground floor slab at Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	225/-
14	25-09-2019 SP-S3	Design of R.C.C ground reservoir tank at Bamboobari, Pukhuri, ONGC, Nazira, Assam	Sri J.Hari Gopal,GM Civil, ONGC AA,Civil Housing section,Nazira, Assam	25,000/-
15	16-10-2019 MT-114	Test results of the CC cubes for the construction of Kalyanakatta first floor at Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	225/-
16	21-10-2019 MT-115	Test results of the CC cubes for the construction of Kalyanakatta first floor at Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	225/-
17	30-10-2019 ST-120	Sub soil investigation and recommendations for the foundation of drill site "BML-A" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
18	30-10-2019 RF-146	"BML-A" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
19	04-11-2019	Test results of the CC cubes for the construction of Kalyana Katta 1 <sup>st</sup> floor at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	225/-
20	14-11-2019 ST-121	Sub soil testing reports of Gramma sachivalayam building at Nidumolu, Movva Mandal, Krishna District	The Special Officer / Secretary,Gramma Sachivalayam,Nidumolu, Movva Mandal, Krishna District,Andhra Pradesh	7,000/-
21	14-11-2019 ST-122	Sub soil testing reports of Gramma sachivalayam building at old GP building site, Near MPDO office, Pamarru, Krishna District	The Special Officer / Secretary, Gramma Sachivalayam, Pamarru, Pamarru Mandal, Krishna District, Andhra Pradesh	7,000/-
22	14-11-2019 ST-123	Sub soil testing reports of Gramma sachivalayam building at Moparru, PedaparupudiMandal, Krishna District	The Special Officer / Secretary,Gramma Sachivalayam,Moparru, Pedaparupudi Mandal, Krishna District,Andhra Pradesh	7,000/-

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
23	14-11-2019 ST-124	Sub soil testing reports of Gramma sachivalayam building at Bodapadu, ThotlavalluruMandl, Krishna District	The Special Officer / Secretary, Gramma Sachivalayam, Bodapadu, Thotlavalluru Mandal, Krishna District, Andhra Pradesh	7,000/-
24	19-11-2019 ST-125	Sub soil testing reports of Gramma sachivalayam building at Allapadu, KaikaluruMandal, Krishna District	The Special Officer / Secretary, Gramma Sachivalayam, Allapadu, Kaikaluru Mandal, Krishna District, Andhra Pradesh	7,000/-
25	19-11-2019 ST-126	Sub soil testing reports of Gramma sachivalayam building at Vanduru, MudinepalliMandal, Krishna District	The Special Officer / Secretary, Gramma Sachivalayam, Vanuduru, Mudinepalli Mandal, Krishna District, Andhra Pradesh	7,000/-
26	19-11-2019 ST-127	Sub soil testing reports of Gramma sachivalayam building at Unikili, MandavalliMandal, Krishna District	The Special Officer / Secretary, Gramma Sachivalayam, Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh	7,000/-
27	19-11-2019 ST-128	Sub soil testing reports of Gramma sachivalayam building at Mattagunta ,Unikili, Mandavalli Mandal, Krishna District	The Special Officer / Secretary,Gramma Sachivalayam,Mattagunta, Kalidindi Mandal, Krishna District, Andhra Pradesh	7,000/-
28	25-11-2019	Test results of cc cubes for the construction of temple building of Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	225/-
29	28-11-2019	Test results of cc cubes for the construction of temple building at Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	250/-
30	29-11-2019 ST-129	Sub soil testing reports proposed residential building at Gudivada, Krishna District	Gutta Ramana 1-31, Ramalayam Street, DondapaduVillage, Gudivada Mandal, Krishna District, Andhra Pradesh	7,000/-
31	02-12-2019	Test results of the cc cubes for the purpose of project work of Final B.Tech students S.R.K.R. Engineering College, Bhimavaram	Ms.K.Bharghavi, B.Tech Final year, S.R.K.R. Engineering College,Bhimavaram	1,300/-
32	09-12-2019	Test results of the finess modules of crushed stone sand for the construction of temple building at Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	500/-

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
33	10-12-2019	Test results of cc cubes for the work of "Complex construction at Siddhartha Nagar, Vijawayada	Reliance Builders, Siddhartha Nagar, Vijayawada	
34	12-12-2019	Test results of cc cubes for the construction of temple building of Sri Venkateswara Swamy temple, Dokiparru, Gudlavalleru Mandal	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	250/-
35	17-12-2019 ST-130	Sub soil testing of Gramma sachivalayam building at Sorlagondi, Nagayalanka Mandal, Krishna District	The Special Officer / Secretary,Gramma Sachivalayam,Sorlagondi, Nagayalanka Mandal, Krishna District, Andhra Pradesh	7,000/-
36	17-12-2019 ST-131	Sub soil testing of Gramma sachivalayam building at I.B.Peta, Koduru Mandal, Krishna District	The Special Officer / Secretary,Gramma Sachivalayam,I.B Peta, Koduru Mandal,Krishna District, Andhra Pradesh	7,000/-
37	21-12-2019 MT-123	Test results of the soil, P <sup>H</sup> and Salinity tests for Soil	Sri Abdul Gafoor, Malleswaram, Bantumilli Mandal, Krishna District	1,000/-
38	23-12-2019	Test results of core cutting concrete cubes 3 Nos	The Project Head, Mega Engineering infrastructures Limited, Dokiparru	300/-
39	26-12-2019 ST-132	Sub soil investigation and recommendations for the foundation of drill site "MDE-AA" D/s, East Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
40	26-12-2019 RF-147	"MDE-AA" D/s, East Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
41	26-12-2019 ST-133	Sub soil investigation and recommendations for the foundation of drill site "MDAP" D/s, East Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
42	26-12-2019 RF-148	"MDAP" D/s, East Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
43	03-01-2020 ST-134	Sub soil testing reports of Gramma sachivalayam building at Chenunru, Pedana Mandal, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, Chennuru, Pedana Mandal, Krishna District, Andhra Pradesh	7,000-00
44	03-01-2020 ST-135	Sub soil testing reports of Gramma sachivalayam building at Pedayadara, Bandar Mandal, Krishna District, A.P	The Special Officer / Secretary, Gramma Sachivalayam, Pedayadara, Bandar Mandal, Krishna District, Andhra Pradesh	7,000/-
45	03-01-2020 ST-136	Sub soil testing reports of Gramma sachivalayam building at Vadapalem, Bandar Mandal, Krishna District,A.P	The Special Officer / Secretary, Gramma Sachivalayam, Vadapalem, Bandar Mandal, Krishna District, Andhra Pradesh	7,000/-

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
46	07-01-2020 ST-137	Sub soil investigation and recommendations for the foundation of "Proposed workshop complex, Dawaleswaram, East Godavari District.	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
47	22-01-2020 ST-138	Sub soil investigation and recommendation for the foundation of drill site "SVL-AB", West Godavari District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
48	22-01-2020 RF-149	"SVL-AB" D/s, West Godavari District, A.P	Sri P.Narayana Rao, Contractor, Narasapuram	10,000/-
49	22-01-2020 ST-139	Sub soil testing reports proposed residential building (G+3) at Gudivada, Krishna District, A.P.	Sri N.Ramarao Rajendra Nagar (7 <sup>th</sup> line) D- No- 8/308-2c,Gudivada, Krishna District-521301, A.P	7,000-00
50	27-01-2020 ST-140	Sub soil testing reports of Gramma sachivalayam building at Lakshmipuram, Challapalli Mandal, Krishna District, A.P	The Special Officer / Secretary, Gramma Sachivalayam, Lakshmipuram, Chalapalli Mandal, Krishna District, A.P.	7,000-00
51	27-01-2020 ST-141	Sub soil testing reports of Gramma sachivalayam building at Challapalli Village & Mandal, Krishna District, A.P	The Special Officer / Secretary, Gramma Sachivalayam, Chalapalli Village and Mandal, Krishna District, A.P	7,000-00
52	27-01-2020 ST-142	Sub soil testing reports of Gramma sachivalayam building at Ramanagaram Village, Challapalli Mandal, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, Ramanagaram, Chalapalli Mandal, Krishna District, A.P.	7,000-00
53	27-01-2020 ST-143	Sub soil testing reports of Gramma sachivalayam building at PadamaraVeedhi, Challapalli Village & Mandal, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, PadamaraVeedhi, Chalapalli Village & Mandal, Krishna District, A.P	7,000-00
54	27-01-2020 ST-144	Sub soil testing reports of Gramma sachivalayam building at MalampalliGantasala Mandal, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, Malempalli, Gantasala Mandal,Krishna District, A.P.	7,000-00
55	27-01-2020 ST-145	Sub soil testing reports of Gramma sachivalayam building at Koduru Village & Mandal, Krishna District,AP	The Special Officer / Secretary, Gramma Sachivalayam, Koduru Village and Mandal, Krishna District, A.P.	7,000-00

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
56	27-01-2020 ST-146	Sub soil testing reports of Gramma sachivalayam building at Koduru Village & Mandal, Krishna District,AP	The Special Officer / Secretary, Gramma Sachivalayam, Koduru Village and Mandal, Krishna District, A.P.	7,000-00
57	27-01-2020 ST-147	Sub soil testing reports of Gramma sachivalayam building at Nagayalanka,,Krishna District, AP	The Special Officer / Secretary, Gramma Sachivalayam, Nagayalanka, Krishna District, A.P.	7,000-00
58	27-01-2020 ST-148	Sub soil testing reports of Gramma sachivalayam building at Matlam Village, Kruthivenu Mandal, Krishna District, A.P	The Special Officer / Secretary, Gramma Sachivalayam, Matlam Village, Kruthivennu Mandal, Krishna District, Andhra Pradesh.	7,000/-
59	27-01-2020 ST-149	Sub soil testing reports of Gramma sachivalayam building at Kothapeta, Avanigadda, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, Kothapeta, Avanigadda, Krishna District, Andhra Pradesh	7,000/-
60	27-01-2020 ST-150	Sub soil testing reports of Gramma sachivalayam building at Yandakurudu Village, Ghantasala Mandal, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, Yendakuduru Village, GhantasalaMandalam, Krishna District, A.P.	7,000-00
61	27-01-2020 ST-151	Sub soil testing reports of Gramma sachivalayam building at Ghantasala Village & Mandal, Krishna District, A.P.	The Special Officer / Secretary, Gramma Sachivalayam, Ghantasala Village &Mandalam, Krishna District, A.P.	7,000-00
62	05-02-2020 MT-152	Test results of the CC cubes for the construction of Gramma sachivalayam building piles concrete work at Mattagunta of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.	450-00
63	06-02-2020	NDT testing (Rebound hammer and UPV) of five footings NDT test reports of construction of Cancer block at Bhimavaram Hospitals, Bhimavaram	Sri K.JayasekharaSarma, Design Coordinator, Design Building Limited, Bhimavaram	12,000-00
64	08-02-2020	Test results of the CC cubes for the construction of kalyanakatta 3 <sup>rd</sup> floor at Sri Venkateswara Swamy temple, Dokiparu, Gudlavalleru Mandal, Krishna District.	The Project Head, Mega Engineering infrastructure Limited, Sri Venkateswara Swamy temple, Dokiparru	225-00

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
65	14-02-2020	Test results of the CC cubes for the construction of kalyanakatta 3 <sup>rd</sup> floor at Sri Venkateswara Swamy temple, Dokiparu, Gudlavalleru Mandal, Krishna District.	The Project Head, Mega Engineering infrastructure Limited, Sri Venkateswara Swamy temple, Dokiparru	225-00
66	02-03-2020	Sub soil testing reports of School building at Parasupeta, Machilipatnam	The Correspondent, Saint Francies English High School, Machilipatnam	6,000-00
67	02-03-2020	P <sup>H</sup> , Chlorides, Alkanet, Acidity, Total solids, Total dissolved Solids, Sulphates for water	The Correspondent, Saint Francies English High School, Machilipatnam	2,500-00
68	02-03-2020 MT-146	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding footing work at Alapadu of KaikaluruMandal,Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	450-00
69	04-03-2020 MT-179	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Atapaka 2 of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
70	08-03-2020 MT-159	Test results of CC cubes for the construction of Gramma sachivalayam building footings work at lingala of Madavali Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
71	08-03-2020 MT-161	Test results of the CC cubes for the construction of Gramma sachivalayam footings work at Ayyavarirudravaram of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
72	17-03-2020 ST-153	Sub soil investigation and recommendation for the foundation of "Tatipaka fire station", East Godavari District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram.	10,000/-
73	25-03-2020 MT-163	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Korudollu-II of Mandavalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub division, Mandavalli Mandal	450-00
74	05-04-2020 MT-155	Test results of the CC cubes for the construction of Gramma sachivalayam building footings work at Vanuduru of Mudinepalli Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.	450-00
75	14-04-2020 MT-142	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding Footing work at Doddapatla of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	450-00

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
76	10-05-2020 ST-194	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Paruru, Mudinepalli Mandal Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
77	19-05-2020 RF-150	"TDRA-A"D/s, West Godavari District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram.	10,000-00
78	19-05-2020 ST-154	Sub soil investigation and recommendations for the foundation of drill site "TDRA-A", West Godavari District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram.	10,000-00
79	22-05-2020 ST-195	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Vadavalli, Mudinepalli Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
80	23-05-2020 ST-196	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		4,000-00
81	23-05-2020 ST-197	Sub Soil Investigation And Recommendations For The Foundation Of Grama  5-2020  Sachiyalayam  Sub Soil Investigation And Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra		4,000-00
82	23-05-2020 ST-198	Sub Soil Investigation And Recommendations For The Foundation Of Grama Deputy Executive Engineer		4,000-00
83	25-05-2020 ST-199	Sub Soil Investigation And Recommendations For The Deputy Executive Engin		4,000-00

		Mulaupparagudem, Kalidindi Mandal, Krishna District		
SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
84	25-05-2020 ST-200	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Bhaskararaopeta, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
85	30-05-2020 ST-201	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Kondangi, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
86	30-05-2020 ST-202	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Pedalanka, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
87	30-05-2020 ST-203	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Padamatipalem, KalidindiMandal,Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
88	30-05-2020 ST-204	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Pothumarru, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
89	30-05-2020 ST-205	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Kallapalem, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
90	30-05-2020 ST-206	sub soil investigation and recommendations for the foundation of grama sachivalayam, raithuborosakendram and wellness center at sanarudravaram, kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00

SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
91	30-05-2020 ST-207	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At SrpAgaraharm, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
92	30-05-2020 ST-208	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Korukollu2, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
93	30-05-2020 ST-209	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Korukollu1, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
94	30-05-2020 ST-210	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Kotcherla, Kalidindi Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
95	04-06-2020 ST-155	Sub soil investigation and recommendation for the foundation of "The foundation of Commercial Complex (G+4), Near Gandhi Bazaar, Amalapuram, East Godavari District, A.P.	Sri M Swami Surya Kumar & Sri V Srinivas Survey No – 417-23, 417- 24 Near Gandhi Bazaar, Amalapuram, East Godavari District, A.P.	4,000-00
96	04-06-2020 ST-156	Sub soil investigation for the foundation of "National Ventilated Poly House and Pollination Chamber" at YedithaSitanagaram, East Godavari District, A.P.	Pioneer Hi – Bred Pvt. Ltd., Rs- No – 61, YedithaSitanagaram, East Godavari District, Andhra Pradesh.	4,000-00
97	04-06-2020 ST-157	Sub soil investigation and recommendation for the foundation of "Residential Building (G+4)" at Near Red bridge, Amalapuram, East Godavari District, A.P.  Sri Saladi Swami Naidu, Rs-No: 804/4, Near Red Bridge, Amalapuram, East Godavari District, A.P.		6,000-00
98	ST-158 of "Gramma Sachivalayam Building P R I Division, Kak		The Executive Engineer, P R I Division, Kakinada, East Godavari District, A.P.	4,000-00

		Mandal, East Godavari District, A.P.		
SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
99	04-06-2020 ST-159	Sub soil investigation and recommendation for the foundation of Gramma Sachivalayam building at Pulimeru Village, Peddapuram Mandal, East Godavari District, A.P.	The Executive Engineer, P R I Division, Kakinada, East Godavari District, Andhra Pradesh	4,000-00
100	04-06-2020 ST-160	Sub soil investigation and recommendation of the foundation Gramma Sachivalayam building-1 at Pedabrahmadevam Village, Samalkot Mandal, East Godavari District, A.P.		4,000-00
101	04-06-2020 ST-161	Sub soil investigation and recommendation of the foundation of Gramma Sachivalayam building-2 at Pedabrahmadevam Village, Samalkot Mandal, East Godavari District, A.P.	The Executive Engineer, P R I Division, Kakinada, East Godavari District, A.P	4,000-00
102	04-06-2020 ST-162	Sub soil investigation and recommendation for the foundation of Gramma Sachivalayam building at Tatiparthi Village, Gollaprolu Mandal, East Godavari District, A.P.	The Executive Engineer P R I Division, Kakinada, East Godavari District, A.P.	4,000-00
103	04-06-2020 ST-163	Sub soil investigation and recommendation for the foundation of Gramma Sachivalayam building at Medapadu Village, Samalkot Mandal, East Godavari District, A.P	The Executive Engineer P R I Division, Kakinada, East Godavari District, A.P.	4,000-00
104	10-06-2020 RF-151	"MSAD"D/s, Krishna District, A.P.	Sri P.Narayana Rao, Contractor, Narasapuram.	10,000-00
105	10-06-2020 ST-164	Sub soil investigation and recommendation for the foundation of "Gramma Sachivalayam building" at Diviti Village, Peddapuram Mandal, East Godavari District, A.P.	ndation for the foundation na Sachivalayam building" Illage, Peddapuram  The Executive Engineer, P R I Division, Kakinada, East Godavari	
106	10-06-2020 ST-165	Sub soil investigation and recommendation for the foundation of drill site "MSAD"D/S, Krishna District, A.P.	ndation for the foundation "MSAD"D/S, Krishna Sri P.Narayana Rao, Contractor, Narasapuram.	
	10-06-2020 ST-166	Sub soil investigation and recommendation for the foundation of "Gramma Sachivalayam building" at Gudivada Village, Peddapuram Mandal, East Godavari District, A.P.	The Executive Engineer, P R I Division, Kakinada, East Godavari District, A.P.	4,000-00
107	10-06-2020 ST-167	Sub soil investigation and recommendation for the foundation of "Gramma Sachivalayam building" at Kattamuru Village, Peddapuram	The Executive Engineer, P R I Division, Kakinada, East Godavari District, A.P.	4,000-00

	Mandal, East Godavari District, A.P.				
SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)	
108	10-06-2020 ST-168	Sub soil investigation and recommendation for the foundation of "Gramma Sachivalayam building" at Gorinta Village, Peddapuram Mandal, East Godavari District, A.P.	The Executive Engineer, P R I Division, Kakinada, East Godavari District, Andhra Pradesh	4,000-00	
109	10-06-2020 ST-169	Sub soil investigation and recommendation for the foundation of "Residential building (G+3)" Nearly Fly over, Registrar office, Samalkota, East Godavari District, A.P.	Pilli Annapurna & Pilli Ganga Bhavani, Rs-No: 99/3, LP No – 402/1983, Flat No – 63P, Near Fly Over, Registrar Office, Samalkota, East Godavari District A.P	4,000-00	
110	10-06-2020 ST-170	Sub soil investigation and recommendation for the foundation of "Residential building (G+2)", Near LIC building, Co-Axial road, Sajjapuram, Tanuku, West Godavari District, A.P.	Sirish Aditya Sugnanam, D-No-23-3-7 Ward No – 14, Near Lic Building, Co-Axial Road, Sajjapuram, Tanuku, West Godavari District, A.P.	4,000-00	
111	19-06-2020 MT-147	Test results of the CC cubes for the construction of Gramma SachivalayamBuilding Ground floor slab work at Alapadu of Kaikaluru Mandal, Krishna District, A.P.	Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli	450-00	
112	19-06-2020 MT-153	Test results of the CC cubes for the construction of Gramma 9-06-2020 Sachivalayam building ground floor Division		450-00	
113	20-06-2020 ST-211	\achivalavam		4,000-00	
114	20-06-2020 ST-212	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Kottada, Kaikaluru Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00	
115	20-06-2020 Sachivalayam, Mar		Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00	

		Mandal, Krishna District		
SI.No	Date	Name of the Work	Client	Consultancy charges (Rs.)
116	20-06-2020 ST-214	Sub Soil Investigation And Recommendations For The Foundation Of Grama Sachivalayam, RaithuBorosaKendram And Wellness Center At Vemavarapadu, Kaikaluru Mandal, Krishna District	Deputy Executive Engineer P R I Subdivision, Mandavalli, Andhra Pradesh	4,000-00
117	24-06-2020 ST-171	Sub soil investigation and recommendation for the foundation of Gramma Sachivalayam building at Vadlamuru Village, Peddapuram Mandal, East Godavari District, A.P.	The Executive Engineer, P R I Division, Kakinada, East Godavari District, A.P.	4,000-00
118	24-06-2020 ST-172	Sub soil investigation and recommendation for the foundation of "Gramma Sachivalayam building" at G Rangampeta Village, Peddapuram Mandal, East Godavari District, A.P.	The Executive Engineer, P R I Division, Kakinada, East Godavari District, A.P.	4,000-00
119	24-06-2020 ST-173	Sub soil investigation and recommendation for the foundation of "GI sheet workshop shed", Near YSR circle, Rajanagaram, East Godavari District A.P.	Sri G A Kalyan Prasad, RS-No-169/1.B2, Near YSR Circle, Rajanagaram, East Godavari District, A.P.	4,000-00

Total Amount: Rs6,12,550/-

Cell : 98662 34177 E-mail : svtww15@gmail.com



# SREE VENKATESWARA TUBE WELL WORKS



Consultant for: Soil Exploration, Foundation, Geotechnical Projects

S. Venkateswara Rao

Special Class Contractor

Near Andhra Bank, PERAVALI - 534 328, Peravali Mandal West Godavari District, (A.P.)

Date 28/6/2019

Ref.:

To

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Sub: Request for consultancy works -Reg.

Sir,

We M/S Sri Venkateswara Tube Wells, Peravalli, West Godavari Dt, A.P, request you to kindly take up the following consultancy works. The necessary charges will be paid as per the college norms.

SI No	Nature of work	Duration	No. of Samples (Tentative)
1	Sub Soil Investigation & Recommendation for SBC	July 2019 - June 2020	30
2	Design of Rig Foundation	July 2019 - June 2020	15

We request your kind approval.

Thanking you,

From and by NA PAIG 120

SREE VERKATES WARA TUBE WELL WORKS

S. Verly literar Als

Specialists in: Sub-soil Exploration In-situ Tests as S.P.T., S.C.P.T., D.C.P.T., Field Permeability Tests & Collection U.D.S., D.S. Samples, Diamond core Drilling & Collection of Rock Samples, Preparation of Foundation Investigation Reports & All Geotechnical Services.

Approved by : ONGC, R & B, Irrigation, APSRTC, APERL, Indian Railways, NTPC and Panchayat Raj, PH Departments

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 12th June,2019

To
The DGM (Civil)
ONGC – KG project
Rajahmundry
West Godavari District

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Sub soil investigation and recommendations for the foundation of proposed drill site "CRAA" West Godavari District ,A.P and Bill of charges – Reg.

Ref: Report ST-117, RF-143

I am herewith submitting four sets of Hard copie Reports (4sets) on the Sub soil investigation and recommendations for the foundation of proposed drill site "CRAA", West Godavari District, A.P

SI. No.	Name of Work	Consultancy charges	Total Amount	
ST-117	Sub soil investigation and recommendations for the foundation of proposed drill site "CRAA West Godavari District ,A.P		Rs.10,000/-	
RF-143	Design of ONGC Rig foundation at "CRAA", West Godavari District ,A.P	Rs.10,000/-	Rs.10,000/-	
Rupees Twenty Thousand Only)		Total	Rs.20,000/-	

Please arrange the payment of the bill amount Rs.10,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394 Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of soil reports

Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE. C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 10th July, 2019

To

Sree Venkateswara Tube Well Works.

Narasapur,

West Godavari District

Sir.

Sub: Submission of Hard copy Reports (4sets) on the Soil testing reports & Design of ONGC Rig foundation at "MDSGA" D/s, East Godavari District, A.P and Bill of

charges - Reg.

Ref: Report RF - 144

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDSGA" D/s, East Godavari District, A.P.

SI. No.	- Talling of Fronk	Consultancy charges	Total Amount Rs.10,000/	
ST-118	Sub soil investigation and Recommendation for the foundation of Drill site "MDSGA" D/s, East Godavari District, A.P	Rs.10,000/-		
RF-144	ONGC Rig foundation at "MDSGA" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-	
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-	

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you.

Yours faithfully,

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file (Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 23<sup>rd</sup> July, 2019

To

Sree Venkateswara Tube Well Works, Narasapur,

West Godavari District

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Soil testing reports & Design of ONGC Rig foundation at "BTSAE" D/s, Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 145

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "BTSAE" D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-119	Sub soil investigation and Recommendation for the foundation of Drill site "BTSAE" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
RF-145	ONGC Rig foundation at "BTSAE" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully.

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 23rd July, 2019

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Soil testing reports & Design of ONGC Rig foundation at "BTSAE" D/s, Krishna District, A.P and Bill of charges - Reg.

Ref: Report RF - 145

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "BTSAE" D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy	Total Amount
ST-119	Sub soil investigation and Recommendation for the foundation of Drill site "BTSAE" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
RF-145	ONGC Rig foundation at "BTSAE" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

GDVL. GDVL.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rac Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Toch., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MILM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 30th October, 2019

To

Sree Venkateswara Tube Well Works,

Narasapur,

West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "BML-A" D/s, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 146

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "BML-A" D/s, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-120	Sub soil investigation and Recommendation for the foundation of Drill site "BML-A" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-146	ONGC Rig foundation at "BML-A" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings

Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavaileru.ac.in, office@gecgudiavaileru.ac.in, Web: www.gecgudiavaileru.ac.in

## Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE. C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 14th November, 2019

Š.

To

The Special Officer / Secretary, Gramma Sachivalayam, Nidumolu, Movva Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Nidumolu, Movva Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-121

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Nidumolu, Movva Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-121)	Sub Soil testing reports of Gramma Sachivalayam Building at Nidumolu, Movva Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file



Received leport Sublaters

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudiavalieru.ac.in, office@gecgudiavalieru.ac.in, Web: www.gecgudiavalieru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE. C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

rincipal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 14th November, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, Nidumolu, Movva Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Nidumolu, Movva Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-121

am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Nidumolu, Movva Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount	
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-	
2 (ST-121)	Sub Soil testing reports of Gramma Sachivalayam Building at Nidumolu, Movva Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-	
Rupees I	Fourteen Thousand Only)	Total	Rs.14,000/-	

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudiavalleru Engineering College Gudiavalleru" payable at SBI, Gudiavalleru or through RTGS mode to State Bank of India, Gudiavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394, Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file



received leport Subhalens

#### REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM BUILDING AT NIDUMOLU MOVVA MANDAL, KRISHNA DISTRICT ANDHRA PRADESH

#### LOCATION

NIDUMOLU, MOVVA MANDAL KRISHNA DISTRICT - A.P

#### **CLIENTS**

THE EXECUTIVE ENGINEER
PRIDIVISION,
MACHILIPATNAM, KRISHNA DISTRICT,
ANDHRA PRADESH

#### **SOIL BORING & INVESTIGATION BY**

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

#### SOIL TEST REPORT

Submitted by



CONSULTANCY CELL DEPARTMENT OF CIVIL ENGINEERING

## GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru — 521356, A.P

#### REPORT ON

# SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF GRAMA SACHIVALAYAM BUILDING AT NIDUMOLU MOVVA MANDAL, KRISHNA DISTRICT, ANDHRA PRADESH

#### 1. INTRODUCTION:

The Executive Engineer, P R I Division, Machilipatnam, and M/S Sri Venkateswara Tube well Works, Peravali requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend suitable foundation for Grama Sachivalayam Building (G + 2) at Nidumolu, Movva Mandal, Krishna District of Andhra Pradesh.

The following are the responsibilities of M/S Sri Venkateswara Tube well Works, Peravali.

- ➤ Soil boring of 150mm diameter upto 10 meters depth at one location as specified by the client.
- > Collection of undisturbed and disturbed soil samples from the bores.
- > Conducting Standard Penetration Test (SPT) at regular intervals within the bores.

M/S Sri Venkateswara Tube well Works, Peravali has taken up the soil boring, sample collection and field testing on behalf of the Executive Engineer, P R I Division, Machilipatnam.

This report contains the result of field and laboratory tests. Recommendations on bearing capacity of soil and type & depth of foundation for the Grama Sachivalayam Building (G+2) are presented in the report.

## 2. THE STRUCTURE AND LOCATION

The proposed Structure is a Grama Sachivalayam building to be designed for G+2 floors. The proposed structure is to be built at Nidumolu, Movva Mandal, Krishna District of Andhra Pradesh.

## 3. FIELD INVESTIGATION PROCEDURE

The sub soil investigation was carried out to determine

- Classification and extend of each soil & rock stratum likely to be affected by the proposed work.
- ➤ Nature of each stratum and engineering properties of soil which may influence the mode of construction of the proposed structure and their foundation.

# 3.1 Field Soil Investigation Procedure

M/s. Sri Venkateswara Tube well works; Peravalli has submitted the soil investigation bore data at one location of the proposed drill site.

#### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standards to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Differential free swell index tests were conducted on clayey soils to know the degree of expansiveness of the soils. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to obtain the shear strength of soil. The results are presented in Tables 2 to 3.

#### 4. 1. SUB SOIL PROFILE

The sub soil profiles at the bore hole location, based on the identification of soil samples, the test results on both field and laboratory are shown in fig 1. The design soil parameters are presented in Tables 1 & 2.

#### Bore hole-1

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 - 10.00	Brown Clay	10 20

# 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 10.00m below ground level is Brown Clay for  $BH_{\rm I}$ , open foundation in the form of raft or deep foundation in the form of bored piles is suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to horizontal force.

# Alternative I: Open foundation in the form of Raft Foundation

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_u = C N_c S_c D_c + \gamma D N_q S_q D_q R_w 2 + 0.5 \gamma B N \gamma S \gamma D \gamma R w 2 ---- (1)$$

 $q_a = 35 \text{ (N-3)} [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for sand (2)}$ 

 $q_a = 1.25 \text{ N for clayey soil} ---- (3)$ 

An allowable bearing capacity of is given table-1 when the foundation is subjected to light loads. The safe bearing capacity of soil is given in Table 2.

Table-1

Depth	Allo	owable bearing car	pacity kN/m <sup>2</sup>
(m)	Strip	Square	footing
()	2.0m	2.0m	3.0m
1.5	111.91	147.06	147.06
2.0	114.20	150.62	150.62
2.5	118.77	157.09	157.09

# Alternate method II : Bored pile foundation:

Since the top soil from 0.00m to 10.00m below ground level is Brown Clay for  $BH_{1, {}}$ 

if the loading is heavy, deep foundation in the form of Bored cast in situ pfle / under reamed pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Table 1(A).

In case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by IS: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 300mm and 350mm diameter piles may be considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in IS 2911 (Part 1 / Sec3) – 2010 for bored piles considering Skin Friction and end bearing resistance.

Table -1(A)

Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)
	4.5	99.79
300	6.0	127.93
	8.0	167.08
	4.5	118.57
350	6.0	151.05
	8.0	198.63

Page 4 of 8

51124

The spacing between the piles shall not be less than 2.75 - 3.0 times the pile diameter. Since the piles are deeper, tremie concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

## Alternatemethod III: Under-reamed pile foundation:

The Since the top soil from 0.00 m to 10.00 m below ground level is Brown Clay for  $BH_{\rm J}$ 

Hence it is recommended to adopt under-reamed pile with two bulbs. Depending upon the load coming from each column, Single or group of under-reamed piles with one or two reamers connected with pile cap may be adopted.

In case of under-reamed pile foundation, the load carrying capacity of the pile can be obtained from IS: 2911 (part III).

Table -1(B) Under-reamed Pile with Two Bulbs

Dia in (mm) With Two Bulbs	Length (m)	Safe load carrying capacity (tonnes)
	4.5	28.62
300	6.0	35.67
	8.0	45.00
. 1	4.5	42.00
375	6.0	51.00
	8.0	63.00
	4.5	59.67
450	6.0	70.42
	8.0	84.75

The spacing of the piles for column can be obtained from the loadings. The spacing of the piles will be 1.5 times the bulb diatemeter. The first bulb should be provided at a depth of 2.1m below the ground level in case of double under reamed pile.

Mr.Phani Kumar.V

# DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

_ <del></del>			- 61	JULAVA		U ENGIN	EEK.	IING (	COL		D. 4				
	e Hole:			<u> </u>	ВО	RE LOG		Field	1 Inva	stigation	Date:				
		Vidumolu, Mov	va Mano	lal Krish	na Distr	ict of And	hra Pi	radesi	7 THAC	Sugation		-			
	oe of Bo			ole diam				/.L : 3		h a l					
Lyp	(7) 150		I .	Ole ulain	CICI 150		Q. W	,L.J	.20111	D.g.1	· ·			—	
Depth below G.L.	Soil profile	Description of soil	Thickness of layer in meters	S'G Depth at which	Sample are	Depth at which test is conducted in meters	0-15 cm	15-30 cm	30 –4 5 cm	N – Value	Grap repre Pene Resis	esenta tratio stanc	ation on		50
1		- a		í ·	ja j	: : :							:		
2				SPT1	=	1.50	2	4	6	10					
3		1,,	-	SPT2	4 5 II	3.00	3	3	8	11				i	
4					1 28 <sup>2</sup>				<b>3</b> .						
5		Brown Clay	10.00	SPT3	40 50 50	4.50	4	5	7	12					
6		*.		O.P.T. 4		9		_	ij	ļ					
7		9 L	1	SPT4		6.00	5	5	6	11					
8				STP5	er <sup>in</sup>	8.00	7	8	8	16				i	
9		gr San	æ	- ,		0.00	,								
10		N-4- W	9-4-4	STP6		10.00	7	9	-11	20				i	

Note: The test results apply only to the samples sent to the laboratory.

Fig 1: Results obtained from field in bore hole 1

# TABLE: 2 Idealised Design Soil Parameter

# PROJECT: Construction of Single Storied Building

Location: Nidumolu, Movva Mandal, Krishna District, A.P. Bore Hole No: 1 Depth of Water Level: 3.20 m b.g.l

i e e		T		T	TAOLE 140: [	Depth of Wa	iter Level: 3	3.20 m b.g.l	
Depth below the existing ground level (mctres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight [kN/N <sup>3</sup> ]	Recorded SPT Value (N)	Shear pa  Cohesion C (kN/m²)	rameters φ (deg)	Unconfined Compressiv c strength (kN/m²)	Net Safe bearing capacity (kN/m²)
0.00 - 10.00	Brown Clay	СН	32.48 - 62.42	12.03 – 14.58	10 – 20	49 – 105	<u> </u>	98-210	211.77
			0			<u> </u>		<u> </u>	

# TABLE No: 3 Results of Laboratory Soil Testing

		T			<del></del>			- Villey	Son Testi	ing					
Depth below GL (m)	Type of sample	Visual Identification of soil	IS Soil classification	Uncon comp. strength q <sub>u</sub> kN/m <sup>2</sup>	Dry unit weight, γ <sub>d</sub> , [kN./m <sup>3</sup> ]	Natural moisture content (%)	Liquid Limit (%)	Plastic Limit (%)	Plasticity Index (%)	Gravel size (%)	Coarse Sand size (%)	Medium Sand size (%)	Fine Sand size (%)	Slit and clay size (%)	Recorded SPT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)		(10)
0.00 - 10.00	-	Brown Clay		-	-	-	-	-	-	- (*)	- (12)	((3)		(15)	(16)
1.5	SPT1	-do-	CH	98	13.05	43.06	90.56	42.17	48.39	0.00	0.00	9.62			-
3	SPT2	-do-	СН	104	14.58	32.48	92.51	48.14	<del>                                     </del>			8.63	9.45	81.92	10
4.5	SPT3	-do-	CH	110		<del></del>		<del>                                     </del>	44.37	0.00	0.00	18.00	10.00	72.00	11
		<u> </u>	CH	112	13.59	48.51	95.06	45.07	49.99	0.98	1.56	4.54	3.01	89.91	12
6	SPT4	-do-	СН	106	12.03	62.42	94.97	47.70	47.27	1.20	2.13	0.18	0.06	96.43	11
8	SPT5	-do-	СН	194	13.24	50.01	92.17	46.73	45.44	0.89				-	<u> </u>
10	SPT6	-do-	СН	210	12.48				-	0.09	1.47	0.98	0.54	96.12	16
- 0 6					12.40	53.20	89.25	53.08	36.17	0.00	1.06	0.73	0.17	98.04	20

Note: The test results apply only to the samples sent to the laboratory

#### Recommendations

Based on the field and laboratory tests on soil samples collected from the bore holes, the following recommendations are made.

- Open foundation in the form of isolated footing is suitable for light weights only depending upon the soil conditions.
- The safe bearing capacity of the soil are given in table-1.
- ➤ Deep foundation in the form of bored east in situ pile foundation can also be adopted, however since the capacity of bored pile is less compared to under reamed piles and uneconomical, not considered.
- ➤ Depending upon individual column loads, under reamed pile foundation in single or group of under reamed piles with pile cap may also be adopted. IS 2911 (Part-III) may be adopted for load carrying capacity of different under-reamed piles.
- ➤ In case under reamed pile foundations are adopted, the safe load carrying capacity of a single pile should be checked from pile load test as per the provisions laid down in IS: 2911 (Part IV).

INCHARGE

COLUMN TAMOY CELL THE SECTION CONSIDER.

Kashar Elst., A.R.

H.O.D OF CIVIL ENGG.

dead of Civil Engineering sudlavalleru Engineering College Gudlavalleru 521 356

PRINCIPAL PRINCIPAL

Gudlavalleru Engineering College GUDLAVALLERU - 521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Bng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 14th November, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, Pamarru, Pamarru Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam Building At Old GP Building Site, Near MPDO Office, Pamarru, Pamarru Mandal, Krishna District, Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-122

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam Building At Old GP Building Site, Near MPDO Office, Pamarru, Pamarru Mandal, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
-	Soil samples collection  Sub Soil testing reports of Grama Sachivalayam	Rs.7,000/-	Rs.7,000/-
2 (ST-122)	Office, Pamarru, Pamarru Mandal, Krishna  District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
(Rupees I Total	Fourteen Thousand Only)		Rs.14,000/

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file



Received Report

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Deihl and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B. Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE. C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 14th November, 2019.

To The Special Officer / Secretary, Gramma Sachivalayam, Moparru, Pedaparupudi Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam Building at Moparru, Pedaparupudi Mandal, Krishna District Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-123

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam Building at Moparru, Pedaparupudi Mandal, Krishna District Andhra Pradesh.

SI. No.	Name of Work	Consultanc y charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-123)	Sub Soil testing reports of Grama Sachivalayam Building at Moparru, Pedaparupudi Mandal, Krishna District Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

Received Report

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.i...

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 14th November, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, Bodapadu, Thotlavalluru Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam Building at Bodapadu Thotlavalluru Mandal, Krishna District Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-124

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam Building at Bodapadu Thotlavalluru Mandal, Krishna District

SI. No.	Name of Work Soil samples collection	Consultanc y charges	Total Amount
	Sub Soil testing reports of Grama Sachivalayam	Rs.7,000/-	Rs.7,000/-
2 (ST-124)	Building at Bodapadu Thotlavalluru Mandal, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Yours faithfully,

PRINCIPA

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC



Received a Report

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 19th November, 2019

To
The Special Officer / Secretary,
Gramma Sachivalayam,
Allapadu, Kaikaluru Mandal, Krishna District,
Andhra Pradesh

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam building at Allapadu, Kaikaluru Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-125

I am herewith submitting two sets of hard copies on Soil testing reports Grama Sachivalayam building at Allapadu, Kaikaluru Mandal, Krishna District,

SI. No.	Name of Work	Consultanc y charges	Total Amount
	Soil samples collection Sub Soil testing reports of Grama Sachivalayam	Rs.7,000/-	Rs.7,000/
2 (ST-125)	building at Allapadu, Kaikaluru Mandal, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
Rupees I	ourteen Thousand Only)	Total	Rs.14,000/

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

GOV GOVE

Roceised by

Strator

22/11/2019

We improve

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MILM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 19th November, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, Vanuduru, Mudinepalli Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam building at Vanuduru, Mudinepalli Mandal, Krishna District Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-126

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam Building at Vanuduru, Mudinepalli Mandal, Krishna District Andhra Pradesh.

SI. No.	Name of Work	Consultanc y charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-126)	Sub Soil testing reports of Grama Sachivalayam building at Vanuduru, Mudinepalli Mandal, Krishna District Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC GONT CONTROLL

Racondby
Racondby
Walnow
Walnow

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 19th November, 2019

To
The Special Officer / Secretary,
Gramma Sachivalayam,
Unikili, Mandavalli Mandal, Krishna District,
Andhra Pradesh
Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam building at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-127

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam building at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh

SI. No.	Name of Work	Consultanc y charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-127)	Sub Soil testing reports of Grama Sachivalayam buil at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you.

Yours faithfully.

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file 10 30 3 TO 30 TO 1

Reewed 31
Reewed 31
2013
20111 12013

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIF, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 19th November, 2019

To
The Special Officer / Secretary,
Gramma Sachivalayam,
Unikili, Mandavalli Mandal, Krishna District,
Andhra Pradesh
Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam building at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-127

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam building at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh

SI. No.	Name of Work	Consultanc y charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-127)	Sub Soil testing reports of Grama Sachivalayam buil at Unikili, Mandavalli Mandal, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
Rupees I	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you.

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file



Reened 34
Reened 34
2013
2013
2011 2013

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.ii

## Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 19th November, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, Mattagunta, Kalidindi Mandal, Krishna District, Andhra Pradesh Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam building at Mattagunta, Kalidindi Mandal, Krishna District, Andhra Pradesh and Bill of charges - Reg. Ref: Report ST-128

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam building at Mattagunta, Kalidindi Mandal, Krishna District,

SI. No.	Name of Work	Consultanc	Total
1	Soil samples collection	y charges	Amount
	Sub Soil testing reports of Grama Sachivoland	Rs.7,000/-	Rs.7,000/-
(ST-128)	building at Mattagunta, Kalidindi Mandal, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
Rupees F	ourteen Thousand Only)		
	range the payment of the hill	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Yours faithfully,

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file



Rolling ph

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No: 08674-273957

e-mail: principal@gecgudiavalieru.ac.in, office@gecgudiavalleru.ac.in, Web; www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D.,

FIE. C.Ede., MISTE, MSESI, MASME, MSAE, MSFA, MHM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 29th November, 2019

To Gutta Ramana 1-31, Ramalayam Street, Dondapadu Village, Gudivada Mandal, Krishna District, A.P.

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports Proposed Residential Building Gudivada, Krishna District, Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-129

I am herewith submitting two sets of hard copies on Soil testing reports Proposed Residential Building Gudivada, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultanc y charges	Total Amount
1 (ST-129)	Sub Soil testing reports Proposed Residential Building Gudivada, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,060/-
(Rupees	Seven Thousand Only)	Total	Rs.7000/-

Please arrange the payment of the bill amount Rs.7,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Received Reposit

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

Domana Protta

ERU ENGINEERING COLLEGE

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavaileru.ac.in, office@gecgudiavaileru.ac.in, Web; www.gecgudiavaileru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 17th December, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, Sorlagondi, Nagayalanka Mandal, Krishna District, Andhra Pradesh.

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Grama Sachivalayam building at Sorlagondi, Nagayalanka Mandal, Krishna District, Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-130

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam building at Sorlagondi, Nagayalanka Mandal, Krishna District, Andhra Pradesh.

Si. No.	Name of Work	Consultanc y charges	Total Amount
	Soil samples collection Sub Soil testing reports of Grama Sachivalayam	Rs.7,000/-	Rs.7,000/-
2 (ST-130)	building at Sorlagondi, Nagayalanka Mandal, Krishna District, Andhra Pradesh.	Rs.7,000/-	Rs.7,000/-
(Rupees I	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 17th December, 2019

To

The Special Officer / Secretary, Gramma Sachivalayam, I.B Peta, Koduru Mandal, Krishna District, Andhra Pradesh.

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing Jeports of Grama Sachivalayam building at I.B Peta, Koduru Mandal, Krishna District, Andhra Pradesh and Bill of charges – Reg.

Ref: Report ST-131

I am herewith submitting two sets of hard copies on Soil testing reports of Grama Sachivalayam building at at I.B Peta, Koduru Mandal, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultanc y charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-131)	Sub Soil testing reports of Grama Sachivalayam building at at I.B Peta, Koduru Mandal, Krishna District, Andhra Pradesh.	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDŁAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.E., DISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 26th December, 2019

To

Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of

ONGC Rig foundation at "MDE-AA" D/s, East Godavari Distric, A.P and Bill of

charges - Reg.

Ref: Report RF - 147

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDE-AA" D/s, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-132	Sub soil investigation and Recommendation for the foundation of Drill site "MDE-AA" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-147	ONGC Rig foundation at "MDE-AA" D/s, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE. C.EDg., MISTE, MSFSI, MASME, MSAE, MSFA, MIIM,

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 26th December, 2019

To Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "MDE-AA" D/s, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 147

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDE-AA" D/s, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount Rs.10,000/-	
ST-132	Sub soil investigation and Recommendation for the foundation of Drill site "MDE-AA" D/s, East Godavari District, A.P	Rs.10,000/-		
RF-147	ONGC Rig foundation at "MDE-AA" D/s, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-	
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-	

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED ONGC DRILL SITE "MDE-AA" EAST GODAVARI DISTRICT ANDHRA PRADESH

#### LOCATION

ONGC DRILL SITE "MDE-AA"
EAST GODAVARI DISTRICT - A.P.

#### **CLIENTS**

OIL & NATURAL GAS COMPANY
KG PROJECT -- RAJAHAMUNDRY &
P.NARAYANA RAO,
CONTRACTOR,
NARASAPURAM, WEST GODAVRI DISTRICT,
ANDHRA PRADESH

**SOIL BORING & INVESTIGATION BY** 

P.NARAYANA RAO, CONTRACTOR, NARASAPURAM, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P

# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED ONGC DRILL SITE "MDE-AA" EAST GODAVARI DISTRICT, ANDHRA PRADESH

#### 1. INTRODUCTION:

ONGC, KG Project, Rajahmundry, Contractor P.Narayana Rao, Narasapuram requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend suitable foundation for the proposed ONGC drill site "MDE-AA", East Godavari District of Andhra Pradesh.

The following are the responsibilities of P.Narayana Rao, Narasapuram.

- ➤ Soil boring of 150mm diameter upto 30 meters depth at two locations as specified by the client.
- Collection of undisturbed and disturbed soil samples from the bores.
- > Conducting Standard Penetration Test (SPT) at regular intervals within the bores.

P.Narayana Rao, Narasapuram has taken up the soil boring, sample collection and field testing on behalf of ONGC, KG project, Rajahamundry

This report contains the result of field and laboratory tests. Recommendations on bearing capacity of soil and type & depth of foundation for the proposed Drill site are presented in the report.

### 2. THE STRUCTURE AND LOCATION

The proposed Structure is a drilling platform to the drill rig. The proposed structure is to be built in the drill site "MDE-AA", East Godavari District of Andhra Pradesh.

## 3. FIELD INVESTIGATION PROCEDURE

The sub soil investigation was carried out to determine

- Classification and extent of each soil & rock stratum likely to be affected by the proposed work.
- ➤ Nature of each stratum and engineering properties of soil which may influence the mode of construction of the proposed structure and their foundation.

#### 3.1 Field Soil Investigation Procedure

P.Narayana Rao, Narasapuram has submitted the soil investigation bore data at two locations of the proposed drill site.

#### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standard to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Differential free swell index tests were conducted on clayey soils to know the degree of expansiveness of the soils. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to know the shear strength of soil. The results are presented in Table 2 to 5.

#### 4. 1. SUB SOIL PROFILE

The sub soil profiles at the bore hole location, based on the identification of soil samples, the test results on both field and laboratory are shown in figs 1 & 2. The design soil parameters are presented in Table 1 to 3.

#### Bore hole-1

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 - 1.60	Black Clay	06
1.60 – 3.80	Clay and Sand Mixed	11
3.80 - 20.50	Sand	19 – 42
20.50 - 30.00	Red Clay	11 – 24

#### Bore hole-2

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 - 1.50	Black Clay	08
1.50 – 3.80	Clay and Sand Mixed	14
3.80 - 20.50	Sand	18 – 40
20.50 - 30.00	Red Clay	12 – 34

#### 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 1.60m below ground level is Black Clay, from 1.60m to 3.80m is Clay and Sand Mixed, from 3.80m to 20.50m is Sand, from 20.50m to 30.00m is Red Clay for BH<sub>1</sub> and 0.00m to 1.50m below ground level is Black Clay, from 1.50m to 3.80m is Clay and Sand Mixed, from 3.80m to 20.50m is Sand, from 20.50m to 30.00m is Red Clay in BH<sub>2</sub>, open foundation in the form of raft or deep foundation in the form of bore piles is suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to horizontal force.

# Alternative I: Open foundation in the form of Raft Foundation

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2,0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_u = C N_c S_c D_c + \gamma D N_q S_q D_q R_w 2 + 0.5 \gamma B N \gamma S \gamma D \gamma R w 2 ---- (1)$$

 $q_a = 35 \text{ (N-3)} [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for sand (2)}$ 

 $q_a = 1.25 \text{ N for clayey soil ---- (3)}$ 

An allowable bearing capacity of 42.95 kN/m<sup>2</sup> [4.29t/m<sup>2</sup>] is recommended at a depth of 1.5 m below the existing ground level when the foundation is subjected to light loads. The safe bearing capacity of soil is given in Table 2 & 4.

## Alternate method II : Bored pile foundation:

Since the top soil from 0.00m to 1.60m below ground level is Black Clay, from 1.60m to 3.80m is Clay and Sand Mixed, from 3.80m to 20.50m is Sand, from 20.50m to 30.00m is Red Clay for  $BH_1$ 

if the loading is heavy, deep foundation in the form of Bored cast in situ pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Table 2.

In case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by IS: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 500mm and 600mm diameter piles are considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in IS 2911 (Part 1 / Sec3) – 2010 for bored piles considering Skin Friction and bearing resistance.

Table -1

Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)			
	9.00	381.62			
500	10.50	464,11			
· .	11.00	506.17			
7	9.00	462.85			
600	1050	560.39			
· ·	11.00	611.31			

The spacing between the piles shall not be less than 2.75-3.0 times the pile diameter. Since the piles are deeper, tremie concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

Mr. Phani Kumar. V

CONSULTANCY CELL
Gudiavalleru Engineering College,
GUDLAVALLERU - 521 356

Krishna Dist., A.P.

## DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

		<u> </u>			BOR	BORE LOG Date:							
	e Hole: 1				Field Investigation								
Loca	ation : D	rill Site "MDI	-AA" E	ast Godav	ari Distri	ct, A.P			-				
Тур	e of Bori	ng <u>:</u>	Bore E	lole diame	eter 150m	ım	G.W	7.L:1	.60 m				
Depth below G.L.	Soil profile	Description of soil	Thickness of layer in meters	Depth at which	sample arc collected	Depth at which test is conducted in meters	cm	5-30 cm	1 5 cm	Value	Graphical representation of Penetration Resistance		
	Soil		T. lay	D.S.	U.D.S	Dept test i	0-15 cm	15-3(	30-4	Z	10 20 30 40 50		
2		Black Clay	1.60	SPT1		1.50	2	.3	3	6			
4		Sand Mixed	2.20	SPT2	,	3.0	5	6	5	11			
6				SPT3		4.50	8	9	10	19			
7			, · · · · · · · · · · · · · · · · · · ·	SPT4		6.0	10	12	15	27			
\[ \begin{aligned} \ 8 \\ \ 9 \end{aligned}		1 - 4	· ·.	SPT5		7.50	8	12	17	27			
10				SPT6 SPT7	=	9.0	9	14	16	30			
12		= ,,		SPT8	ill.	10.50	8	15	15	30			
13		Sand	16.70	SPT9	g.	13.50	10	18	20	38			
15				SPT10		15.0	10	20	22	42			
16 17		1 = 2 1		SPT11		16.50	9	20	21	41			
18		7	.	SPT12		18.0	10	20	19	39			
20				SPT13		19.50	9	18	19	37			
21		· .		SPT14	UDS	21.0	6	5	6	11			
23		1 2 -		SPT15		22.50	6	6	8	14			
24 25		*	.	SPT16	UDS	24.0	5	7	7	14			
26 27		Red Clay		SPT17	;	25.50	6	8	9	17			
28			٠. ]	SPT18	UDS	27.0	7	8	11	19			
29				SPT19	UDS	28.50	9	10	12	22			
30		. · .	- [	SPT20		30.0	10	12	12	_24			
	- 1	Not	e: The te	st results	apply onl	v to the sa	mnles	sent t	o the	laborate	DPV		

The test results apply only to the samples sent to the laboratory.

Fig 1: Results obtained from field in bore hole 1

#### DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

BORE LOG Date:												
Bore H	<u> Iole: 2.</u>			1	ĺ	Field Investigation						
Locatio	on : Dr	ill Site "MDE										
Type of	Born -	ng <u>:</u>	Bore H	ole diame	ter 150m	m	G.W	L:1	.60 m	b.g.l		
Depth below G.L.	Soil profile	Description of soil	Thickness of layer in meters	Depth at which	are collected	Depth at which test is conducted in meters	cın	) cm	1 5 cm	Value	Graphical representation of Penetration Resistance	
-	Soil		T.	D.S.	U.D.S	Dept test i	0-15	15-30 cm	30 -4	Z	10 20 30 40 50	
1		Black Clay	1.50									
2 3		Clay and	1.50	SPT1		1.50	3	4	4	8		
4		Sand Mixed	2.30	SPT2		3.0	4	8	6	14		
$\frac{5}{6}$				SPT3	##	4.50	9	10	87	8.1		
7		- 1		SPT4		6.0	12	13	15	28		
8 9		- 3		SPT5	T I	7.50	9	17	19	36		
10				SPT6		9.0	7	15	17	32		
11			tion "	SPT7		10.50	7_	18	19	37		
13		Sand	16.70	SPT8		12.0	9	15	15	30		
14 15		The state of		SPT9		13.50	10	20	16	36		
16				SPT10	897	15.0	6	18	20	38		
17 18		1.34	-	SPT11	$\ell_{i_1\dots i_n}$	16.50	8	20	20	40		
19				SPT12	ž	18.0	10	18	21	39		
20				SPT13		19.50	8	20	17	37		
22				SPT14	UDS	21.0	9	18	16	34		
23				SPT15		22.50	6	7	9	16		
25		D-161		SPT16	UDS	24.0	5	6	6	12		
26 27		Red Clay		SPT17		25.50	7	8	9	17.		
28				SPT18	UDS	27.0	8	9	9	18		
30			-	SPT19	UDS	28.50	10	11	13	24		
				SPT20		y to the sa		.13	15	_28	•	

Note: The test results apply only to the samples sent to the laboratory.

Fig 2: Results obtained from field in bore hole 2

# PROJECT: Construction of ONGC Drilling Rig Foundation - ONGC, KG Project Location: Drill site "MDE-AA, East Godavari District, A.P. Bore Hole No: 1 Depth of Water Level: 1.60 m b.g.l

Depth below						Shear pa	rameters		
the existing ground level (metres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight [kN/N³]	Recorded SPT Value (N)	Cohesion C (kN/m²)	φ (deg)	Unconfined Compressiv e strength (kN/m²)	Net Safe bearing capacity (kN/m²)
0.00 – 1.60	Black Clay	CII	28.21	16.54	. 06	29		58	42.95
1.60 – 3.80	Clay and Sand Mixed	SP	23.56	17.45	11	<u> </u>	280	<u> </u>	74.61
3.80 – 20.50	Sand	SP	10.65 – 19.39	18.32 – 20.15	19 – 42	_	$28^{0} - 31^{0}$	· · · -	275.71
20.50 – 30.00	Red Clay	СН	37.78 – 40.58	14.66 – 15.42	11 – 24.	54 – 105		108 – 210	256.27

Note: The test results apply only to the samples sent to the laboratory

Location: Drill site "MDE-AA, East Godavari District, A.P. Bore Hole No: 1 Depth of Water Level: 1.60 m b.g.l PROJECT: Construction of ONGC Drilling Rig Foundation - ONGC, KG Project ramoratory Son Lesting

	Differential Free (%)	:   6	613		.)			-										ļ.,		Ţ	. 00	00		.				7
^ . 9	Compression [52] Applied	101	(01)		,																0 0	00.0	0 13	// 0	1	0.77	6/.0	
1.0	Swelling Potential	12.5	(1)	•															.		36.26	34:04	22 60	73.00	000	67.61	20.83	-
1.00 1111	Recorded SPT value (N)	. 90		- 4	٠ اد	. =	-		7.0	17	17	200	30	33	38	42	41	39	37		=	14	17	<u> </u>	)   O	ر ار	77 77	+7
Levei: 1,00 m D.g.1	Slit and clay size (%)	(15)	(61)	00 71	- 1	76 90	76.07		10.51	14.23	10.14	19.92	18.44	19.61	22.12	18.13	14.57	16.69	15.99	   	86.62	92.22	92 11	01 88	01.00	80.03	01 00	21.02
r alei	Fine Sand size (%)	(14)		0.16		28.60	40.02	27.72	26.72	24 05	24.72	30.67	26.57	28.15	27.62	28.32	26.38	30.64	28.67	,	2.65	1.07	0 96	1.87	35,5	1 80	96.0	2
Depth of	Medium Sand (%) əxis	(13)	65	0 13		42 5g	22.25	15.70	48.56	16.21	12.01	45.27	47.22	46.81	45.19	48.06	52.53	46.92	50.16		6.53	2.56	1.13	1 00 1	1 20	1.50	8.7	
77.	Coarse Sand size (%)	(21)		0.00	3	0.36	0.00	900	0.420	1 78	22.0	2.30	4.97	3.47	3.01	3.64	4.95	4.06	3.59	<del>  .</del>   '	1.58	1.09	0.84	1.62	1 52	1.35	2.06	101 04
1110	Gravel size (%)	Ê		00.0	3	0.00	2	0.00	0.00	90	1 50	00.1	7.80	1.96	2.06	1.85	1.57	1.69	1.59	'	2.62	38.06	4.96	3.54	4 06	6.23	4.95	t tra
210	Plasticity Index (%)	(10)	,	42.95		Ι.		,		'		,	•				'	(		,	46.47	1	45.36	45.06	41.61	42.96	42.61	7 3
	(%) timid oitseff	<u></u> (S		53.15	· F.			,	,			'	1	1	,     	1		r	•	1	52.15	53,47	50.08	51.26	53.47	54.97	\$1.58	- 5
	(%) timid biupid	(8)	,	96.10				,			,	'			-	,	<del></del>	1	,	r	98.62	94.15	95.44	96.32	95.08	1 —	!	vluo
	Natural moisture content (%)	(2)	,	28.81	. •	23.56		19.39	17.45	15.63	10.65	11.45	24.11	70.21	15.47	13.45	12.25	14.39	18.91	·	38.56	38.12	40.58	39.96	38.42	37.78	38.24	ts annly
	Dry mrit weight, \[ \kappa_1 \text{[kN/m}^3] \]	9	'	16.54		17.45	'	18.32	19.44	19.63	20.06	10.84	10.01	19.28	19.07	19.54	20.15	19.41	18.45		15.21	14.95	14.66	15.09	15.37	15.42	14.91	_
	RN\m <sub>z</sub> strength q <sub>u</sub> Uncon comp.	(5)		58	,	,			ŧ	,	'		<u> </u>	-		,			,		108	124	128	. 138	164	206	210	Note: The test resu
	IS Soil classification	(4)		CH		SP	† 	SP	SP	SP	SP	d S	o o	7 C	70 6	SP	Sp	Sb	SP		CH	СН	СН	СН	CH	CH	СН	Ž
	Visual  To moitsortimabl  Itos	(3)	Black Clay	-op-	Clay and Sand Mixed	-op-	Sand	-op-	-op-	-op-	-op-	-do-	2 6	-nn-	-00-	-op-	-op-	-op	-cp-	Red Clay	-do-	-op-	do-	-op-	-op-	-op-	-op-	
	Type of sample	(2)	1	SPTI	'	SPT2	ı	SPT3	SPT4	SPT5	SPT6	SPT7	SpTg	S TO	SDT 17	SP 110	SPIII	SP112	SFII3	100	SPT14	SPT15	SPT16	SPT17	SPT18	SPT19	SPT20	
	Depth below GL	(1)	09.1 - 00.0	1.5	1.60 - 3.80	3	3.80 - 20.50	4.5	9	7.5	6	10.5	12	13.5	51	17.6	16.5	81		20.50 - 30.00	21	22.5	24	25.5	. 27	28.5	30	

Note: The test results apply only to the samples sent to the laboratory

# GUDLAVALLERU ENGINEERING COLLEGE :: GUDLAVALLERU

### TABLE: 3 Idealized Design Soil Parameter

# PROJECT: Construction of ONGC Drilling Rig Foundation - ONGC, KG Project

Location: Drill site "MDE-AA, East Godavari District, A.P. Bore Hole No: 2 Depth of Water Level: 1.60 m b.g.l

David I. I.		:	н			Shear pa	rameters		
Depth below the existing ground level (metres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight [kN/N <sup>3</sup> ]	Recorded SPT Value (N)	Cohesion C (kN/m <sup>2</sup> )	\$\phi\$ (deg)	Unconfined Compressiv e strength (kN/m²)	Net Saf bearing capacity (kN/m <sup>2</sup>
0.00 - 1.50	Black Clay	СН	32.05	15.94	08	39		78	63.41
1.50 – 3.80	Clay and Sand Mixed	CII	11.37	19.84	14	_	28 <sup>0</sup>		83.31
3.80 – 20.50	Sand	СН	8.52 – 12.62	19.52 - 20.17	18 – 40		$29^{0} - 31^{0}$	· -	255.46
20.50 - 30.00	Red Clay	SP	38.25 45.18	14.04 – 15.78	12 – 34	59 110	<del>-</del> :.	118 – 220	292.61

Note: The test results apply only to the samples sent to the laboratory

Location: Drill site "MDE-AA, East Godavari District, A.P. Bore Hole No: 2 Depth of Water Level: 1.60 m b.g.l PROJECT: Construction of ONGC Drilling Rig Foundation - ONGC, KG Project

	Differential Free Swell Index (%)	(10)	(21)	·				\								į.				3,5	2						
	Compression Index [Cc]	(18)	(10)	'				7										İ	,	0.65		0.76		0.79	0.76	<del> </del>	
	Swelling Potential	(7.1)	Ē,																<u> </u>	17.49		23.58		24.53	21.79		-
THE COLT	Recorded SPT (N)	(16)	60.	04	5 1	7	ţ, ,	~	28	36	32	37	30	36	38	40	. 39	37		34	16	12	17	18	24	28	<del> </del>
	Slit and clay size (%)	(3)		88 00	- '	8 15	21.0	13 58	14.75	13.76	15.95	16.07	19.66	19.82	19.02	22.01	26.69	30.11		96.99	93.77	93.48	94.16	92.95	93.22	92.66	
	Fine Sand size (%)	(14)	, , ,	0.11		27.85	-	19.52	18.65	16.08	20.63	22.48	29.80	27.65	28.65	28.26	25.85	16.25		16.35	2.06	1.95	1.87	1.66	1.96	2.15	
1	Medium Sand (%) size	(13)		0.00		63.39	1	66.38	65.93	79.69	62.15	59.24	46.27	49.51	47.92	45.19	43.15	50.63		12.52	1.67	1.56	1.72	1.56	1.49	1.67	,
	Coarse Sand size	(12)	,	0.0		9.0	,	0.5	9.0	0.4	1.0	1.5	3,1	2.0	2.5	1.9	1.1	1.5	,	2.6	0.2	1.0	0.1	1.2	1.3	4.1	<u> </u>
	Gravel size (%)	Ê		0.0		0.0	Ŀ	0.0	0.0	0.0	0.2	9.0	1:1	6.0	 	2.5	3.1	4.1		5.	2.2	6.1	2.0	2.5	1.9	2.0	4 4 4 4
	Plasticity Index (%)	(10)	) . 1	48.02	,		1	,		'		-	-	,	1		ı	1	ı	39.98	43.57	45.18	43.55	45.92	43.75	44.08	100
	Plastic Limit (%)	6		53.33		1	, i	t	-   	. '		,			•	-	;	'	,	42.65	51.53	49.06	49.46	51.36	50.87	48.39	1100 00
	(%) timid biupid	(8)		101.3		,	) =	1					1	i Ç l	-			,	,	82.63	95.10	94.24	93.01	97.28	94.62	92.47	1
	Natural moisture content (%)	6	.1	32.05	1	11.37	1	11.23	12.62	8.52	9.63	10.68	10.43	12.06	11.61	10.04	9.25	12.55		38.25	45.18	42.63	45.01	43.62	41.18	42.29	Mano o
.	Dry unit weight,  y <sub>d</sub> , [kN./m <sup>3</sup> ]	9	-     '	15.94		19.84		19.52	19.63	20.17	20.05	19.97	19.65	19.84	20.16	20.09	19.76	19.65	1	15.78	14.17	14,98	14.04	14.67	14.58	14.84	Act rocul
	Uncon comp. kN/m²	(5)	1	78			   			'		•	.		1	'	-			220	154	118	166	178 ::	206	214	Note: The test
	IS Soil classification	(4)	'	СН		SP	,	SP	SP	· SP	SP	SP	SP	SP	SP	SP	SP	SP	-	СН	СН	CH	CH	H	CH	CH	Ž
	Visual  To noinsoftinebl  lios	(3)	Black Clay	-do-	Clay and Sand Mixed	-op-	Sand	-op-	-do-	-op-	-op-	-do-	-op-	-op-	-op-	-op-	-op-	-do-	Red Clay	-do-	-do-	-op-	-op-	-op-	-op-	-op-	
	Type of sample	(2)		SPT1	ı	SPT2	-	SPT3	SP14	SPT5	SPT6	SPT7	SPT8	SP/F9	SPT10	SPT11	SPT12	SPT13	!	SPT14	SPT15	SPT16	SPT17	SP118	SPT19	SPT20	
	Depth below GL	(E)	0.00 - 1.50	1.5	1.50 - 3.80	3	3.80 20.50	4.5	9 .	7.5	6	10.5	12	13.5	15	16.5	18	19.5	20.50 - 30.00	21	22.5	24	. 25.5	27	28.5	30	

Note: The test results apply only to the samples sent to the laboratory

Page 11 of 12

#### Recommendations

Based on the field and laboratory tests on soil samples collected from the bore holes, the following recommendations are made.

- > Open foundation in the form of raft foundation is suitable for light weights only.
- The safe bearing capacity of the soil is 4.29 t/m<sup>2</sup> at a depth of 1.5m b.g.l. and width 4.63m.
- ➤ Deep foundation in the form of bored cast in situ pile foundation can also be adopted, for heavy loads. The safe load carrying capacity values of the single pile with diameters, 500mm and 600mm are given in table.1
- ➤ In case pile foundations are adopted, the safe load carrying capacity of a single pile should be checked from pile load test as per the provisions laid down in IS: 2911 (Part IV).

INCHARGE

CONSULTANCY CELL Gudfavalleru Engineering College, GUDLAVALLERU - 521 (:56 Krishna Dist., A.P. H.O.D OF CIVIL ENGG.

Head of Civil Engineering Sudlavalleru Engineering College Gudlavalleru 521 356.

PRINCIPAL

Gudlavalleru Engineering College, GUDLAVALLERU-521 356

# Design of ONGC Rig Foundation at "MDE-AA" EAST GODAVARI DISTRICT ANDHRA PRADESH

### Clients:

OIL & NATURAL GAS COMPANY:
KG Project – Rajahmundry &
P.NARAYANA RAO,
CONTRACTOR,
NARASAPURAM, WEST GODAVARI DISTRICT
ANDHRA PRADESH



### Consultants:

Department of Civil Engineering
Gudlavalleru Engineering College (Autonomous)
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356
Krishna District, A.P.

#### 1.0 PROJECT DETAILS:

#### 1.1 Scope:

In view of the new rig arriving the site for which the common foundation is to be designed, ONGC-KG project, Rajahmundry & P,NarayanaRao, Contactor, Narasapuram has entrusted the design of ONGC rig foundation at the proposed drill site "MDE-AA" EAST GODAVARI DISTRICT, A.P., to the consultants of Gudlavalleru Engineering College, SeshadriRao Knowledge Village, Gudlavalleru, Krishna District, A.P.

P.Narayana Rao Contractor, Narasapuram, has conducted the Geo-technical investigations by collecting both disturbed and undisturbed soil samples and Gudlavalleru Engineering College, Gudlavalleru, Krishna District has supplied the report of soil test results.

#### 1.2 Selection of Type of Foundation:

From the results of soil investigation report at drill site "MDE-AA", EAST GODAVARI DISTRICT, A.P., geotechnical investigations were carried out with two numbers of exploratory bore holes, each of 30m deep below existing ground level. For the bore hole-1 data of the soil investigation report, the subsurface deposits from 0.0- 1.6 m depth it is with black clay with an average N value 6.0 from 1.6m -3.8 m depth it is with clay and sand mixed with an average N value of 11, from 3.8m - 20.50 m depth it is with sand with an average N value of 31.6, From 20.50 m - 30 m depth, it is with Red clay with an average N value of 18.3. From bore hole data-2 of the soil investigation report, the subsurface deposits from 0.0- 1.5 m depth it is with black clay with an average N value 8.0 from 1.5m -3.8 m depth it is with clay and sand mixed with an average N value of 14. from 3.8m - 20.50 m depth it is with sand with an average N value of 32.5, From 20.50 m - 30 m depth, it is with Red clay with an average N value of 21.4. After careful consideration of the soil profile with black clay, clay & sand mixed and sand up to 20.50 m depth and water table level at 1.6 m, the consultants of Gudlavalleru Engineering College have proposed to provide deep foundations using bored cast-in-situ R.C.C. piles of 500mm diameter to a depth of 10.0 m below which the average N value is 21.3

#### 2.0 SAFE BEARING CAPACITY:

#### 2.1 Profile of the site consists of:

For depths, 0-1.6 m the type of soil is with black clay of an average N-value 6, and cohesion value 29 KN/m<sup>2</sup> from 1.6 to 10 m depth it is with clay & sand mixed and sand with an average N value of 21.2 and cohesion value  $29^{\circ}$ 

### Capacity of 50 cm $\Phi$ bored piles to a depth of 10 m below G.L:

i) Mobilized skin friction for cohesive soils: 0 - 1.6 m depth

 $Q_s = \pi D \alpha c dL$ 

 $c = 29 \text{ KN/m}^2$ ,  $\alpha = 1.0 \text{ and dL} = 1.6 \text{ m}$ 

$$Q_s = 3.142 \times 0.5 \times 1.0 \times 29 \times 1.6 = 72.9 \text{ KN}$$

ii) Mobilized skin friction for cohesion less soils: 1.6 - 10 m depth

$$Q_s = \pi D K_0 Tan \neg_v dL$$

$$K_0 = 1.10 \; KN/m^2$$
, Tan  $\Phi = 0.55 \; and \; dL = 8.4 \; m \; \neg_y = 76.6$ 

$$Q_s = 3.142 \times 0.5 \times 1.10 \times 0.55 \times 76.6 \times 8.4 = 611.6 \text{ KN}$$

iii) End bearing Resistance for depth 10.0 m below ground level.

$$Q_e = A_P \times N_q \times \gamma D_f = 0.2 \times 20 \times 76.6 = 306 KN$$

Total ultimate bearing capacity of pile,

$$Q_U = Q_s + Q_f + Q_e = 72.9 + 611.6 + 306 = 990.5 \text{ KN}$$

Taking F.S = 2,5

$$Q_{safe} = 990.5 = 396.2 \text{ KN say } 39.6 \text{ tonnes}$$

.: Safe bearing capacity of 500mm Φ bored pile to a depth of 10.0m = 39.6 tonnes

#### 3.0 DESIGN FEATURES:

Size of R.C pile cap: 24.05 m long and 4.63 wide

Clear distance between two inner legs = 4.00m

Load on each leg of foundation = 350.0 t

Loaded length of foundation = 12.50m

Assuming thickness of pile cap as 400mm,

Total dispersion length =  $12.5 + (2 \times 0.4) = 13.3 \text{m}$ 

Self weight of loaded portion of pile cap =  $13.3 \times 4.63 \times 0.4 \times 2.5 = 61.58 t$  Say 62 t

Total load = 350 + 62.0 = 412.0 t

Load bearing capacity of each pile = 39.6 tonnes

 $\therefore$  No. of piles in each row on loaded length of pile cap =  $\frac{412.0 \times 1}{39.6 \times 2}$  = 5.2 say 6 Nos.

Max. spacing of piles =  $\frac{13.3}{5}$  = 2.66 m

Considering practical aspects of rig operations, spacing between two piles is taken as 2.55 m in longitudinal direction along the entire length of pile cap and the corresponding edge distance is 0.55 m beyond the end piles.

No. of piles = (24.05 - 1.1) + 1 = 10 Nos. in each row of entire pile cap length.

Similarly, spacing between two piles in transverse direction = 3.0m (Refer drawing).

Permissible minimum spacing =  $3d = 3 \times 0.5 = 1.5 \text{m} < 3.0 \text{m}$ . Hence safe

### 4.0 DESIGN OF R.C. ELEMENTS:

Properties of materials:

i) For piles and pile cap: M20 grade concrete and Fe 415 steel conforming to IS 1786

ii)Bending of reinforcement bars is as per IS 2502

### 4.1 Design of bored cast-in-situ piles:

$$\sigma_{cc} = 5N/mm^2$$
,  $\sigma_{sc} = 190 N/mm^2$ 

Dia of pile = 500mm

$$A_9 = \frac{\pi \times 500^2}{4} = 196350 \text{mm}^2$$

Using minimum steel of 0.4% of gross c.s.area,

Area of steel = 
$$0.4 \times 196350 = 785.4 \text{mm}^2$$

Hence provide 8 Nos. 12mmΦ as longitudinal bars

Actual 
$$A_{sc} = 8 \times 113 = 904 > 785.4 \text{mm}^2$$
 Hence safe.

$$A_c = 196350 - 904 = 195446 \text{mm}^2$$

$$P = A_c \sigma_\infty + A_{sc} \sigma_{sc} = (195446 \times 5) + (904 \times 190) = 1149 \text{ kN} > 396 \text{ kN (safe)}$$

Provide 8mm lateral ties @ 190mm c/c throughout the depth of pile.

### 4.2 Analysis and Design of pile cap:

#### 4.2.1 Longitudinal Direction:

Total loaded dispersion length = 13.3m

Net upward pressure per meter run = 
$$\frac{350}{13.3}$$
 = 26.32 t/m

Considering continuous beam in longitudinal direction

Max. + M = 
$$\frac{\text{wl}^2}{12}$$
 =  $\frac{26.32 \times 2.55^2}{12}$  = 14.3 t - m

Factored + 
$$M = 14.3 \times 15 = 214.5 \text{ kN-m}$$

Max. - M = 
$$-\frac{wl^2}{10}$$
 =  $\frac{26.32 \times 2.55^2}{10}$  = 17.11 t - m

Factored - M = 
$$17.11 \times 15 = 256.6 \text{ kN} - \text{m}$$

$$M_u$$
 limit for 4630 x 400mm thick pile cap, =  $2.76 \times 4630 \times 340^2 = 1477.23 \text{ N} - \text{m}$ 

$$\underline{M_u} = \underline{2.76 \times 256.6} = 0.479$$
  
 $bd^2 = 1477.23$ 

From SP 
$$- 16$$
,  $p_t = 0.14$ 

$$A_{st} = 0.14 \times 4630 \times 340 = 2204 \text{ mm}^2$$

Minimum 
$$A_{st} = 0.85bd = 0.85 \times 4630 \times 340 = 3224.26 \text{ mm}^2$$
  
 $f_y \qquad 415$   
Hence provide  $A_{st} = 3224.26 \text{ mm}^2$ 


No. of 12mm Φ Bars required = 3224.26/113 = 28.53 say 29 Nos

Hence provide 29 Nos. 12mmΦ at top and

29 Nos. 12mmΦ at bottom in longitudinal direction

#### 4.2.2 Transverse Direction:

Net upward pressure per meter width =  $\frac{26.32}{4.63}$  = 5.69 t/m



+ M = 
$$[(13.17 \times 3.0) - 5.69 (2.315)^2 \times \frac{1}{2}] = 19.76 - 15.25 = 4.51 \text{ t} - \text{m}$$

Factored + M =  $4.51 \times 15 = +67.65 \text{ KN} - \text{m}$ 

$$M_u$$
 limit =  $\frac{2.76 \times 1000 \times 340^2}{10^6}$  = 319.1 KN - m

$$\underline{M_u} = \underline{2.76 \times 67.65} = 0.585$$
  
 $bd^2 \quad 319.1$ 

From SP 
$$- 16$$
,  $p_t = 0.17$ 

$$A_{st} = \frac{0.17 \times 1000 \times 340}{100} = 578.0 \text{ mm}^2$$

Minimum  $A_{st} = 0.12\%$  gross c.s. area = 0.12 x  $\underline{1000 \times 400} = 480 \text{ mm}^2$ 

Spacing of 10mm $\Phi$  bars =  $\frac{79 \times 2X1000}{578.0}$  = 273 mm

However provide 10mmΦ @ 200mm c/c in transverse direction (Refer drawing)

#### 4.2.3 Design for shear:

Max. shear force = 
$$\frac{\text{wl}}{2}$$
 =  $\frac{5.69 \times 3.0}{2}$  = 8.535 t

Factored shear = 8.535 x 15 = 128.03 KN

% of steel, p = 
$$\frac{A_{st}}{bd}$$
 x 100 =  $\frac{29x \ 1.13 \ x \ 100}{463 \ x \ 34}$  = 0.208

From SP - 16,  $\tau_c = 0.34 \text{ N/mm}^2 -$ 

Shear taken by concrete =  $0.34 \times 4630 \times 340 = 535.3 \text{ KN}$ 1000

Hence minimum shear reinforcement is sufficient

provide 6 – legged 8mmΦ stirrups @ 200mm c/c (Refer drawing)

# 4.2.4 Side face Reinforcement:

On each face, 2 Nos. of 12 mm  $\Phi$  bars in longitudinal direction may be provided (Refer Drawing).

## BAR BENDING SCHEDULE

SI. No.	Description	Dia (mm)	Length (m)	No. of bars	Total length (m)	Weight
1	10300	12	10.3	8x20x2	3296.0	2933.4
2	400	8	1.40	20x2x54	3024.0	1195.0
3	23980	12	23.98	29x2x2	2781.7	2475.7
4	4580	10	4.58	121x2x2	2216.7	1374.4
5	23980	12	23.98	2x2x2	191.8	170.7
6	1527 350 1527	8	3.85	138x3x2	3187.8	1259.2
<u>.</u>			= =		Total weight	9408.4


Say 9.41 tonns

CONSULTANCY CELL Gudiavalleru Engineering College, GUDLAVALLERU - 521 356

Krishna Dist., A.P.

PRINCIPAL

Gudlavalleru Engineering College, GUDLAVALLERU-521 356



CONSULTANCY CELL
Gudlavalleru Engineering College,
GUDLAVALLERU - 521 356
Krishna Diet., A.P.

LERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavaileru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

PIE, C.Esg., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principa!

REF: GEC/ONGC/CONSULTANCY/2019/

Date: 26th December, 2019

To

Sri P.Narayana Rao. Contractor, Narasapuram. West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "MDAP"D/s, East Godavari District, A.P and Bill of charges - Reg.

Ref: Report RF - 148

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDAP" D/s. East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-133	Sub soil investigation and Recommendation for the foundation of Drill site "MDAP" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-148	ONGC Rig foundation at "MDAP" D/s, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI. Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Conv to Society file

ERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D.,

FIE, C.E. MISTE, MSES! MASME, MSAE, MSFA, MILM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 3rd January, 2020

Keewed Cory

To

The Special Officer / Secretary. Gramma Sachivalayam, Chennuru, Pedana Mandal, Krishna District, Andhra Pradesh

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Chennuru, Pedana Mandal, Krishna District, A.P and Bili of charges - Reg.

Ref: Report ST-134

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Chennuru, Pedana Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
-	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-134)	Sub Soil testing reports of Gramma Sachivalayam Building at Chennuru, Pedana Mandal, Krishna District, A.P	Rs.7,000/-	<b>Rs.7,</b> 000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 68674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., AIRTE, MRESI, MASME, MSAR, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 3rd January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Pedayadara, Bandar Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Pedayadara, Bandar Mandal, Krishna District, A.P. and Bill of charges – Reg.

Ref: Report ST-135

i am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Pedayadara, Bandar Mandal, Krishna District, A.P.

51. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-135)	Sub Soil testing reports of Gramma Sachivalayam Building at Pedayadara, Bandar Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

**GUDLAVALLERU ENGINEERIN** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D.,

PIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020/

Date: 3rd January, 2020

The Special Officer / Secretary, Gramma Sachivalayam, Vadapalem, Bandar Mandal, Krishna District, Andhra Pradesh

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Vadapalem, Bandar Mandal, Krishna District, A.P and Bill of charges - Reg.

Ref: Report ST-136

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Vadapalem, Bandar Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-136)	Sub Soil testing reports of Gramma Sachivalayam Building at Vadapalem, Bandar Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBi, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 98674-273957

a-mail: principal@gecgudiavalieru.ac.in, office@gecgudiavalieru.ac.in, Web; www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, CLERS., MISTE MSESI, MASME, MSAE, MSFA, MUM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020/[

Date: 7th January, 2020

To Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (3sets) on the Sub soil investigation and recommendations for the foundation of proposed workshop complex, Dowlaiswaram, East Godavari District, Andhra Pradesh and Bill of charges – Reg.

I am herewith submitting three sets of Hard copies on Sub soil investigation and recommendations for the foundation of proposed workshop complex, Dowlaiswaram, East Godavari District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-137	Sub soil investigation and recommendations for the foundation of proposed workshop complex, Dowlaiswaram, East Godavari District, Andhra Pradesh	Rs.10,000/-	Rs.10,000/-
(Rupees	Ten Thousand Only)	Total	Rs.10,000/-

Please arrange the payment of the bill amount Rs.10,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394 Thanking you,

Yours faithfully,

Encl: 3 sets of reports

Copy to Consultancy Cell of GEC

GDVL CO

# CIVIL ENGINEERING DEPARTMENT CONSULTANCY CELL

# **GUDLAVALLERU ENGINEERING COLLEGE**

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDŁAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC with "A" Grade)

Mobile: 9848779130, Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: hod.ce@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### PROJECT: Construction of Workshop Complex Location: Dowlaiswaram, East Godavari District, A.P. Bore Hole No: 1

51-1

#### **Bored Pile**

For Sandy Soils:

 $Q_{Safe} = 1/F.S[qN_qA_p + Kqtan\delta A_s]$ 

For Clayey Soils:

 $Q_{Safe} = 1/F.S[cN_cA_p + \alpha cA_s]$ 

 $Q_{Safe}$  =Safe Axial Pile Capacity, kN

q =Overburden Pressure

 $\alpha$  = Adhesion Factor

 $N_c$ ,  $N_q$  =Bearing Capacity Factors

 $\delta =$  Friction angle between Soil and Pile =Fi

 $A_p =$ Cross Sectional Area of Pile

 $c = \text{Cohesion Intercept, kN/m}^2$ 

 $A_s$  = Surface area of the Pile

Pile Cross Section:

Circular

Pile Diameter:

500mm

Pile Surface area:

1.57m per m length

Pile Cross Section Area:

 $0.196 \text{ m}^2$ 

Water Table from Ground Surface:

1.9m

Factor of Safety:

2.5

Layer No	De	pth, m	Soil	C kN/m²	Fi, Degrees	Density kN/m <sup>3</sup>	K	α	Ne	Nq	N
1	0	0.5	F 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ignore	- L	THE AND IN	No.		-	<u> </u>	-
2	0	1.8	Gravel	40	25	22.28	1.2	0.4	9		-
3	1.8	2.4		I Es	Gı	avel with E		<u> </u>			
4	2.4	3.9	Rock			Rock/Bou					
5	3.9	4.5	Lime Clay	90		18.25	1.2	0.4	9		
6	4.5	6	Lime Clay	104		19.06	1.2	0.4	9		
7	6	7.5	Lime Clay	105		17.63	1.2	<del></del>	<u> </u>		_
8	7.5	9	Lime Clay	111		19.13	1.2	0.4	9	_	
9	9	10.5	Lime Clay	115		17.98		0.4	9	-	
10	10.5	.[2	Lime Clay	118		16.73	1.2 1.2	0.4	9	_ -	

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSSSI, MASME, MSAE, MSFA, MIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 22<sup>nd</sup> January, 2020

To

Sri P.Narayana Rao, Contractor.

Narasapuram,

West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports & Design of ONGC Rig foundation at "SVL-AB"D/s, West Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 149

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "SVL-AB" D/s, West Godavari District, A.P.

SI. No.	Maine OI AAOLK	Consultancy charges	Total Amount
ST-138	Sub soil investigation and Recommendation for the foundation of Drill site "SVL-AB" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-149	ONGC Rig foundation at "SVL-AB" D/s, West Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government). Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., PIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principa!

REF: GEC/ONGC/CONSULTANCY/2020

Date: 22nd January, 2020

To N RAMA RAO RAJENDRA NAGAR (7th Line) D- No- 8/308-2C. GUDIVADA, KRISHNA DISTRICT. ANDHRA PRADESH - 521301

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports Proposed Residential Building (G+3) at Gudivada, Krishna District, Andhra Pradesh and Bill of charges - Reg.

Ref: Report ST-139

I am herewith submitting two sets of hard copies on Soil testing reports Proposed Residential Building (G+3) at Gudivada, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultanc y charges	Total Amount
1 (ST-139)	Sub Soil testing reports Proposed Residential Building (G+3) at Gudivada, Krishna District, Andhra Pradesh	Rs.7,000/-	Rs.7,000/-
(Rupees	Seven Thousand Only)	Total	Rs.7,000/-

Please arrange the payment of the bill amount Rs.7,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with !FCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

Date: 27th January, 2020

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eug., MISTE, MSESI, MASME, MSAE, MSFA, MUM,

Principal

To The Special Officer / Secretary, Gramma Sachivalayam,

REF: GEC/ONGC/CONSULTANCY/2020

Lakshmipuram, Chalapalli Mandal, Krishna District,

Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Lakshmipuram, Chalapalli Mandal, Krishna District, A.P. and Bill of charges - Reg.

Ref: Report ST-140

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Lakshmipuram, Chalapalli Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-140)	Sub Soil testing reports of Gramma Sachivalayam Building at Lakshmipuram, Chalapalli Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Tota	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Chalapalli Village and Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Chalapalli Village and Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-141

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Chalapalli Village and Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
% (ST-141)	Sub Soil testing reports of Gramma Sachivalayam Building at Chalapalli Village and Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees Fourteen Thousand Only) Total		Rs.14,000/-	

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

R.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Ramanagaram, Chalapalli Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Ramanagaram, Chalapalli Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-142

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Ramanagaram, Chalapalli Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-142)	Sub Soil testing reports of Gramma Sachivalayam Building at Ramanagaram, Chalapalli Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees Fourteen Thousand Only) Total		Rs.14,000/-	

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MHM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Padamara Veedhi, Chalapalli Village & Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Padamara Veedhi, Chalapalli Village & Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-143

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Padamara Veedhi, Chalapalli Village & Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
9 <u>L</u> (ST-143)	Sub Soil testing reports of Gramma Sachivalayam Building at Padamara Veedhi, Chalapalli Village & Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of Design and Drawings Copy to Consultancy Cell of GEC

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Malempalli, Gantasala Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Malempalli, Gantasala Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-144

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Malempalli, Gantasala Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-144)	Sub Soil testing reports of Gramma Sachivalayam Building at Malempalli, Gantasala Mandal, Krishna District, A.P	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you.

Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Date: 27th January, 2020

#### Dr. POTLURI RAVINDRA BABU

B.Toch., M.S., M.Toch., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

The Special Officer / Secretary, Gramma Sachivalayam, Koduru Village and Mandal, Krishna District, Andhra Pradesh

REF: GEC/ONGC/CONSULTANCY/2020

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Koduru Village and Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-145

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Koduru Village and Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 3	Soil samples collection	Rs.7,000/-	Rs.7,000/-
¶_ (ST-145)	Sub Soil testing reports of Gramma Sachivalayam Building at Koduru Village and Mandal, Krishna District, A.P.	Rs.7,000/-	Rs.7,000/-
(Rupees	Fourteen Thousand Only)	Total	Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudiavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Edg., MISTE, MSESI, MASME, MSAE, MSEA, MEM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, V Kothapalem Village, Koduru Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at V Kothapalem Village, Koduru Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-146

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at V Kothapalem Village, Koduru Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-146)	Sub Soil testing reports of Gramma Sachivalayam Building at V Kothapalem Village, Koduru Mandal, Krishna District, A.P.	Rs.7,000/-	Rs.7,000/-
(Rupees Fourteen Thousand Only) Total		Rs.14,000/-	

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE. MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Nagayalanka, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Nagayalanka, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-147

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Nagayalanka, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1	Soil samples collection	Rs.7,000/-	Rs.7,000/-
2 (ST-147)	Sub Soil testing reports of Gramma Sachivalayam Building at Nagayalanka, Krishna District, A.P.	Rs.7,000/-	Rs.7,000/-
(Rupees Fourteen Thousand Only) Total		Rs.14,000/-	

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully.

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalieru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eug., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Matlam Village, Kruthivennu Mandal, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Matlam Village, Kruthivennu Mandal, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-148

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Matlam Village, Kruthivennu Mandal, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-148)	Sub Soil testing reports of Gramma Sachivalayam Building at Matlam Village, Kruthivennu Mandal, Krishna District, A.P.	Rs.7,000/-	Rs.7,000/-
(Rupees	Seven Thousand Only)	Total	Rs.7,000/-

Please arrange the payment of the bill amount Rs.7,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No: .08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Kothapeta, Avanigadda, Krishna District, Andhra Pradesh.

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Kothapeta, Avanigadda, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-149

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Kothapeta, Avanigadda, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-149)	Sub Soil testing reports of Gramma Sachivalayam Building at Kothapeta, Avanigadda, Krishna District, A.P.	Rs.7,000/-	Rs.7,000/-
(Rupees	Seven Thousand Only)	Total	Rs.7,000/-

Please arrange the payment of the bill amount Rs.7,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

(An Autonomous institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Kothapeta, Avanigadda, Krishna District, Andhra Pradesh.

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Kothapeta, Avanigadda, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-149

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Kothapeta, Avanigadda, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-149)	Sub Soil testing reports of Gramma Sachivalayam Building at Kothapeta, Avanigadda, Krishna District, A.P.	Rs.7,000/-	Rs.7,000/-
(Rupees	Seven Thousand Only)	Total	Rs.7,000/-

Please arrange the payment of the bill amount Rs.7,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you.

Yours faithfully,

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavatleru.ac.in, office@gecgudiavatleru.ac.in, Web: www.gecgudiavatleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Toch., M.S., M.Toch., Ph.D., FIE. C.EDG., MISTE, MSESI, MASME, MSAF, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 27th January, 2020

To

The Special Officer / Secretary, Gramma Sachivalayam, Ghantasala Village & Mandalam, Krishna District, Andhra Pradesh.

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports of Gramma Sachivalayam Building at Ghantasala Village & Mandalam, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-151

I am herewith submitting two sets of hard copies on Soil testing reports of Gramma Sachivalayam Building at Ghantasala Village & Mandalam, Krishna District, A.P.

Consultancy Total SI. No. Name of Work charges Amount 1 Soil samples collection Rs.7,000/-Rs.7.000/-Sub Soil testing reports of Gramma Sachivalayam Building at Ghantasala Village & Mandalam, Rs.7,000/-Rs.7,000/-(ST-151) Krishna District, A.P. (Rupees Fourteen Thousand Only) Total Rs.14,000/-

Please arrange the payment of the bill amount Rs.14,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 2nd March, 2020

To

The Correspondent, St. Francis English Medium High School, Machilipatnam, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil and Water testing reports of School Building at Parasupeta, Machilipatnam, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-152 & MT-129

I am herewith submitting two sets of hard copies on Soil and Water testing reports of School Building at Parasupeta, Machilipatnam, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-152)	Sub Soil testing reports of School Building, at Parasupeta, Machilipatnam, Krishna District, A.P	Rs.6,000/-	Rs.6,000/-
2 (MT-129)	pH, Chlorides, Alkanet, Acidity, Total solids, Total dissolved solids, Sulphates for water	Rs.2,500/-	Rs.2,500/-
(Rupees Eight Thousand Five Hundred Only)		Total	Rs.8,500/-

Please arrange the payment of the bill amount Rs.8,500/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of sub soil testing & water testing

Copy to Consultancy Cell of GEC

Rosers Pavers

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhl and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-129

Date: 02-03-2020

To The Correspondent, St. Francis English Medium High School, Machilipatnam, Krishna District, Andhra Pradesh

Sir,

Sub: Test results of the water for concrete - Regarding.

With reference to your letter dated 28-02-2020, water sample supplied are tested, as per standard procedures described in the IS codes. The Test results are as follows:

#### Water Analysis

S No	Description	Name of test/s	Procedure adopted	Permissible limits Maximum as per IS : 456-2000	Test Result
		pH		>6	7.47
	Water sample provided by St.	Chlorides	* 6 F	500mg/L for RCC 2000 mg/L for Plain concrete	565 mg/L
	provided by St.	Acidity		50 mg/L	25 mg/L
	Francis English	Alkalinity		250mg/L	25 mg/L
1	Medium High	Sulphates		400 mg/L	184 mg/L
		Total solids	As per		6400 mg/L
	School,	Organic solids		200 mg/L	2200 mg/L
	Machilipatnam,	Inorganic solids		3000 mg/L	4200 mg/L
	Krishna	Total dissolved solids			800 mg/L
	District,	Total suspended solids		2000 mg/L	5600 mg/L

Note: This water may not suitable for mixing water in concrete

Lab Technician (Mrs.K.Revathi)

Lab Incharge (Dr G Reddy Babu)

Head of Civil Engineering (Dr.P.KodandaRamaRao)

PRINCIPAL (Dr.P.RavindraBabu)

STORY THE WONTHS DNELL 19

#### REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF SCHOOL BUILDING AT PARASUPETA, MACHILIPATNAM, KRISHNA DISTRICT ANDHRA PRADESH

#### LOCATION

#### PARASUPETA, MACHILIPATNAM, KRISHNA DISTRICT - A.P

#### **CLIENTS**

CORRESPONDENT
St FRANCIS ENGLISH MEDIUM HIGH SCHOOL,
MACHILIPATNAM, KRISHNA DISTRICT,
ANDHRA PRADESH

#### SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

#### SOIL TEST REPORT

Submitted by



### CONSULTANCY CELL DEPARTMENT OF CIVIL ENGINEERING

### **GUDLAVALLERU ENGINEERING COLLEGE**

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada,
NAAC Accredited with A Grade & Accredited by NBA)
SeshadriRao Knowledge Village
Gudlavalleru - 521356, A,P

#### REPORT ON

# SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF SCHOOL BUILDING (G+2) AT PARASUPETA, MACHILIPATNAM, KRISHNA DISTRICT, ANDHRA PRADESH

#### 1. INTRODUCTION:

The Correspondent, St Francis English Medium High School, Machilipatnam, and M/S Sri Venkateswara Tube well Works, Peravali requested the Civil Engineering Department of Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend suitable foundation for School Building (G+2) at Parasupeta, Machilipatnam Krishna District of Andhra Pradesh.

The following are the responsibilities of M/S Sri Venkateswara Tube well Works, Peravali.

- ➤ Soil boring of 150mm diameter upto 10 meters depth at two locations as specified by the client.
- Collection of undisturbed and disturbed soil samples from the borbs.
- > Conducting Standard Penetration Test (SPT) at regular intervals within the bore.

M/S Sri Venkateswara Tube well Works, Peravali has taken up the soil boring, sample collection and field testing on behalf of the School, Machilipatnam.

This report contains the result of field and laboratory tests. Recommendations on bearing capacity of soil and type & depth of foundation for the School Building (G+2) are presented in the report.

#### 2. THE STRUCTURE AND LOCATION

The proposed Structure is a School building and foundation is to be designed for G+2 floors. The proposed structure is to be built at Parasupeta, Machilipatnam, Krishna District of Andhra Pradesh.

#### 3. FIELD INVESTIGATION PROCEDURE

The sub soil investigation was carried out to determine

- Classification and extent of each soil & rock stratum likely to be affected by the proposed work.
- ➤ Nature of each stratum and engineering properties of soil which may influence the mode of construction of the proposed structure and their foundation.

#### 3.1 Field Soil Investigation Procedure

M/s. Sri Venkateswara Tube well works; Peravalli has submitted the soil investigation bore data at two locations of the proposed site.

#### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standards to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to obtain the shear strength of soil. The results are presented in Tables 2 & 3.

THE PROPERTY OF THE

#### 4. 1. SUB SOIL PROFILE

The sub soil profiles at the bore hole location, based on the identification of soil samples, the test results on both field and laboratory are shown in fig 1 & 2. The design soil parameters are presented in Tables 1 & 2.

#### Bore hole-1

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N <sub>e</sub> Value
0.00 - 1.20	Sand with Clay	
1.20 - 8.50	Silty Sand	09 – 43
8.50 - 10.00	Black Clay	02

#### Bore hole-2

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value	
0.00 – 7.60	Silty Sand	09 – 37	
7.60 – 10.00	Black Clay	02	

#### 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 1.20m below ground level is Sand with Clay, from 1.20 to 8.50m is Silty Sand, from 8.50m to 10.00m is Black Clay for  $BH_1$ , and from 0.00m 7.60m is Silty Sand, from 7.60m to 10.00m is Black Clay for  $BH_2$  open foundation in the form of isolated footing or deep foundation in the form of bored piles may be suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to any expected horizontal forces.

STATE MUNITISCULLY IS

### Alternative I: Open foundation in the form of Isolated footing

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-3.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per 1S 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_u = C N_c S_c D_c + \gamma D N_q S_q D_q R_w 2 + 0.5 \gamma B N \gamma S \gamma D \gamma R w 2 ---- (1)$$

 $q_a = 35 \text{ (N-3)} [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for sand (2)}$ 

 $q_a = 1.25 \text{ N for clayey soil} ---- (3)$ 

Since the soil from 0.00m 7.60m is Silty Sand, from 7.60m to 10.00m is Black Clay for  $B\rm H_2$ 

At a depth of 1.5 m from ground level, the allowable bearing capacity is  $140 \text{kN/m}^2$  ( $14t/\text{m}^2$ ), at a depth of 2.0 m from ground level, the allowable bearing capacity is  $181 \text{ kN/m}^2$  ( $18.1 \text{ t/m}^2$ ) and at a depth of 3.0m from ground level, the allowable bearing capacity is  $294 \text{kN/m}^2$  ( $29.4 \text{t/m}^2$ ).

### Alternate method II : Bored pile foundation:

Since the soil from 0.00m 7.60m is Silty Sand, from 7.60m to 10.00m is Black Clay for  $BH_2\,$ 

If the loading is heavy, deep foundation in the form of Bored cast in situ pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Table 1.

In case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by IS: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 300mm and 350mm diameter piles may be considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in IS 2911 (Part 1 / Sec3) – 2010 for bored piles considering Skin Friction and bearing resistance.

Table -1

Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)
	4.0	57
300	5.0	89
	6.0	121
	4.0	71
350	5.0	109
	6.0	148

The spacing between the piles shall not be less than 2.75 - 3.0 times the pile diameter. Since the piles are deeper, tremie concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

Mr.Phani Kumar.V
CONSULTANCY CELL
Gudlavalleru Engineering College,
GUDLAVALLERU +521 356
Krishna Dist., A.P.

GUDLAVALLERU ENGINEERING COLLEGE
BORE LOG

		- 1	***	1 7 1	<u>م</u>		, I		1						
							4	<b>ω</b> <u>Σευταίτευ</u>	N	-	De	pth below G.L	, ,	Toc	Bor
		<u>////////////////////////////////////</u>										Soil profile	Surrog to adda	ation ; J	Bore Hole:1.
11000 F1	Note: Th	Black Clay		<del>-</del>		Silty Sand				Brown Clay		Description of soil		Location: Parasupaeta, Machilipatnam, Krishna District, Andhra Pradesh.	7
Fig 1: Results obtained from field in bore hole 1	TS	1.50	ý			7.30				1.20	Thic	kness of layer	Bore	Machilipa	
ts apply sults obt	STP6	01170		SPT4	<del></del>	SPT3	SPT2	9	SPT1		D.S	Depth at which	Bore Hole diameter 150mm	tnam, K	
only to the sa ained from f	10										U.D.S	sample are collected	neter 150	ishna Di	- B(
ne sampl o <b>m field</b>	10.00	9		6.00		4.50	3.00		.5		is c	at which test onducted in meters	)mm	strict, Aı	BORE LOG
es ser in bo						9	<u> </u>		42			0-15 cm	9	ıdhra	G.
nt to t				17		15	₩		42			5-30 cm	J.W	Prad	Ξί
he lat		10		25		23	20		C)			-4 5 cm	1.70	esh.	id In
oratory.	3	19		42		<u>ಜ</u>	38	· mal	9			- Value	G.W.L: 1.70m b.g.l	Sugaro	Field Investigation
-  - 											10 20 30 40 50	Graphical representation of Penetration Resistance			Date: 27-02-2020

10

Page 6 of 10

9

00

# DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

						RE LOG					Date:	27-02	2-202	0
	e Hole:2		4.141							stigation				
		Parasupaeta, Ma								1 1				
Тур	e of Bo	rıng <u>:</u> I	Bore H	lole diar	neter 150		G.W	7.L:1	.60m	b.g.l				
Depth below G.L	Soil profile	Description of soil	Thickness of layer in meters	So Depth at	Sample are collected	Depth at which test is conducted in meters	0-15 cm	15-30 cm	30-45 cm	N – Value	Graph repres Penet Resis	senta ratio tanco	n	
1														
2				SPT1		1.50	3	4	5	9	•			
3				SPT2		3.00	10	13	19	32			•	- 
4		Silty Sand	7.60											!
5				SPT3		4.50	12	16	20	36				
6				ODT 4	i E	6.00		1.6	21	25				
7				SPT4		6.00	13	16	21	37				
8				STP5		8.00	1	1	1	2				
9		Black Clay	2.40	3113		6.00	1	1	1	2				
10		Notes	Man 41 - 14	STP6		10.00 to the san	1	1	1	2				

Note: The test results apply only to the samples sent to the laboratory.

Fig 2: Results obtained from field in bore hole 2

Page 7 of 10

CUDLAVALLERU ENGINEERING COLLAGE:: GUDLAVALLERU

TABLE: 2 Idealised Design Soil Parameter PROJECT: Construction of G+2 Building

Location: Parasupeta, Machilipatnam, Krishna District, A.P. Bore Hole No: 1 Depth of Water Level: 1.70 m b.g.l

	Net Safe	bearing capacity (kN/m²)					/97		07
	1		-			۰ -	_	Ĺ	_
N III DOGUI	Unconfined	Compressiv e strength (kN/m²)			!		I	36	707
	rameters	ф (deg)			ı	250 200	00 - 07	1	
P. C. T. WALL MARK TO MI DIGHT	Shear parameters	Cohesion C (kN/m²)				ı		,,	1
	Recorded	Value (N)				09 - 43	4	02	-
	Dry Unit	Weight [kN/N³]		J		19.01 - 20.33		13.85	
	Natural	content (%)		1		21.63 - 24.97		63.24	
	IS Soil	cation		ı		SP		CH	
	Visual identification of	lios		Sand with Clay		Silfy Sand	-	Black Clay	
	Depth below the existing	ground level (metres)		0.00 - 1.20	100 050	0.50 - 0.50	0 50 10 00	030 - 10.00	

TABLE No: 3 Results of Laboratory Soil Testing

Recorded SPT value (N)		(16)	ı		۵	٥	^	38	2.6	0 0	4.5	19			7
Slit and clay size (%)	3	(15)	ı		ı	15 77	12:11	13.59	13.31	10.01	62.61	18.58		•	96.11
Fine Sand size (%)		(14)	'			08 09		65.19	64 34	54.43	04.45	59.17		'	1.36
Medium Sand (%) size	(4.0)	(13)	,			23.34		20.68	22.24	10.10	17.10	19.62			0.43
Coarse Sand size (%)	(12)	(717)	1			00.00		0.26	0.11	0.15	C1:0	2.63			0.15
(%) oxie ləvri	(11)	(11)	,		١	0.00		0.28	0.00	0.73		0.00			1.95
Plasticity Index (%)	(10)	(10)	ı			,		1	'			j			36.96
timid oitseld (%)	6)	3	'	1		•		•							29.91
timid biupid (%)	8							,	1			•	a		00.80
Natural moisture (%)	E		,			21.63	22.40	(1.77	23.95	24.97	07.00	67.00	,	70.07	03.24
Dry unit weight, y <sub>d</sub> , [kN./m³]	(9)	,		1		20.33	19 54	53:	19.32	19.01	10.40	17.47		12 05	Note: The test secult
Uncon comp. strength qu kN/m²	(3)					1		†	_				-	3,0	Totol Tho
IS Soil classification	(4)		ı			SP	SP		SP	SP	0.7	5	'	HU	7
Visual  To notineation of lios	(3)	Sand with	Clay	Silty Sand	-	-op-	-op-		-do-	-op-	ę	}	Black Clay	-00-	}
Type of sample	(2)		'	'	CDT1	27.11	SPT2		SPT3	SPT4	SPT5		'	SPT6	
Depth below GL	(1)	0.00 1.20	0.00	1.20 - 8.50	- 4	C'1	m		4.5	9	00		8.50 - 10.00	10	

Note: The test results apply only to the samples sent to the laboratory

Page 8 of 10

OUDLAVALLERU ENGINEERING COLEGE:: GUDLAVALLERU

TABLE: 3 Idealised Design Soil Parameter PROJECT: Construction of C+2 Building

PROJECT: Construction of G+2 Building Location: Parasupeta, Machilipatnam, Krishna District, A.P. Bore Hole No: 2 Depth of Water Level: 1.60 m b.g.l

	, –	bearing capacity (kN/m²)	298	32
0 III D.g.1	Unconfined	Compressiv e strength (kN/m²)		24-26
Level: 1.0	ameters	(geb) ф	$26^{0} - 30^{0}$	
pun or marc	Shear parameters	Cohesion C (kN/m²)		12 - 13
	Recorded	Value (N)	09-37	02
The state of the s	Dry Unit	Weight [kN/N <sup>3</sup> ]	18.98 – 20.09	13.03 – 13.27
	Natural	content (%)	22.10 – 26.76	66.97 – 72.51 13.03 – 13.27
	IS Soil	classifi- cation	SP	СН
	Visual identification of	soil	Silty Sand	Black Clay
	Depth below the existing	ground level (metres)	09.7 – 00.0	7.60 – 10.00

TABLE No: 3 Results of Laboratory Soil Testing

	Recorded SPT value (N)	30	61)		, ;	36	25	, i	,	1 6	7
	Slit and clay size (%)	(15)	(61)	18.25	01.00	18 60	19 63		96.80	06.30	22.66
	Fine Sand size (%)	(14)	(FT)	72.89	69 01	77.09	66.53		0.93	201	1.2-I
	Medium Sand (%) sziz	(13)		8.86	9 11	10.28	12.60	,	0.48	2.56	2
	Coarse Sand sixe (%)	(12)	,	0.00	0.32	0.98	0.83		0.18	0.20	2010
	Gravel size (%)			0.00	0.56	0.78	0.41		19.1	0.98	200
Summer man	Plasticity Index (%)	(10)				-	,	Air	48.37	49.93	
2	rimiJ oitsel¶ (%)	(6)	•	'	-		•	,	35.40	37.94	
	timid biupid (%)	(8)	r			'			83.77	87.88	
	Natural moisture content (%)	(2)		22.10	26.76	23.54	22.79	'	66.97	72.51	
	Dry unit weight, y <sub>d</sub> , [kN./m³]	(9)	,	20.09	18.98	19.68	19.47		13.27	13.03	
	Uncon comp. kN/m <sup>2</sup>	(5)	1			'		1	24	26	1
	IoS SI coitsoffication	(4)	ı	SP	SP	SP	SP	1	СН	CH	7
	Visual  Identification of lios	(3)	Silty Sand	-op-	-op-	-op-	-op-	Black Clay	-op-	-do-	
	Type of sample	(2)	ı	SPT1	SPT2	SPT3	SPT4	ı	SPT5	SPT6	
	Depth below GL	(1)	0.00 - 7.60	1.5	3	4.5	9	7.60 - 10.00	8	10	

Note: The test results apply only to the samples sent to the laboratory

Page 9 of 10

CONTRIBUTE OF

### Recommendations

Based on the field and laboratory tests on soil samples collected from the bore holes, the following recommendations are made.

- > Open foundation in the form of isolated footing is proposed. The allowable bearing capacity is calculated as per IS 6403 Specification considering the shear failure and settlement failure criterion.
  - At a depth of 1.5 m from ground level, the allowable bearing capacity is 14t/m<sup>2</sup>.
  - At a depth of 2.0 m from ground level, the allowable bearing capacity is 18.1 t/m<sup>2</sup>
  - At a depth of 3.0m from ground level, the allowable bearing capacity is 29.4t/m<sup>2</sup>.
- > Open foundation in form of isolated footing at a depth of 2m from ground level is proposed.

INCHARGE OF GTE LAB.

CONSULTANCY CELL
Guid/avalieru Engineering College,
GUDLAVALLERU - 521 356
Krishna Dist., A.P.

H.O.D OF CIVIL ENGG.

Heegst ZBvinengheenng

Entineging Engiles high Contige

Extende of Civil Engineering


Head of Civil Engineering College

Gudlavalleru Engineering College

Gudlavalleru 521 356

PRINCIPAL PRINCIPAL

Gudlavalleru Engineering College, GUDLAVALLERU-524 303



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESL, MASME, MSAE, MSFA, MITM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 2<sup>nd</sup> March, 2020

To

The Correspondent, St. Francis English Medium High School, Machilipatnam, Krishna District, Andhra Pradesh

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil and Water testing reports of School Building at Parasupeta, Machilipatnam, Krishna District, A.P and Bill of charges – Reg.

Ref: Report ST-152 & MT-129

I am herewith submitting two sets of hard copies on Soil and Water testing reports of School Building at Parasupeta, Machilipatnam, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
1 (ST-152)	Sub Soil testing reports of School Building, at Parasupeta, Machilipatnam, Krishna District, A.P	Rs.6,000/-	Rs.6,000/-
2 (MT-129)	pH, Chlorides, Alkanet, Acidity, Total solids, Total dissolved solids, Sulphates for water	Rs.2,500/-	Rs.2,500/-
(Rupees Ei	ght Thousand Five Hundred Only)	Total	Rs.8,500/-

Please arrange the payment of the bill amount Rs.8,500/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of sub soil testing & water testing

Copy to Consultancy Cell of GEC

Rocered Cord

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2020

Date: 17th March, 2020

To Sri P.Narayana Rao, Contractor, Narasapuram, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5 sets) on the Soil testing reports at "TATIPAKA FIRE STATION", East Godavari District, A.P and Bill of charges -- Reg.

I am herewith submitting five sets of Hard copies on Soil testing reports at "TATIPAKA FIRE STATION" West Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-153	Sub soil investigation and Recommendation for the foundation of "TATIPAKA FIRE STATION" East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	s Ten Thousand Only)	Total	Rs.10,000/-

Please arrange the payment of the bill amount Rs.10,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you, Yours faithfully,

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC



Cell : 98662 34177 E-mail : svtww15@gmail.com



# SREE VENKATESWARA TUBE WELL WORKS



Consultant for: Soil Exploration, Foundation, Geotechnical Projects

S. Venkateswara Rao

Special Class Contractor

Near Andhra Bank, PERAVALI - 534 328, Peravali Mandal West Godavari District, (A.P.)

Date 28/6/2019

Ref.

То

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Sub: Request for consultancy works -Reg.

Sir,

We M/S Sri Venkateswara Tube Wells, Peravalli, West Godavari Dt, A.P, request you to kindly take up the following consultancy works. The necessary charges will be paid as per the college norms.

SI No	Nature of work	Duration	No. of Samples (Tentative)
1	Sub Soil Investigation & Recommendation for SBC	July 2019 - June 2020	30
2	Design of Rig Foundation	July 2019 - June 2020	15

We request your kind approval.

Thanking you,

From and by NA Rolling And 17/6/20

SREE VERKATESMARA TUBE WELL WORKS

S. Verly liner Als

Specialists in: Sub-soil Exploration In-situ Tests as S.P.T., S.C.P.T., D.C.P.T., Field Permeability Tests & Collection U.D.S., D.S. Samples, Diamond core Drilling & Collection of Rock Samples, Preparation of Foundation Investigation Reports & All Geotechnical Services.

Approved by : ONGC, R & B, Irrigation, APSRTC, APERL, Indian Railways, NTPC and Panchayat Raj, PH Departments

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

**BILL OF CHARGES** 

REF: GEC/CE/CONSULTANCY/2018/

Date: 13-08-2018

To Sri P.Vidhya Sagar, DGM (Civil), ONGC, Rajahmundry

Sir,

Sub: Submission of Bill of charges (3 hard copies) towards Design of Modified ONGC Rig foundation of "MSDP"D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh - Reg.

Ref: Report RF-138

I am herewith submitting two copies of bill of charges towards the Design of Modified ONGC Rig foundation of "MSDP"D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-138	Design of Modified ONGC Rig foundation of "MSDP" D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh	Rs.15,000/-	Rs.15,000/-
(Rupee:	s Fifteen Thousand Only)	Total	Rs.15,000/-

Please arrange the payment of the bill amount Rs.15,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394

Thanking you,

Yours faithfully,

PRINCIPAL

Copy to Consultancy Cell of GEC Copy to Society file

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

**BILL OF CHARGES** 

REF: GEC/CE/CONSULTANCY/2018/

Date: 13-08-2018

To Sri P.Vidhya Sagar, DGM (Civil), ONGC, Rajahmundry

Sir,

Sub: Submission of Bill of charges (3 hard copies) towards Design of Modified ONGC Rig foundation of "MSDP"D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh - Reg.

Ref: Report RF-138

I am herewith submitting two copies of bill of charges towards the Design of Modified ONGC Rig foundation of "MSDP"D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-138	Design of Modified ONGC Rig foundation of "MSDP" D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh	Rs.15,000/-	Rs.15,000/-
(Rupee:	s Fifteen Thousand Only)	Total	Rs.15,000/-

Please arrange the payment of the bill amount Rs.15,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394

Thanking you,

Yours faithfully,

PRINCIPAL

Copy to Consultancy Cell of GEC Copy to Society file

Design of Modified ONGC Rig foundation of MSDP D/s cluster wells suitable for John-17 rig near Bantumilli, Krishna District, Andhra Pradesh.

### Clients:

ONGC - KG Project - Rajahmundry

Consultants:
Department of Civil Engineering
Gudlavalleru Engineering College (Autonomous)
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356
Krishna District, A.P.

### 1.0 Project Details:

### 1.1 Scope:

The superintending Engineer, ONGC-K-G Project, Rajahmundry has entrusted the modified design of MSDP drill site cluster wells located near Bantumilli, Krishna District, A-P to the consultants of Gudlavalleru Engineering College, Gudlavalleru, Krishna District, Andhra Pradesh so that the modified foundation can accommodate JOHN-17 rig also.

### 2.0 Preamble:

Since the width of existing raft is to be increased by 900mm from inner edges of existing raft both on front and rear side of cellar pits as shown in drawing, it is proposed to extend the raft by providing a pile cap of 900mm width resting on series of piles with proper connection ensuring good bond with exiting raft.

### 3.0 Load Calculations:

Load coming on each leg = 350 t

Load transferred to each rail of leg =  $\frac{350}{2}$  = 175t

Loaded length =  $12.50 + (2 \times 0.4) = 13.3 \text{ m}$ 


Self wt of pile cap =  $13.3 \times 0.9 \times 0.4 \times 2.5 = 11.97$  say 12.0 t

: Total load on loaded length = 175 + 12 = 187 tonnes

Load per metre run on each rail =  $\frac{187.7}{13.3}$  = 14.06 t/m say 141 kN/m

The extended portion is designed as cantilever as well as a cap supported by piles below.

# 3.1 Design as cantilever to existing raft per metre run



Thickness of existing raft, D=400mm d = 340mm, eccentricity, e = 40 cm Cantilever Moment = 141 x 0.4 = 56.4 kN-m  $M_u$  = 56.4 x 1.5 = 84.6 kN-m  $M_u$  limit = 2.76 x 900 x  $340^2$  = 287.2 kN-m

$$\underline{M_{u_{\perp}}} = \underline{2.76 \times 84.6} = 0.813$$
  
bol<sup>2</sup> 287.2

From Table 49 of SP-16

$$A_{st} = 0.243 \times 900 \times \frac{340}{100} = 743.6 \text{ mm}^2$$

 $A_{st} min = 0.85bd = 0.85bd \times 900 \times 340 = 627 mm^2$ 

Hence provide A<sub>st</sub> = 743.6 mm<sup>2</sup>

Spacing of 16mm Φ bars

Provide 16mm  $\Phi$  bars @ 200mm c/c which are weld to the existing 12mm  $\Phi$  bars at top of existing raft with a welded length of 70cm.

### Check of against shear:

Shear Force = 141 kN

Face to red shear  $\approx$  141 x 1.5 = 211.5 kN

Shear taken by concrete =  $0.34 \cdot 1000 \times 340 = 115.6 \text{ kN}$ 

Shear taken by stirrups = 211.5 - 115.6 = 96 kN

$$\frac{Vu}{d} = \frac{96}{34} = 2.83$$

From S.P -16

Provide 4 legged 10 mm Φ stirrups @ 20cm c/c throughout

### 3.2 Design as Pile cap resting on piles:

Assuming the bond strength between old and new concrete surfaces, after welding 16mm  $\Phi$  bars with existing 12mm  $\Phi$  bars, is only 50%, the balance 50% strength may be transferred to the pile cap laid on series of piles along the length of 900mm wide portion near the inner edges of the two existing rafts as shown in drawing.

Capacity of 37.5 cm  $\Phi$  pile for a depth of 4.5m below the existing ground level is worked out to be 11.5 tonnes

50% load transferred to piles =  $\frac{187}{2}$  = 9.35 t


Hence load on piles along (9.75 + 9.1) meter portion = 93.5 t Load on each 9.75 or 9.1 in portion = 93.5 = 46.75 tonnes

No. of piles required along 9.75 or 9.1m portions =  $\frac{46.75}{11.5}$  =4.06 say 5 Nos

Provide 5 Nos of 37.5 cm  $\Phi$  piles, 4.5m depth at 2.1m c/c spacing on 9.75m portion and at 2.0m c/c spacing on 9.10m portion as shown in drawing.

### 3.3 Design of 900mm wide pile cap

Load per 1m of pile cap =  $\frac{187}{13.3}$  = 14.06t/m say 141kN/m. Say 141kN/m



$$Max - M = -\frac{VVL^2}{10} = -\frac{141 \times 2.1^2}{10} = 62.2 \text{ kNm}$$

$$M_u = -(62.2 \times 1.5) = -93.3 \text{kN-m}$$

$$M_u$$
 limit = 2.76 x  $900 \times 340^2$  = 28.72kN-m

$$10^{6}$$

$$\underline{M}_u = \underline{93.3 \times 2.76} = 0.9$$
  
bd<sup>2</sup> 287.2

$$A_{st} = 0.264 \times 900 \times \frac{340}{100} = 808 \text{ mm}^2$$

No.of 16mm 
$$\Phi$$
 bars =  $\frac{808}{201}$  = 4.02 say 5 Nos

Hence provide 5 Nos – 16mm  $\Phi$  bars at top and 5 Nos – 16mm  $\Phi$  at bottom longitudinally

### Check against Shear


Max, Shear =0.6WL =  $0.6 \times 141 \times 2.1 = 177.7 \text{ kN}$ 

Factored shear =  $177.7 \times 1.5 = 266.5 \text{ kN}$ 

Shear taken by concrete =  $0.36 \times \underline{900 \times 340} = 110 \text{kN}$ 

Shear taken by stirrups = 266.5 - 110 = 156.6kN

$$\frac{V_u}{d} = \frac{156.6}{34} = 4.6$$



Provide four legged 10mm Φ stirrups @ 20mm c/c. Refer drawing.

# 3.4 Design of 450mm wide extended portion on either side of two cellar pits for a length of 10.3m

Provide 5 Nos of 16mm  $\Phi$  bars at top of the 450mm wide and 400mm depth of new raft which are welded to the available top rods of existing raft and resting on beam provided on edges of cellar pits on other side. These rods are tied with longitudinal bars 5 Nos of 16mm at top.

At bottom, 5 Nos of 16mm longitudinal bars are fied with 12mm  $\Phi$  provided at 200mm c/c. Depth of this 450 mm raft is 400mm, all along 10.3m length as shown in drawing.

### 3.5 Face Reinforcement:

On each face, 2 Nos of 12mm  $\Phi$  in longitudinal direction may be provided (Refer drawing)

CONSULTANCY CELL


Gudlavalleru Engineering College,
GUDLAVALLERU - 521 356

Krishna Dist., A.P.


Gudiavallaru Engineering College, GUDLAVALLERU-521 356

# SUITABLE FOR JOHN-17 RIG NEAR BANTUMILLI, KRISHNA DISTRICT, AP MODIFIED ONGC RIG FOUNDATION OF MSDP D/S CLUSTER WELLS


×



## Drawing No - 3



All Dimensions in Millimeters



CONSULTANCY CELL
Gudlavalleru Engineering College
GUDLAVALLERU - 521 356
Krishna Dist., A.P.

D.NKumar, Assistant Engineer, Endowments Department, Vijayawada.

The Principal
Engineening College
Gwavallow Village En
(On Thyo Dist

Sub:-Endowments Department - Works - M 20 Nominal mix - Sri Tonordhoro & G. Malle Cutto G. - Children (V) Explainted (M) - Krishna (Dt) - Cubes of footings/Golumns/ Slabs - For want of necessary test report - Submitted - regarding.

### @@@

I request that please conduct necessary required tests i.e. 7 days and 28 days and issue certificates for the cubes of M 20 mix which were obtained from the site of the work Recommonday of Tomple

. The necessary payments will be paid by.

S.no	Date of costing	Mix	For test results		
1	5-7-19	M 20	7 days		
2	5-7-19	M 20	28 days		

Your's faithfully

77. H. Com

Assistant Engineer

ASSISTANT ENGINEER Endowments Department Krishna (Dt), VIJAYAWADA.

Encl: Cubes for 7 and 28 days

Copy to the Executive Authority of subject temple

susmitted to principal for considerate Da provide P- 1-

MES

ERU ENGINEERING COLLEGE

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

Ref: GEC/Consult/CE/MT-126

Date: 02-08-2019

To Deputy Executive Engineer, Endowments Department, Vijayawada.

Sir.

Sub:- Test results of the CC cubes for the construction Sri Malleswara Swamy Temple and Sri Jaganadha Swamy Temple (Two temples) - Chitram village, Gudlavalleru Mandal, Krishna

With reference to your letter we have conducted the compressive strength test on CC cubes which are supplied by you. The Test results for 28 days are as follows:

	Grade of concrete	Date of Casting	Date of Testing	Compres (N	ssive Sta V/mm <sup>2</sup> )	rength	Total	Average (N/mm²)	
	M 20	05-07-2019	02.00.0040				<u> </u>		
L		00 01-2019	02-08-2019	27.94	28.21	27.83	83.18	27.99	

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A. Jilani)

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

PRINCIPAL

os y los

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDŁAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MILM,

Principal

Ref: GEC/Consult/CE/MT-125

Date: 12-07-2019

Tο Deputy Executive Engineer, Endowments Department, Vijayawada.

Sir.

Sub:- Test results of the CC cubes for the construction Sri Malleswara Swamy Temple and Sri Jaganadha Swamy Temple (Two temples) - Chitram village, Gudlavalleru Mandal, Krishna District - Regarding.

With reference to your letter we have conducted the compressive strength test on CC Cubes which are supplied by you. The Test results for 7 days are as follows:

Grade of	Date of	Date of		ssive Stro N/mm²)	ength	Total	Average
concrete	Casting	Testing	1	2	3	1 Otal	(N/mm²)
M 20	05-07-2019	12-07-2019	17.36	17.79	17.56	52.71	17.57

This is for your kind information,

Thanking you,

Yours faithfully.

Tested by

(A.Jilani)

Lab Technician

Lab Incharge

(K.Venkateswara Rao) (Dr.P.Kodanda RamaRao) (Dr.P.Ravindra Babu)

Head of Civil Engineering

**PRINCIPAL** 

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no 7 / JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 28-02-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS

I am submitting the cube samples (  $3\ nos$  ) of size  $150 \times 150 \times 150 mm$  casted on 01-02-2020 with M30 mix concrete for obtaining the 28 days ( 28-02-2020 ) cube strength of the above concrete is used for footings of 'Construction of Gram Sachivalayam building at Alapadu of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

To the las inches for N TER

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AiCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

**Principal** 

Ref: GEC/Consult/CE/MT-146

Date: 02-03-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footing work at Alapadu of Kaikaluru Mandal - Regarding.

With reference to your letter dt. 08-02-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		essive Str (N/mm²)	Total	Average	
	- Jacking		1	2	3	Total	(N/mm <sup>2</sup> )
M 30	01-02-2020	08-02-2020	22.93	23.14	22.87	68.94	22.98
M 30	01-02-2020	29-02-2020	38.78	37.96	38.79	115.53	38.51

This is for your kind information

Thanking you

Tested by

Yours faithfully.

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL





91-22-2522 8914, 2760 1617

91-22-2524 3760, 3244 1200

: 91-22-2769 0906, 2523 5368

Date -

05/04/19

E-mail: paresh1@vsnl.com Website: www.pcfpl.com

\* Pile Foundation (Land & Marine) \* Jetties, Cargo Berths, Mooring Dolphins \* Geotechincal Investigation \* Micropilling \* Steel Pilling \* Stone Columns

\* Bridges \* Industrial Buildings \* Swimming pools \* Turnkey Projects \* Structural Repairs & Rehabilitation \* Guniting \* Shotcretting \* Rock-Anchoring

To,

The HOD PRINCIPAL

chull engy. Department

Gudlanelluru Engg. Ceellage

Guellouellwa, Krisha 521356

Near Seshadai Rao

Knowledge willage

Subject - Pile foundation work for Avenue Super-Maust at Guelinoida Anothra Pradesh.

Dear Sir,

the over here by sending own roumforcement steel (SAIL) (TMT Fe-500) for the testing of Mechanical Properties & chemical Analysis.

> domm & - 3 Nos 16 mm & - 3 Nos 12 mm - 3 Nos 8mm d - 3 Nes

Thanking You Yours forth

From ,

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlavalleru

Lr no 12 / JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 13-01-2020

Sir,

Sub:- PRI subdivision – Mandavalli ~ submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 07-01-2020 with M30 mix concrete for obtaining the 7 days ( 13-01-2020 ) cube strength of the above concrete is used for **Piles concrete** of 'Construction of Gram Sachivalayam building at Mattagunta of Kalidindi Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

To HOD CE

Deputy Executive Engineeer

PRI subdivision Mandavalli

P. K 9 13/01/2022

600

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTŁURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE. C.Erg., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-152

Date: 05-02-2020

То

Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building Piles concrete work at Mattagunta of Kaikaluru Mandal - Regarding.

With reference to your letter dt. 14-01-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Date of	Date of Testing	Compressive Stren (N/mm²)				Average
Odelling	1	2	3	Total	(N/mm²)	
07-01-2020	14-01-2020	22.79	23.13	22.85	68.77	22.92
07-01-2020	04-02-2020	37.96	38.49	38 72		38.39
	Casting 07-01-2020	O7-01-2020 14-01-2020	Casting Date of Testing 1  07-01-2020 14-01-2020 22.79	Casting         Date of Testing         (N/mm²)           07-01-2020         14-01-2020         22.79         23.13	Casting Date of Testing (N/mm²)  1 2 3  07-01-2020 14-01-2020 22.79 23.13 22.85	Casting         Date of Testing         (N/mm²)         Total           07-01-2020         14-01-2020         22.79         23.13         22.85         68.77           07-01-2020         04.03.3030         07.01.2030         08.77

This is for your kind information,

Thanking you,

Tested by

Atla:

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

Recived B& Cupthe





91-22-2522 8914, 2760 1617

Date -

05/04/19

91-22-2524 3760, 3244 1200

: 91-22-2769 0906, 2523 5368

E-mail: paresh1@vsnl.com Website: www.pcfpl.com

\* Pile Foundation (Land & Marine) \* Jetties, Cargo Berths, Mooring Dolphins \* Geotechincal Investigation \* Micropiling \* Steel Pilling \* Stone Columns

\* Bridges \* Industrial Buildings \* Swimming pools \* Turnkey Projects \* Structural Repairs & Rehabilitation \* Guniting \* Shotcreting \* Rock-Anchoring

To,

The HOS PRINCIPAL

ctull engg. Department

Gudlanelluru Engg. Cerllage

Gudlouellwu, Krisha 521356

Near Seshodri Row

Knowledge willage

Subject - Pile Foundation Work for Avenue Super-Mart at Gudiwaida Andhra Pradesh.

Dear Sir,

the over here by sending own roumforcement steel (SAIL) (TMT Fe-500) for the testing of Mechanical Properties & chemical Analysis.

> domm & - 3 Nos 16mm & - 3 Nos 12 mm & - 3 Nos 8mm d - 3 Nes

Thanking You Yours forth

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-96

Date: 10-04-2019

Τo

Paresh Constructions and Foundations Pvt. Ltd.,

Avenue Super Mart,

Gudivada,

Krishna District, A.P.

Sir,

Sub:- Test results of the materials for the Pile foundation work for Avenue super-mart at Gudivada – Regarding.

With reference to your letter we have conducted tests for on tor steel sample supplied by you. The details:

S. No	Dia of bar (mm)	Weight (kg /m)			% elongation
1	8 mm	0.36	730	633.0	20.1
2	12 mm	0.89	700	692.0	18.0
3	16 mm	1.57	710	695.0	17.0
4	4 20 mm		715	697.0	16.0

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(K.Venkateswara Rao)

Lab Incharge

(P.Kodanda Ramarao)

.H.O.D

(Dr.P.Řavindra Babu) PRINCIPAL

N. Cotopura são

(N.Koteswara Rao) Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-97

Date: 10-04-2019

То

Paresh Constructions and Foundations Pvt. Ltd., Avenue Super Mart,

Gudivada,

Krishna District, A.P.,

Sir,

Sub:- Test results of the materials for the Pile foundation work for Avenue super-mart at Gudivada – Regarding.

With reference to your letter we have conducted the compressive strength test on CC Cubes which are supplied by you. The Test results are as follows:

Date of Casting	Date of Testing	Compressive Strength required for	Compressive Strength (N/mm²)		Total	Average (N/mm²)	
			1	2	3		
30-03-2019	06-04-2019	7 Days	28.07	31.10	29.90	89.07	29.69

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

( K.Venkateswara Rao ) Lab Incharge P.Kodanda Ramarao)

H.O.D

(Dr.P.Ravindra Babu) PRINCIPAL

(Ab.Jilani) Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-98

Date: 03-05-2019

To

The General Manager, Power Mech Projects Limited, Hyderabad.

Sir.

Sub:- Test results of CC Cubes for the work of railway project - RNVL-GDV-MTM the Power Mech Constructions.

With reference to your letter we have conducted the compressive strength test on CC Cubes Cured in Accelerating curing tank, which are supplied by you. The Test results are as follows:

Grade of concrete	Date of Casting	Date of Testing		ssive Stre V/mm²)	Total	Average	
			1	2	3	1 Total	(N/mm <sup>2</sup> )
M 35	29-04-2019	01-05-2019	39.77	41.67	40.26	121.70	40.56
M35	29-04-2019	01-05-2019	39.79	41.90	40.70	122.39	40.79

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(P.Kodanda Ramarao)

H.O.D

PRINCIPAL.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal Ref: GEC/Consult/CE/MT-103

Date: 21-06-2019

To
The Project Manager,
GVR Premco Joint Venture,
Gudivada.

Sir,

Sub:- Test results of CC Cubes for the work of railway project – RVNL-GDV-MTM the GVR Premco Joint Venture.

\* \* \* \* \*

With reference to your letter Lr. No: GVR-PREMCO JV/RVNL/GDV-MTM/CIVIL/PKG-4, dt:20-06-2019, We have conducted the compressive strength test on CC Cubes casted with 100% crushed stone sand by replacement of sand, Cured in Accelerating curing tank, which are casted and supplied by you. The Test results are as follows:

Grade of concrete	Date of Casting	Date of Testing	-	essive Stre N/mm <sup>2</sup> )	Total	Average	
			1	2	3		(N/mm <sup>2</sup> )
M 35	19-06-2019	21-06-2019	39.89	40.64	39.44	119.97	39.99
M35	19-06-2019	21-06-2019	39.48	39.69	40.69	119.86	39.95
M25	19-06-2019	21-06-2019	30.19	31.37	30.75	92.31	30.77

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge (P.Kodanda Ramarao)

H.O.D

(Dr.P.Ravindra Babu)

PRINCIPAL

24/6/19

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krlshna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Egg., MISTE, MSESI, MASME, MSAE, MSFA, MIM.

Principal

Ref: GEC/Consult/CE/MT-105

Date: 26-07-2019

To

The Project Manager, Sri Venkateswara Swamy Temple, Mega Engineering Infrastructure's Limited,

Dokiparru - 521332

Sir.

Sub:- Test results of the CC cubes for the construction of slab at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Regarding.

With reference to your letter we have conducted the compressive strength test on M35 grade CC Cubes. Which are casted and supplied by you. The Test results for 7 days are as follows:

Grade of concrete		Date of Testing	Compre (f	ssive Str V/mm²) 2	rength 3	Total	Average (N/mm²)
M 35	17-07-2019	24-07-2019	27.89	28.16	27.65	83.70	27.90

This is for your kind information,

Thanking you.

Tested by

Yours faithfully.

A. Illami (A.Jilani)

Lab Technician

(K.Venkateswara Rao) (Dr.P.Kodanda RamaRao) (Dr.P.Ravindra Babu) Lab Incharge

Head of Civil Engineering

**PRINCIPAL** 

mailten (Enchuser

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

FIE, C.EOR., MISTE, MSESI, MASME, MSAE, MSFA, MHM,

B.Tech., M.S., M.Tech., Ph.D.,

Principal

Ref: GEC/Consult/CE/MT-106

Date: 19-08-2019

To
The Project Manager,
GVR Premco Joint Venture,
Gudivada.

Sir,

Sub:- Test results of CC Cubes for the work of "Doubling with electrification of Pailway line between Gudivada – Machilipatnam section from KM.0.00 to 36.740 on Vijayawada Division of S.C. Railway "– (Package-4).

\* \* \* \* \*

With reference to your letter Lr. No: GVR-PREMCO JV/RVNL/GDV-MTM/CIVIL/PKG-4/004 lab:-42, dt:16-08-2019, We have conducted the compressive strength test on M25 grade CC Cubes casted with 100% crushed stone sand. Which are casted and supplied by you. These cubes are cured in accelerated curing tank and then tested. The Test results are as follows:

Grade of concrete	Date of Casting	Date of		essive Str N/mm²)	Total	Average	
	Custing	Testing	1	2	3	101111	$(N/mm^2)$
M 25	14-08-2019	16-08-2019	37.24	38.06	38.20	113.50	37.83
M 25	14-08-2019	16-08-2019	37.38	38.57	37.57	113.52	37.84

This is for your kind information,

Thanking you,

Tested by

A- Flow

Yours faithfully,

(A.Jilani) Lab Technician

(K.Venkateswara Rao) Lab Incharge

P.Kodanda Ramarao)

H.O.D

(Dr.P.Ravindra Babu)
PRINCIPAL

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

/ALLERU ENGINEERING COI

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AiCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

**Principal** 

Ref: GEC/Consult/CE/MT-111

Date: 16-09-2019

To Reliance Builders. Siddhartha Nagar, Vijayawada.

Sir,

Sub:- Test results of CC Cubes for the work of "Complex construction" at Siddhartha Nagar, Vijayawada.

We have conducted the compressive strength test on M35 grade CC Cubes. Which are easted and supplied by you. The Test results are as follows:

Grade of concrete	Date of Casting	Date of Testing		essive Stro N/mm²)	Total	Average	
			1	2	3	Total	$(N/mm^2)$
M 35	06-09-2019	16-09-2019	46.53	41.87	42.12	130.52	43.50
M 35	07-09-2019	16-09-2019	40.68	41.71	43.44	125.83	41.94

This is for your kind information,

Thanking you,

Tested by

Yours faithfully.

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda Ramarao)

(Dr.P.Ravindra Babu)

H.O.D

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eug., MISTE, MSESI, MASME, MSAE, MSFA, MIDM,

Principal

Ref: GEC/Consult/CE/MT-112

Date: 23-09-2019

To
The Project Head,
Mega Engineering Infrastructure's Limited,
Sri Venkateswara Swamy Temple,
Dokiparru - 521332.

Sir,

Sub:- Test results of the CC cubes for the construction of Kalyana katta ground floor slab at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.21/9/2019 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 7 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres (f	ssive Str V/mm²) 2	ength 3	Total	Average (N/mm²)
M 35	11-09-2019	18-09-2019	28.63	27.96	28.44	85.03	28.34

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilaní) Lab Technician

Lab Technician Lab I

(K.Venkates) ara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu)

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Deihi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE-& IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M. S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-114

Date: 16-10-2019

To

The Project Head,
Mega Engineering Infrastructure's Limited,
Sri Venkateswara Swamy Temple,
Dokiparru - 521332.

Sir.

Sub:- Test results of the CC cubes for the construction of Kalyana katta 1<sup>st</sup> floor at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.13/10/2019 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 7 days are as follows:

Grade of	Date of	Date of	Compres (1	ssive Str V/mm²)	ength	Total	Average
concrete	Casting	Testing	1	2	3	Total	(N/mm²)
M 35	06-10-2019	13-10-2019	20.11	19.87	20.43	60.41	20.13

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravindra Babu)

PRINCIPAL

Preised

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Dethi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eog., MISTE, MSESI, MASME, MSAE, MSFA. MIIM,

Principal

Ref: GEC/Consult/CE/MT-115

Date: 21-10-2019

To
The Project Head,
Mega Engineering Infrastructure's Limited,
Sri Venkateswara Swamy Temple,
Dokiparru - 521332.

Sir.

Sub:- Test results of the CC cubes for the construction of Kalyana katta 1<sup>st</sup> floor at Sri Venkateswara Swamy Temple, Dokiparru, Gudiavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.13/10/2019 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 14 days are as follows:

M 35 06-10-2019 20-10-2019 25-27 04-24 07-74	Grade of concrete	Date of Casting	Date of Testing		essive Str (N/mm²)	ength	Total	Average (N/mm²)
	M 35	06-10-2019	20-10-2019	25.37	24.94	25.59	75.90	25.30

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician

(K Venkateswara Rao) Lab Incharge (Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu)
PRINCIPAL

Mary 1019

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

Ref: GEC/Consult/CE/MT-116

Date: 04-11-2019

To

The Project Head.

Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple,

Dokiparru - 521332.

Sir,

Sub:- Test results of the CC cubes for the construction of Kalyana katta 1st floor at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.13/10/2019 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 28 days are as follows:

Grade of	Date of	Date of		ssive Stro N/mm²)	ength	Total	Average
concrete	Casting	Testing	1	2	3	Total	(N/mm²)
M 35	06-10-2019	03-11-2019	37.18	36.94	37.21	111.33	37.11

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravi

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE. C.Egg., MISTE, MSESI, MASME, MSAE, MSFA, MILM,

Principal

Ref: GEC/Consult/CE/MT-117

Date: 30-07-2019

To B.Prasad, Assistant Engineer, APEWIDC, Krishna District

Sir,

Sub: Test results of the materials for the construction MPUP secondary school building at Kondangi village, Kalidindi Mandal and Tumalapallem village, Machilipatnam Mandal - Regarding.

With reference to your letter dated 20-7-2019 we tested cement - Chittinad OPC 53 Grade supplied by the client was tested as per IS: 4031(Part-4, Part-11)1988 & IS 4031 (Part-1)-1996, IS 4031, IS 269 & IS12269-20163 specification and the results are given below:

Tests on Cement (Chittinad 53 grade opc):-

S.No	Name of the Test	Req. as per code	Test Results
1.	Fineness of cement (Sieve Analysis)	Not more than 10% retention	5% retention
2.	Standard Consistency (Water %)	25% - 35%	32%
3.	Setting Times (minutes)  Initial Setting Time Final Setting Time	Not less than 30 min. Not more than 600 min.	70 min 490 min
4.	Compressive strength (N/mm²)  • 3 day strength  • 7 day strength	Not less than 27.00 Not less than 37.00	28.76 N/mm <sup>2</sup> 39.24 N/mm <sup>2</sup>
5	Specific Gravity	3 - 3.15	3.12

This is for your kind information,

Thanking you,

Tested by

Yours faithfully

(A.Jilani) Lab Technician

A- Alone

(K. Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravindra Babu) **PRINCIPAL** 

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

ERU ENGINEERING CO

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No.:08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MUM.

Principal

Ref: GEC/Consult/CE/MT-118

Date: 25-11-2019

Tα The Project Head. Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple, Dokiparru - 521332.

Sir.

Sub:- Test results of the CC cubes for the construction of Temple buildings of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.21/11/2019 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 7 days are as follows:

Grade of	Date of	Date of	,	ssive Str N/mm²)	ength	Total	Average
concrete	Casting	Testing	1	2	3	7 0 1 0 1	(N/mm²)
M 35	14-11-2019	21-11-2019	23.47	19.20	20.83	63.50	21.16

This is for your kind information,

Thanking you,

Tested by

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravindra Babu)

Yours faithfully.

**PRINCIPAL** 

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No.-08674-273957 e-mail: principal@gecgudlavaileru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE. C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

#### Principal

Ref GEC/Consult/CE/MT-119

Date: 09-12-2019

Τo

The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkaleswara Swamy Temple, Dokiparru - 521332.

Sir.

Sub:- Test results of the Fineness modules of crushed stone sand for the construction of Temple buildings of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.6/12/2019 we have conducted the fineness modules of crushed stone, the materials is supplied by you. The Test results are as follows:

SINo	Seive Size	Weight retained in each sieve (gms)	Cumulative weight retained in each sieve (gms)	Cumulative percentage of weight retained	
. 1	4.75 mm	30	3	3	1
2	2.36mm	195	19.5	22.5	Fineness
3	1.18mm	220	22	44.5	Modulus:2.98
4	0.6mm	135	13.5	58	
5	0.3mm	125	12.5	70.5	
6	0.15mm	295	29.5	100	
- 9	TOTAL	1000		298.5	

This is for your kind information,

Thanking you,

Tested by

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

Yours faithfully.

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No.-08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MHM.

Principal

Ref: GEC/Consult/CE/MT-120

Date: 10-12-2019

To Reliance Builders, Siddhartha Nagar, Vijayawada

Sir,

Sub: Test results of CC Cubes for the work of "Complex construction" at Siddhartha Nagar, Vijayawada .

We have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results are as follows:

Grade of	Date of	Date of		ssive Strer I/mm²)	ngth	Total	Average
concrete	Casting	Testing	1	2	3	lotai	(N/mm²)
M 35	01-12-2019	10-12-2019	40.79	37.20	36.92	114.89	38.29
M 35	01-12-2019	10-12-2019	37.03	34.44	36.24	107.71	40.79

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician ( K.Venkateswara Rao )
Lab Incharge

(Dr.P.Kodanda Ramarao) H.O.D

(Ravindra Babu) PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District. A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No.-08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE. C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIM.

Principal

Ref: GEC/Consult/CE/MT-121

Date: 28-11-2019

To

The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple, Dokiparru - 521332.

Sir.

Sub:- Test results of the CC cubes for the construction of Temple buildings of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.28/11/2019 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 14 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compre (I	ssive Str V/mm²) 2	ength 3	Total	Average (N/mm²)
M 35	14-11-2019	28-11-2019	18.99	16.15	24.56	59.70	19.90

This is for your kind information,

Thanking you,

Tested by

ANG

(A.Jilani)

Lab Technician

(K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

Yours faithfully.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalieru.ac.in, office@gecgudlavalieru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIU, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

Ref: GEC/Consult/CE/MT-122

Date: 12-12-2019

To

The Project Head, trega Engineering Infrastructure's Limited, Sri Venkateswara Swanny Temple, Ookiparn: - 521332.

1 3 ... r Y ...

Sub:- Test results of the CC cubes for the construction of Temple buildings of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.12/12/2019 we have conducted the compressive strength lest on MSS grade CC Cubes, Which are casted and supplied by you. The Test results for 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing	Compres (1	ssive Stro V/mm²) 2	ength 3	Total	Average (N/mm²)
M 35	14-11-2019	12-12-2019	24.89	26.72	24.58	76.19	25 39

Table is for your kind information,

Thanking you,

Tested by

Yours faithfully.

(A.Jilani)

Lab Technician

Lab Incharge

(K.Venkateswara Rac) (Dr.P.Kodarida RamaRao)

Head of Civil Engineering

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE.& IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

PIE, C.Egg. MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

B. Tech., M.S., M. Tech., Ph.D.,

Principal

Ref: GEC/Consult/CE/MT-124

Date: 24-12-2019

The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple, Dokiparru - 521332.

Sir,

Sub:- Test results of the core cutting concrete samples for the construction of Temple buildings of Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.19/12/2019 we have conducted the compressive strength test on M35 grade core cutting concrete samples, Which core samples are supplied by you. The Test results are as follows:

Grade of Concrete: M 35, Date of Casting: 14-12-2019, Date of Testing: 23-12-2019,

Technical Reference: IS:516 Part IV: 2018,

Core ID:	Core Location*	Core length** (I) (mm)	Core Dia. (d) (mm)	Core Wt.** (Kg)	Load (KN)	Core comp. Streng th # (N/sq.m	1/d Ratio	Correctio n factor for (l/d) ratio+	Corrected Cyl. Comp. Strengt h (N/sq.m m)	Equivalent Cube Comp. Strength ++ (N/sq.mm) Individual
1	Kalyana Katta	154	90	2.550	67.60	10.62	1.71	0.96	10.19	12.73
2	second floor slab	152	90	2.430	107.80	16.94	1.68	0.96	16.26	20.32
3	<u> </u>	163	90	2.700	86.80	13.64	1.81	0.97	13.23	16.53

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravincia Babu)

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)



Date: 01/02/2020

To,

The Dept. Head,

Guddvallru Engineering College,

GUDLAVALLERU.

SUB: (Request to conduct Casting Date 01/02/2020 Compressive strength Test of RCC M35 Concrete @ 7 Days, period.)

Dear Sir,

We request your good self to conduct Compressive strength of RCC M35 grade concrete test for 7days, strength which was casted at Kaylan kata  $3^{\rm rd}$  Floor Dokiparru Temple Buildings of Sri Venkateshwara Swami temple, Dokiparru-521332.

Also request you to produce report as per the result at the earliest.

Thanking you sir,

Yours sincerely.

**Authorized Signatory** 

For Megha Engineering and Infrastructure limited

Dokiparru-521332

Swommted to party of consideralin

LERU ENGINEERIN

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web; www.gecgudlavalleru.ac.ii

## Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-127

Date: 08-02-2020

To The Project Head, Mega Engineering Infrastructure's Limited, Sri Venkateswara Swamy Temple, Dokiparru - 521332.

Sir,

Sub:- Test results of the CC cubes for the construction of Kalyana katta 3<sup>rd</sup> floor at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.07-02-2020 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 7 days are

M 35 01-02-2020 08-02-2020 11 39 11 45 1 4 5	Grade of concrete	Date of Casting	Date of Testing	Compre	essive Str (N/mm²)	ength	Total	Average
	M 35	01-02-2020	00.00.000	1	2	3		(N/mm²)
11.15 11.68 34.22 11		0.02-2020	08-02-2020	11.39	11.15	11.68	34.22	11.40

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

PRINCIPAL

Pecined & B. Rednaler Redels
20/2/2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-128

Date: 14-02-2020

To

The Project Head,

Mega Engineering Infrastructure's Limited,

Sri Venkateswara Swamy Temple,

Dokiparru - 521332

Sir.

Sub:- Test results of the CC cubes for the construction of Kalyana katta 3rd floor at Sri Venkateswara Swamy Temple, Dokiparru, Gudlavalleru Mandal, Krishna District - Reg.

With reference to your letter dt.14-02-2020 we have conducted the compressive strength test on M35 grade CC Cubes, Which are casted and supplied by you. The Test results for 14 days are as follows:

concrete Casting		Compressive Strength (N/mm²)  1 2 3			Total	Average (N/mm²)
M 35 01-02-20	20 15-02-2020	21.82	21.59	21.94	65.35	21.78

This is for your kind information,

Thanking you.

Tested by

A. The

Yours faithfully.

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

ndra Babu) PRINCIPAL

Rained By B. Radmupor Ecolots
20/2/2020



Date: 14/02/2020

To, The Department Head, Guddvalleru Engineering College, GUDLAVALLERU.

Dear Sir,

Sub: Request to conduct Compressive strength Test of RCC M35 Concrete @ 14 days period.

We request your good self to conduct Compressive strength of RCC M35 grade concrete test for 14days strength which was casted at Kalyan katta 3<sup>rd</sup> Floor, Dokiparru Temple Buildings of Sri Venkateshwara Swamy temple, Dokiparru-521332.

Also request you to provide test reports as per the result at the earliest.

Thanking you sir,

Cashing Date: 01/02/2020

Yours sincerely,

For Megha Engineering and Infrastructure limited

Authorized Signatory

Susmited to purpol for controlent

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rely

Rel

From .

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Rai Subdivision

To,

The Principal Gudiavalleru College of Engineering Gudlavalleru

Lr no 3/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 08-03-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size  $150 \times 1$ 08-02-2020 with M30 mix concrete for obtaining the 28 days ( 08-03-2020 ) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building at Lingala of Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive Engineeer PRI subdivision

Mandavalli

Frwaled to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to hab Inchage for w. Roll

Proposed to

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIF. C.Eng., MISTE, MSSSI, MASME, MSAE, MSFA, MUM.

Principal

Ref: GEC/Consult/CE/MT-159

Date: 08-03-2020

To
Deputy Executive Engineer,
Panchayat Raj Sub Division,
Mandavalli Mandat

Sir,

Sub: Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footings work at Lingala of Mandavalli Mandal - Regarding.

With reference to your letter dt. 15-02-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of concrete	Date of Casting	Date of Testing		essive Str (N/mm²)	ength	Total	Average
	Casting		1	2	3	Jolai	( <b>N</b> /mm <sup>2</sup> )
M 30	08-02-2020	15-02-2020	23.42	22.81	23.19	69.42	23.14
M 30	08-02-2020	07-03-2020	37.96	38.44	38.28	114.68	38.22

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge (Ďr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu) PRINCIPAL

Read G. Boges of Re.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal Ref: GEC/Consult/CE/MT-161

Date: 08-03-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footings work at Ayyavarirudravaram of Mandavalli Mandal - Regarding.

With reference to your letter dt. 15-02-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of concrete	- 5110 01	Date of Testing	Compressive Strei (N/mm²)		Compressive Strength (N/mm²)		Total	Average
COTTOTOTO	Casting		1	2	3	. Total	(N/mm <sup>2</sup> )	
M 30	08-02-2020	15-02-2020	23.12	22.79	22.63	68.54	22.81	
M 30	08-02-2020	07-03-2020	38.67	38.53	38.29	115.49	38.49	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

4. Julian

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu) PRINCIPAL

Rocan GBgesoff.

From .

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Rai Subdivision

To,

The Principal Gudlavalleru College of Engineering Gudlavalleru

Lr no 3/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 08-03-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-02-2020 with M30 mix concrete for obtaining the 28 days ( 08-03-2020 ) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building at Ayyavarirudravaram of Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

Deputy Executive/Engineeer

PRI subdivision Mandavalli

franket to lab Trehoge An. Regt.

A. Kold 18/3/2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., Indla

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Fhone Nos. 08674-273737, 273888, Mobile: 9848779121 Fex No. 08674-273967

e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.P., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal Ref: GEC/Consult/CE/MT-161

To Deputy Executive Engineer. Panchayat Rai Sub Division. Mandavalli Mandal.

Sir,

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam Building Footings work at Ayyavarirudravaram of Mandavalli Mandal - Regarding.

With reference to your letter dt. 15-02-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows:

Grade of	Date of	Date of Testing	Compressive Strength (N/mm²)			Total	Average
concrete	Casting	, Date of Footing	1	2	3	,	(N/mm²)
M 30	08-02-2020	15-02-2020	23.12	22.79	22.63	68.54	22.81
M 30	08-02-2020	07-03-2020	38.67	38.53	38.29	115.49	38.49

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Date: 08-03-2020

(A.Jilani) Lab Technician (K.Venkateswara Rao) Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu)

PRINCIPAL

Recari G Bgesiles.

M. 194

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision To,

The Principal
Gudlavalleru College of Engineering
Gudlavalleru

Lr no 3/ JTO/PRISD/Mandavalli / Gram Sachivalayam/ reports/2019 dt 15-02-2020

Sir,

Sub:- PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 08-02-2020 with M30 mix concrete for obtaining the 7 days ( 15-02-2020 ) cube strength of the above concrete is used for Footings of 'Construction of Gram Sachivalayam building at Ayyavarirudravaram of Mandavalli Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end

Yours faithfully

TO WOT CE

forwarded to late inchar for on-Jests

P. k. 1 15/2/2000

Deputy Executive Engineeer

PRI subdivision Mandavalli

600

From ,

Sri P.Suresh Babu M.Tech., Deputy Executive Engineer, Panchyat Raj Subdivision

To,

The Principal Gudlavalleru Engineering college Gudlavalleru

Lr no 31 / JTO/PRISD/Mandavalli / Gram Sachivalayam / reports/2019 dt 25-03-2020

Sir,

Sub:- PRI subdivision - Mandavalli - submission of cubes of M30 concrete - required 28 days strength results - regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 26-02-2020 with M30 mix concrete for obtaining the 28 days ( 25-03-2020 ) cube strong  $\mathbb{G}_1$ of the above concrete is used for footings of 'Construction of Gram Sachivalayam building at KORUKOLLU - II of kalidindi mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand  $\operatorname{received}$ from your end

Yours faithfully

forwarded to las Frehances
for my parts

Deputy Executive Engineeer PRI subdivision

Mandavalli

M7-179

From .

Sri P.Suresh Babu M.Tech.,

Deputy Executive Engineer,

Panchyat Raj Subdivision

To,

The Principal

Gudlavalleru Engineering college

Gudlaval!eru

Lr No 41/ JTO/PRISD/Mandavalli / Gram Sachivalayam Atapaka 2/ Reports/2020 dt 12-02-2020

Sir,

**Sub:-** PRI subdivision – Mandavalli – submission of cubes of M30 concrete – required 7 days strength results – regarding

Ref:- 1. Rc no 26/C1/2020 dt 01-05-2020 of the District Collector /DPC MGNREGS Krishna

I am submitting the cube samples ( 3 nos ) of size 150x150x150mm casted on 05-02-2020 with M30 mix concrete for obtaining the 7 days ( 12-02-2020) cube strength of the above concrete is used for **Footings** of '**Construction of Gram Sachivalayam** building at Atapaka 2 of Kaikaluru Mandal Est Cost Rs 40.00 Lakhs sanctioned under NREGS grant . Required payment will be made when the demand received from your end .

to los grahage for out 1/2020

Yours faithfully

Deputy Executive Engineeer

PRI subdivision Mandavalli

204

LERU ENGINEERING COL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-179

Date: 04-03-2020

To Deputy Executive Engineer, Panchayat Raj Sub Division, Mandavaili Mandal.

Sir.

Sub:- Test results of the CC cubes for the construction of Gramma Sachivalayam building footings work at Atapaka 2 of Kaikaluru Mandal - Regarding.

With reference to your letter dt. 12-02-2020 we have conducted the compressive strength test on M 30 grade CC Cubes, Which are supplied by you. The Test results for 7 days and 28 days are as follows

Grade of concrete	Date of Casting	Date of Testing	Compr	essive Str (N/mm²)	ength	Tetal	Average
M 30	05-02-2020	12.00.000	1	2	3	Total	(N/mm <sup>2</sup> )
M 30	05-02-2020	12-02-2020	22.67	23.35	23.42	69.44	23.14
Or your kind :		04-03-2020	37.89	38.57	38.46	114.92	38.30

This is for your kind information,

Thanking you.

Tested by

Yours faithfully,

(A.Jilani)

(K.Venkateswara Rao) Lab Technician Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravi) PRINCIPAL

Kerred By Carrish my

# CONSULTANCY

(External & Internal Students)

MECHANICAL ENGINEERING

2019-20



# LAKIREDDY BALI REDDY COLLEGE OF ENGINEERIN

## (AUTONOMOUS)

Approved by AICTE, NEW DELHI. Affiliated to JNTUK, KAKIN ADA

MYLAVARAM-521 230, Krishna Dist. A.P. India. Tel: 08659 - 222933, 934, 223936 Fax: 08659 - 22293
e-mail: lbcemym@lbrce.ac.in website: www.lbrce.ac.in

Lr. No. LBRCE/Project work/2020

28/02/2020

To
The Principal,
Gudlavellur Engineering College,
Gudlavellur,
Krishna Dt.

Dear Sir,

Sub: - B.Tech (Mechanical) experiment work-Permission-Reg.

The following B.Tech Mechanical students of our college are doing his project work on Stir Casting Machine. Permission may please be accorded to visit your college (Dept. of Mechanical) and collect the necessary information and do their experimental work.

S. No	Roll No.	Name of the Student
1	16761A03E1	Mr. K. K. Durga Reddy
2	16761A03F6	Mr.Sudhakhar

Kindly do the needful.

Thanking you,

Yours Sincerely

(Dr.S.Pichi Reddy)

COLLEGE OF ENGO MYLAVARAM 521 230 Krishna Da

To the top

जमापर्वी / PAY-IN-SLIP 👩 नक्यंअंतरण / CASH/TRANSFER									
भारतीय स्टेट बैंक i STATE BANK OF INDIA									
GUDLAVALLERU-01461 दि/Date ? 5 / 11 / 2.0? खाते का प्रकारवचत वेंक / चालू खाता / आवर्ती कमा / कैश क्रेडिट / शाविध / मांग ऋग									
TYPE OF ACCOUNT:SB   / CA   / RD   / CC   /TL   / DL									
खाता संख्या । । 5 8 8 3 4 4 3 9 4									
के बैक खाते में जमा करने हेतु / Por the credit of the bank account of									
गक्द वेकों के विवरण (प्रवी बहुरमी और) Details of Cash Chequits  ₹ पै. Ps.									
द्याते में नकद ज़र्मा । Cash Deposit in the account 7.5 37 5 - 00									
Cash vanding charges									
SECTION TOTAL DEPOSITE 75 375 +00									
कार्यालय अभ्योग हेतु / FOR OFFICE USE									
एसडब्ल वुजा SWO टेक्ट अधिकारी / पासकर्ता अधिकारी CASH OFFICER / PASSING OFFICER									

त्रमापर्वी /				a						HVTR		
भारतीय	स्टेट	वैं	क	15	TA	TE	BA	NI	(0	FI	NE	NA
GUDLA	WAL	LE	RU	-01	146	1	f	Z/Da	te.	51	11.	202
व्राते का प्रकार	ध्यचत वैर	<b>ह / चा</b>	लू खा	ता / व	प्रवर्ती	ममा ।	केश	<b>डिंद</b>	शाव	धि । व	ান ম	M
TYPE OF A	CCOUN	T:S	B	/CA		RD[	CC		rL_	1/D!		
खाता संय A/c Nui	ज्या mber	1	1	5	8	8	3	iq	4	3	9	4
रू बैक खाते	में जम	कर	ने हेद	UPS	ithe	cre	dit o	fthe	ban	kao	coul	ntof
TE		0		A				CY.			4	****
नकद चेकों वे Details o	विवरण Caşk	प्रवी है दिलेक			1	1		यशि	/AM	OUN		Ps.
खाते में नक Cash De		the	BCC	ophi	7	7	3	3	7	5.	- 0	20
Gash Yan	dig (ca	harp	3	/	25	K	(ja)					
300	TOT	346	EPC	SIT		K	5	37	3		+	00
4	गर्याल	य दू	19		तुं।	FO	ŔO	FFI	CE	US	E	
एसडकारे	आ हु	Z		CA	रोक SH (					र्ता आ NG		री ICER

# Cadlavalleru Engineering Corege

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

## Department of Mechanical Engineering

Consultancy: 2019 -20

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges
1	R & D Lab Stir Casting Machine		Mr. Ch. Rahul (17NH5A0305) Mr. J. Lakshmi Ravi Teja (17NH5A0307) Mr. P.N. Veerabhadrudu (16NH1A0328) Mr. J. Samba Siva Rao (17NH5A0310) Mr. Dhanush (17NH5A0308)	VKR VNB & AGK College of Engineering, Gudiavada	29.01.2020 to 11.02.2020	4000.00
2	Manufacturing Processes Lab	TIG Welding	Mr. K. Brahmachari (17NG5A0316) Mr. B. Rakesh (16NG1A0303) Mr. N.H.V. Rajesh (16NG1A0321) Mr. P. Sunil (15NG1A0339)  Usha Rama College of Engineering & Technology, Telaprolu		05.02.2020	1000.00
3	Fuels Lab	ls Lab Junker's Gas Calorimeter Mr. Botsha Kiran Kumar (173C5A0310) DMS SVH College of Engineering, MTM		10.02.2020 & 11.02.2020	200.00	
4	R & D Lab Stir Casting Machine		Mr. Ř. Naga Babu (16NH1A0332) Mr. K. Kranth Babu (17NH5A0317) Mr. N.N.L. Swesh (16NH1A0324) Mr. B. Ayyappa (16NH1A0302)	VKR VNB & AGK College of Engineering, Gudiavada	12.02.2020	2000.00
5	R & D Lab	Stir Casting Machine	Mr. Akanjibda Vijay Bhaskar Reddy (16ME1A0304)	Ramachandra College of Engineering, Eluru	13.02.2020	4000.00
6	Thermal Engineering  Computerized Diesel Engine  Mr. V. Hemasai (316177120138) Mr. K. Kalyan Babu (316177120118) Mr. Sk. Afeez (316177120135) Mr. V. Mahesh Babu (316177120140) Mr. P. Prasanth (316177120081)		Mr. K. Kalyan Babu (316177120118) Mr. Sk. Afeez (316177120135)	Sir C.R. Reddy College of Engineering, Eluru	15.02.2020	750.00
7	THE HIM Engineering 1 IVIT   Singen (31617/170100) .		Sir C.R. Reddy College of Engineering, Eluru	15.02.2020	750.00	
8	R & D Lab	Stir Casting Machine	Mr. Mr. Udya Kumar (16981A03N4) Mr. R. Nageswara Rao (16981A0302)	Raghu Engineering Collge, Visakhapatnam	15.02.2020	6000.00

# D partment of Mechanical Enginee 19

Consultancy: 2019 -20

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges
9	R & D Lab Stir Casting Machine Mr. Ked Mr. Gad		Mr. Goripathi Praveen Kumar (17ME5A0312) Mr. Kedasi Gopi (17ME5A0320) Mr. Gadini Tulasi Sai Kumar (16ME5A0326) Mr. Bonnu Naveen (16ME1A0313)	Ramachandra College of Engineering, Eluru	17.02.2020	6000.00
10	R & D Lab	Stir Casting Machine  Mr. G. Ram Sai (16A81A0375  Mr. M. Nikhil Jashuva (16A81A0384)  Mr. P. Bala Balaji (16A81A0391)  Mr. P. Kishore Kumar (17A85A03331)  Sri Vasavi Engineering  College, Tadepalligudem,  West Godavari Dist.		20.02.2020	2000.00	
11	R & D Lab	Stir Casting Machine	Mr. P. Naveen Babu (16981A0340) Mr. J. Pavan Singh (16981A0317)	Raghu Engineering Collge, Visakhapatnam	24.02.2020	4000.00
12	R & D Lab	Stir Casting Machine Mr. P. Vinay (17485A0378)  Mr. S. Prudhvi (17985A0378)  Raghu Engineering Collge, Visakhapatnam		25.02.2020	4000.00	
13	R & D Lab	& D Lab Stir Casting Machine Mr. L. Harsha Varun (16731A0378) Mr. D. Lokesh Babu (16731A0368) Mr. M. Srikanth (17735A0303  PBR VITS, Kavali		25.02.2020	3000.00	
14	R & D Lab	Vickers Micro Hardness Test	Mr. R. Naga Babu (16NH1A0332) Mr. K. Kranth Babu (17NH5A0317) Mr. N.N.L. Swesh (16NH1A0324) Mr. B. Ayyappa (16NH1A0302)	VKR VNB & AGK College of Engineering, Gudiavada	25.02.2020	3000.00
15	R & D Lab	Vickers Micro Hardness Test -	Mr. P.N.Veerabhadrudu (16NH1A0328)	VKR VNB & AGK College of Engineering, Gudiavada	25.02.2020	3200.00
16	R & D Lab	Stir Casting Machine	Mr. S. Pranav Bhushan (17985A0384) Mr. P. Joy Sukumar (17985A0365)	Raghu Engineering Collge, Visakhapatnam	26.02.2020	4000.00
17	R & D Lab	Stir Casting Machine	Mr. A. Harindra Kumar (17981A0305) Mr. D. Mani Kumar (17481A0368)	Raghu Engineering Collge, Visakhapatnam	27.02.2020	4000.00
18	R & D Lab	Stir Casting Machine	Mr. Mani Kanta (17485A0394) Mr. P. Ganesh (17485A0369)	Raghu Engineering Collge, Visakhapatnam	28.02.2020	4000.00
19	R & D Lab	Stir Casting Machine  Mr. Ch. Siva Naga Raju (17H75A0342) Mr. Ch. Pavan Kumar (17H75A0353)  DVR & Dr. HS MIC College of Technology, Kanchikacherla		28.02.2020	1000.00	
20	Mechanics of Solids Lab	UTM	Mr. G. Praveen Kumar (17ME5A0312)	Ramachandra College of Engineering, Eluru	29.02.2020	500.00

# Department of Mechanical Engineering

Consultancy: 2019 -20

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges received
21	Fuels Lab	Flash & Fire Point Open Cup	Mr. Xxxxxxxxxxxxxxx (182073014)	K.L. University, Vaddeswaram, Guntur Dist.	29.02.2020	275.00
22	R & D Lab  Stir Casting & Microscopic Test  Mr. B. Bhargav Sarath (16KD1A0310)  Mr. B. Durga Prasad (16KD1A0319)  Mr. K. Madhu (17KD5A0307)  Mr. G. Rajesh (16KD1A0339)  Mr. Ayush Pandey (16KD1A0306)  Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.		02.03.2020	3600.00		
23	R & D Lab	Stir Casting & Microscopic Test	Mr. P. Mohan (16KD1A0393) Mr. P. Balajee (16KD1A0387) Mr. B. Nagabhusanam (16KD1A0379) Mr. V. Shyamchandra Naidu (16KD1A03B4) Mr. D. Prasanth (17KD5A0323)	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.	02.03.2020	4600.00
24	Thermal Engineering	Computerized VCR Engine	Mr. SK. Ahmed Basheer (17H75A0301) Mr. M. Sri Harsha (17H75A0345) Mr. K. Raj Kumar (16H71A0334) Mr. K. Vamsi Krishna (16H71A0352) Mr. M. Raj Kumar (16H71A0380)	DVR & Dr. HS MIC College of Technology, Kanchikacherla	02.03.2020 to 05.03.2020	1000.00
25	Thermal Engineering		Mr. K. Pavan Kumar (17H75A0328) Mr. Ch.V. Mahesh Kumar (17H75A0352) Mr. M. Upendra Varma (17H75A0349) Mr. K. Naveen (16H71A0377) Mr. L. Srinivas (16H71A0346)	DVR & Dr. HS MIC College of Technology, Kanchikacherla	02.03.2020 to 05.03.2020	1000.00
26	Thermal Engineering		Mr. M. Rajesh (16H71A0382) Mr. T. Venkata Sai Kumar (16H71A03A0) Mr. G. Vamsi Krishna (17H75A0350) Mr. R. Sasank (16H71A0392) Mr. Ch. Sandeep (16H71A0391)	DVR & Dr. HS MIC College of Technology, Kanchikacherla	03.03.2020 to 06.03.2020	1500.00
27	R & D Lab	Stir Casting Machine	Mr. Shankar Rao (16KD1A0376) Mr. M. Naresh (16KD1A0377) Mr. M. Sai Krihna (17KD5A0367) Mr. T. Sai Babu (16KD1A03A9) Mr. K. Rami Reddy (16KD1A0363)	Lendi Institute of Engineering & Technology, Jonnada, Vizianagaram Dist.	04.03.2020	4000.00

Department of Mechanical Engirering

Consultancy: 2019 -20

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges
28	R & D Lab	Stir Costina Mashin	Mr. K.K. Durga Reddy (16761A03E1)			received
	,	Stir Casting Machine	Mr. Sudhakhar (16761A03F6)	LBRCE, Mylavaram	07.03.2020	2000.00

TOTAL

75375.00

H.M.E

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 07/03/2020

RECEIPT

Name of the College

Lakireddy Bali Reddy college of Engineering

Name of the Student(s) with Roll No(s):

K. K. Dunge Reddy 16761A03E1 Subhakhan 16761A03F6

Utilized Laboratory

Name of the Equipment Utilized

Visited dates

07/03/2020.

Amount charged toward utilizing the equipment

: 2000 1-

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 06/03/2020

RECEIPT

Name of the College

: Land: Institute of Eng. & Technology.

Name of the Student(s) with Roll No(s) : M. Somer Rap

16KD1A0376

M. Naresh

16K01A03767

Utilized Laboratory

: RAD Lab

ame of the Equipment Utilized

: astr cacting.

Visited dates

04-los/2020

Amount charged toward utilizing the equipment

: 4 × 1000 -> 2000

Lab In-charge

## LENDI INSTITUTE OF ENGINEERING AND TECHNOLOGY



(Approved by A.I.C.T.E & Affiliated to JNTU, Kakinada)
(Accrediated by NAAC with 'A' Grade) Autonomous
Jonnada (Village), Denkada (Mandal), Vizianagaram Dist – 535 005
Phone No. 08922-241111, 241112

E-Mail: lendi 2008@yahoo.com

Website: www.lendi.org

Date:28-02-2020

To
The principal,
Gudlavalleru Engineering College,
Gudlavalleru.

Respected Sir,

Sub: request for Permission to use laboratory facilities (stir casting) for the B-tech 4th year project - reg:

Please find the details of our bonafide students studying 4th B.Tech 2nd semester Mechanical Engineering in LENDI INSTITUTE OF ENGINEERING AND TECHNOLOGY, VIZIANAGRAM affiliated to JNTUK, Kakinada. I request you to consider and grant necessary permission to our students to do the Stir Casting process as a part of their project work (04-march-2020) in your esteemed college. Kindly do the needful.

The details of the students are provided below:

SNO	NAME OF THE	REGISTERED	Year &
D.110	STUDENT	NO	branch
1.	M. SHANKAR RAO	16KD1A0376	4th year ME
2.	M. NARESH	16KD1A0377	
3.	M. SAI KRISHNA	17KD5A0367	
4	T. SAI BABU	16KD1A03A9	
5	K.RAMI REDDY	16KD1A0363	

Thanking you,

Se rough for

rateed a Meda partment of Mechanical Engineering andi Inst. of Engg. & Technology Jonnada (V), Denkada (M) Vizianagaram Dist. - 535005 Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

## Department of Mechanical Engineering

#### RECEIPT

Name of the College

: DUR & BY HS MIC COLLEGE OF TECHNOLOGY

Name of the Student(s) with Roll No(s):

M. Rajesh 16H71A0382

R. Sasank 16H71A0392

T. Venkata sai kumar 1647120320

CH. Sandeep 16H71A0391

G. Vamsi Krishna

17H75A03M

Utilized Laboratory

Theomal engineering lab

Name of the Equipment Utilized

computerised vcR engine

Visited dates

3/3/2000 16 6/3/200

Amount charged toward utilizing the equipment

: 6 samples, 6x250 = 1500/-

Subhan khan Lab Technician

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

RECEIPT

Name of the College

: DUR SO Dr. HS MIC COLLEGE OF TECHNOLOGY

Name of the Student(s) with Roll No(s):

K. Pavan Kumas

17H75A0328

L. Stinivas 16H71A0346

CH. V. Mahesh kumars

17H75A0352

M. Upendsa Vasma

17H75A0349

K. Naveen

16H71A0377

Utilized Laboratory

THERMAL ENGINEERING LAB

Name of the Equipment Utilized

Visited dates

Amount charged toward utilizing the equipment

Sushankhan Lab Technician



### Devineni Venkata Ramana & Dr.Hima Sekhar MIC College of Technology

An ISO 9001:2008 Certified Institute (Approved by AICTE & Permanently Affiliated to JNTUK, Kakinada)

Kanchikacherla - 521180, Krishna Dist, A.P, India. Phone: 08678 - 273535, 273623, Fax: 08678 - 273569 E mail: officemictech@gmail.com, Website: www.mictech.ac.in



Kanchikacherla,

Date: 28/02/2020

To

The HOD, ME,

Gudlavalleru Engineering College,

Gudlavalleru.

Dear Sir,

Sub: Project Work-Permission-Request-Reg

We wish to bring to your kind notice that the following students, studying IV B.TECH (Mech) in this institution would like to do their part of their project work in your college laboratory, as a part of their curriculum. You are requested to permit them to visit and conduct the project work at your college laboratory. The data collected by them will be used exclusively for the academic work.

S.No.	Regd. No.	Student Name.
1	17H75A0328	K. Pavan Kumar
2	17H75A0352	CH.V. Mahesh Kumar
3	17H75A0349	M .Upendra Varma
4	16H71A0377	K. Naveen
5	16H71A0346	L. Srinivas

Thanking you,

TO DY JKes

Yours faithfully,

(K.Srinivas)

HOD, ME

HEAD OF THE DEPARTMENT

Department of Mechanical Engineering
Devineni Venkata Ramana & Dr. Hama-Sekhar

MIC Collage of Technology

KANCHIKACHERLA, A.P., MiDIA-621180

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

#### RECEIPT

Name of the College

DUR & Dr. HS HIC COLLEGE OF TECHNOLOGY

Name of the Student(s) with Roll No(s):

) Sk. Ahmed Basheer 17H75A0301

u) k. Vamsi krishna 16H71A0352

M. Soi Harsha

17H7 SAO3US

5) M. Raj kumar 16H71A0380

k. Raj kumas

16 H7 1A0334

Utilized Laboratory

: Thermal engineering lab

Name of the Equipment Utilized

computerised VCR Engine

Visited dates

: 02/03/2020 to 05/03/2020.

Amount charged toward utilizing the equipment

: . ou samples - 1000/-

Sukham kham Lab Technician



# Devineni Venkata Ramana & Dr.Hima Sekhar MIC College of Technology

An ISO 9001:2008 Certified Institute (Approved by AICTE & Permanently Affiliated to JNTUK, Kakinada)

Kanchikacherla - 521180, Krishna Dist, A.P. India. Phone: 08678 - 273535, 273623, Fax: 08678 - 273569 E mail: officemictech@gmail.com, Website: www.mictech.ac.in



Kanchikacherla.

Date: 28/02/2020

To

The HOD, ME,

Gudlavalleru Engineering College,

Gudlavalleru.

Dear Sir,

Sub: Project Work-Permission-Request-Reg

We wish to bring to your kind notice that the following students, studying IV B.TECH (Mech) in this institution would like to do their part of their project work in your college laboratory, as a part of their curriculum. You are requested to permit them to visit and conduct the project work at your college laboratory. The data collected by them will be used exclusively for the academic work.

S.No.	Regd. No.	Student Name.
1	17H75A0301	SK. Ahmed Basheer
2	17H75A0345	M. Sri Harsha
3	16H71A0334	K. Raj Kumar
4	16H71A0352	K. Vamsi Krishna
5	16H71A0380	M. Raj Kumar

Thanking you,

Yours faithfully,

(K.Srinivas)

HOD, ME

HEAD OF THE DEPARTMENT

-Department of Mechanical Engineering
Devinent Venkata Ramana & Dr. Hema-Sekhar

MIC College of Technology

NANCHIKACHERLA, A.P., INDIA-521180

TO TO JARS

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 2 03 2020

RECEIPT

Name of the College

lendi Institute of Engineering & Rechnology

Name of the Student(s) with Roll No(s):

B. Dreger prasud - 16KDIA0319

B. Bhergar serrata - 16KD1AO31D

Utilized Laboratory

R&D laboratores

Name of the Equipment Utilized

sited dates

Amount charged toward utilizing the equipment

Kichant. Lab Technician



# **Lendi** Institute of Engineering & Technology

An Autonomous Institute affilited to JNTUK, Kakinada & Approved by AICTE Accredited by NAAC with "A" Grade, Accredited by NBA (EEE,MECH,CSE)

To

Date: 27-2-2020

The Principal, Gudlavalleru Engineering College, Gudlavalleru.

Respected Sir,

Sub: request for Permission to use laboratory facilities (stir stir casting, Optical microscopy, Micro hardness tests) for the B-tech 4<sup>th</sup> year project - reg:

Please find the details of our bonafide students studying 4<sup>th</sup> B.Tech 2<sup>nd</sup> Semester Mechanical Engineering in LENDI INSTITUTE OF ENGINEERING AND TECHNOLOGY, VIZIANAGRAM affiliated to JNTUK, Kakinada. I request you to consider and grant necessary permission to our students to do stir casting, Optical microscopy, Micro hardness tests, and wear tests as a part of their project work (29-0-2020) in your esteemed college. Kindly do the needful.

The details of the students are provided below:

S.NO	NAME OF THE STUDENT	REGISTERED NO.	Year & branch
1.	P. MOHAN	16KD5A0393	
2.	P. BALAJEE	16KD1A0387	
3.	B. NAGABHUSANAM	16KD1A0379	4 <sup>th</sup> / <b>3</b> ME
4.	V. SHYAMCHANDRA NAIDU	16KD1A03B4	
5.	D.PRASANTH	17KD5A0323	

Thanking you,

To kinky

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor & Head

Professor &

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: 2/03/2020

RECEIPT

Name of the College

: Lendi Institute of Engineering & Pechnology

Name of the Student(s) with Roll No(s) :

D. Prasanth- 17kDS A0323

V. Shyam chandra raidu - 16KOI 120384

Utilized Laboratory

R&D Laborchby.

Name of the Equipment Utilized

Stir cousting & microscopic Pent

Visited dates

210312020.

Amount charged toward utilizing the equipment

36001-

Lab Technician



# **lendi** Institute of Engineering & Technology

An Autonomous Institute affilited to JNTUK, Kakinada & Approved by AICTE Accredited by NAAC with "A" Grade, Accredited by NBA (EEE,MECH,CSE)

To

Date:27-02-2020

The Principal, Gudlavalleru Engineering College, Gudlavalleru.

Respected Sir,

Sub: request for Permission to use laboratory facilities (stir casting) for the B-tech 4<sup>th</sup> year project - reg:

Please find the details of our bonafide students studying 4thB.Tech 2nd semester Mechanical Engineering in LENDI INSTITUTE OF ENGINEERING AND TECHNOLOGY, VIZIANAGRAM affiliated to JNTUK, Kakinada. I request you to consider and grant necessary permission to our students to do the Stir Casting process as a part of their project work (02-march-2020) in your esteemed college. Kindly do the needful.

The details of the students are provided below:

S.NO	NAME OF THE	REGISTERED	Year &
	STUDENT	NO	branch
1.	B.BHARGAV SARATH	16KD1A0310	
2.	B.DURGA PRASAD	16KD1A0319	
3.	K.MADHU	17KD5A0307	4thyear ME
4.	G.RAJESH	16KD1A0339	
5.	AYUSH PANDEY	16KD1A0306	4

Thanking you,

To kurke

Dr. Strikingh Professor Silver (1) Department of the day for Engineering Lendi Inst. of Engg. & Technology Jonnada (V), Denkada (M) Vizianagaram Dist. - 535005

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 29/02/2020

RECEIPT

Name of the College

: K.L. Univer sity

Name of the Student(s) with Roll No(s):

182073014

Utilized Laboratory

: Fuels & Lubri Cants Laboratory : Flash & Fire point open Cup

Name of the Equipment Utilized

Visited dates

29/02/2020

Amount charged toward utilizing the equipment

275/-

md. Silemon

Lab Technician

Lab In-charge

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 29/2/2020

RECEIPT

Name of the College

: Ramachandra college of engineering, eluxu

Name of the Student(s) with Roll Ng(s):

Gifrareen kumar

17MESA0312

Utilized Laboratory

S.M Lab.

Name of the Equipment Utilized

U.T.M.

Visited dates

29/2/2020

Amount charged toward utilizing the equipment

: 500/-

Kichard

Lab Technician

Lab In-charge

(6)

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

RECEIPT

Name of the College : DUR & DV HS MIC College

Name of the Student(s) with Roll No(s): 16H71A0382 - M. Rejesh

16 H71A03A0 - T. V. Sai Kumor

Utilized Laboratory : R & D Lab

Name of the Equipment Utilized : Stir Carting equipment

Visited dates : 28/2 /2020.

Amount charged toward utilizing the equipment : 1000/-

Lab Technician

Kiche

Lab In-charge

H.M.E

Date: 28/2 /2020

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: 28/01/2020

RECEIPT

Name of the College

Name of the Student(s) with Roll No(s):

: Raghu Engineering College : V. Mani Kanta (17985A0394)

P - Ganesh (17985 A0369)

Utilized Laboratory

PaD laborateus

Name of the Equipment Utilized

Visited dates

Amount charged toward utilizing the equipment

4000/\_\_\_

Kichan Lab Technician

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rae Knowledge Village GUDLAVALLERU - 521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

#### RECEIPT

Name of the College

: Roghu Engineering College. : A. Havindoia Kumer. (1798/1A0205) D. Mani Kurver (1798/1A0368)

Name of the Student(s) with Roll No(s):

Utilized Laboratory

Str Costing. in RGD Rabroday

Name of the Equipment Utilized

Visited dates

Amount charged toward utilizing the equipment

4000/-

Gudlavalleru Engineering College Cachadri Ran Knowledge Village

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rac Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 26/02/2020

RECEIPT

Name of the College

Name of the Student(s) with Roll No(s):

Ragher Englineity College J. Poravar Bhusham. (1798580384)

P. Joy Jukumar (14985A 0394)

Utilized Laboratory

Name of the Equipment Utilized

Visited dates

Amount charged toward utilizing the equipment

4000/-

K chace Lab Technician

dead of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

RECEIPT

Name of the College

Name of the Student(s) with Roll No(s):

PN-V-bhadrudy

(16N H1A0328)

Utilized Laboratory

Name of the Equipment Utilized

: VICKERS MICRO HAPONESS TEST

Visited dates

95/2/2020

Amount charged toward utilizing the equipment

: 3,200/- 3,200/-D

Phone: 08674 - 242188, 242189, Fax: 08674 - 242190

V.K.R, V.N.B & A.G.K COLLEGE OF ENGINEERING

(Sponsored by General & Technical Education Society, GUDIVADA)

An ISO 9001: 2015 Certified Institute

(Approved by AICTE - New Delhi & Affiliated to JNTUK, Kakinada)

Eluru Road, GUDIVADA - 521 301, Krishna Dist., A.P., INDIA.

29-01-2020

Gudivada

To

The principal

Gudlavalleru Engineering College

Gudlavalleru

Respected Sir,

Sub:-Request to grant permission for our students to give permission to use lab equipments for B.TECH Project work.

With reference to the Composite materials this is to bring to your kind attention that the our final year students of VKR, VNB & AGK College of Engineering as for JNTU Kakinada norms students need to complete project work in the 4<sup>th</sup>Year-2<sup>nd</sup>Semester. So in this regard they need some equipments and testing to complete their project work.

So we request to provide a help to their project work. They will able to the rules and regulations Lay from your end.

Thanking you sir,

Project Guide

Head of Department

Dr. G. Syam Prasad

PRÍNCIPAL

VERVNB BAGK DOULEGE OF ENGINEF
Eluru Road, GUDIVADA Kri. DI. A.E.

#### Project Group

1.17NH5A0305 Ch.Rahul

2.17NH5A0307 J Lakshmi Ravi Tea

3.16NH1A0328 PN Veerabhadrudu

4.17NH5A0310 J Samba Siva Rao

5.17NH5A0308 Dhanush

Su Remer

Kon kegus Im

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

## Department of Mechanical Engineering

Date: 25/02/2020

#### RECEIPT

Name of the College

: V. K.R, N.N.B & A.G.K college of Engineeing

Name of the Student(s) with Roll No(s): R. Nagar Balon (16NH 1A0332)

K. Kranth: Bedry (17NH BAB17) N.N.L. SWEST (16NH/AOSEY)

B. Ayyappa (16 MH 1A0302)

Utilized Laboratory

R. &D

Name of the Equipment Utilized

: MICRO HARDNESS TRUT)

Visited dates

: 24/02/2020 \$ 25/04/2020 uipment : 3,000/- succeived

Amount charged toward utilizing the equipment

King my Lab Technician

Phone: 08674 - 242188, 242189, Fax: 08674 - 242190

## V.K.R. V.N.B & A.G.K COLLEGE OF ENGINEERING

(Sponsored by General & Technical Education Society, GUDIVADA) An ISO 9001: 2015 Certified Institute

(Approved by AICTE - New Delhi & Affiliated to JNTUK, Kakinada)

Eluru Road, GUDIVADA - 521 301, Krishna Dist., A.P., INDIA.



To The Principal, Gudlavalleru Engineering College, Gudlavalleru.

Sir

Sub: Requisition for permission for doing project work regarding Composition of AL5083 with SIC.

We are here with requesting your good offices to allow the below mentioned Registered Number students for doing project work regarding Composition of AL5083 with SIC with lab equipment Stircasting machine, Vickar hardness testing, Inverted microscope testing, Universal testing machine, Heat treatment of furnace. So kindly allow the below mentioned students to do the project work.

- 1. 16NH1A0332
- 2. 16NH1A0324
- 3. 16NH1A0302
- 4. 17NH5A0317
- 5. 16NH1A0312

Thanking you

(Dr. G. Syam Prasad)

PRINCIPAL VKR VNB & AGK COLLEGE OF ENGINEERING Eluru Road, GUDIVADA Kri. Dt.A.P.521 301

for knywy Im

www.vkrvnbcoe.org, e-mail: vkrvnbengineering@gmail.com

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: 95/02/2020

## RECEIPT

Name of the College

PBR VITS, Kavali

Name of the Student(s) with Roll No(s):

L. Harsha Varien (16731A0378) D. Zokesh Babu (16731A0368)

M. Skrikanth (17735A0303)

Utilized Laboratory

Utilized Laboratory : R&D Laboratory

Name of the Equipment Utilized : Stirting Cquipment,

Visited dates

.25/02/2020: 3000/-

Amount charged toward utilizing the equipment

Con Kirls Con Lab In-charge

(An Autonomous institute with Permanent Attiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: 25/2/2020

### RECEIPT

Name of the College

: Ragher Engereing College

Name of the Student(s) with Roll No(s):

17985 AO 370 - Parinay

17985 AO 378-5 poudhisi

Utilized Laboratory

RED Leb

Name of the Equipment Utilized

: gion costing who

Visited dates

Amount charged toward utilizing the equipment

: MA,000/-

Kochaician

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

## Department of Mechanical Engineering

Date: 24/2/2020

#### RECEIPT

Name of the College

1.3

: Raghu Engineering college

Name of the Student(s) with Roll No(s):

P. Navley Baby (16981 D0340) J. Pavan Stryk (16981 A0317)

Utilized Laboratory

: RED Lob

Name of the Equipment Utilized

: gin coyling m/c

Visited dates

: 24/2/2020

Amount charged toward utilizing the equipment

: 4000/-

Kalzent Lab Technician

Kulan H.M.E

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

Date: 20/2/2020

10

### RECEIPT

Name of the College

: Sri Vasavi Engineerite collège

Name of the Student(s) with Roll No(s):

G. Ransai - 16A81A0375

M. Nithil Jashura - 16A8110384

P. Bala balaji - 16A81A0391

p. Eishor Lunar - 17A85A0331

Utilized Laboratory

: RDD Cab

Name of the Equipment Utilized

Stir casting

Visited dates

20/2/2020

Amount charged toward utilizing the equipment

RS. 2000

Lab Technician

Lab In-charge



(An Autonomous Institution Affiliated to JNTUK, Kakinada) (Sponsored by Sri Vasavi Educational Society) (Approved by AICTE, New Delhi & Accredited by NAAC with "A" Grade) (NBA Accreditation to B. Tech., EEE, CSE and ME Branches for 3 Years) Pedatadepalli, TADEPALLIGUDEM - 534 101, W.G.Dist, (A.P.)

SVEC/Student/2019-20/27

18-02-2020

Ref

#### Department of Mechanical Engineering

To,

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Respected Sir,

Sub: Request for permission for Project work (Stir Casting) - reg.

Please find below the details of our bonafide students studying IV/IV B.Tech. II Semester Mechanical Engineering in SRI VASAVI ENGINEERING COLLEGE, Tadepalligudem affiliated to JNTUK, Kakinada. I request you to consider and grant necessary permission to our students to do Stir Casting process as a part of their project work (20-02-2020) in your esteemed College. Kindly do the needful.

S.No	Name of the Student	Regd. No	Year & Branch
1.	G.Ram Sai	16A81A0375	-
2.	M.Nikhil Jashuva	16A81A0384	1
3.	P.Bala Balaji	16A81A0391	IV & ME
4.	P.Kishore Kumar	17A85A03331	

Thanking you,

Cox kastroj ku

Yours sincerely

Vasavi Engineering TADEPALLIGUDEM-S

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

RECEIPT

Date: 17/02/2020

Name of the College : Ramochandara College of Engineering, Elyon.

Name of the Student(s) with Roll No(s): 17ME5 A0312 - a fraveer Kunas

16m EIAO 326 - G. Tulasi sai Koune

17MESA0 323 - Softy 16ME#A0 318 - ch. hast

Utilized Laboratory

RED Lob

Name of the Equipment Utilized

Stea coustery

Visited dates

17/02/2020

Amount charged toward utilizing the equipment

Kichon Lab Technician 1 cm layer lang Lab In-charge

Secretary and Kind of the good of the QUD: 5-4, 250) 62: 31.3



# RAMACHANDRA

### COLLEGE OF ENGINEERING

NH-5 Bypass Road, Vatluru (V), ELURU - 534 007, W.G. Dist., (A.P.)

Approved by AICTE
Permanently Affiliated to JNTUK
Recognized by UGC 2(f) & 12(B)
Accredited by NAAC B++
Accredited by NBA (ME, ECE, CSE)
ISO 9001 : 2015 Gertified

Dt: 14/02/2020

Ref: RCEE/MED/IV B.Tech Project work/02/2020/01

From RAFFI MOHAMMED Project Co-Ordinator

To
The Principal
Gudlavalleru Engineering College
Sheshadri Rao Knowledge Village
Gudlavalleru, Vijayawada.

Sub: Request to give Permission to utilize the facilities for fabrication and experimentation – Reg Dear Sir,

Our College, Ramachandra College of Engineering, Eluru recognized by AICTE, affiliated to JNTUK, Kakinada and NAAC accredited with B<sup>++</sup>, NBA (NATIONAL BOARD OF ACCREDATION) is established in the year 2008 and operating with 5 PC (1 MBA+4 M Tech.) Courses and 5 UG (Civil, EEE, ECE, MECH & CSE) Courses.

As part of the Academic Curriculum of B Tech - Mechanical Engineering, our final year students has to do project work for which they need fabrication and experimentation facilities available at your esteemed organization. So, I am requesting you to please give the permission to below listed students of our college.

S No.	Roll Number	Name of the Student
1	17ME5A0312	GORIPATHI PRAVEEN KUMAR
2	17ME5A0320	KEDASI GOPI
3	16ME5A0326	GADINI TULASI SAI KUMAR
- 4	16ME1A0313	BONNU NAVEEN

Looking forward for your positive reply

6000/

2 Who is

B. Tech, M. Tech, (Ph.D)

ASSOCIATE PROFESSOR

Department of Mechanical Engineering

RAMACHANDRA COLLEGE OF ENGINEERING

NH-5 Bypass Read, Vatturu (V),
Fax: 08812 215005 email: principal@rcee.ac.in, me.principal@jntuk:edu.in website: www.rcee.ac.in

Gudlavalleru E-

(An Autonomous Institute with I

ing Colle a ion to JNTUK, maximum)

LAVALLERI Seshadri E - Manusler Department of Micene, an Engineering

Date: 13 2020

RECEIPT

Name of the College

eggi - Engg, ci-cog, - og

Name of the Student(s) with Roll No(s):

169 103N4 - Mudey man.

16901110302 - RNagionia Rom

Utilized Laboratory

: R&U 1-6

Name of the Equipment Utilized

: store young comifum

Visited dates

15/02/2020

Amount charged toward utilizing the equipment

: 886,000/-

K. Charles

Lab In-charge

Head of Mechanical Engineering Gudlavallery Engineering College Seshadri Kik Mnowledge Village GUDLAVALLERU - 521 356



# RAGHU ENGINEERING COLLEGE

AUTONOMOUS

(Approved by AICTE, Accredited by NBA, New Delhi & Permanently Affiliated to JNTU, Kakinada)

Dakamarri, Bheemunipatnam (Mandal), Visakhapatnam Dist.-531 162. (A.P.), India.

Ph: +91-8922-248001, 248002 Fax: +91-8922-248011

e-mail: principal@raghuenggcollege.com website: www.raghuenggcollege.com

Date: 14.02.2020

To
The Principal,
Gudlavalleru Engineering College (A),
Gudlavalleru,
Krishna (Dt).

<u>Sub</u>: Request for the utilization of Equipment for R&D through Consultancy - Reg.

Dear Principal,

Greetings of the day!

It gives us immense pleasure to collaborate with your esteemed Institution for R&D Consultancy work.

Now, I would like to request you to kindly allow one faculty member and students of the Mechanical Engineering Final Year stream from our Institution to conduct the research experiments at your Esteemed Institution on Consultancy Basis. Please find enclosed herewith the list of faculty member & students visiting your organization for the above referred work.

Thanks for your kind consideration and support.

for RAGHU ENGINEERING COLLEGE

PRINCIPAL

Encl : A/a.

PRINCIPAL

RAGHU ENGINEERING COLLEGE Dakemarri (V), Bheemunipatnam (M Visakhapatnam Dist - 531 162 AUTONOMOUS COLLEGE

Sixone

Icom lagher Im

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERÚ

# Department of Mechanical Engineering

### RECEIPT

: SIR C.R. REDDY COLLEGE OF ENGIGN

V. HEMÁSAI (316177120138) V. HOMASHI - (316177100100)

K. KALYAN BABU (31617710018)

SK. AFEPT (31617710018)

V. MAHESH BABU (316177100140)

P. PRASANTH (31617710001) Name of the College Name of the Student(s) with Roll No(s):

COMPUTERIZED VCR DIESEL ENGINE. Utilized Laboratory Name of the Equipment Utilized

15.02.2020 Visited dates

Amount charged toward utilizing the equipment

: 750/

Schanleham

Estd. 1989

# SIR C.R. REDDY COLLEGE OF ENGINEERING

ELURU - 534 007, West Godavari Dist., A.P., INDIA

APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI, AFFILIATED TO ANDHRA UNIVERSITY, VISAKHAPATNAM - 530 003 www.sircrrengg.ac.in



T OFF: (08812) 230840, 230565

FAX: (08812) 224193

Email: principal.sircrrengg@gmail.com

Ref. No.

Date: 22<sup>nd</sup> January 2020

To

The Principal,

Gudalavalleru Engineering College,

Gudalavalleru.

Sir,

The following final year Mechanical Engineering students of our Institute are interested to carry out their final semester project work in your esteemed organization on the Computerized VCR Diesel engine and Emission Analyzer along with necessary tests for fuel properties.

S.No	Name	Regd .No	Year
1	V.Hemasai	316177120138	IV/IV B.E
2	K.Kalyan Babu	316177120118	IV/IV B.E
3	Sk.Afeez	316177120135	IV/IV B.E
4	V.Mahesh Babu	316177120140	IV/IV B.E
5	P.Prasanth	315177120081	IV/IV B.E

We request you to kindly permit them to do their project work and oblige for which we shall be much grateful to you. They shall bear the consultancy charges if any.

Thanking you sir,

PROJECT GUIDE

(Dr.J.Sudhir Kumar)

SLEGE OF ENGINEE STATE OF STAT

Yours faithfully

PRINCIPAL

SIR C.R.R. COLYEGE OF ENGINEER

FILIRIL - 534 FIR

DY JACA

15/02/2020

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

# Department of Mechanical Engineering

RECEIPT

Date: 15 02, 2020

Name of the College

: SIR C.R. REDDY COLLEGE OF ENGG. R. PHANINDRA (316177120120)

Name of the Student(s) with Roll No(s):

T. SUDERP (316177120100)

V. NEERAJ (316177120103)

B. SAI GIRIGH (3161771 20006)

Utilized Laboratory

: TE LAB

Name of the Equipment Utilized

: computionsed ver Dissel Engine

Visited dates

15.02.2000

Amount charged toward utilizing the equipment

: 750/

Sushan khan Lab Technician

Estd. 1989

# SIR C.R. REDDY COLLEGE OF ENGINEERING

ELURU - 534 007, West Godavari Dist., A.P., INDIA

APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI, AFFILIATED TO ANDHRA UNIVERSITY, VISAKHAPATNAM - 530 003 www.sircrrengg.ac.in



☎ OFF: (08812) 230840, 230565

FAX: (08812) 224193

Email: principal.sircrrengg@gmail.com

RefTNo.

The Principal,

Gudalavalleru Engineering College,

Gudalavalleru.

Sir.

The following final year Mechanical Engineering students of Institute are interested to carry out their final semester project work in your esteemed organization on computerized VCR Diesel engine and Emission Analyzer.

S.NO	Name	Regd .No	Year
1	K.sri Atchutamba	316177120120	IV/IV BE
2	R.phanindra	316177120090	IV/IV BE
3	T.Sudeep	316177120100	IV/IV BE
4	V.Neeraj	316177120103	IV/IV BE
5	B.Sai Girish	316177120006	IV/IV BE

We request you to kindly permit them to do their project work and oblige for which we will be very much grateful to you . They shall bear the consultancy charges if any.

Thanking you sir,

Yours faithfully

(I Satjanatagana)

ELURU

Mechanical Linuingering

OF ENGINEERING

ELURU - 534 007.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 13/2/20

(5)

### RECEIPT

Lamichandra allege of engl Name of the College

A. Vijeg Backer Geddy - 16ME1A0304 Name of the Student(s) with Roll No(s):

A. Kristing Prasel - 17ME5A0303 G. Aleshay Lerman - 16ME1640332 CH. Manifeaute - 17ME5A0308

SSD LS Utilized Laboratory

sting esurpment
13/02/2020
nent: Hooo/ Name of the Equipment Utilized

Visited dates

Amount charged toward utilizing the equipment

Lab In-charge



# RAMACHANDRA

# COLLEGE OF ENGINEERING

NH-5 Bypass Road, Vatluru (V), ELURU - 534 007, W.G. Dist., (A.P.)

Approved by AICTE
Permanently Affiliated to JNTUK
Recognized by UGC 2(f) & 12(B)
Accredited by NAAC B++
Accredited by NBA (ME, ECE, CSE)
ISO 9001: 2015 Certified

Dt: 14/02/2020

Ref: RCEE/MED/IV B.Tech Project work/02/2020/01

From RAFFI MOHAMMED Project Co-Ordinator

To The Principal Gudlavalleru Engineering College Sheshadri Rao Knowledge Village Gudlavalleru, Vijayawada.

Sub: Request to give Permission to utilize the facilities for fabrication and experimentation – Reg Dear Sir,

Our College, Ramachandra College of Engineering, Eluru recognized by AICTE, affiliated to JNTUK, Kakinada and NAAC accredited with B<sup>--</sup>, NBA (NATIONAL BOARD OF ACCREDATION) is established in the year 2008 and operating with 5 PG (1 MBA+4 M Tech.) Courses and 5 UG (Civil, EEE, ECE, MECH & CSE) Courses.

As part of the Academic Curriculum of B Tech - Mechanical Engineering, our final year students has to do project work for which they need fabrication and experimentation facilities available at your esteemed organization. So, I am requesting you to please give the permission to below listed students of our college.

Roll Number	No. 2 Co.
16ME1A0304	Name of the Student
	ALAMKONDA VIJAY BHASKAR REDDY
The second secon	ANGULURI KRISHNAPRASAD
	CHAVALA MANIKANTA GUDIPUDI AKSHAY KUMAR
	Roll Number 16ME1A0304 17ME5A0303 17ME5A0308 16ME1A0332

Looking forward for your positive reply

Sixonex rusing large

To pero lets

RAFFI MOHAMMED

B. Tech, M. Tech, (Ph.D)

ASSOCIATE PROFESSOR

Department of Mechanical Engineering RAMACHANDRA COLLEGE OF ENGINEERING

https://doi.org/10.534007 Andhra Padesh. India

Fax: 08812 215005 email; principal@rcee.ac.in, me.principal@jntuk.edu.in website: www.rcee.ac.in

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

(4)

#### RECEIPT

Name of the College

: V.K.R.V.N.B&A.G.K College of Engineering : R. Maga Babu - 16NH1A0332

Name of the Student(s) with Roll No(s):

N. N. L. Swesh - LENHIAOSOY

K. Kranthi kuman babu-17/11/5A0317

K. Veera Venkakacaciafao-16/11/11/10312

B. Ayyappa Swany: R&D Lab

Utilized Laboratory

Name of the Equipment Utilized

: Stir Casting Equipment

Visited dates

: 12/02/2020

Amount charged toward utilizing the equipment

: 2000

Ica keguitien Lab In-charge

Phone: 08674 - 242188, 242189, Fax: 08674 - 242190

V.K.R, V.N.B & A.G.K COLLEGE OF ENGINEERING

(Sponsored by General & Technical Education Society, GUDIVADA)

An ISO 9001: 2015 Certified Institute

(Approved by AICTE - New Delhi & Affiliated to JNTUK, Kakinada) Eluru Road, GUDIVADA - 521 301, Krishna Dist., A.P., INDIA.



To The Principal, Gudlavalleru Engineering College, Gudlavalleru.

Sir

Sub: Requisition for permission for doing project work regarding Composition of AL5083 with SIC.

We are here with requesting your good offices to allow the below mentioned Registered Number students for doing project work regarding Composition of AL5083 with SIC with lab equipment Stircasting machine, Vickar hardness testing, Inverted microscope testing, Universal testing machine, Heat treatment of furnace . So kindly allow the below mentioned students to do the project work.

- 1. 16NH1A0332
- 2. 16NH1A0324
- 3. 16NH1A0302
- 4. 17NH5A0317

5. 16NH1A0312

Thanking you

Syam Prasad)

PRINCIPAL VKR VNB & AGK COLLEGE OF ENGINEERING Eluru Road, GUDIVADA Kri. Dt.A.P.521 301

fi konkk Hudans |C or length 1 lm

www.vkrvnbcoe.org, e-mail: vkrvnbengineering@gmail.com

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 11 2 2020 .

(3)

RECEIPT

Name of the College

: DMS SUH COLLEGE OF ENGINEERING MAIN

Name of the Student(s) with Roll No(s):

B. KIRAN KUMAR (173C5A0310)

CH. SAI TEJENDRA CITSCS ADSIS)

Utilized Laboratory

: FUELS LABORATORY.

Name of the Equipment Utilized

: JUNKER'S GAS CALORTHETER.

Visited dates

: 10/2/2020 to 11/2/2020.

Amount charged toward utilizing the equipment

: 200/- (Two hundre CTupers ands)

Md. Sileman

Lab Technician



## Daita Madhusudana Sastry Sri Venkateswara Hindu College of Engineering

Recognized by AICTE and Affiliated to JNTUK- Kakinada An ISO 9001-2015 Certified Institution

MACHILIPATNAM - 521 002, Krishna District, A.P., India.

College Code : 3

URL: www.svhce.org.in

© 08672-250546, 251993 E-mail: principal.dmssvhce@gmail.com

Fax: 08672-251677

Dt: 07-02-2020

The Principal

Gudlavalleru Engineering College, Gudlavalleru

Respected Sir.

Sub:- Requesting permission for experimentation in your college laboratory- reg.

Two of our IV BTech II Semester Mechanical Engineering students are interested to visit your college to do experimentation work in Thermal/Fuels Lab to measure calorific values of Biogas as part of their BTech Project work. They are doing project work under the guidance Ms. T. Anusha, Assistant Professor, Department of Mechanical Engineering of our institution.

#### Details of the students:

SNo	Regd No.	Name of the student	Experiment/ Project title
1	173C5A0310	BOTSHA KIRAN KUMAR	Measurement of calorific
2	173C5A0313	CHINNAM SAI TEJENDRA	values of Biogas in Therma Engineering lab

You may kindly facilitate our students to complete the experiment in your college laboratory. They will follow the procedures and rules of your college during their stay in premises.

Thanking you sir,

Yours faithfully

Prof. T. Ravi Kumar

Head of the Deblanen Engg.

Dept of Mechanical Engg VIS SVH College of End MACHILIPATNAM

Gudlavalleru Engineering College (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 05 | 02 | 2020

TECHNOLOG Y

RECEIPT

Name of the College

: USHARAMA COREGE OF ENGINEERING AND

Name of the Student(s)

: K. Brahmachari (17 N & S A 0 316)

B. Rakesh (16461A0303)

N. H. v. Rajesh (16/16/140321)

(15NG1A0339)

Utilized Laboratory

: Manufacturing Process Lab

Name of the Equipment Utilized

: TIG WELDING

Amount charged toward utilizing the equipment

: 1000/-

Che forme Lab Technician

Lab In-charge

Meulani



### USHA RAMA COLLEGE OF ENGINEERING & TECHNOLOGY

Approved by AICTE, New Delhi, Affiliated to JNTU Kakinada.

## (AUTONOMOUS) NAAC "A" GRADE

CODE: URCE

Date:

From:

03-02-2020

Dr.S.Madhusudan

Head of the Department,

Mechanical Engineering,

Usha Rama College of Engineering & Technology,

Telaprolu, Krishna District

To

Head of the Department,

Mechanical Engineering,

Gudlavalleru Engineering College,

Gudlavalleru.

Dear Sir,

Sub: TIG welding facility required for our project batch students – request for permission - reg

With reference to the above, I wish to inform you that my project batch students (Mr.K.Brahmachari, Mr.B.Surya rakash, Mr. N.H.V.Rajesh and P.Sunil) working on welding of stainless plates for their project work. In this regard, we want to utilize TIG welding facility available in your department. Any cost levied for the above purpose will be borne by the students.

Hence, I request you to kindly permit our students and guide them accordingly. We expect similar cooperation in future also.

Thanking you sir

Yours truly,

Dr.S.Madhusudan

Mechanical Department

On NH 16, Telaprolu, Near Gannavaram, Krishna Dist - 521 109, A.P. INDIA OLU.

OFF: 0866-2527558, Mobile: 99497 12255, 99899 16655.

Website: www.usharama.edu.in E-mail: info@usharama.com

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 11/09/2020

RECEIPT

Name of the College

 $F^{-1}(I)$ 

: V.K.R. v.w. BE AGE College of Engineering

Name of the Student(s) with Roll No(s):

Ch. Rabul - 14NHBA0305

J. Lakshmi Ravi Tega - 17NHISA0307 P.N. Veera Bhadrudu - 16NHIA0I28

J. Samba siva low - 17NH5A0 310 J. Dhonush - 17NH5A0708

Utilized Laboratory

: RED Cabo

Name of the Equipment Utilized

Stir Casting Equipment 29/01/2020 \$ . 11/02/2020 pment : 4000/

Visited dates

Amount charged toward utilizing the equipment

Lab In-charge

Musino H.M.E

Phone: 08674 - 242188, 242189, Fax: 08674 - 242190

V.K.R, V.N.B & A.G.K COLLEGE OF ENGINEERING

(Sponsored by General & Technical Education Society, GUDIVADA)

An ISO 9001: 2015 Certified Institute

(Approved by AICTE - New Delhi & Affiliated to JNTUK, Kakinada) Eluru Road, GUDIVADA - 521 301, Krishna Dist., A.P., INDIA.

29-01-2020

Gudiyada

To

The principal

Gudlavalleru Engineering College

Gudlavalleru

Respected Sir,

Sub:-Request to grant permission for our students to give permission to use lab equipments for B.TECH Project work.

With reference to the Composite materials this is to bring to your kind attention that the our final year students of VKR, VNB & AGK College of Engineering as for JNTU Kakinada norms students need to complete project work in the 4th Year-2nd Semester. So in this regard they need some equipments and testing to complete their project work.

So we request to provide a help to their project work. They will able to the rules and

regulations Lay from your end.

Thanking you sir,

Project Guide

Dr. G. Syam Prasad PRINCIPAL

WAYNE BAGK DOULEGE OF ENGINEET Eluru Road, GUDIVADA Kri. Dt. A.A.

### Project Group

Ch.Rahul 1.17NH5A0305

I Lakshmi Ravi Tea 2.17NH5A0307

P N Veerabhadrudu 3.16NH1A0328

J Samba Siva Rao 4.17NH5A0310

5.17NH5A0308 Dhanush

from keyler Im



#### **TATA CONSULTANCY SERVICES**

#### **WORK ORDER**

GUDLAVALLERU ENGINEERING COLLEGE (1284)
GUDLAVALLERU-ADDADA ROAD, VIJAYAWADA, KRISHNA DISTRICT GUDLAVALLERU, ANDHRA
PRADESH, 521356

Date: 01-Jan-2020 NTAJEE060120UAP40

Annexure "A"

			Annexure	"A"		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
06-Jan-2020	294	315	, 0	Ö	2	15,750.00
07-Jan-2020	210	210			. 2	10,500.00
08-Jan-2020	210	210			2	10,500.00
09-Jan-2020	210	209			2	10,500.00
(Annexure A): Amo (Annexure B): Amo	ount for Man	power Utili:	zation(Singl	e & Multiple	)	47/250,00 42275,00
(Annexure C): Amo	unt for Add	itionai Manj	power Utiliz	ation (Singl	e & Multiple)	14,850.00
Annexure D): Amo	unt for Sur	reillance Re	cord Facilit	y (Single &	Multiple)	0.00
Total Amount (Ann	exure's A+B	+C+D)				104,375.00

Total Exam Days:4

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250 Candidates
Invigilators	1 : 30 Candidates
Support / Volunteers	1 : 100 Candidates
Peons	1 : 50 Candidates
Security Guards	1 : 100 Candidates

Annexure "R"

Willeyold D.					
Manpower Title	Amount Rs.				
Test Center Administrator	4500.00				
IT Admin	5625.00				
IT Assistant	3000.00				
Invigilators	23750.00				
Support / Volunteers	5400.00				
Total	42275.00				

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

udlavalleru - 521 356, Krishna District, A.P.

Annexure "C"

Manpower (Additional)	Amount Rs.
Electrician	0.00
Peons	9,450.00
Security Guards	5,400.00
Total	14,850.00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Cámera Record	0.00
Note: Surveillance Camera Rs.10/- per node for one day	Facility to Record
Total -	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

GDVL GDVL

Vice Principal Administration

Page 2 of 3

Bill Of Supply

LISP NAME : Gudlavalleru Engineering College

ADDRESS: Gudlavalleru-Addada Road,Vijayawada,Krishna District,Gudlavalleru,Andhra Pradesh,India

Place of Supply: Andhra pradesh San Prints Private Limited,

167, Raja Industrial Estate, Mumbai - 400 080.

Invoice #: NP290919UAP04 Invoice Date: 4th Oct 19 Assessment Name: NPTEL

Assessment Date : 29th September 2019

Attention Email

SMB Finance

smb.finance@tcs.com

Description	UCN 1040 O. I.	
	HSN /SAC Code	TOTAL (INR)
Expenses towards conducting NPTEL exam on 29th September 2019	998599	12,832.00
Total		12,832.00
TOTAL		12,832.00

Signture of Center Head PAN: AAATA3093K

Signature of ROM

Beneficiary name: Principal Gudlavailer Engg College

Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.

Annexure

LISP NAME: Gudlavalleru Engineering Coflege

ADDRESS: Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Place of Supply: Andhra Pradesh San Prints Private Limited,

187, Raja Industrial Estate,

Mumbai - 400 080.

Reference Invoice #: NP290919UAP04

Reference Invoice Date: 4th Oct 19

Assessment Name: NPTEL

Assessment Date : 29th September 2019

Attention Email

SMB Finance

smb.finance@tcs.com

Description Synanton	HSN/SAC Code	QUANTITY	PRICE PER	TOTAL (INR)
Expenses towards conducting NPTEI Nodes (count)	exam on 29th September 2019 998599	92	50	4,600.00
Test Center Administrator IT Manager IT Assisstant Invigilators Volunteers Supervison Support Charges for:	998599 998599 998599 998599 998599	1 1 1 3 2	1125 1125 600 750 450	1,125.00 1,125.00 600.00 <b>2,250.00</b> 900.00
Food Expenses Stationary Expenses Genset and/or Fuel Charges Total	998599 r 998599 · 998599	183 183	2 2	366.00 366.00 1,500.00
		TOTAL		12,832.00

Signture of Center Head PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Date: 26-Sep-2019 NPTEL290919UAP04

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by **Facilities Agreement** dated **15-Sep-2017**between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	NPTEL
Assessment Date(s)	29-Sep-2019
Assessment Shift(s) &Time(s)	Shift-109;00AM-12:00PM Shift-202:00PM-05:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road,Vijayawada,Krishna District,Gudlavalleru,Andhra Pradesh,India
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NPTEL290919UAP04 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

PRINCIPAL Seshadri Rao



### **TATA CONSULTANCY SERVICES**

### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Date: 26-Sep-2019 NPTEL290919UAP04

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
29-Sep-2019	92	91			2	4,600.00
		· · · · · · · · · · · · · · · · · · ·	····			
						_
	<b></b>					
		<u>-</u>				-
			<del></del>			
						-
		· · · · · · · · · · · · · · · · · · ·	1- 1			<u> </u>
(Annexure A): Amo	unt for Node	es Utilizatio	n (Single &I	Multiple)		4,600.00
(Annexure B): Amo	unt for Man	power Utiliz	ation(Single	e & Multiple		6000.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)					0.00	
(Annexure D): Amount for Surveillance Record Facility (Single & Multiple)					0.00	
Total Amount (Anne	exure's A+B	+C+D)				10,600.00

Total Exam Days:1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250Candidates
Invigilators	1:30 Candidates
Registration Managers	Not Required
Support / Volunteers (Inclusive of Security Guards and Electrician)	1 : 75 Candidates
Frisking Manpower	Not Required
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	1125.00
IT Admin	1125.00
IT Assistant	600.00
Invigilators	2250.00
Support / Volunteers	900.00
Total	6000.00

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	0
Registration Managers	0.00
Frisking Manpower	0.00
Total	0.00

Annexure "D"

Surveillance Facility		Amount Rs.				
Surveillance Camera Record					0.00	
Note: Surveillance Camera Rs.10/- per node for one day		Facility	to	Record		
Total		m U.S			0.00	

Fuel Charges for Generator: Rs.4.5/- Per Candidate

**Note:** In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

IQAC

PRINCIPAL
Soshadri Rao

Gudlavalleru Engineering College<sup>2</sup> of 2

Seshadri Rao Knowledge Viltage Gudlavalleru - 521 356, Krishna District. A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalieru.ac.in, office@gecgudlavalieru.ac.in, Web: www.gecgudlavalleru.ac.in

Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521358 Place of Supply: Andhra pradesh San Prints Private Limited. 167. Raia Industrial Estate, Invoice #: NPT161119HAP03 Mumbal - 400 080 Invoice Date: 19th Nov 19 Assessment Name: NPTEL Assessment Date: 16th & 17th Nov 2019 Attention SMB Finance Email smb.finance@ics.com Description HSN /SAC Code TOTAL (INR) Expenses towards conducting NPTEL exam on 16th & 17th Nov 2019 998599 32,900.00 Total 32,900,00 TOTAL 32,900.00 Signture of Center Head Signature of ROM PAN: AAATA3093K Sanprints PAN #: AAICS0770L Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210 Samprints GST #: 27AAICS0770L1Z0 FSC: SBIN0001461



Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Havalleru 521 356, Krishna District. A.P.

Dr.B.KARUNA KUMAR

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Reo Knowledge Village, GUDLAVALLERU-521 358, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate, Mumbaj - 400 080.

Reference Invoice #: NPT161119UAP03
Reference Invoice Date: 19th Nov 19
Assessment Name : NPTEL

Assessment Date: 16th & 17th Nov 2019

Attention Email SMB Finance smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	UNIT	TOTAL (INR)
Expenses towards conducting NPTEL exam on 16th J	Nov 18	THE MESS		
Nodes (count)	998599	160	50	8,000.00
Expenses towards conducting NPTEL exam on 17th I	Nov 19	Block Co.		
Nades (count)	998599	105	50	5,250.00
Test Center Administrator for Day 1	998599	1	1125	1,125.00
IT Manager for Day 1	998599	1	1125	1,125.00
IT Assissant for Day 1	998599	1 1 1 1 1 1 1 1	600	600.00
Invigilators for Day 1	998599	6	750	4,500.00
Volunteers for Day 1	998599	2	450	900.00
Test Center Administrator for Day 2	998599	1	1125	1,125.00
IT Manager for Day 2	998599	4 137	1125	1,125.00
IT Assisstant for Day 2	998599	1.5 50	600	00,00
Invigilators for Day 2	998599	A 50	750	,3,000.00
Volunteers for Day 2	998590		450	450.00
Supervison Support Charges for:	Ga Addi a			
Food Expenses	998599	525	200	1,050,00
Stationary Expenses	998599	525	2 2	1,050.00
Genset and/or Fuel Charges for Day 1	998599		1 500 8	1,500.00
Genset and/or Fuel Charges for Day 2	998599		foll of	1,500.00
	The state of the s			
Total	F A Street B			32,900.00
The state of the s		TOTAL		32,900.00

Signature of Center Head Signature of ROM

PAN: AAATA3093K

Beneficiary name: Principal Gudiavaller Engg College

Beneficiary Account No: 11588343210

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

100

IQAC



PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Wateralleru 1521,366,548hna Dietrict, A.P.

Dr.B.KARUNA KUMAR

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356



### TATA CONSULTANCY SERVICES

### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Date: 14-Nov-2019 NPTEL161119UAP03

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details Assessment Name	
	NPTEL
Assessment Date(s)	16-Nov-2019
	17-Nov-2019
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM
	Shift-202:00PM-05:00PM
Project Address	Gudlavalleru Engineering College,
-	Cudlandlan Atti
Invoice Address	Pradesh,India
IIIVOICE Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of social at l
	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	1 and or the Agreement.
- Trick for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NPTEL161119UAP03 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College
Dr.B.KARUNA KUMAR
Vice Principal-Administration

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

IQAC

PRINCIPAL Seshadri Rao

Gudiavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District, A.P.



#### **TATA CONSULTANCY SERVICES**

### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Date: 14-Nov-2019 NPTEL161119UAP03

Annexure "A"

Shift1 Count	Shift2	Shift3	Shift4		
NAME AND POST OF THE OWNER, WHEN PERSONS AND PARTY OF THE OWNER, WHEN PERSONS AND PAR	Count	Count	Count	# of Shifts	Amount Rs.
160	160			2	8,000.00
100	105			2	5,250.00
			· · · · · · · · · · · · · · · · · · ·		
		<del></del>			_
					_
t for Nod	es Utilizațio	n (Single &	Multiple)		13,250.00
t for Man	power Utiliz	ation(Singl	e & Multiple	))	15000.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)					
t for Surv	eillance Re	cord Facilit	y (Single &	Multiple)	0.00
ıre's A+B	+C+D)				28,250.00
	160 100 t for Node t for Man t for Addi t for Surv	160 160 100 105  trior Nodes Utilization to Manpower Utilization of Manpower U	160 160 100 105  If or Nodes Utilization (Single & tor Manpower Utilization(Single tor Additional Manpower Utilization Facility	160 160 100 105  tifor Nodes Utilization (Single & Multiple) tifor Manpower Utilization(Single & Multiple tifor Additional Manpower Utilization (Single tifor Surveillance Record Facility (Single &	160 160 2 100 105 2  tfor Nodes Utilization (Single & Multiple) t for Manpower Utilization(Single & Multiple) t for Additional Manpower Utilization (Single & Multiple) t for Surveillance Record Facility (Single & Multiple)

Total Exam Days:2

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250 Candidates
Invigilators	1:30 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1 : 100 Candidates
Offline Invigilators	1 : Per Center

Annexure "B"

Manpower Title	Amount Rs.
Test Center Administrator	2250.00
JT Admin	2250.00
IT Assistant	1200.00
Invigilators	7500.00
Support / Volunteers	1800.00
Total	15000.00

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District. A.P.

Annexure "C"

Manpower (Additional)	Amount Rs.
Offline Invigilators	0.00
Peons	0.00
Frisking Manpower	0.00
Total	0.00

Annexure "D"

Survei		Ame	ount Rs.			
Surveillance Camera Record			0.			
Note: Rs.10/-	Surveillance per node for	Camera one day	Facility	to	Record	
Total		*		T Table	0.00	

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

Vice Principul-Administration Page 2 of 2
Gudlavalleru Engineering College
Sechartri Ran Knowledge Village Gudlavalleru Engineering

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavalleru.ac.in

### Dr. BURRA KARUNA KUMAR M.Toch., Ph.D., File, C.Eng., MISTE,

Professor of Mechanical Engineering, Vice Principal - Administration

> Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 San Prints Private Limited Invoice #: NJE060120UAP40 167, Raja Industrial Estate, Invoice Date: 13th Jan 2020 Mumbai - 400 080. Assessment Name : NTA JEE Mains Assessment Date: 6,7,8 & 9th Jan 2020 SMB Finance Attention smb.firrance@les.com Emall Expenses towards conducting NTA JEE Mains exam on 6,7,8 & 9th Jan 2020 120 253.00 008500 120,253.00 Total 120,253.00 TOTAL Samprinis PAN #: AAICS0770L PAN: AAATA3093K Beneficiary name: Principal Gudlevaller Engg College Samprinta GST #: 27AAICS0770L1Z0 Beneficiary Account No: 11588343210 IFSC: \$BIN0001461

NGIN.

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalieru-521355

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavafleru - 521 356, Krishna District A P

<u> Address : Gudlavalleru-Addada road vijayaw</u>ada krishna district Gudlavalleru andhra pradesh 521356

Piace of Supply: Andhra Pradesh San Prints Private Limited. 167, Raja Industrial Estate, Mumbei - 400 080.

Reference Invoice #: NJE080120UAP40 Reference Invoice Date: 13th Jan 2020 Assessment Name: NTA JEE Mains

Assessment Date: 6,7,8 & 9th Jan 2020

Attention Email

SMB Finance

			PRICE PER	
Description HSN/SAC C	ode I	QUANTITY	UNIT	TOTAL (INR)
xpenses towards conducting NTA JEE Malns exam on 6th Jan 2020		241,111111	1	
Nodes (count)	098599	315	50	15,750,00
Expenses towards conducting NTA JEE Mains exam on 7th Jan 2020	*******	0.0	1 "	10,100.00
lodes (count)	998599	210	50	10.500.00
	630399	210	DU j	10,000.00
Expenses towards conducting NTA JEE Mains exam on 8th Jan 2020			1 1	
Nodes (count)	998599	210	50	10,500.00
Expenses fowards conducting NTA JEE Mains exam on 9th Jan 2020			I E	
Nodes (count)	998599	210	50	10,500,00
				,
Test Center Administrator for Day 1	998599	1	1125	1.125.00
T Manager for Day 1	688599			
		2	1125	2,250.00
T Assestant for Day 1	998599	2	600	1,200.00
nvigilators for Day 1	998599	10	760	7,500.00
nvigilators for Day 1	998599	1	500	500.0G
Volunteers for Day 1	998599	3	450	1,350,00
Peons Day 1	998599	6	450	2,700.00
Security Guards Day 1	998599	3	450	1.350.00
rading cames buy 1	acons	3	~~~	1,000,000
Total Courses & desirable total Course	000000		1 4400	4.455.00
Test Center Administrator for Day 2	998599	1	1126	1,125.00
T Manager for Day 2	998599	1 .	1125	1,125.00
T Assistant for Day 2	998599	g 1	600	- 600.00
nvigilators for Day 2	998599	7	750	5,250.00
/clunicors for Day 2	998599	3	450	4,350.00
Peons Day 2	988589	5	450	2,250.00
Security Guards Day 2	998599	3	450	1,350.00
account accessed to	220228	ą.	700	1,000.00
Foul Planter & Andrian Inc. Sec. 9			1	4 488.44
Feel Center Administrator for Day 3	998599	1	1125	1,125.00
T Manager for Day 3	998599	1	1125	1,125.00
T Assissiant for Day 3	998599	1	600	600.00
ovigilators for Day 3	998599	7	750	5,250.00
/olunteers for Cay 3	998599	3	450	1,350,00
Poons Day 8	998599	5	450	2,250.00
Security Guards Day 3	998599	3	450	1,350,00
secondy could be by 5	930588	a	400	1,330.00
San Production II de la Colonia de la Production II de la Colonia de la				
Test Center Administrator for Day 4	998599	1	1125	1,125.00
T Manager for Day 4	998599	1	1125	1,125.00
I Assisstant for Day 4	998599	1	600	600.00
nvigilators for Day 4	998599	7	750	5,250,00
folunteers for Day 4	998599	3	450	1,350.00
Pachs Day 4	998599	5	450	2,250.00
Security Guards Day 4	998599	3	450	
overy success of	#RPORE	3	450	1,350.00
upervison Support Charges for:				
ood Expenses	898599	1868	2	3,736.00
tationary Expenses	998899	1868	2	3,736.00
enset and/or Fuel Charges for Day 1	998599	609	4.5	2,740.50
enset and/or Fuel Charges for Day 2	998599	420	4.5	1,890,00
senset and/or Fuel Charges for Day 3	998599	420	4.5	1,890.00
enset and/or Fuel Charges for Day 4	994599	419	4.5	1,885,50
account of the same of the sam	354303	414	4.0	1,002,30
otal .	1.			120.253.00
4 -	: I			15454446
- ·	٠ .			

Semprinte PAN #: AAICS0770t.

Seshadri Rao

Samprints GST #: 27AAUCSG750L1Zhavall Bru Engineering College Seshadir Rao Knowledge Village

Gudlavafferu - 521 356, Krishna District, A.P.



Beneficiary name: Principal Gudiaveller Engg College Beneficiary Account No: 11589343210 IFSC: SBR\0001461

Vice Principal-Administration Gudlavalleru Engineering College Seshadii Rao Knowledga Villaga, Gudlavalleru-521356



### **TATA CONSULTANCY SERVICES**

### **WORK ORDER**

GUDLAVALLERU ENGINEERING COLLEGE (1284)
GUDLAVALLERU-ADDADA ROAD, VIJAYAWADA, KRISHNA DISTRICT GUDLAVALLERU, ANDHRA
PRADESH, 521356

Date: 01-Jan-2020 NTAJEE060120UAP40

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and GUDLAVALLERU ENGINEERING COLLEGE("Agreement").

Project Details	
Assessment Name	NTA JEE Mains
Assessment Date(s)	06-Jan-2020
	07-Jan-2020
	08-Jan-2ρ20
•	09-Jan-2020
Assessment Shift(s) &Time(s)	Shift-1 09:30AM-12:30PM
	Shift-2 02:30PM-05:30PM
Project Address	GUDLAVALLERU ENGINEERING COLLEGE,
	GUDLAVALLERU-ADDADA ROAD,VIJAYAWADA,KRISHNA
	DISTRICT GUDLAVALLERU, ANDHRA PRADESH, 521356
Invoice Address	San Prints Private Limited,
	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number NTAJEE060120UAP40 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR YATA CONSULTANCY SERVICES

For GUDLAVALLERU ENGINEERING COLLEGE

Vice Principal-Administration

Gudtavalleru Engineering College Seshadri Rao Knowledge Village, Gudavalleru-52135...

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356 Kriehna Diction A.B. DLAVALLERU ENGINEERING COL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.academics@gecgudlavalleru.ac.in, gutta.prasad1@gmail.com, Web: www.gecgudlavalleru.ac.in

Dr. G. V. S. N. R. V. PRASAD

M.Tech., M.S., Ph.D.,

MISTE, MIETE, MIE, MCSI, MISRS, MIAPR, MCRSI,

Professor of Computer Science & Engineering

Vice Principal - Academics

Bill of Supply

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District,521356

Place of Supply: Andhra Pradesh

ARMEZO Solutions Pvt. Ltd.

New Delhi

Email: anugrah.narayan@armezo.com

Invoice Date: 10th February 2020

Assessment Name: STEP Assessment Date: 09.02.2020

	Description		No. of Students Attended	Amount per student	TOTAL (INR)
Expenses towards co 9th February 2020	enducting STEP Exam o	n	362	120	43,440.00
			TOTAL		43,440.00

Signture of Center Head

PAN: AAATA3093K GST: Not Applicable

Beneficiary Name: Principal, Gudlavalleru Engineering College, Gudlavalleru.

IFSC: SBIN0001461

Account No. 35339035882

.G.V.S.N.R.V. PRASAD

M.S.M. Tech., Ph.D

Vice Principal-Academics **Gudlavalleru** Engineering College

Seehadri Rao Knowledge Village, Gudavalleru-521356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

(An Autonomous Institute with Permancut Affiliation to JNTUK, Kakinada)

### Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Computer Science and Engineering

### CONSULTANCY DETAILS

Academic Year: 2019-20

Faculty Name	Purpose	Venue	Client	Amount	Dated	Check No	1
K. Ashok Reddy	LPU,SNU,AMITY Universities & Others	Pearson VUE	WU Business Solution	24,575	31-07-2019		

Administrator

Hob, CSE

Head of the Department
Computer Science and Engineering
Gudlavalleru Engineering College
Seshadri Rao Knewledge Village
GUDLAVALLERU - 521 356

IQAC

PRINCIPAL
Gudiavalleru Engineering College
GUDLAVALLERU-521356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, Gudlavalleru – 521356, Krishna District (A.P.)

Dt: 01-08-2019.

To
The Principal
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru – 521 356

# Through Proper Channel #

Dear Sir,

We have Conducted Entrance and Certification Examinations in our test center (Pearson VUE). In this connection we have received remuneration for conducting examination in our centre to LPU, SNU, AMITY Universities and other certification exams for an amount of **Rs. 24575.50/-(7619.5+16,956)** through NEFT from WU Business Solutions on 22.05.2019 and 04.07.2019.

I hereby request you to sanction an amount of **Rs. 14,745**/- as remuneration for the coordinators who have conducted the examinations and transfer an amount of **Rs. 9830.50**/- to Management's Account No. 11588342852 after deducting the manpower and miscellaneous expenditure. Details are given below.

SNo.	Date of deposit by Pearson VUE	Amount (Rs)	Remuneration to Coordinators	Amount to be transferred to Management's Account
1	22.05.2019	7,619.50/-	Rs.4,572/-	Rs.3,047.50/-
2	04.07.2019	16,956/-	Rs.10,173/-	Rs.6,783/-
	Total	24,575.50/-	Rs.14,745/-	Rs.9,830.50/-

(k. Ashok Reddy)
Co-oxdrator

Yours faithfully,

(Dr.G.V.S.N.R.V.Prasad) Vice Principal-Academics

Account NOT 30649523963

Name + Ashok Reddy kendula

RESC + SBINDODIANZ Chinklandi Remel

SESHADRI RAO KNOWLEDGE VILLAGE GUDLAVALLERU - 521356 KRISHNA DISTRICT

### MICROSOFT ED-VANTAGE CERTIFICATION HALL TICKET FEE

Ledger Account

1-Apr-16 to 31-Mar-20

	Date	e	Particulars	Value Trans			Page 1
				Vch Type	Vch No.	Debit	Credit
	20-May-1	s By	Cash	Receipt	349		14,000.00
	15-Jun-10	אם פ	Cash	Receipt	489		28,000.00
	22-Sep-16	Dy	Cash	Receipt	732		1,87,500.00
	6-Oct-16	) IO	Cash	Payment	2325	3,83,837.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	17-Oct-16	o Dy	Cash	Receipt	1904		1,50,000.00
	14-Nov-16	Dy	Cash	Receipt	1991		23,500.00
	16-Feb-17	, DA	Cash	Receipt	2266		13,650.00
	1010017	Бу	Casii	Receipt	3073		12,812.00
		То	Closing Balance		_	3,83,837.00 45,625.00	4,29,462.00
					_	4,29,462.00	4,29,462.00
			Opening Balance				45,625.00
	10-Apr-17	To	Cash	Payment	124	15,880.00	10,020.00
	22-May-17	Ву	Cash	Receipt	303	70,000.00	16,387.00
	1-Jul-17	Ву	Cash	Receipt	548		10,842.00
	14-Jul-17	By	Cash	Receipt	707		8,562.50
	23-Aug-17			Receipt	1246		7,740.50
	00 4 47		Cash	Receipt	1247		2,33,837.00
	29-Aug-17	10	Cash	Payment	1890	26,120.00	2,00,001.00
	9-Mar-18	10	Cash	Payment	4476	2,67,000.00	
		То	Closing Balance		_	3,09,000.00	3,22,994.00
			<b>3</b>			13,994.00	
	1-Apr-18	Bv	Opening Balance		_	3,22,994.00	3,22,994.00
	4-Jun-18			Donaist.			13,994.00
	3-Jul-18	Bv	Caeh	Receipt	360		2,67,000.00
	4-Dec-18	Tο	Cach	Receipt	659		10,266.00
3	1-Mar-19	Bv i	Cash	Payment Page 1	3295	2,67,000.00	
		٠,	04311	Receipt	3800		43,326.00
		То	Closing Balance			2,67,000.00	3,34,586.00
			Grooting Dalance			67,586.00	
,	I-Арг-19	Bv (	Opening Balance		_	3,34,586.00	3,34,586.00
	31-Jul-19			_			67,586.00
,	3-Aug-19	Dy (	∍asn >ash	Receipt	1018		24,575.50
•	o-ridg-15	10 (	Jasii	Payment	1532	46,900.00	
	-	Го	Closing Balance			46,900.00	92,161.50
		-	Tivonia Palatice			45,261.50	
						92,161.50	92,161.50





(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### 3.5.1: Revenue generated from consultancy and corporate training for the Academic Year 2018-19

S. No	Name of Teacher/ Consultant	Name of the beneficiary/ corporate agency	Name of the beneficiary/ corporate agency	Revenue generated (INR in Lakhs)
1	K. Venkateswara Rao	Material test - 3 No's	Endowment	0.08975
2	Phani Kumar.V, Ch.Naga Bharath	Soil test - 12 No's	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	1.20000
3	Phani Kumar.V, Ch.Naga Bharath	Soil test - 1 No's	Sri P.Vidhya Sagar,DGM (Civil), ONGC, Rajahmundry	0.07500
4	K.Venkateswara Rao	Material test - 1 No's	Varun fly ash bricks,Gandhi Asramam, Komaravolu village, Pamarru Mandal, Krishna District.	0.00800
5	Sri J. Phani Kumar	R & D Lab	KIIT, Bhubaneswar	
6	Dr. J.A. Ranga Babu	Thermal Engineering Lab	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	
7	Dr. J.A. Ranga Babu	Thermal Engineering Lab	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	0.79
8	Sri P.N.S. Srinivas	Metrology Lab	MIC College of Tech. Kanchikacherla	

9	Dr. J.A. Ranga Babu	Thermal Engineering Lab	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.
10	Sri J. Phani Kumar	Manufacturing Processes Lab	PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore
11	Sri P.N.S. Srinivas	Thermal Engineering Lab	MIC College of Tech. Kanchikacherla
12	Sri K.Ch. Kishor Kumar	R & D Lab, MoS Lab	VKR, VNB & AGK College of Engineering, Gudivada
13	Sri T. Nagaraju	Metrology Lab	MIC College of Tech. Kanchikacherla
14	Sri K.Ch. Kishor Kumar	R & D Lab	D.M.S.S.V.H. College of Engineering, Machilipatnam
15	Sri K.Ch, Kishor Kumar	R & D Lab	D.M.S.S.V.H. College of Engineering, Machilipatnam
16	Dr. B. Karuna Kumar	R & D Lab	Andhra Loyola Institute of Engineering & Technology, Vijayawada
17	Dr. J.A. Ranga Babu	Thermal Engineering Lab	D.M.S.S.V.H. College of Engineering, Machilipatnam
8	Dr. J.A. Ranga Babu	Thermal Engineering Lab	D.M.S.S.V.H. College of Engineering, Machilipatnam

	and the second s		
19	Sri K,Ch, Kishor Kumar	R & D Lab	MIC College of Tech. Kanchikacherla
20	Sri T. Nagaraju	Metrology Lab	MIC College of Tech. Kanchikacherla
21	Sri J. Phani Kumar	Mechanics of Solids Lab	Gudlavalleru Engineering College
22	Sri K.Ch. Kishor Kumar	R & D Lah	S.R.K.R. Engineering College, Bhimavaram
23	Sri K.Ch. Kishor Kumar	R & D Lab	Sai Spurthi Institute of Technology, Sattupalli Mandal, Khammam District
24	Sri K.Ch. Kishor Kumar	R & D Lab	PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore
25	Sri K.Ch. Kishor Kumar	R & D Lab	S.R.K.R. Engineering College, Bhimavaram
26	Sri K.Ch. Kishor Kumar	R & D Lab	S.R.K.R. Engineering College, Bhimavaram
27	Sri K.Ch. Kishor Kumar	R & D Lab	S.R.K.R. Engineering College, Bhimavaram

		Total		9.39375
30	K. Ashok Reddy	LPU,SNU,MIT University and Others	WU Business Solution	0.53
		JEE Advance		
	Dr.B.Karuna Kumar, Sri.B.Srinivasu Kumar	AP ECET	TCS ION	6.70
		NPTEL		
		AP ICET		
		AP EAMCET		
29		APDSC		
		APDSC		
		Canara Bank		
		Armezo Step		
		Krishna DCBB		
28	Sri K.Ch. Kishor Kumar	R & D Lab	Tirumala Engineering College	



Principal
PRINCIPAL
Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356, Krishna District A P

### **ANNEXURE-I**

### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village :: GUDLAVALLERU
DEPARTMENT OF CIVIL ENGINEERING

### **CONSULTANCY CELL**

A.Y.: 2018-2019

SI. No.	Date	Name of the Work	Client	Consultan cy charges (Rs.)
1	10-07-2018	Sub soil investigation and recommendations for the foundation of proposed Residential Building, Machilipatnam	Sri Ch.RamaKrishna, D.No.4/345, 4/346, Rajupeta, Machilipatnam- 521001	6,000/-
2	12-07-2018 RF-132	ONGC rig foundation (Modified) at "NAG-1-Z-V2"D/s, Krishna District, A.P.	Sri P.Vidhya Sagar, DGM (Civil), ONGC, Rajahmundry	7,500/-
3	25-07-2018 SD-1	Design of Abutments for the erection of Bailey bridge across Thangulavaripalem drain near Nagayalanka, Krishna District, A.P.	Sri S. Lakshmi Ram, DGM (Civil), ONGC, Base Complex, Rajahmundry, East Godavari District	15,000/-
4	02-08-2018	Inspection report of five spanned single lane R.C deck slab bridge on Sankaraguptam drain near Keasavadasupalem, Leading to Chintalamuri, East Godavari District A.P, SD-1 with visiting charges (25,000+9,000+9,000)	Sri S. Lakshmi Ram, DGM (Civil), ONGC, Base Complex, Rajahmundry, East Godavari District	43,000/-
5	09-08-2018 ST-107	Soil testing – Sub soil investigation and recommendation for the foundation of proposed Apartment building at Satyanarayanapuram, Gudivada, Krishna District, A.P.	Mrs.K.Jhansi Lakshmi Bai, D.No.16/237, Satyanarayanapuram, Gudivada	6,000/-
6	13-08-2018 RF-138	Design of modified ONGC rig foundation of "MSDP"D/s, Cluster wells suitable for John-17 rig near Bantumilli, Krishna District, A.P	Sri P.Vidhya Sagar, DGM (Civil), ONGC, Rajahmundry	15,000/-
7	19-09-2018 ST-108	Sub soil investigation and recommendations for the common foundation layout of "BTS#DA, BTS#DB & BTS#DC" D/s for ONGC rigs, Contractual rigs except Quippo rig West Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	7,500/-
8	19-09-2018 RF-137	Design of ONGC common foundation of "BTS#DA, BTS#DB & BTS#DC" D/s for ONGC rigs, Contractual rigs except Quippo rig, West Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	17,500/-
9	26-09-2018 ST-109	Sub soil investigation for Railway line between Krishna canal and Karvadi, A.P	Sri Siva Prasad Nandina, GeosevaPvt.Ltd., Nizampet,Hyderabad-500090	4,000/-

SI. No.	Date	Name of the Work	Client	Consultan cy charges (Rs.)
10	13-10-2018	Steel test of the materials for the construction of Sri Kodanda Rama swamy Temple	The Executive officer, EndowmentDepartment, Sri Kodanda Rama Swamy Temple, Singarayapalem Village-521 329, Mudinepalli Mandal, Krishna District.	2,600/-
11	13-10-2018	Bricks, Cement test of the materials for the construction of Sri Kodanda Ramaswamy Temple	The Executive officer, Endowment Department,Sri Kodanda Rama SwamyTemple, ingarayapalem Village- 521 329, Mudinepalli Mandal, Krishna District.	1,775/-
12	13-10-2018	Coarse aggregate and Fine aggregate test of the materials for the construction of Sri Kodanda Ram Swamy Temple	The Executive officer, Endowment Department, Sri Kodanda Rama Swamy Temple, Singarayapalem Village-521 329, Mudinepalli Mandal, Krishna District.	4,600/-
13	13-10-2018	Fly ash bricks and Water absorption test	Varun fly ash bricks, Gandhi Asramam, Komaravolu village, Pamarru Mandal, Krishna District.	800/-
14	12-11-2018	Soil and water testing MT-93 PH and chloride tests	The DGM Production, ONGC, Rajahmundry Asset,Rajahmundry East Godavari District, A.P.	8,000/-
15	12-11-2018 ST-110	Sub soil investigation and recommendations for the foundation of drill site "PAGE"D/s, West Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
16	12-11-2018 RF-139	Design of ONGC rig foundation at "PAGE" D/s, West Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
17	17-11-2018	College of soil samples at proposed road site, testing and providing CBR values of soil by conducting compact test " Collection of soil samples and conducting leveling survey of designing of 8km long road from KW#8&43 D/s Sankaraguptam centre located at Kesanapalli – Antervedipalem, East Godavari District, A.P	Sri S. Lakshmi Ram, DGM (Civil), Godavari Bhavan, ONGC KG- Rajahmundry East Godavari District, A.P.	90,565/-
18	17-11-2018	Formation of flexible pavement of 8km long road from KW# 8 & 43 D/s to Sankaraguptam centre located to Kesanapalli	Sri S. Lakshmi Ram, DGM (Civil), Godavari Bhavan, ONGC KG- Rajahmundry East Godavari District, A.P.	51,920/-

SI. No.	Date	Name of the Work	Client	Consultan cy charges (Rs.)
19	24-11-2018 ST-111	Sub soil investigation and recommendations for the foundation of an apartment building (S+G+5) Yanam	Sri V Satyanarayana Raju, S/o Gopala Raju, D-no-03-04-029, Thyagaraya Street, Yanam	6,000/-
20	18-12-2018 MT-94	Soil and water testing PH and chlorides tests for water, PH and salinity tests for soil	The DGM Production, ONGC, Rajahmundry	8,800/-
21	19-12-2018 ST-112	Sub soil investigation and recommendation for the foundation of Drill site "MDDT" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
22	19-12-2018 RF-140	ONGC Rig foundation at "MDDT" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
23	19-12-2018 ST-113	Sub soil investigation and recommendation for the foundation of Drill site "MDAN" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
24	19-12-2018 RF-141	ONGC Rig foundation at "MDAN" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
25	19-12-2018 ST-114	Sub soil investigation and recommendation for the foundation of Drill site "MDAO" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
26	19-12-2018 RF-142	ONGC Rig foundation at " MDAO" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
27	19-12-2018 ST-115	Sub soil investigation of Commercial Residential Building (G+4), Kaikaluru, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	6,000/-
28	11-01-2019 MT-95	Soil and water testing P <sup>H</sup> and chlorides tests for water, P <sup>H</sup> and salinity tests for soil	The DGM Production, ONGC, Rajahmundry	3,200/-
29	06-02-2019 ST-116	Sub soil investigation and recommendations for laying of internal roads at construction site of G+3 floors building with RCC shear wall technology	KMV Projects limited, APTIDCO, # 22,23, RG towers, Veterinary colony, Vijayawada, Krishna District	31,112/-
30	06-02-2019 TE-03	Supply of laboratory test results – Testing of construction materials for the project of construction of road bed, Major and minor bridges, Track linking (Excluding supply of rails and PSC line sleepers), General electrical Traction and signal & Telecommunication works (outdoor) in connection with doubling with railway electrification of Vijayawada – Gudivada, Bhimavaram- Nidadavole, Gudivada- Machilipatnam &Bhivaram Junction	The General Manager, M/s. GVR –Premco JV, Nujella, Gudivada	6,490/-

SI. No.	Date	Name of the Work	Client	Consultan cy charges (Rs.)
31	06-02-2019 TE-04	Supply of laboratory test results – Testing of construction materials for the project of construction of road bed, Major and minor bridges, Track linking (Excluding supply of rails and PSC line sleepers), General electrical, Traction and signal & telecommunication works (outdoor) in connection with doubling with railway electrification of Vijayawada – Gudivada, Bhimavaram- Nidadavole, Gudivada- Machilipatnam &Bhivaram Junction	The General Manager, M/s. GVR –PremcoJV, Nujella, Gudivada	6,490/-
32	09-03-2019	Tests on tor steel & fine aggregate samples, Clay bricks and Cement samples, CC cubes, Test results of the materials for construction Sri Malleswara swamy temple and Sri Jaganadha swamy temple (Two temples)	Deputy Executive Engineer, Endowments Department, Vijayawada	13,825/-
33	08-04-2019	Pile foundation work for avenue super mart at Gudivada test results tests for tor steel samples 8mm, 12mm, 16mm 20mm & Compressive strength test on CC cubes	M/s.Paresh Constructions & foundations Pvt. Ltd., Avenue supermart, Gudivada	4,525/-
34	05-05-2019	Results of NDT tests – Renovation of existing residential building at Vijayawada	Sri M.Seshagiri Rao, Advocate, Near Siddhartha Academy, Vijayawada	11,000/-
35	21-05-2019	Test results of CC cubes for the work at Railway project – RVNL-GDV-MTM, Conducting the compressive strength of test on CC cubes cured in accelerating curing tank	The General Manager, Power Mech Project limited, Hyderabad	1,500/-
36	12-06-2019 ST-117	Sub soil investigation and recommendations for the foundation of proposed drill site "CRAA" D/s, West Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
37	12-06-2019 RF-143	"CRAA" D/s, West Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000/-
38	21-06-2019 MT-103	Test results of CC cubes for the work of railway project – RVNL-GDV-MTM the GVR premco joint venture	The Project Manager, GVR Premco, Joint venture, Gudivada	2,250/-

Total Amount: Rs4,82,952/-

Cell : **98662 34177** E-mail : svtww15@gmail.com



# SREE VENKATESWARA TUBE WELL WORKS



Consultant for: Soil Exploration, Foundation, Geotechnical Projects

S. Venkateswara Rao

Special Class Contractor

Near Andhra Bank, PERAVALI - 534 328, Peravali Mandal West Godavari District, (A.P.)

Date: 27/6/2018

Ref

То

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Sub: Request for consultancy works -Reg.

Sir,

We M/S Sri Venkateswara Tube Wells, Peravalli, West Godavari Dt, A.P, request you to kindly take up the following consultancy works. The necessary charges will be paid as per the college norms.

SI No	Nature of work	Duration	No. of Samples (Tentative)
1	Sub Soil Investigation & Recommendation for SBC	July 2018 - June 2019	15
2	Design of Rig Foundation	July 2018 - June 2019	15

We request your kind approval.

TO HODICE

Thanking you,

DE SUR! (38/6/2018

SHEE VENKATASWAHA TUBE WELL WORKS

PROPRIETOR

Specialists in: Sub-soit Exploration In-situ Tests as S.P.T., S.C.P.T., D.C.P.T., Field Permeability Tests & Collection U.D.S., D.S. Samples, Diamond core Drilling & Collection of Rock Samples, Preparation of Foundation

Investigation Reports & All Geotechnical Services.

Approved by : ONGC, R & B, Irrigation, APSRTC, APERL, Indian Railways, NTPC and Panchayat Raj, PH Departments

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSES!, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/ 239

Date: 3rd May, 2018

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "LKE" D/S, Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 131

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "LKE" D/S, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-87	Sub soil investigation and Recommendation for the foundation of Drill site "LKE" D/S, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-
RF-131	ONGC Rig foundation at "LKE" D/S, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 4 sets of Design and Drawings

Copy to Consultancy Cell of GEC

Copy to Society file



REPORT ON
SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYING
OF PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI
DISTRICT, ANDHRA PRADESH

#### LOCATION

ONGC 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSING #A, EAST GODAVARI DISTRICT - A.P.
TP-17(4)

#### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDRA PRADESH

**SOIL BORING & INVESTIGATION** 

By

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARIMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Gudlavalleru – 521356, A.P.

# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYING OF PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI DISTRICT, ANDHRA PRADESH

### LOCATION

ONGC 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSING #A, EAST GODAVARI DISTRICT - A.P. TP-16 (2)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDRA PRADESH

SOIL BORING & INVESTIGATION

By

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL
DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Gudlavalleru – 521356, A.P.

REPORT ON
SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYING
OF PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI
DISTRICT, ANDHRA PRADESH

### LOCATION

ONGC 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSING #A, EAST GODAVARI DISTRICT - A.P. TP-16(1)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL), ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY ON BEHALF OF THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT, ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDRA PRADESH

SOIL BORING & INVESTIGATION

Вy

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Gudlavalleru – 521356, A.P.

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web; www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/206

Date: 20th April, 2018

To

Sree Venkateswara Tube Well Works,SS Peravalli, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports ST-90(A,B,C), ST-95(A,B), ST-96(A,B,C), ST-97(A,B,C,D,E), ST-98(A,B,C,D,E), ST-99 (A,B,C,D,E) & ST-100 ONGC Rig foundations at "GOUTAHMI AND GODAVARI RIVER CROSSINGS", EAST GODAVARI DISTRICT - A.P and Bill of charges – Reg.

Ref: Report ST-90(A,B,C), ST-95(A,B), ST-96(A,B,C), ST-97(A,B,C,D,E), ST-98(A,B,C,D,E), ST-99 (A,B,C,D,E) & ST-100

I am herewith submitting two sets of Hard copies on Soil testing reports of ONGC Rig foundation at "GOUTAHMI AND GODAVARI RIVER CROSSINGS", EAST GODAVARI DISTRICT - A.P

SI. No.	Name of Work	Consultanc y charges	Total Amount
ST 90A/ ST 90B/ ST 90C/ ST 95A/ST 95B/ ST 96A/ ST 96B/ ST 96C/ST 97A/ ST 97B/ST 97C/ ST 97D/ ST 97E/ ST 98A/ST 98B/ ST 98C/ST 98D/ ST 98E/ ST 99A/ ST 99B/ST 99C/ ST 99D/ST 99E/ ST 100	ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI AND GODAVARI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP-16(1)/TP-16(2)/TP-17(4)/ TP-17(3)/TP-22-7/TP-22-5/ TP-22-6/TP-23-8/TP-4/TP-13/TP-12/ TP-11/TP-14/TP-15/TP-16/TP-17/ TP-18/TP-19/TP-20/TP-21/TP-22/TP-23/ TP-24/TP-5)	Rs.6,000/-	Rs.1,44,000/-
(Rupees One Lakh Forty Four Thousand Only)		Total	Rs.1,44,000/-

Please arrange the payment of the bill amount Rs.12,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

Encl: 2 sets of Soil reports,

Copy to Consultancy Cell of GEC, Copy to Society file

GDVL GDVL 3071

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Egg., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2018/206

Date: 20th April, 2018

To

Sree Venkateswara Tube Well Works, SS Peravalli. West Godavari District

Sir.

Sub: Submission of Hard copy Reports (2sets) on the Soil testing reports ST-90(A,B,C), ST-95(A,B), ST-96(A,B,C), ST-97(A,B,C,D,E), ST-98(A,B,C,D,E), ST-99 (A,B,C,D,E) & ST-100 ONGC Rig foundations at "GOUTAHMI AND GODAVARI RIVER CROSSINGS", EAST GODAVARI DISTRICT - A.P and Bill of charges - Reg.

Ref: Report ST-90(A,B,C), ST-95(A,B), ST-96(A,B,C), ST-97(A,B,C,D,E), ST-98(A,B,C,D,E), ST-99 (A,B,C,D,E) & ST-100

I am herewith submitting two sets of Hard copies on Soil testing reports of ONGC Rig foundation at "GOUTAHMI AND GODAVARI RIVER CROSSINGS", EAST GODAVARI DISTRICT - A.P.

SI. No.	Name of Work	Consultanc y charges	Total Amount
ST 90A/ ST 90B/ ST 90C/ ST 95A/ST 95B/ ST 96A/ ST 96B/ ST 96C/ST 97A/ ST 97B/ST 97C/ ST 97D/ ST 97E/ ST 98A/ST 98B/ ST 98C/ST 98D/ ST 98E/ ST 99A/ ST 99B/ST 99C/ ST 99D/ST 99E/ ST 100	ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI AND GODAVARI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP-16(1)/TP-16(2)/TP-17(4)/ TP-17(3)/TP-22-7/TP-22-5/ TP-22-6/TP-23-8/TP-4/TP-13/TP-12/ TP-11/TP-14/TP-15/TP-16/TP-17/ TP-18/TP-19/TP-20/TP-21/TP-22/TP-23/ TP-24/TP-5)	Rs.6,000/-	Rs.1,44,000/-
Rupees One Lakh Forty Four Thousand Only)		Total	Rs.1,44,000/-

Please arrange the payment of the bill amount Rs.12,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully.

Encl: 2 sets of Soil reports,

Copy to Consultancy Cell of GEC, Copy to Society file

# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYINGTHE PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI DISTRICT, AND HRAPRADESH

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP-5)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL), ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY ON BEHALF OF THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT, ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOILTEST REPORT

Submitted by



## CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Guidlavallems \_ 571256 A D

### REPORT ON

### SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYINGTHE PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI DISTRICT, ANDHRA PRADESH

### 1. INTRODUCTION:

The Chief Engineer (Civil) Rajahmundry Asset, Rajahmundry on behalf of D.G.M.(PRODUCTION), ONGC KG-DWN-98/2 Project, Kakinada and ContractorD.V.S. Rama Rao, Chinchinada, W.G.Dist, A.P. jointly requested the Consultancy Cell of Civil Engineering Department, Gudlavalleru Engineering College, Gudlavalleru, KrishnaDistrict A.P. to conduct necessary testing on soil samples supplied and to recommend for laying the proposed ONGC 20" gas export pipeline at Gouthami river crossings, East GodavariDistrict, Andhra Pradesh.

The following are the responsibilities of D.V.S.Rama Rao, Chinchinada, W.G. District, A.P.

- > Soil boring of 150mm diameter upto 30 meters depth at location as specified by the client.
- > Collection of undisturbed and disturbed soil samples from the bores.
- ➤ Conducting Standard Penetration Test (SPT) at regular intervals within the bores.

  D.V.S.Rama Rao did the soil boring, sample collection and field testing on behalf of DGM (Production), ONGC, KG-DWN-98/2 project, Kakinada.

This report contains the result of field and laboratory tests. Recommendations on bearing capacity of soil for laying of the proposed 20" gas export pipeline are presented in the report.

### 2. THE STRUCTURE AND LOCATION

The proposed Structure is a 20" gas export pipe line, to be laid at Goutahmi river crossings, East Godavari District, Andhra Pradesh.

### 3. FIELD INVESTIGATION PROCEDURE

The sub soil investigation was carried out to determine

- > Classification and extend of each soil & rock stratum likely to be affected by the proposed work.
- Nature of each stratum and engineering properties of soil which may affect the mode of construction of the proposed structure and their foundation.

### 3.1Field Soil Investigation Procedure

D.V.S.Rama Rao, Chinchinada, W.G. District, A.P. has submitted the soil investigation bore data at location of the proposed 20" gas pipe line.

### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standard to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Differential free swell index tests were conducted on clayey soils to know the degree of expansiveness of the soils. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to know the shear strength of soil. The results are presented in Tables 2 to 11.

### 4. 1. SUB SOIL PROFILE

The sub soil profiles at the bore hole locations, based on the identification of soil samples, the test results on both field and laboratory are shown in fig 1. The corresponding design soil parameters are presented in Table 2 to 11.

Bore hole-1 (TP - 5)

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 – 3.05	Black Clay	04 – 05
3.05 – 9.20	Silty Sand	09 – 15
9.20 – 30.00	Black Clay	03 – 07

## 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 3.05m from the ground level is Black clay, from 3.05m to 9.20m is Silty Sand, from 9.20m to 30.00m is Black Clay in BH<sub>1</sub>, open foundation in the form of raft or deep foundation in the form of bore piles is suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to horizontal force.

## Alternative I: Open foundation in the form of Raft Foundation

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_u = C N_c S_c D_c + \gamma D N_q S_q D_q R_w 2 + 0.5 \gamma B N \gamma S \gamma D \gamma R w 2 ---- (1)$$

 $q_a = 35 \text{ (N-3)} [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for sand (2)}$ 

 $q_a = 1.25 \text{ N for clayey soil} ---- (3)$ 

The allowable bearing capacity of 54.03 kN/m² [5.4t/m²], is recommended at a depth of 1.5 m below the existing ground level when the foundation is subjected to light loads. The safe bearing capacity of soil is given in Tables 2 to 6.

### Alternate method II: Bored pile foundation:

Since the soil from 0.00m to 3.40m from the ground level is Black clay, from 3.05m to 9.20m is Silty Sand, from 9.20m to 30.00m is Black Clay in BH<sub>1</sub>, if the loading is heavy, deep foundation in the form of Bored cast in situ pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Tables 2 to 6.

In case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by IS: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 500mm and 600mm diameter piles are considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in IS 2911 (Part 1 / Sec3) – 2010 for bored piles considering Skin Friction and bearing resistance.

Table -1

Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)
	19.50	278.14
500	21.00	289.47
	22.50	313.32
	19.50	328.32
600	21.00	340.46
<del></del>	22.50	369.45

The spacing between the piles shall not be less than 2.75 - 3.0 times the pile diameter. Since the piles are deeper, tremie concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

Mr.Phani Kumar VL CONSULTANCY CE VL Gudiavallers Engineering College, GUDLAVALLERU - 521 056 Krishna Dist., A.P.

## DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

						LOG	. 15131				ate:					
ore	Hole: 1					·	I	Field I	nvest	gation						
ocat	of Bori	rill Site "TP 5"	", Latitud	le 16° 38' : ole diamet	52.1"N, I	Longitude	82° 15	5' 20.1	''E	1 1						
w G.L	Description	Thickness of a layer in meters	Depth at which		vhich		.L:1.	cm		Graphical representation of Penetration Resistance						
Depun	Soil profile	of soil	Thic	D.S.	U.D.S	Depth at v test is con in meters	0-15 cm	15-30 cm	30-45	N - Value		20 3		0 :	50	
l 2		Brown Clay	3.05	SPT1		1.50	2	2	3	5	•					
				SPT2		3.0	2	2	2	4						
				SPT3		4.50	4	4	5	9			$\dashv$		<u> </u>	
		Silty Sand	6.15	SPT4		6.0	4	3	7	10						
				SPT5 SPT6		7.50 9.0	5 6	8	6	12 15				_	<u> </u>	
		:		SPT7		10.50	3	3	2	5						
				SPT8		12.0	2	1	3	4				1		
				SPT9		13.50	2	2	2	4			7	$\dashv$	_	
				SPT10		15.0	1	2	1	3	•			$\pm$		
				SPT11		16.50	2	2	2	4	•			_		
				SPT12		18.0	1	2	3	5	•			_		
				SPT13		19.50	2	2	2	4	+		+	+	_	
-		Black Clay	20.80	SPT14		21.0	2	2	1	3	•			7	_	
					SPT15		22.50	2	2	2	4			$\perp$	+	
				SPT16		24.0	2	3	2	5	•			+	_	
				SPT17		25.50	2	2	2	4			_	$^{+}$		
		ĺ		SPT18   SPT19		27.0	2 2	3	2 3	5	•		+	-	$\dashv$	
				SPT20		30.0	3	3	4	6	•			+		
-2		No	te. The te	est results	annis, ani	ſ	- 1		1	· 1	• 1				ئـــــ	

Note: The test results apply only to the samples sent to the laboratory.

Fig 1: Results obtained from field in bore hole1

## GUDLAVALLERU ENGINEERING COLLEGE :: GUDLAVALLERU

### TABLE: 2 Idealized Design Soil Parameter

## PROJECT:LAYING OF PROPOSED 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSINGS

Location: Drill site TP 5. Bore Hole No: 1 Depth of Water Level: 1.00m b.g.l

Depth below			Natural		Recorded	Shear pa	rameters			
the existing ground level (metres)	Visual identification of soil	IS Soil classifi- cation	moisture content (%)	Dry Unit Weight [kN/N³]	Recorded SPT Value (N)	Cohesion C (kN/m²)	φ (deg)	Unconfined Compressiv e strength (kN/m²)	Net Safe bearing capacity (kN/m <sup>2</sup> )	
0.00 - 3.05	Black Clay	СН	80.12 - 80.39	10.82 - 11.36	04 – 05	24 – 27		48 – 54	47.51	
3.05 – 9.20	Silty Sand	SP_	29.28 - 31.21	15.89 - 17.68	09 – 15	_	27 <sup>0</sup> – 28 <sup>0</sup>	_	226,64	
9.20 – 30.00	Black Clay	СН	82.98 - 85.23	10.15 - 11.81	03 – 07	15 – 36	_	30 – 72	103.18	

Note: The test results apply only to the samples sent to the laboratory

### COMPERCING COLUEGE:: GUDLAVALLERU

### TABLE No: 3 Results of Laboratory Soil Testing

PROJECT: LAYING OF PROPOSED 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSINGS Location: Drill site TP 5. Bore Hole No: 1 Depth of Water Level: 1.00m b.g.l

											VI LICTO	• T•AAA	I D.Z.L					
Depth below GL (m)	Type of sample	Visual Visual Soil	IS Soil classification	str	Dry unit weight,	Natural moisture content (%)	Liquid Limit (%)	Plastic Limit (%)	Plasticity Index (%)	Gravel size (%)	Coarse Sand size (%)	Medium Sand size (%)	Fine Sand size (%)	Slit and clay size (%)	Compression	Swell Potential	Recorded SPT value (N)	Differential Free Swell Index (%)
0.00 - 3.05	-	Black Clay	(*)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
1.5	SPT1	-do-	CH	54	10.00	-	-	<del>  -</del>	<u> </u>	<u> </u>		-	-	-	-	-	-	(1)
3	SPT2	-do-	CH	48	10.82	80.39	96.04	43.87	52.17	0.23	0.45	0.27	0.97	98.08	0.60	3.2	5	94
3.05 - 9.20	-	Silty Sand	CII	- 40	11.36	80.12	95.87	40.25	55.62	0.10	0.25	0.55	0.88	98.22			4	
4.5	SPT3	-do-	SP		15.89	31.01	<del>-</del> -	-	-	-		-		-	-	_	-	_
6	SPT4	-do-	SP		17.14	31.21		<del>  -</del>	<u> </u>	0.00	0.43	2.09	40.98	56.50			9	
7.5	SPT5	-do-	SP		17.68	30.98	<u> </u>	-		0.00	0.46	1.89	41.87	55.78			10	
9	SPT6	-do-	SP		16.87	29.28 30.21	-	<del>-</del> _	<del>  -</del>	0.00	0.32	1.03	38.05	60.60			12	
9.20 - 30.00	-	Black Clay	-		10.07	30.∠1		-	<del>-</del> -	0.00	0.51	2.31	45.86	51.32			15	
10.5	SPT7	-do-	СН	52	11.81	82.98	02.07	- 40.00	-	<u> </u>					-	-	-	-
12	SPT8	-do-	CH	46	11.56	84.09	93.87	40.13	53.74	0.00	0.21	0.34	0.71	98.74			5	92
13.5	SPT9	-do-	CH	48	10.29	85.23	94.16	41.65	52.51	0.00	0.26	0.43	0.87	98.44	0.59	3.2	4	
15	SPT10	-do-	CH	34	11.05	84.78	96.73 95.34	43.87	52.86	0.05	0.18	0.32	0.62	98.83			4	
16.5	SPT11	-do-	СН	42	10.98	83.07	92.09	43.16	52.18	0.00	0.16	0.45	0.28	99.11			3	
18	SPT12	-do-	СН	54	10.49	83.63	95.13	42.99	49.10	0.00	0.25	0.54	0.97	98.24	0.57	3.2	4	
19.5	SPT13	-do-	CH	44	11.05	83.57	94.02	45.07	50.06	0.00	0.00	0.68	1.06	98.26			5	
21	SPT14	-do-	CH	36	10.75	84.09	90.31	-	52.13	0.00	0.18	0.71	0.99	98.12			4	
22.5	SPT15	-do-	CH	48	10.41	83.90	91.34	40.78	49.53	0.06	0.31	0.69	1.08	97.86	0.56	3.2	3	
24	SPT16	-do-	СН	54	10.23	84.78	98.33	43.17 41.74	48.17	0.10	0.14	0.56	1.00	98.20			4	
25.5	SPT17	-do-	CH	42	10.58	84.37	93.78		56.58	0.00	0.24	0.68	1.12	97.96			5	
27	SPT18	-do-	CH	58	10.89	84.18	94.56	44.78	49.00	0.00	0.31	0.91	1.30	97.48			4	
28.5	SPT19	-do-	CH	66	10.15	83.77	95.03	43.81	50.75	0.00	0.28	0.87	1.47	97.38			5	
30	SPT20	-do-	CH	74	10.68	84.21	93.45	43.26	52.35	0.04	0.00	0.22	0.62	99.12	0.60	3.2	6	
				Note: The					30.19	0.00	0.11	0.34	0.98	98.57		T	7	

Note: The test results apply only to the samples sent to the laboratory

### Recommendations

Based on the field and laboratory tests on soil samples collected from bore hole, the following recommendations are made.

- > Open foundation in the form of raft foundation for light loads is suitable.
- The safe bearing capacity of the soil is 5.4 t/m<sup>2</sup> at a depth of 1.5m b.g.l. for a width of 1.5m.
- > Deep foundation in the form of bored cast in situ pile foundation can also be adopted in case of heavy load conditions. The safe load carrying capacity values of the single pile with diameters, 500mm and 600mm are given in table.1
- > In case pile foundations are adopted, the safe load carrying capacity of a single pile should be checked from pile load test as per the provisions laid down in IS: 2911 (Part - IV),

**INCHARGE** 

OF GTE LAB

CONSULTANCY CELL Gudlavalleru Engineering College, Budlavalleru Engineering College GUDLAVALLERU - 521 056 Krishna Dist, A.P. Sudlavalleru 521 356

H.O.D OF

CIVIL ENGG.

Head of Civil Engineering

PRINCIPAL

Gudlavatieru Engineering College, GUDLAVALLERU-521 356

### LOCATION

ONGC 20"GAS EXPORT PIPE LINE AT GAUTHAMI AND GODAVARI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P TP (17)-3

#### CLIENTS

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING & INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC 20"GAS EXPORT PIPE LINE AT GAUTHAMI AND GODAVARI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P TP(22)-7

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING & INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARIMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### **LOCATION**

ONGC 20"GAS EXPORT PIPE LINE AT GODAVARI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P TP (23)-8

#### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING & INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



# CONSULTANCY CELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC 20"GAS EXPORT PIPE LINE AT GODAVARI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P TP (23)-8

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING & INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GODAVARI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P TP(22)-6

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GODAVARI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P TP(22)-6

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GODAVARI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P TP(22)-5

### CLIENTS

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC 20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP-12)

### CLIENTS

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING & INVESTIGATION

 $\mathbf{B}\mathbf{y}$ 

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P. (TP-4)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL), ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY ON BEHALF OF THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT. ONGC-KAKINADA, E.G. Dt., A.P

& D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

#### SOILTEST REPORT

Submitted by



CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada. NAAC Accredited with A Grade & Accredited by NBA) SeshadriRao knowledge village

Gudlavalleru - 521356, A.P.

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP-13)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

 $\mathbf{B}\mathbf{y}$ 

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOILTEST REPORT

Submitted by



### CONSULTANCYCELL DEPARIMENT OF CIVIL ENGINEERING

## GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP-11)

#### CLIENTS

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



## CONSULTANCYCELL \*\*DEPARTMENT OF CIVIL ENGINEERING\*\* \*\*THE CONSULTANCYCELL\* \*\*THE CONSULTANCYCELL\*\* \*\*THE CONSULTANCYC

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP-14)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

 $\mathbf{B}\mathbf{y}$ 

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



CONSULTANCYCELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC 20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP – 19)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

**SOIL BORING & INVESTIGATION** 

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARIMENT OF CIVIL ENGINEERING
GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP - 17)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL), ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY ON BEHALF OF THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT, ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



CONSULTANCYCELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP – 16)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



CONSULTANCYCELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP – 15)

#### CLIENTS

THE CHIEF ENGINEER (CIVIL), ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY ON BEHALF OF THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT, ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING

### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Gudlavalleru - 521356, A.P.

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP – 18)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP - 24)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS,EAST GODAVARI DISTRICT - A.P (TP - 22)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

& D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOILTEST REPORT

Submitted by



CONSULTANCYCELL

DEPARTMENT OF CIVIL ENGINEERING

GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP - 23)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

### SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP - 21)

#### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### LOCATION

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP - 20)

### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



# CONSULTANCYCELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

### **LOCATION**

ONGC20"GAS EXPORT PIPE LINE AT GOUTAHMI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P (TP – 20)

#### CLIENTS

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M.(PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC-KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

#### SOIL BORING& INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOILTEST REPORT

Submitted by



CONSULTANCYCELL

DEPARIMENT OF CIVIL ENGINEERING

### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Gudlavalleru - 521356, A.P.

### REPORT ON

### SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYINGTHE PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI DISTRICT, ANDHRA PRADESH

### 1. INTRODUCTION:

The Chief Engineer (Civil) Rajahmundry Asset, Rajahmundry on behalf of D.G.M.(PRODUCTION), ONGC KG-DWN-98/2 Project, Kakinada and Contractor D.V.S. Rama Rao, Chinchinada, W.G.Dist, A.P. jointly requested the Consultancy Cell of Civil Engineering Department, Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend for laying the proposed ONGC 20" gas export pipeline at Gouthami river crossings, East Godavari District, Andhra Pradesh.

The following are the responsibilities of D.V.S.Rama Rao, Chinchinada, W.G. District, A.P.

- ➤ Soil boring of 150mm diameter upto 30 meters depth at the location as specified by the client.
- > Collection of undisturbed and disturbed soil samples from the bores.
- ➤ Conducting Standard Penetration Test (SPT) at regular intervals within the bores.

  D.V.S.Rama Rao did the soil boring, sample collection and field testing on behalf of DGM (Production), ONGC, KG-DWN-98/2 project, Kakinada.

This report contains the result of field and laboratory tests. Recommendations on bearing capacity of soil for laying of the proposed 20" gas export pipeline are presented in the report.

### 2. THE STRUCTURE AND LOCATION

The proposed Structure is a 20" gas export pipe line, to be laid at Gowthami river crossings, East Godavari District, Andhra Pradesh at location TP-20.

### 3. FIELD INVESTIGATION PROCEDURE

The sub soil investigation was carried out to determine

- > Classification and extend of each soil & rock stratum likely to be affected by the proposed work.
- ➤ Nature of each stratum and engineering properties of soil which may affect the mode of construction of the proposed structure and their foundation.

### 3.1 Field Soil Investigation Procedure

D.V.S.Rama Rao, Chinchinada, W.G. District, A.P. has submitted the soil investigation bore data at the location TP-20 of the proposed 20" gas pipe line.

### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standard to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Differential free swell index tests were conducted on clayey soils to know the degree of expansiveness of the soils. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to know the shear strength of soil. The results are presented in Tables 2 & 3.

### 4. 1. SUB SOIL PROFILE

The sub soil profiles at five bore hole locations, based on the identification of soil samples, the test results on both field and laboratory are shown in fig 1. The corresponding design soil parameters are presented in Table 2.

Bore hole-1 (TP - 20)

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 – 3.10	Brown Clay	06 – 07
3.10 – 9.50	Black Clay	03 – 05
9.50 – 15.50	Silty Sand	08 – 13
15.50 – 30.00	Black Clay	03 – 06

### 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 3.10m below the ground level is Brown Clay, from 3.10m to 9.50m is Black Clay, from 9.50m to 15.50m is Silty Sand, from 15.50m to 30.00m is Black Clay in BH<sub>I</sub>, open foundation in the form of raft or deep foundation in the form of bored piles is suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to horizontal force.

### Alternative I: Open foundation in the form of Raft Foundation

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_u = C N_c S_c D_c + \gamma D N_q S_q D_q R_w 2 + 0.5 \gamma B N \gamma S \gamma D \gamma R w 2 ---- (1)$$

 $q_a = 35 \text{ (N-3)} [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for sand (2)}$ 

 $q_a = 1.25 \text{ N for clayey soil} ---- (3)$ 

An allowable bearing capacity of 93.20 kN/m<sup>2</sup> [9.32t/m<sup>2</sup>] is recommended at a depth of 1.5 m below the existing ground level when the foundation is subjected to light loads. The safe bearing capacity of soil is given in Table 2.

### Alternate method II: Bored pile foundation:

Since the soil from 0.00m to 3.10m below the ground level is Brown Clay, from 3.10m to 9.50m is Black Clay, from 9.50m to 15.50m is Silty Sand, from 15.50m to 30.00m is Black Clay in BH<sub>1</sub>, if the loading is heavy, deep foundation in the form of Bored cast in situ pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Table 2.

In case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by IS: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 500mm and 600mm diameter piles are considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in IS 2911 (Part 1 / Sec3) – 2010 for bored piles considering Skin Friction and bearing resistance.

Table -1

Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)
	19.50	334.64
500	21.00	354.57
	22.50	373.99
	19.50	395.61
600	21.00	419.32
	22.50	442.10

The spacing between the piles shall not be less than 2.75 - 3.0 times the pile diameter. Since the piles are deeper, tremie concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

Mr.Phani Kumar V

Gudlavalleru Engineering College, GUDLAVALLERU - 521 358 Krishna Dist., A.P.

### DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

			3023		E LOG				D	ate:			
Hole:	1. Drill Site "TP 2	1022 I add	do 16 <sup>0</sup> 20	2 2 56022	N. Longita	1da 90	Field	Invest	igation	1			
e of Bor	ing:		Hole diame					.80 m					
Soil profile	Description of soil	Thickness of layer in meters	So which	S.d. are collected	Depth at which test is conducted in meters	0-15 cm	15-30 cm	30 –4 5 cm	N - Value	repr	phical esenta etratio istance	ation o	
						<u> </u>	+ -	+		110		70 40	7
	Brown Clay	3.10	SPT1		1.50	4	3	4	7	7	+		
			SPT2		3.0	2	4	2	6	+	+		
			SPT3	5.00	4.50	2	2	2	4	•			
-	Black Clay	6.40	SPT4	3.00	6.0	2	3	2	, 5	•			
			SPT5		7.50	2	1	2	3	+			_
			SPT6		9.0	2	2	2	4	•			
			SPT7		10.50	5	4	4	8	-	-		
	1		SPT8		12.0	7	6	4	10		-		
	Silty Sand	6.00	SPT9		13.50	5	5	6	11				
-1333333 -13333333	i		SPT10		15.0	6	7	6	13		+-+	-	
			SPT11		16.50	2	1	2	3	1			
			SPT12		18.0	2	2	2	4		+		-
	Black Clay	14.50	SPT13		19.50	2	1	2	3				
			SPT14		21.0	2	2	2	4	1			
			SPT15	}	22.50	1	1		f	1		+	+
	ŧ			ł	}		2	2	4				
			SPT16		24.0	2	1	2	3	•	-	<u> </u>	
			SPT17		25.50	2	2	2	4		+-		+-
			SPT18		27.0	2	2	3	5	•			
		:	SPT19		28.50	2	2	2	4			-	
			SPT20		30.0	2	3	3	6				

Note: The test results apply only to the samples sent to the laboratory. Fig 1: Results obtained from field in bore hole 1

#### GUDLA VALLERO ENGINEERING COLLEGES COLLEGES

#### TABLE: 2 Idealised Design Soil Parameter

# PROJECT:LAYING OF PROPOSED 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSINGS Location: Drill site TP 20. Bore Hole No: 1 Depth of Water Level: 1.80 m b.g.l

						Shear par	rameters		
Depth below the existing ground level (metres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight [kN/N³]	Recorded SPT Value (N)	Cohesion C (kN/m <sup>2</sup> )	φ (deg)	Unconfined Compressiv e strength (kN/m²)	Net Safe bearing capacity (kN/m <sup>2</sup> )
0.00 - 3.10	Brown Clay	СН	39.63 - 42.09	13.78 – 14.86	06 – 07	32 – 36	· _	64 - 72	56.23
3.10 – 9.50	Black Clay	СН	17.22 – 21.23	14.23 – 15.77	03 – 05	17 – 28	_	34 – 56	53.13
9.50 – 15.50	Silty Sand	SP	15.23 – 18.50	16.94 – 17.23	08 – 13	_	$26^{0} - 27^{0}$	_	203.44
15.50 – 30.00	Black Clay	СН	25.40 - 83.88	11.42 – 17.87	03 – 06	17 – 32	-	34 – 64	94.50

Note: The test results apply only to the samples sent to the laboratory

#### TABLE No: 3 Results of Laboratory Soil Testing PROJECT: LAYING OF PROPOSED 20" GAS EXPORT PIPE LINE AT GOUTHAMI RIVER CROSSINGS

Location: Drill site TP 20. Bore Hole No: 1 Depth of Water Level: 1.80 m b.g.l

(1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (10) (10) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (10) (10) (10) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (19) (10) (10) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (19) (10) (10) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (19) (10) (10) (10) (10) (10) (10) (10) (10		т		,										-					
(1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (10) (10) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (19) (10) (10) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (19) (10) (10) (10) (10) (10) (10) (10) (10		Type of sample	Visual Identification of soil	IS Soil classification	Unconfined compressive strength [kN./m²]	Dry unit weight, $\gamma_d$ , [kN./m <sup>3</sup> ]	Natural moisture content (%)	Liquid Limit (%)	Plastic Limit (%)	Plasticity Index (%)	size	Coarse Sand size (%)		Sand (%)	clay (0)	Compression Index	Swell Potential Kg/cm <sup>2</sup>	Recorded SPT value (N)	Differential Free Swell Index (%)
0.00 - 3.10   -		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
1.50   SPT1   -do-   CH   72   14.86   39.63   65.17   51.56   13.61   0.07   0.19   1.84   2.27   95.63   0.39   0.8   7   45   3.00   SPT2   -do-   CH   64   13.78   42.09   60.14   40.98   19.16   0.00   0.34   2.07   3.87   93.72   6   6   6   6   6   6   6   6   6		-	Brown Clay		-	_	-			-	-		-		<del>                                     </del>	- (10)	-	(10)	(19)
3.00 SPT2 -de- CH 64 13.78 42.09 60.14 40.98 19.16 0.00 0.34 2.07 3.87 93.72				СН	72	14.86	39.63	65.17	51.56	13.61	0.07	0.19	1.84	2.27		0.39	0.8	7	45
3.10 - 9.50   -   Black Clay   -   -   -   -   -   -   -   -   -				СН	64	13.78	42.09	60.14	40.98	19.16	0.00					0.07	0.0		3
4.50   SPT3	*		Black Clay	-		_	-	-	-	T -	-				<del></del>	_	_	<u> </u>	
SPT4							19.23	76.98	39.87	37.11	0.00	0.45	0.98	1.26	97.31	0.47	0.8	4	
7.50   SPT5   -do-   CH   34   14.23   21.23   77.24   40.27   36.97   0.00   0.58   1.31   1.42   96.69   0.47   1.6   3     9.00   SPT6   -do-   CH   48   14.56   19.09   78.17   38.12   40.05   0.00   0.72   1.46   2.01   95.81					56	15.77	17.22	80.25	42.18	38.07	0.00	0.68	1.03			-			
9.00   SPT6   -do-   CH   48   14.56   19.09   78.17   38.12   40.05   0.00   0.72   1.46   2.01   95.81   4     9.50 - 15.50   -   Sity Sand   -   -   -   -   -   -   -   -   -				-			21.23	77.24	40.27	36.97	0.00	0.58	1.31			0.47	1.6		
10.50   SPT18   -do-   SP   -   17.23   15.23   -   -   -   0.00   0.25   10.45   27.65   61.65   8   10.50   SPT8   -do-   SP   -   16.94   18.50   -   -   0.05   0.18   10.28   20.62   68.87   10   11.500   SPT9   -do-   SP   -   17.06   16.13   -   -   0.36   0.52   9.26   23.17   66.69   11   11.500   SPT10   -do-   SP   -   17.18   17.98   -   -   0.11   0.48   8.37   22.65   68.39   13   13   15.50   30.00   -   Black Clay   -   -   -   -   -   -   -   -   -		SPT6		CH	48	14.56	19.09	78.17	38.12	40.05	0.00	0.72	1.46						
10.50   SPT7   -do-   SP   -   17.23   15.23   -   -   -   0.00   0.25   10.45   27.65   61.65   8     12.00   SPT8   -do-   SP   -   16.94   18.50   -   -   0.05   0.18   10.28   20.62   68.87   10     13.50   SPT9   -do-   SP   -   17.06   16.13   -   -   -   0.36   0.52   9.26   23.17   66.69   11     15.00   SPT10   -do-   SP   -   17.18   17.98   -   -   0.11   0.48   8.37   22.65   68.39   13     15.50   SPT11   -do-   CH   36   12.36   76.25   89.65   42.89   46.76   0.00   0.13   1.46   2.07   96.34   3   98     18.00   SPT12   -do-   CH   42   13.09   70.25   84.28   41.67   42.61   0.00   0.42   1.54   2.67   95.37   0.52   3.2   4     19.50   SPT13   -do-   CH   44   12.76   74.26   82.72   47.45   35.27   0.00   0.17   1.32   2.10   96.41   4     22.50   SPT15   -do-   CH   46   14.95   52.37   86.12   40.26   45.86   0.00   0.00   0.03   0.08   99.89   3     25.50   SPT17   -do-   CH   48   13.78   59.72   90.12   43.18   46.94   0.00   0.45   0.76   1.09   97.70   5     28.50   SPT19   -do-   CH   42   15.98   48.42   87.62   43.98   43.64   0.00   0.76   1.23   1.28   96.73   4						1	-	-		-	-	-			-	-			_
12.00   SPT8   -do   SP   -   16.94   18.50   -   -   -   0.05   0.18   10.28   20.62   68.87   10     13.50   SPT9   -do   SP   -   17.06   16.13   -   -   0.36   0.52   9.26   23.17   66.69   11     15.00   SPT10   -do   SP   -   17.18   17.98   -   -   -   0.11   0.48   8.37   22.65   68.39   13     15.50   30.00   -   Black Clay   -   -   -   -   -   -   -   -   -	-			-	-		15.23	-	-	-	0.00	0.25	10.45	27.65	61.65				
13.50   SPT9   -do-   SP   -   17.06   16.13   -   -   -   0.36   0.52   9.26   23.17   66.69   11     15.00   SPT10   -do-   SP   -   17.18   17.98   -   -   -   0.11   0.48   8.37   22.65   68.39   13     15.50   30.00   -   Black Clay   -   -   -   -   -   -   -   -   -					- 8			-	-	-	0.05	0.18	10.28						
15.00   SPT10   -do-   SP   -   17.18   17.98   -   -   -   0.11   0.48   8.37   22.65   68.39     13					-	17.06		-		-	0.36	0.52	9.26						
15.50 - 30.00   -   Black Clay   -   -   -   -   -   -   -   -   -		SPT10		SP	-	17.18	17.98	-	-	-	0.11	0.48	8.37	22.65					
18.00         SPT12         -do-         CH         42         13.09         70.25         84.28         41.67         42.61         0.00         0.42         1.54         2.67         95.37         0.52         3.2         4           19.50         SPT13         -do-         CH         38         11.42         83.88         85.39         44.28         41.11         0.07         0.23         1.23         2.43         96.04         3           21.00         SPT14         -do-         CH         44         12.76         74.26         82.72         47.45         35.27         0.00         0.17         1.32         2.10         96.41         4           22.50         SPT15         -do-         CH         46         14.95         52.37         86.12         40.26         45.86         0.00         0.00         0.98         1.67         97.35         4           24.00         SPT16         -do-         CH         34         13.50         63.13         83.09         42.83         40.26         0.00         0.00         0.08         99.89         3           25.50         SPT17         -do-         CH         48         13.78         59.72				-		-	-	-	-	-		-				-	-		
18.00         SPT12         -do-         CH         42         13.09         70.25         84.28         41.67         42.61         0.00         0.42         1.54         2.67         95.37         0.52         3.2         4           19.50         SPT13         -do-         CH         38         11.42         83.88         85.39         44.28         41.11         0.07         0.23         1.23         2.43         96.04         3           21.00         SPT14         -do-         CH         44         12.76         74.26         82.72         47.45         35.27         0.00         0.17         1.32         2.10         96.41         4           22.50         SPT15         -do-         CH         46         14.95         52.37         86.12         40.26         45.86         0.00         0.00         0.98         1.67         97.35         4           24.00         SPT16         -do-         CH         34         13.50         63.13         83.09         42.83         40.26         0.00         0.00         0.03         0.08         99.89         3           25.50         SPT17         -do-         CH         48         13.78				_			76.25	89.65	42.89	46.76	0.00	0.13	1.46	2.07	96.34			3	98
19.50   SPT13   -do-									41.67	42.61	0.00	0.42	1.54	2.67		0.52	3.2		
21.00   SPT14   -do-									44.28	41.11	0.07	0.23	1.23	2.43					
22.50   SPT15   -do-									47.45	35.27	0.00		1.32	2.10					
24.00         SPT16         -do-         CH         34         13.50         63.13         83.09         42.83         40.26         0.00         0.00         0.03         0.08         99.89           25.50         SPT17         -do-         CH         48         13.78         59.72         90.12         43.18         46.94         0.00         0.21         0.34         0.26         99.19         4           27.00         SPT18         -do-         CH         56         14.56         51.28         93.29         53.70         39.60         0.00         0.45         0.76         1.09         97.70         5           28.50         SPT19         -do-         CH         42         15.98         48.42         87.62         43.98         43.64         0.00         0.76         1.23         1.28         96.73         4           30.00         SPT20         do         CH         44         17.87         25.40         80.34         43.64         0.00         0.76         1.23         1.28         96.73         4									40.26	45.86	0.00	0.00	0.98	1.67					
25.50 SPT17 -do- CH 48 13.78 59.72 90.12 43.18 46.94 0.00 0.21 0.34 0.26 99.19 4  27.00 SPT18 -do- CH 56 14.56 51.28 93.29 53.70 39.60 0.00 0.45 0.76 1.09 97.70 5  28.50 SPT19 -do- CH 42 15.98 48.42 87.62 43.98 43.64 0.00 0.76 1.23 1.28 96.73 4										40.26	0.00	0.00	0.03	0.08					
27.00 SPT18 -do- CH 56 14.56 51.28 93.29 53.70 39.60 0.00 0.45 0.76 1.09 97.70 5  28.50 SPT19 -do- CH 42 15.98 48.42 87.62 43.98 43.64 0.00 0.76 1.23 1.28 96.73 4									43.18	46.94	0.00	0.21	0.34	0.26				_	
28.50 SPT19 -do- CH 42 15.98 48.42 87.62 43.98 43.64 0.00 0.76 1.23 1.28 96.73 4										39.60	0.00	0.45	0.76	1.09					
3[10]   SP170   do   CD   64   17.97   25.40   00.24   40.40   47.61   47.61   47.61   47.61   47.61   47.61										43.64	0.00	0.76	1.23	1.28					
Note: The test results apply only to the samples sent to the laboratory	30.00	SPT20	-do-	CH		,			42.10	47.24	0.06	0.89	1.43	1.65	95.97	0.55	3.2	6	

Note: The test results apply only to the samples sent to the laboratory

#### Recommendations

Based on the field and laboratory tests on soil samples collected from bore hole, the following recommendations are made.

- > Open foundation in the form of raft foundation for light loads is suitable.
- The safe bearing capacity of the soil is 9.32 t/m<sup>2</sup> at a depth of 1.5m b.g.l. for a width of 1.5m.
- > Deep foundation in the form of bored cast in situ pile foundation can also be adopted in case of heavy load conditions. The safe load carrying capacity values of the single pile with diameters, 500mm and 600mm are given in table.1
- > In case pile foundations are adopted, the safe load carrying capacity of a single pile should be checked from pile load test as per the provisions laid down in IS: 2911 (Part - IV).

OF GTE LAB

H.O.D OF CIVIL ENGG.

CONSULTANCY CELL Head of Civil Engineering ediavalleru Engineering College diavalleru Engineering College GUOLAWALLERU - 521 355 Gudlayelleru 521 356.

Unished Dist., A.P.

Gudlavalleru Engineering College, GUDLAVALLERU-521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVA, LERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Ede., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/207-

Date: 20th April, 2018

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "PS-DS-DR" D/S, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 135

am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "PS-DS-DR" D/S, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-191	Sub soil investigation and Recommendation for the foundation of Drill site "PS-DS-DR" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-135	ONGC Rig foundation at "PS-DS-DR" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

Encl: 4 sets of Design and Drawings

Copy to Consultancy Cell of GEC

#### REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED PLOT FOR NEW RCMT SHED AT NARASAPUR, RAJAMUNDRY ASSET, WEST GODAVARI DISTRICT ANDHRA PRADESH

#### LOCATION

PLOT FOR NEW RCMT SHED NARASAPUR, RAJAMUNDRY ASSET WEST GODAVARI DISTRICT - A.P

#### **CLIENTS**

M/S PROJECTS & DEVELOPMENT INDIA LIMITED (PDIL)

SREE VENKATESWARA TUBE WELL WORKS
CONTRACTOR,
PERAVALI,
WEST GODAVARI DISTRICT,
ANDHRA PRADESH

SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

#### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

S CONTRACTOR OF THE SECOND SEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/260

18<sup>th</sup> May, 2018 /260

To

Sree Venkateswara Tube Well Works,

Narasapur,

**West Godavari District** 

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Sub soil investigation and recommendations for the foundation of proposed plot for new RCMT shed at Narasapur, Rajahmundry Asset, West Godavari District, A.P and Bill of charges – Reg.

Ref: Report ST-105

I am herewith submitting five sets of Hard copies on Submission of Hard copy Reports (5sets) on the Sub soil investigation and recommendations for the foundation of proposed plot for new RCMT shed at Narasapur, Rajahmundry Asset, West Godavari District, A.P

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-105	Sub soil investigation and recommendations for the foundation of proposed plot for new RCMT at Narasapur, Rajahmundry Asset, West Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees	Ten Thousand Only)	<b>Total</b>	Rs.10,000/-

Please arrange the payment of the bill amount Rs.10,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394 Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 5 sets of soil reports

Copy to Consultancy Cell of GEC



ST-106 10/7/18

REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED RESIDENTIAL BUILDING MACHILIPATNAM, KRISHNA DISTRICT ANDHRA PRADESH

#### LOCATION

D-No-4/345, 4/346 RAJUPETA, REVENUE WARD - 04 MACHILIPATNAM, KRISHNA DISTRICT - A.P

#### **CLIENTS**

CHANDIKA RAMA KRISHNA
D-No-4/345, 4/346
RAJUPETA, REVENUE WARD – 04
MACHILIPATNAM,
KRISHNA DISTRICT - A.P

#### SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL
DEPARTMENT OF CIVIL ENGINEERING

#### **GUDLAVALLERU ENGINEERING COLLEGE**

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada,
NAAC Accredited with A Grade & Accredited by NBA)
SeshadriRao Knowledge Village
Gudlavalleru — 521356, A.P

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-5.21 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/6/6

Date: 12<sup>nd</sup> November, 2018

To Sree Venkateswara Tube Well Works,SS Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "PAGE" D/s, West Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 139

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "PAGE" D/s, West Godavari District, A.P

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-110	Sub soil investigation and Recommendation for the foundation of Drill site "PAGE" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-139	ONGC Rig foundation at "PAGE" D/s, West Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

FRINGIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

REF: GEC/ONGC/CONSULTANCY/2018/

24th November, 2018

To

Sree Venkateswara Tube Well Works,

Peravalli,

West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Sub Soil Investigation and

recommendations for the foundation of an apartment building (S+G+5) Yanam

and Bill of charges - Reg.

Ref: Report ST-111

I am herewith submitting four sets of Hard copies on sub soil investigation and recommendations for the foundation of an apartment building (S+G+5) Yanam.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-111	Sub Soil Investigation and recommendations for the foundation of an apartment building (S+G+5) Yanam.	Rs.6,000/-	Rs.6,000/-
(Rupees	Six Thousand Only)	Total	Rs.6,000/-

Please arrange the payment of the bill amount Rs.6,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394 Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Designs

Copy to Consultancy Cell of GEC

Copy to Society file

GONT COLL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MILM,

Principal R

REF: GEC/ONGC/CONSULTANCY/2018/

24<sup>th</sup> November, 2018

To

Sree Venkateswara Tube Well Works,

Peravalli,

West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Sub Soil Investigation and

recommendations for the foundation of an apartment building (S+G+5) Yanam

and Bill of charges - Reg.

Ref: Report ST-111

I am herewith submitting four sets of Hard copies on sub soil investigation and recommendations for the foundation of an apartment building (S+G+5) Yanam.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-111	Sub Soil Investigation and recommendations for the foundation of an apartment building (S+G+5) Yanam.	charges	Rs.6,000/-
(Rupees	Six Thousand Only)	Total	Rs.6,000/-

Please arrange the payment of the bill amount Rs.6,000/- through Demand Draft in favour of "Principal, Gudlavalieru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394 Thanking you,

Yours faithfully,

/ PRINCIPAL

Encl: 4 sets of Designs

Copy to Consultancy Cell of GEC



#### REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF AN APARTMENT BUILDING (S+G+5) YANAM

LOCATION

#### APARTMENT BUILDING THYAGARAYA STREET, YANAM

**CLIENTS** 

V SATYANARAYANA RAJU, S/O GOPALA RAJU, D-NO-03-04-029, THYAGARAYA STREET, YANAM

SOIL BORING & INVESTIGATION BY

# M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



# CONSULTANCY CELL DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P

#### REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF AN APARTMENT BUILDING (S+G+5) YANAM

#### 1. INTRODUCTION:

V Satyanarayana Raju, S/O Gopala Raju and M/S Sri Venkateswara Tube well Works, Peravali requested the Consultancy cell of Civil Engineering Department, Gudlavalleru Engineering College, Gudlavalleru, Krishna District A.P. to conduct necessary testing on soil samples supplied and to recommend suitable foundation for the proposed Apartment building (S+G+5) at Thyagaraya Street, Yanam.

The following are the responsibilities of M/S Sri Venkateswara Tube well Works, Peravali.

- > Soil boring of 150mm diameter upto 30 meters depth at one location as specified by the client.
- > Collection of undisturbed and disturbed soil samples from the bore.
- > Conducting Standard Penetration Test (SPT) at regular intervals within the bore.

M/S Sri Venkateswara Tube well Works, Peravali did the soil boring, sample collection and field testing on behalf of V Satyanarayana Raju, S/O Gopala Raju, D-No-03-04-029, Thyagaraya Street, Yanam.

This report contains the result of field and laboratory tests. Recommendations on bearing capacity of soil and type & depth of foundation for the proposed apartment building are presented in the report.

#### 2. THE STRUCTURE AND LOCATION

1

The proposed Structure is an apartment building (S+G+5). The proposed structure is to be built at D-No-03-04-029, Thyagaraya Street, Yanam.

#### 3. FIELD INVESTIGATION PROCEDURE

The sub soil investigation was carried out to determine

- Classification and extend of each soil & rock stratum likely to be affected by the proposed work.
- Nature of each stratum and engineering properties of soil which may affect the mode of construction of the proposed structure and their foundation.

#### 3.1 Field Soil Investigation Procedure

M/s. Sri Venkateswara Tube well works; Peravalli has submitted the soil investigation bore data at one location of the proposed drill site.

#### 4. LABORATORY TESTS

Indices tests such as natural moisture content, liquid limit, plastic limit and unit weight were conducted on DS/UDS soil samples as per Indian Standard to identify and establish the consistency of these soils. Sieve analysis tests were also conducted on sandy/gravelly soil for knowing the particle size distribution and classification of soil. Differential free swell index tests were conducted on clayey soils to know the degree of expansiveness of the soils. Unconfined compressive strength tests and direct shear tests were conducted on UDS soil sample to know the shear strength of soil. The results are presented in Table 2 & 3.

#### 4. 1. SUB SOIL PROFILE

The sub soil profiles at the bore hole location, based on the identification of soil samples, the test results on both field and laboratory are shown in figs 1. The design soil parameters are presented in Table 2.

#### Bore hole-Data

Depth Below GL (m)	Visual identification of soil and IS soil classification	Recorded N Value
0.00 - 0.09	Filled Up Soil	_
0.09 - 4.00	Sand	08 – 10
4.00 – 26.40	Black Clay	02 – 08
26.40 - 30.00	Brown Clay	38 – 59

#### 5. SELECTION OF TYPE OF FOUNDATION AND BEARING CAPACITY

Since the soil from 0.00m to 0.09m below ground level is Filled up soil, from 0.09m to 4.00m is with Sand layer, from 4.00m to 26.40m is Black Clay, from 26.40m to 30.00m is Brown Clay from Bore hole data, open foundation in the form of raft or deep foundation in the form of bored piles is suitable.

It should rest on sound strata of adequate bearing capacity and should be safe from settlement considerations also.

It should have adequate embedded length so as to resist the overturning moments due to horizontal force.

#### Alternative I: Open foundation in the form of Raft Foundation

The size and depth of foundation can be decided based on loading and soil characteristics. It is advisable to place the foundation at depth of 1.5-2.0 meters below the existing ground level.

The allowable bearing capacity of soil is calculated as per IS 6403 specification considering the shear failure and settlement failure criterion using the following equations.

$$q_u = C N_c S_c D_c + \gamma D N_q S_q D_q R_w 2 + 0.5 \gamma B N \gamma S \gamma D \gamma R w 2 --- (1)$$

 $q_a = 35 \text{ (N-3)} [(B+0.3)/2B]^2 \text{ Rw}_2 \text{ Rd for settlement of 25 mm for sand (2)}$ 

 $q_a = 1.25 \text{ N for clayey soil} ---- (3)$ 

An allowable bearing capacity of 95.15 kN/m<sup>2</sup> [9.52 t/m<sup>2</sup>] is recommended at a depth of 1.5 m and 90.06 kN/m<sup>2</sup> [9 t/m<sup>2</sup>] is recommended at a depth of 2 m below the existing ground level when the foundation is subjected to light loads. The safe bearing capacity of soil is given in Table 2 & 4.

#### Alternate method II: Isolated square footing:

Since the top soil from 0.00m to 0.09m below ground level is Filled up soil, from 0.09m to 4.00m is Sand, from 4.00m to 26.40m is Black Clay, from 26.40m to 30.00m is Brown Clay in BH

If the loading is less, shallow foundation in the form of isolated square footing may be preferred.

Table-1A

Depth (D <sub>f</sub> )	Width (B)	Safe Bearing Capacity
m	m	kN/m <sup>2</sup>
	2.0	294.96
1.5	3.0	319.75
	4.0	344.55
	2.0	291.83
2.0	3.0	316.61
	4.0	341.40
	2.0	246.21
2.5	3.0	270.99
	4.0	295.78

#### Alternate method III: Bored pile foundation:

Since the top soil from 0.00m to 0.09m below ground level is Filled up soil, from 0.09m to 4.00m is Sand, from 4.00m to 26.40m is Black Clay, from 26.40m to 30.00m is Brown Clay in BH

If the loading is heavy, deep foundation in the form of Bored cast in situ pile foundation may be preferred.

The length, size & its load carrying capacity can be obtained from the soil properties given in Table 2.

In case of pile foundation, the load carrying capacity of the pile can be calculated using the static formula given by IS: 2911-2010 considering both friction and bearing resistance. The allowable load is normally obtained by using an overall factor of safety of 2.5. The load carrying of pile can also be obtained from the SPT, N values. 500mm and 600mm diameter piles are considered.

The ultimate load carrying capacity of single pile can be obtained from Static Formula as given in IS 2911 (Part 1 / Sec3) – 2010 for bored piles considering Skin Friction and bearing resistance.

Table -1B

Dia in (mm)	Length (m)	Safe load carrying capacity of pile (kN)
	24.00	265.75
500	25.50	303.61
	27.00	395.58
	24.00	314.21
600	25.50	359.44
	27.00	477.94

The spacing between the piles shall not be less than 2.75 - 3.0 times the pile diameter. Since the piles are deeper, tremie concrete is recommended for concreting the pile. The construction piles should be done as per IS: 2911-1984 specifications.

Gudlavellaru Engineering College,
Gudlavellaru Engineering College,
Kritshna Dier, A.P.
Kritshna Dier, A.P.
Kritshna Dier, A.P.

#### DEPARTMENT OF CIVIL ENGINEERING GUDLAVALLERU ENGINEERING COLLEGE

				GUDAII		LOG		1110			ate:			
Bore	Hole: 1					· · · · · · · · · · · · · · · · · · ·		ield l	nvesti	gation				
		partment Build		G+5), Thya ole diamet			m.	r . 1	60 m	h ~ 1		•		
-	of Bori	u <u>g.</u>					G, W.	.b ; <u>t.</u>	OV M	n.Ř.1	Graphical			
Depth below G.L			Thickness of layer in meters	Depth at which	are collected	ich				·/	representa	iti <mark>on</mark> o	f	
elov	file	Danadadia	n me	Der Mer	coll	t wh ondu	_	я	5 cm	2	Penetratio Resistance			
th b	Soil profile	Description of soil	Thickness of ayer in meters			Depth at which test is conducte in meters	0-15 cm	15-30 cm	45	Value	Resistance	-		
Del	Soil		L a	D.S.	U.D.S	Depth at which test is conducted in meters	0-1:	15-	30-	Z	10 20 3	30 40	50	
1		Filled up soil	0.09											
2		_		SPT1		1.50	3	4	4	8	•			
3		Sand	3.91	SPT2		3.0	4	5	5	10				
5				SPT3		4.50	l	2	1	3	•			
6				<u> </u>	SPT4		6.0	1	1	1	2			
8					SPT5		7.50	1	1	1	2 1			
9				SPT6		9.0	1	1	1	2	•			
10				SPT7		10.50	1	1	1	2			_	
11								_	_				_	
13				SPT8		12.0	1	1	1	2				
14				SPT9		13.50	2	1	2	3				
15 16		Disals Class	22.40	SPT10		15.0	1	2	1	3	•		-	
17		Black Clay	22.40	SPT11		16.50	2	1	2	3				
18				SPT12		18.0	2	2	2	4	•			
20				SPT13		19.50	2	2	2	4	+		++	
21				SPT14		21.0	2	3	3	6				
22				SPT15		22.50	2	3	3	6	•			
24				SPT16	:	24.0	3	3	4	7				
25 26				SPT17		25.50	3	4	4	8				
27				SPT18		27.0	9	16	22 -	38				
28		Brown Clay	3.60	SPT19		28.50	12	20	29	49			$\blacksquare$	
30				SPT20		30.0	14	24	35	59				
		NT.	-4 TL-	tect reculte	1 1	14-41	1	4	4 - 41	1.1				

Note: The test results apply only to the samples sent to the laboratory.

Fig 1: Results obtained from field in bore hole 1

TABLE: 2 Idealised Design Soil Parameter PROJECT: Apartment Building (S+G+5)

Location: Thyagaraya street, Yanam. Bore Hole No: 1 Depth of Water Level: 1.60 m b.g.l

						Shear par	rameters		
Depth below the existing ground level (metres)	Visual identification of soil	IS Soil classifi- cation	Natural moisture content (%)	Dry Unit Weight [kN/N³]	Recorded SPT Value (N)	Cohesion C (kN/m²)	\$\phi\ (deg)	Unconfined Compressive strength (kN/m²)	Net Safe bearing capacity (kN/m²)
0.00 - 0.09	Filled Up Soil	_	_	-	_	_	_	_	_
0.09 - 4.00	Sand	SP	20.29 – 21.40	15.73 – 16.05	08 10	_	$28^{0} - 29^{0}$		120.17
4.00 – 26.40	Black Clay	СН	57.91 – 75.42	8.67 – 10.04	02 – 08	12 – 42	_	24 – 84	368.02
26.40 – 30.00	Brown Clay	СН	42.58 – 45.62	10.56 – 10.67	38 – 59	90 – 109		180 – 218	1696.00

Note: The test results apply only to the samples sent to the laboratory

PROJECT: Apartment Building (S+G+5)

Location: Thyagaraya street, Yanam. Bore Hole No: 1 Depth of Water Level: 1.60 m b.g.l

Depth below GL (m)	Type of sample	Visual Identification of soil	IS Soil classification	Unconfined compressive strength q <sub>u</sub>	Dry unit weight, y <sub>d</sub> , [kN./m <sup>3</sup> ]	Natural moisture content (%)	Liquid Limit (%)	Plastic Limit (%)	Plasticity Index (%)	Gravel size (%)	Coarse Sand size (%)	Medium Sand size (%)	Fine Sand size (%)	Slit and clay size (%)	Recorded SPT value (N)	Differential Free Swell Index (%)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
0.00 - 0.90		Filled up Soil	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1
0.90 - 4.00	-	Sand	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1.5	SPT1	-do-	SP	-	15.73	21.40		_	-	0.00	0.10	4.20	72.28	23.42	8	
3	SPT2	-do-	SP	-	16.05	20.29	-	-	-	0.00	0.52	5.16	71.69	22.63	10	
4.00 - 26.40	-	Black Clay	-	_	-	_	-	-	-	-	-					-
4.5	SPT3	-do-	СН	32	8.95	73.27	82.64	47.82	34.82	0.00	0.06	0.21	0.64	99.09	3	104
6	SPT4	-do-	СH	24	9.45	67.22	80.83	49.19	31.64	0.00	0.10	0.32	0.92	98.66	2	
7.5	SPT5	-do-	CH	26	9.26	70.53	88.63	45.96	42.67	0.00	0.04	0.28	0.79	98.89	2	
9	SPT6	-do-	CH	24	9.10	71.26	89.54	46.49	43.05	0.00	0.06	0.31	0.81	98.82	2	
10.5	SPT7	-do-	СН	24	8.86	73.95	85.17	43.58	41.59	0.00	0.00	0.19	0.63	99.18	2	
12	SPT8	-do-	CH	26	8.67	75.42	86.32	46.19	40.13	0.00	0.04	0.15	0.57	99.24	2	
13.5	SPT9	-do-	CH	34	8.72	73.64	84.11	47.02	37.09	0.00	0.00	0.24	0.60	99.16	3	
15	SPT10	-do-	CH	36	9.56	70.63	89.74	45.63	44.11	0.00	0.00	0.19	0.64	99.17	3	
16.5	SPT11	-do-	СН	34	9.19	71.97	90.69	44.08	46.61	0.00	0.02	0.28	0.71	98.99	3	
18	SPT12	-do-	CH	40	9.81	62.59	92.38	46.39	45.99	0.00	0.04	0.11	0.62	99.23	4	
19.5	SPT13	-do-	СН	44	9.46	65.33	87.61	49.65	37.96	0.00	0.06	0.20	0.61	99.13	4	
21	SPT14	-do-	CH	64	9.42	66.84	82.66	42.05	40.61	0.00	0.01	0.25	0.57	99.17	6	
22.5	SPT15	-do-	CH	66	9.84	60.29	86.49	46.13	40.36	0.00	0.03	0.31	0.53	99.13	6	
24	SPT16	-do-	CH	78	10.04	57.91	97.50	46.41	*51.09	0.00	0.00	0.17	0.61	99.22	7	
25.5	SPT17	-do-	CH	84	9.89	61.54	92.51	44,15	48.36	0.00	0.05	0.26	0.77	98.92	8	
26.40 – 30.00	-	Brown Clay	-		-	-	-		-	-	-	-	-	-	-	-
27	SPT18	-do-	СН	180	10.67	42.58	88.96	43.18	45.78	3.25	4.08	5.32	4.01	83.34	38	112
28.5	SPT19	-do-	СН	206	10.56	45.62	85.09	45.26	39.83	4.69	5.47	6.10	3.30	80.44	49	
30	SPT20	⊶do-	СН	218	10.62	43.49	84.38	44.67	39.71	3.91	4.84	4.16	3.98	83.11	59	

Note: The test results apply only to the samples sent to the laboratory

#### Recommendations

Based on the field and laboratory tests on soil samples collected from the bore hole, the following recommendations are made.

- > Open foundation in the form of raft foundation is suitable for light loads only.
- The safe bearing capacity of the soil is 9.52 t/m<sup>2</sup> at a depth of 1.5m b.g.l. and 9 t/m<sup>2</sup> at a depth of 2m b.g.l with a width of 1.5m.
- > Deep foundation in the form of bored cast in situ pile foundation may be adopted. The safe load carrying capacity values of the single pile with diameters, 500mm and 600mm are given in table.1
- ➤ In case pile foundations are adopted, the safe load carrying capacity of a single pile should be checked from pile load test as per the provisions laid down in IS: 2911 (Part IV).

INCHARGE

CONSULTANCY CELL
Gudisvalleru Engineering College,
GUOLAVALLERU - 521 USS
Krishna Olat., A.P.

H.O.D OF CIVIL ENGG.

Head of Civil Engineering Fudiavalleru Engineering College Gudiavalleru 521 356. PRINCIPAL

Gudiavalleru Engineering College, CUDLAVALLERU-521 356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eog., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

REF: GEC/ONGC/CONSULTANCY/2018/733

Date: 19th December, 2018

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at " MDDT" D/S, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 140

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDDT" D/S, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-112	Sub soil investigation and Recommendation for the foundation of Drill site "MDDT" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-140	ONGC Rig foundation at "MDDT" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudiavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTŁURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eug., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/734

Date: 19th December, 2018

Sree Venkateswara Tube Well Works, Narasapur. West Godavari District

Sir.

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "MDAN" D/S, East Godavari District, A.P and Bill of charges - Reg.

Ref: Report RF - 141

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDAN" D/S, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-113	Sub soil investigation and Recommendation for the foundation of Drill site "MDAN" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-141	ONGC Rig foundation at "MDAN" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully.

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/ 735

Date: 19th December, 2018

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "MDAO" D/S, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 142

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MDAO" D/S, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-114	Sub soil investigation and Recommendation for the foundation of Drill site "MDAO" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-142	ONGC Rig foundation at "MDAO" D/s, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	s Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Cell : **98662 34177** E-mail : svtww15@gmail.com



# SREE VENKATESWARA TUBE WELL WORKS



Consultant for: Soil Exploration, Foundation, Geotechnical Projects

S. Venkateswara Rao

Special Class Contractor

Near Andhra Bank, PERAVALI - 534 328, Peravali Mandal West Godavari District, (A.P.)

Date: 27/6/2018

Ref

То

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Sub: Request for consultancy works -Reg.

Sir,

We M/S Sri Venkateswara Tube Wells, Peravalli, West Godavari Dt, A.P, request you to kindly take up the following consultancy works. The necessary charges will be paid as per the college norms.

SI No	Nature of work	Duration	No. of Samples (Tentative)
1	Sub Soil Investigation & Recommendation for SBC	July 2018 - June 2019	15
2	Design of Rig Foundation	July 2018 - June 2019	15

We request your kind approval.

TO HODICE

Thanking you,

DE SUR! (38/6/2018

SHEE VENKATASWAHA TUBE WELL WORKS

PROPRIETOR

Specialists in: Sub-soit Exploration In-situ Tests as S.P.T., S.C.P.T., D.C.P.T., Field Permeability Tests & Collection U.D.S., D.S. Samples, Diamond core Drilling & Collection of Rock Samples, Preparation of Foundation

Investigation Reports & All Geotechnical Services.

Approved by : ONGC, R & B, Irrigation, APSRTC, APERL, Indian Railways, NTPC and Panchayat Raj, PH Departments

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/62-3

Date: 12th July, 2018

To

The DGM (Civil)
ONGC – KG project
Rajahmundry
West Godavari District

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Design of ONGC Rig foundation (Modified) at "NAG-1-Z-V2" D/s, Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 132 (Modified)

I am herewith submitting four sets of Hard copies on Design details of ONGC Rig foundation (Modified) at "NAG-1-Z-V2" D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-132 (Modified)	ONGC Rig foundation (modified) at "NAG-1-Z- V2" D/s, Krishna District, A.P	Rs.7,500/-	Rs.7,500/-
(Rupees seven thousand five hundered Only)  Total			

Please arrange the payment of the bill amount Rs.7,500/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy ceil: 11588344394. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC



An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/623

Date: 12th July, 2018

To
The DGM (Civil)
ONGC – KG project
Rajahmundry
West Godavari District

Sir,

Sub: Submission of Hard copy Reports (4sets) on the Design of ONGC Rig foundation (Modified) at "NAG-1-Z-V2" D/s, Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 132 (Modified)

I am herewith submitting four sets of Hard copies on Design details of ONGC Rig foundation (Modified) at "NAG-1-Z-V2" D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-132 (Modified)	ONGC Rig foundation (modified) at "NAG-1-Z- V2" D/s, Krishna District, A.P	Rs.7,500/-	Rs.7,500/-
(Rupees	seven thousand five hundered Only)	Total	Rs.7,500/-

Please arrange the payment of the bill amount Rs.7,500/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file GOVL )

## Modified Design of ONGC Rig Foundation at "NAG-1-Z-V2", KRISHNA DISTRICT ANDHRA PRADESH

# Clients: The Superintending Engineer ONGC – KG Project – Rajahmundry, East Godavari District



Consultants:

Department of Civil Engineering
Gudlavalleru Engineering College (Autonomous)
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356
Krishna District, A.P.

#### 1.0 PROJECT DETAILS:

#### 1.1 Scope:

The superintending Engineer, ONGC-KG project, Rajahmundry, M/s.Sree Venkateswara Tubewell Works, Peravali and D.V.S.Rama Rao, Contractor, Chinchinada has entrusted the design of ONGC rig foundation at the proposed drill site "NAG-1-Z-V2" D/s, Krishna District, A.P., to the consultants of Gudlavalleru Engineering College, SeshadriRao Knowledge Village, Gudlavalleru, Krishna District, A.P.

M/s.Sree Venkateswara Tube well Works, Peravali and D.V.S.Rama Rao, Contractor, Chinchinada, has conducted the Geo-technical investigations by collecting both disturbed and undisturbed soil samples and Gudlavalleru Engineering College, Gudlavalleru, Krishna District has supplied the report of soil test results.

#### 1.2 Selection of Type of Foundation:

From the results of soil investigation report at "NAG-1-Z-V2", Krishna District, A.P., geotechnical investigations were carried out with two numbers of exploratory bore holes, each of 30m deep below existing ground level. From the bore hole-1 data of the soil investigation report, the subsurface deposits from 0.0– 3.1m depth, it is with red clay with an average N value 9.5, from 3.1 –6.5 m depth, it is with silty sand with an average N value of 4 and from 24.8m – 30 m depth, it is again with red clay with an average N value of 23. From bore hole data-2 of the soil investigation report, the sub surface deposits from 0.0– 3.2m depth, it is with red clay with an average N value 8.5, from 3.2 –6.7 m depth, it is with silty sand with an average N value of 14.0. From 6.7 m – 24.6 m depth, it is with black clay with an average N value of 4 and from 24.6m – 30.0 m depth, it is again with red clay with an average N value of 23.5.

After careful consideration of the soil profile with clay up to 27 m depth and water table level at 1.5 m, the consultants of Gudlavalleru Engineering College have proposed to provide deep foundations using bored cast-in-situ R.C.C. piles of 500mm diameter to a depth of 25 m up to which the average N value is 8.0.

#### 2.0 SAFE BEARING CAPACITY:

#### 2.1 Profile of the site consists of:

For depths, 0-3.2 m the type of soil is with red clay of an average N-value 8.5, and cohesion value 47.5 KN/m<sup>2</sup> from 3.20m to 6.70 m is Silty Sand of an average N value 14 and cohesion value  $28^0$  from 6.70m to 25 m is Black Clay of an average N-value 9, and cohesion value 26.

## Capacity of 50 cm $\Phi$ bored piles to a depth of 25m below G.L:

i) Mobilized skin friction for cohesive soils: 0 - 3.2 m depth

$$Q_s = \pi D \alpha c dL$$

$$c = 45.5 \text{ KN/m}^2$$
,  $\alpha = 1.0 \text{ and dL} = 3.2 \text{ m}$ 

$$Q_s = 3.142 \times 0.5 \times 1.0 \times 45.5 \times 3.2 = 228.7 \text{ KN}$$

ii) Mobilized skin friction for cohesive less soils: 3.2 - 6.7 m depth

$$Q_s = \pi D K_0 Tan \neg_v dL$$

$$K_0 = 1.20 KN/m^2$$
, Tan  $\Phi = 0.5$  and dL = 3.5 m  $\gamma_y = 28.4$ 

$$Q_s = 3.142 \times 0.5 \times 1.20 \times 0.5 \times 28.4 \times 3.5 = 93.7 \text{ KN}$$

iii) Mobilized skin friction for cohesive soils: 6.7-25 m depth

$$Q_s = \pi D \alpha c dL$$

$$c = 31 \text{ KN/m}^2$$
,  $\alpha = 0.9 \text{ and } dL = 18.3 \text{ m}$ 

$$Q_s = 3.142 \times 0.5 \times 0.9 \times 31 \times 18.3 = 802.1KN$$

iv) End bearing Resistance for depth 22m below ground level.

$$Q_e = A_P \times N_C \times C_U = 0.2 \times 9 \times 85 = 153 \text{ KN}$$

Total ultimate bearing capacity of pile,

$$Q_U = Q_s + Q_e = 228.7 + 93.7 + 802.1 + 153 = 1277.5 \text{ KN}$$

Taking 
$$F.S = 2.5$$

$$Q_{safe} = 1277.5 = 511 \text{ KN say 51.1 tonnes}$$
  
2.5

.: Safe bearing capacity of 500mm Φ bored pile to a depth of 25m = 51 tonnes

#### 3.0 DESIGN FEATURES:

Size of R.C pile cap: 24.05 m long and 4.63 wide

Clear distance between two inner legs = 4.00m

Load on each leg of foundation = 350.0 t

Loaded length of foundation = 12.50m

Assuming thickness of pile cap as 400mm,

Total dispersion length =  $12.5 + (2 \times 0.4) = 13.3 \text{m}$ 

Self weight of loaded portion of pile cap =  $13.3 \times 4.63 \times 0.4 \times 2.5 = 61.58 t$  Say 62 t

Total load = 350 + 62.0 = 412.0 t

Load bearing capacity of each pile = 51.0 tonnes

∴ No. of piles in each row on loaded length of pile cap =  $\frac{412.0 \times 1}{51 \times 2}$  = 4.04 say 5 Nos.

Max. spacing of piles = 13.3 = 3.325 m

Considering practical aspects of rig operations, spacing between two piles is taken as 2.75 m in longitudinal direction along the entire length of pile cap and the corresponding edge distance is 1.025m beyond the end piles.

No. of piles = (24.05 - 2.05) + 1 = 9 Nos. in each row of entire pile cap length.

Similarly, spacing between two piles in transverse direction = 3.0m (Refer drawing).

Permissible minimum spacing = 3d = 3 x 0.5 = 1.5m < 3.0m. Hence safe

#### 4.0 DESIGN OF R.C. ELEMENTS:

Properties of materials:

- i) For piles and pile cap : M20 grade concrete and Fe 415 steel conforming to IS 1786
- ii)Bending of reinforcement bars is as per IS 2502

#### 4.1 Design of bored cast-in-situ piles:

$$\sigma_{\infty} = 5 \text{N/mm}^2$$
,  $\sigma_{\text{sc}} = 190 \text{ N/mm}^2$ 

Dia of pile = 500mm

$$A_g = \frac{\pi \times 500^2}{4} = 196350 \text{mm}^2$$

Using minimum steel of 0.4% of gross c.s.area,

Area of steel = 
$$0.4 \times 196350 = 785.4 \text{mm}^2$$

Hence provide 8 Nos. 12mmΦ as longitudinal bars

Actual  $A_{sc} = 8 \times 113 = 904 > 785.4 \text{mm}^2$  Hence safe.

$$A_c = 196350 - 904 = 195446 \text{mm}^2$$

$$P = A_c \sigma_{cc} + A_{sc} \sigma_{sc} = (195446 \times 5) + (904 \times 190) = 1149 \text{ kN} > 511 \text{ kN (safe)}$$

Provide 8mm lateral ties @ 190mm c/c throughout the depth of pile.

### 4.2 Analysis and Design of pile cap:

#### 4.2.1 Longitudinal Direction:

Total loaded dispersion length = 13.3m

Net upward pressure per meter run =  $\frac{350}{13.3}$  = 26.32 t/m

Considering continuous beam in longitudinal direction

Max. + M = 
$$\frac{\text{wl}^2}{12}$$
 =  $\frac{26.32 \times 2.75^2}{12}$  = 16.6 t - m

Factored + M = 
$$16.6 \times 15 = 249 \text{ kN-m}$$

Max. - M = 
$$-\underline{w}l^2 = \underline{26.32 \times 2.75^2} = 19.91 \text{ t} - \text{m}$$

Factored - M = 
$$19.91 \times 15 = 298.7 \text{ kN} - \text{m}$$

 $M_u$  limit for 4630 x 400mm thick pile cap, =  $\frac{2.76 \times 4630 \times 340^2}{10^6}$  = 1477.23 N - m

$$\underline{M_u} = \underline{2.76 \times 298.7} = 0.56$$
  
 $bd^2 = 1477.23$ 

From SP 
$$- 16$$
,  $p_t = 0.163$ 

$$A_{st} = 0.163 \times 4630 \times 340 = 2566 \text{ mm}^2$$

Minimum 
$$A_{st} = \frac{0.85bd}{f_y} = \frac{0.85 \times 4630 \times 340}{415} = 3224.26 \text{ mm}^2$$

Hence provide A<sub>st</sub> = 3224.26 mm<sup>2</sup>


No. of 12mm  $\Phi$  Bars required = 3224.26/113 = 28.53 say 29 Nos

Hence provide 29 Nos. 12mmΦ at top and

29 Nos. 12mmΦ at bottom in longitudinal direction

#### 4.2.2 Transverse Direction:

Net upward pressure per meter width =  $\frac{26.32}{4.63}$  = 5.69 t/m



+ M = 
$$[(13.17 \times \frac{3.0}{2}) - 5.69 (2.315)^2 \times \frac{1}{2}] = 19.76 - 15.24 = 4.52 t - m$$

Factored +  $M = 4.52 \times 15 = +67.8 \text{ KN} - \text{m}$ 

$$M_u$$
 limit =  $2.76 \times 1000 \times 340^2 = 319.1 \text{ KN} - \text{m}$ 

$$\underline{M_u}_0 = \underline{2.76 \times 67.8} = 0.586$$
  
 $bd^2 = 319.1$ 

From SP 
$$-$$
 16,  $p_t = 0.17$ 

$$A_{st} = \frac{0.17 \times 1000 \times 340}{100} = 578.0 \text{ mm}^2$$

Minimum 
$$A_{st} = 0.12\%$$
 gross c.s. area =  $0.12 \times \frac{1000 \times 400}{100} = 480 \text{ mm}^2$ 

Spacing of 10mm
$$\Phi$$
 bars =  $\frac{79 \times 2X1000}{578.0}$  = 273 mm

However provide 10mmΦ @ 200mm c/c in transverse direction (Refer drawing)

#### 4.2.3 Design for shear:

Max. shear force = 
$$\frac{\text{wl}}{2}$$
 =  $\frac{5.69 \times 3.0}{2}$  = 8.535 t

Factored shear = 8.535 x 15 = 128.03 KN

% of steel, p = 
$$\underline{A}_{st} \times 100 = \underline{29 \times 1.13 \times 100}_{463 \times 34} = 0.208$$

From SP – 16, 
$$\tau_c = 0.34 \text{ N/mm}^2$$

Shear taken by concrete = 
$$0.34 \times 4630 \times 340 = 535.3 \text{ KN}$$
  
1000

Hence minimum shear reinforcement is sufficient

provide 6 – legged 8mmΦ stirrups @ 200mm c/c (Refer drawing)

#### 4.2.4 Side face Reinforcement:

On each face, 2 Nos. of 12 mm  $\Phi$  bars in longitudinal direction may be provided (Refer Drawing).


#### **BAR BENDING SCHEDULE**

SI. No.	Description	Dia (mm)	Length (m)	No. of bars	Total length (m)	Weight (kg)
1	25300	12	25.30	8x18x2	7286.4	6484.9
2	<u> 400</u>	8	1.40	18x2x134	6753.6	2674.5
3	23980	12	23.98	29x2x2	2781.7	2475.7
4	4580	10	4.58	121x2x2	2216.7	1374.4
5	23980	12	23.98	2x2x2	191.8	170.7
6	1527 350 1527	8	3.85	121x3x2	2795.1	1106.9
		LS.		<u></u>	Total weight	14287.1

Say 14.3 tonns

CONSULTANCY CELL
Gudiavalleru Enginoering College,
GUDLAVALLERU - 521 356
Krishna Dist., A.P.

Gudlavalleru Engineering College, GUDLAVALLERU-521 356



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-92

Date: 13-10-2018

To

The Executive officer,

Endowment Department,

Sri Kodanda Rama Swamy Temple,

Singarayapalem Village-521 329,

Mudinepalli Mandal, Krishna District.

Sir,

Sub: Test results of the materials for the reconstruction of Sri Kodanda Rama Swamy Temple (is in the Bhavaji Mutt) - Regarding.

\* \* 5

With reference to your letter we have conducted tests for on tor steel sample supplied by you. The details:

S. No	Dia of bar (mm)	Weight (kg/m)	Ultimate Tensile Strength (MPa)	Yield Stress (MPa)	% elongation
I	8 mm	0.36	730.0	633.0	20.1
2	10 mm	0.54	737.0	634.0	19.6
3	12mm	0.89	700.0	692.0	17.0

This is for your kind information, Thanking you,

Tested by

(K.Venkateswara Rao)

Lab Incharge

(P.Kodanda Ramarao)

H.O.D

Yours faithfully,

(Dr.P.Rayindra Babu)

PRINCIPAL

(A.Jilaji)

Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAB, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-93

Date: 13-10-2018

To

The Executive officer,

Endowment Department,

Sri Kodanda Rama Swamy Temple,

Singarayapalem Village-521 329,

Mudinepalli Mandal, Krishna District.

Sir.

Sub:- Test results of the materials for the reconstruction of Sri Kodanda Rama Swamy

Temple (is in the Bhavaji Mutt) - Regarding.

With reference to your letter we tested bricks and cement samples which are supplied by you, as per IS specifications. The Test results are as follows:

#### Tests on Bricks:-

Average Compressive strength of Brick:

Average Compressive strength of Brick is 37.26 Kg/cm<sup>2</sup>

(As per standards it should not be less than 35Kg/cm²)

Water absorption of Brick:

Average Water absorption of Brick is 11% (As per standards it should not be greater than 20%).

Tests on Cement (Nagarjuna 53 grade opc):-

SL.No	Name of the Test	Req. as per IS Code	Test Results
1	Fineness of cement (Sieve Analysis)	As per IS 4031 Part-1 (1996)	6% Retention
2.	Normal Consistency	As per IS 4031 Part-4 (1988)	32%
3,	Initial Setting Time	As per IS 4031 Part-5 (1988)	58 Minutes 870 Minutes
	Final Setting Time  Compressive strength (N/mm²)	(41000)	28.28 N/mm <sup>2</sup>
4.	<ul><li> 3 day strength</li><li> 7 day strength</li></ul>	As per IS 4031 Part-6 (1988)	37.84 N/mm <sup>2</sup>

This is for your kind information,

Thanking you,

Tested by

(A.Jilani)

Lab Technician

(K. Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering Yours faithfully

(Dr.P.Ravindra Babu)

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MUM,

Principal

Ref: GEC/Consult/CE/MT-94

Date: 13-10-2018

To

The Executive officer,

Endowment Department,

Sri Kodanda Rama Swamy Temple,

Singarayapalem Village-521 329

Mudinepalli Mandal, Krishna District,

Sir,

Sub:- Test results of the materials for the reconstruction of Sri Kodanda Rama Swamy Temple (is in the Bhavaji Mutt) - Regarding.

With reference to your letter we have conducted the following tests coarse aggregate & fine aggregate

sample which are supplied by you. The Test results are as follows:

Aggregate	Description of	Result
Туре	tests	
· I	Specific gravity of coarse aggregate	1
	(As per IS code IS 2386-1963 Part-3)	2.68
	Finesse Modulus of coarse aggregate	7.24
	(As per IS code IS 2386-1963 Part-1)	7.24
	Impact Value test	
Coarse	(As per IS code IS 2386-1963 Part-4)	14.22%
Aggregate	Crushing value test	100.000
	(As per IS code IS 2386-1963 Part-4)	22.53 %
	Bulk Density of coarse aggregate	1.32kg/lit
	Specific gravity of coarse aggregate	0.00
	(As per IS code IS 2386-1963 Part-3)	2.59
	Finesse Modulus of fine aggregate	0.55
	(As per IS code IS 383-1970)	2.77
	Zone Test	Zana II Matarial
Fine	(As per IS code IS 383-1970)	Zone-II Material
Aggregate	Bulk Density of fine aggregate	1,39 kg/lit
	Bulking of Sand	% of bulking of sand 26.6%
	(As per IS code IS 2386-1963 Part-3)	% of moisture content of sand 4% at bulking

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(K. Venkateswara Rao)

Associate Professor

(P.Kodanda Ramarao)

H.O.D

PRINCIPAL

(Ab.Jilani) Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MHM,

Principal

Ref: GEC/Consult/CE/MT-95

Date: 13-10-2018

To
Varun Fly Ash Bricks
Gandhi asramam,
Komaravalo village,
Pamarru mandal, Krishna district.

Sir,

Sub: Test results of Fly ash Bricks Your Letter Dated: 29-09-2018.

\*\*\*\*

With reference to your letter we have conducted the compressive strength and water absorption test for on Fly ash Bricks Samples, which are supplied by you. The Test results are as follows:

Description	Date of Testing Compressive Strength (N/mm²)			Total	Average		
Description		1 2		3		(N/mm²)	
Fly ash Bricks	29-09-2018	7.06	6.63	8.26	21.95	7.31	

#### Water Absorption:

Description	Date of Testing	Water Absorption %			Total	Average
Besonption		1.	2	3	10121	(%)
Fly ash Bricks	29-09-2018	10.96	10.81	10.83	32.6	10.86

This is for your kind information,

Thanking you,

Tested by

Thanking you

Yours faithfully

(A.Jilani)

Lab Technician

(K.Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr. 17.1

Principal



Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

Ref: GEC/Consult/CE/MT-99

Date: 09-03-2019

To

Deputy Executive Engineer, Endowments Department.

Vijayawada.

Sir,

Sub: Test results of the materials for the construction Sri Malleswara Swamy Temple and Sri Jaganadha Swamy Temple (Two temples) - Chitram village, Gudlavalleru Mandal, Krishna District - Regarding.

\* \* \*

With reference to your letter we have conducted tests on tor steel & fine aggregate samples supplied by you.

The details:

S.No	Dia of bar (mm)	Actual dia (mm)	Yield Stress (MPa)	% elongation
1	8 mm	7.9	756.25	24
	10 mm	9.8	709.6	20
3	12mm	11.9	670.8	16
_4 🌁	16mm	15.9	656.26	19

Aggregate Type	Description of tests	Result	
	Specific gravity of fine aggregate (As per IS code IS 2386-1963 Part-3)	2.54	
	Finesse Modulus of fine aggregate (As per IS code IS 383-1970)	2.29	
Fine	Zone Test (As per IS code IS 383-1970)	Zonc-II Material	
Aggregate	Bulk Density of fine aggregate	1620 kg/m <sup>3</sup>	
	Bulking of Sand (As per IS code IS 2386-1963	% of bulking of sand 25%	
1 5	Part-3)	% of moisture content of sand 6% at bulking	

This is for your kind information,

Thanking you,

Tested by

(A.Jilani)

Lab Technician

least

(K. Venkateswara Rao) Lab Incharge (Dr.P.Kodanda RamaRao) Head of Civil Engineering

(Dr.P.Ravindra Babu) PRINCIPAL

Yours faithfully,

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM, Ref: GEC/Consult/CE/MT-100 Principal

Deputy Executive Engineer, Endowments Department,

Vijayawada.

Sir.

Sub: Test results of the materials for the construction Sri Malleswara Swamy Temple and Sri Jaganadha Swamy Temple (Two temples) - Chitram village, Gudlavalleru Mandal, Krishna District - Regarding.

With reference to your letter we tested clay bricks and cement samples which are supplied by you, as per IS specifications. The Test results are as follows:

#### Tests on Bricks:-

Average Compressive strength of Brick:

Average Compressive strength of Brick is 57 Kg/cm<sup>2</sup> (As per standards it should not be less than 35Kg/cm<sup>2</sup>)

Water absorption of Brick:

Average Water absorption of Brick is 11.03% (As per standards it should not be greater than 20%).

Tests on Cement (Parasakti 53 grade opc):-

SL.No	Name of the Test	Req. as per IS Code	Test Results
1.	Fineness of cement (Sieve Analysis)	As per IS 4031 Part-1 (1996)	6% Retention
2.	Normal Consistency	As per IS 4031 Part-4 (1988)	32%
3.	Initial Setting Time Final Setting Time	As per IS 4031 Part-5 (1988)	70 Minutes 680 Minutes
4.	Compressive strength (N/mm²)  • 3 day strength  • 7 day strength	As per IS 4031 Part-6 (1988)	27.92 N/mm <sup>2</sup> 39.19 N/mm <sup>2</sup>

This is for your kind information,

Thanking you,

Tested by

(K.Venkateswara Rao)

Lab Technician Lab Incharge

(Dr.P.Kodanda RamaRao) Head of Civil Engineering (Dr.P.Ravindra Babu)

Yours faithfully

PRINCIPAL

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737.:273888. Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-101

To

Deputy Executive Engineer, Endowments Department, Vijayawada.

Sir,

Sub: Test results of the materials for the construction Sri Malleswara Swamy Temple and Sri Jaganadha Swamy Temple (Two temples) - Chitram village, Gudlavalleru Mandal, Krishna District - Regarding.

With reference to your letter we have conducted the following tests on coarse aggregate

samples which are supplied by you. The Test results are as follows:

Aggregate Type	Description of tests	Result	
	Specific gravity of coarse aggregate (As per IS code 1S 2386-1963 Part-3)	2.78	
	Finesse Modulus of coarse aggregate (As per IS code IS 2386-1963 Part-1)	7.36	
Coarse	Impact Value test (As per IS code IS 2386-1963 Part-4)	12.9%	
Aggregate (20 mm)	Crushing value test (As per IS code IS 2386-1963 Part-4)	15.9 %	
	Bulk Density of coarse aggregate	1730 kg/m³	
	Specific gravity of coarse aggregate (As per IS code IS 2386-1963 Part-3)	2.35	
	Finesse Modulus of coarse aggregate (As per IS code IS 2386-1963 Part-1)	7.86	
Coarse Aggrégate	Impact Value test (As per IS code IS 2386-1963 Part-4)	20%	
40 mm)	Crushing value test (As per IS code IS 2386-1963 Part-4)	31.28 %	
5.	Bulk Density of coarse aggregate	1810 kg/m³	

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

Lab Technician

(K. Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao)

Head of Civil Engineering

(Dr.P.Ravindra Babu)

**PRINCIPAL** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FLE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-102

Date: 27-03-2019

To Deputy Executive Engineer, Endowments Department, Viiavawada.

Sir,

Sub:- Test results of the CC cubes for the construction Sri Malleswara Swamy Temple and Sri Jaganadha Swamy Temple (Two temples) - Chitram village, Gudlavalleru Mandal, Krishna District - Regarding.

With reference to your letter we have conducted the compressive strength test on CC Cubes which are supplied by you. The Test results are as follows:

Grade of		Date of	Compressive Strength (N/mm²)			Total	Average
concrete	Casting	Testing	1	2	3	70(01	(N/mm <sup>2</sup> )
M 20	25-02-2019	04-03-2019	21.49	20.76	21.67	63.92	21.30
M 20	25-02-2019	25-03-2019	31.28	30.94	31.46	93.68	31.22

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(A.Jilani)

Lab Technician

(K Venkateswara Rao)

Lab Incharge

(Dr.P.Kodanda RamaRao) (Dr.P.Ravindra Babu) Head of Civil Engineering

**PRINCIPAL** 

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

## Consultancy Cell

RECEIPT

308

No

Date: 11-06-2018

Received an Amount Rs. 7, 2001..... (Rupees Geven more and five hund adonly) from Sri/Smt Anjanipatra Construction, and 32 6-265, adlalakodom vilase palakodom mortal wa towards NOT Lest and TA changes

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell RECEIPT

No. 309

Date :101712018

Received an Amount Rs6,0001
(Rupees 578 17 round only)
from Sri/Smt. Ch. Ramakus hma
machilipatmanv
towards Sallesting - ST-106

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



## Consultancy Cell RECEIPT

Date: .3/8/.2018..

Received an Amount Rs. 6,000
(Rupees Six Morgand only)
from Sri/Smt.K. Ihanh. La. K. Shan By
16,237, SAPINGAR, Gredwards
towards ST-K7, Soil lesting

Faculty Incharge Consultancy Cell



# SUDLAVALLERU ENGINEERING COLLEGI SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU Consultancy Cell RECEIPT

No.311

Date: 26/09/2018

- 1
Received an Amount Rs. 4.4001
(Rupees from thousand mly )
from Sri/Smt. S. V.O. Littered akandima.
GLE SEWA PUL LED 1072000 Fel Hydenbyl, Telongman 5000 10
towards ST-109 Soltwing

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

### Consultancy Cell

RECEIPT

No.311

Date: 26/09/2018

Received an Amount Rs. 4,000 1-
(Rupees four thousand mly)
from Sri/Smt. St. Y. A. Lidgad Akadima
Gree SEWA PH Ltd, 0720mfel, Hyderabal, Telengman 500 10
towards ST-109 Soltwing

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



## Consultancy Cell RECEIPT

No. 312

Date: 87/1/2018

Received an Amount Rs. 800
(Rupees. Eight hundred only)
from Sri/Smt/azum. Elyam Brucks, Pank andergomen
Geordh Missomam xornesavelu ullage xushmagul
towards Testing of flyanh Bridg & conta
ablighm.
P K. 1 _ D21

Faculty Incharge Consultancy Cell



Consultancy Cell RECEIPT

Date: 3/1/3/18

Received an Amount Rs.8, 975.

(Rupees G The Thougand none hundred suchty he

from Sri/Smt. Si Brankii Mutt. Singer yayalem (Sa Kortarti Harm Sacry trype) Whase Mudinepalli Minchel Ly Bura Distit t - 5 21329

towardsunder absolution, Complian or Strength, Inemail

Ot coment, Francis Moduly, Sive maly Bulk 1 dintitu

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



## Consultancy Cell RECEIPT

Date: 12/10/2018...

Received an Amount Rs. 15,000
(Rupees
part (col) and contention kychmunicy
towards. Denon it abilionents fil his exection of
Prilly bridge around Thomas launipalism, mean wage-yahir

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell RECEIPT

No. 315

Date: 13-11-2018

Received an Amount Rs. 8,000
(Rupees. Gight Thoryand my)
from Sri/Smt. The DGH hoduction, ONGC,
Ray ahmum dry Asset, lajohmundry, EG District
towards. PH and chloridy test for water PHand
sadinity tests &D soit

Faculty Incharge

Consultancy Cell

#### SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell

### RECEIPT

No. 318

Date : 16 2 2019

Received an Amount Rs. 15,000
(Rupees After mayord mly )
from Sri/Smt. P. 1 mdhya 3001
DGH, Civil, and Gr loyalmundy
towards pengr At redified ong cing Somoblin
"MSPP" Ob, Bontumilli, Kirma District

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

#### RECEIPT

No. 317

Date: 19/2/2019

Received an Amount Rs. 3,200 - Cally
(Rupees. Three Thauland Took hundred My)
from Sri/Smt. The Darr beduction, odlac,
Rejahmandy, East Godewan district
towards soil and water testing ITT-95

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

### Consultancy Cell

RECEIPT

No. 318

Date : 19/2/19.

Received an Amount Rs2, Roof (mbme)

(Rupees Eight Thousand Eight handschafty)

from Sri/Smt. The DGT Loduction, and ac,

bahmunday aget, Royalmandy

towards... Soil and walls tuting, 177-94

Faculty Incharge Consultancy Cell

### CONSULTANCY

(External & Internal Students)

**MECHANICAL ENGINEERING** 

2018 - 19

#### udlavalleru Engineering Clege

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Consultancy: 2018-19

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges received
1	R & D Lab	Pin on Disc Apparatus	Mr. A. Madhavan Mr. A. Sai Teja	KIIT, Bhubaneswar	21.11.2018	7000.00
2	Thermal Engineering Lab	Computerized VCR Test Rig	Mr. B. Jairam (315177120128) Mr. K. Kumara Swamy (315177120045) Mr. G. Prasanna Babu (315177120036) Mr. A. Unpendranath Chowdary (315177120003) Mr. Ch. Anil Kumar (315177120019)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	21.02.2019	1250.00
3	Thermal Engineering Lab	Computerized VCR Test Rig	Mr. G. Naresh (315177120031) Mr. G. Sai Venkata Satish Reddy (315177120034) Mr. B. Ashok Kumar Naik (315177120016) Ms. V. Alekhya (315177120003)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	27.02.2019	1500,00
4	Metrology Lab	Profile Projector	Mr. Ch. Venkata Teja (16H75A0327)	MIC College of Tech. Kanchikacherla	02.03.2019	450.00
5	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. B. Pavan Kumar (315177120010) Mr. K. Bhaskar Rao (315177120047) Mr. B. Pradeep (315177120007) Mr. A. Ratna Kumar (315177120001)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	02.03.2019	750.00
6	Manufacturing Processes Lab	Electric Furnace	Mr. T. Ram Sai Mr. K. Bhargava Reddy	PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore	07.03.2019	2000.00
7	Thermal Engineering Lab	Computerized VCR Test Rig	Mr. R. Siva Krishna (16H75A0311) Mr. P. Prasad (16H75A0307) Mr. T. Gopi (15H71A0310) Mr. P. Ajay Verma (15H71A0302) Mr. Md. Rafivulla (15H71A0328)	MIC College of Tech. Kanchikacherla	09.03.2019	750.00

#### Department of Mechanical Engineering

Consultancy: 2018-19

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges
8	R & D Lab, MoS Lab	Stir Casting, Electric Arc Furnace, Hardness Tester, Trinocular Microscope	Mr. P. Lakshmana Swami (16NH5A0319) Mr. A. Stuthi Kiran (16NH5A0302) Ms. P. Pavana Kumari(16NH5A0318) Mr. J. Venkatesh (16NH5A0308) Mr. G. Mohan Anjaneyulu (16NH5A0305)	VKR, VNB & AGK College of Engineering, Gudivada	10.03.2019	3000.00
9	Metrology Lab	Profile Projector	Mr. P. Vijay (15H71A0388)	MIC College of Tech. Kanchikacherla	11.03.2019	800.00
10	R & D Lab	Microscope, Sintering Furnace, Hardness Tester, Wear Tester	Mr. M. Venkata Naga Sai (153C1A0355) Mr. Ayappa Swamy (153C1A0384) Mr. Vilas Paswan (153C1A0356) Mr. Gopi Kiran (153C1A0365)	D.M.S.S.V.H. College of Engineering, Machilipatnam	08.03.2019 to 09.03.2019 & 11.03.2019,	3600.00
11	R & D Lab	Tubular Furnace, Microstructure, Hardness Tester	Ms. R. Bhavya (163C5A0307) Mr. A. Naga Raju (153C1A0304) Mr. A. Yaswanth (153C1A0309) Mr. J. Daniel Vilson (153C1A0335) Mr. G. Dharma Kishore (153C1A0327)	D.M.S.S.V.H. College of Engineering, Machilipatnam	07.03.2019 to 09.03.2019 & 12.03.2019,	3600.00
12	R & D Lab	Stir Casting Machine, Trinocular Metallurgical Microscope, Hardness Tester, Universal Testing Machine	Mr. P. HAREESH KUMAR (15HP1A0312) Mr. JAIMON JOHNSON (15HP1A0315) Mr. Y. SRINIVAS (15HP1A0345) Mr. M. ASHUR ALI (16HP5A0309)	Andhra Loyola Institute of Engineering & Technology, Vijayawada	08.03.2019 & 12.03.2019 to 13.03.2019	7200.00
13	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. A. ANUDEEP (153C1A0302) Mr. J. RAJKUMAR (153C1A0334) Mr. V. KRISHNA CHAITANYA (163C5A0314) Mr. A. NAGA SIVA (153C1A0307) Mr. CH. GNANA SAI TEJA (153C1A0320)	D.M.S.S.V.H. College of Engineering, Machilipatnam	14.03.2019	1000.00
14	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. M. CHANDRA SEKHAR (153C1A0351) Mr. T. SATYA SAI (153C1A0379) Mr. M. VIJAYA RAMU (153C1A0357) Mr. S. PRUDHVI RAJU (153C1A0378)	D.M.S.S.V.H. College of Engineering, Machilipatnam	14.03.2019	1000.00
15	R & D Lab		Mr. K. Venkatesh (15H71A0387 Mr. R. Surya Naik (15H71A0382)	MIC College of Tech. Kanchikacherla	15.03.2019	1050.00

#### Department of Mechanical Engineering

Consultancy: 2018-19

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges received
16	Metrology Lab	Profile Projector	Mr. Ch. Venkata Teja (16H75A0327)	MIC College of Tech. Kanchikacherla	16.03.2019	100.00
17	Mechanics of Solids Lab		Mr. Sk. Sameer (15481A01C8) Mr. Sk.M. Jani Basha (15481A01C7) Mr. U. Pavan Kumar (15481A01E2) Mr. V. Tarun (15481A01E6) Mr. G. Uma Mahesh (16485A0148)	Gudlavalleru Engineering College	17.03.2019	400.00
18	R & D Lab	Stir Casting Machine	y v	S.R.K.R. Engineering College, Bhimavaram	16.03.2019, 18.03.2019 & 19.03.2019	13000.00
19	R & D Lab	Microstructure, Hardness, Tensile, Compression	Mr. B. Harish (15C51A0312) Mr. P. Siva Kumar (15C51A0349) Mr. P.N.S Manikanta (16C55A0320) Mr. D. Ricky Benson (16C55A0308) Mr. K. Praveen Kumar (15C51A0328) Mr. B. Naresh (16C55A0305) Mr. N. Chandra Sekhar (15C51A0346) Mr. S. Madhav (15C51A0363) Mr. K. Bhargav (15C51A0327) Mr. M. Surya Teja Reddy (15C51A0339)	Sai Spurthi Institute of Technology, Sattupalli Mandal, Khammam District	14.03.2019, 18.03.2019 & 19.03.2019	4700.00
20	R & D Lab	Microstructure, Hardness Tester, Tensile Test and	Mr. P. Kishore Babu (15731A03B1) Mr. S. Gopichand (15731A03B7) Mr. V. Vamsi Krishna (15731A03D3) Mr. U Srikanth (15731A03C7)	PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore	15.03.2019, 18.03.2019 & 19.03.2019	8900.00
21	K & D Lau	Microstructure, Hardness Tester, Tensile Test and	Mr. Namballa Saibhargav (315175720192) Mr. Moru Manoj Babu (315175720178) Mr. Mavuri Sai Manikonta (315175720168) Mr. Md. Meharaj baba (315175720169) Mr. Nidadavolu Satya Srikanth (315175720198)	S.R.K.R. Engineering College, Bhimavaram	13.03:2019, 14.03.2019, 18.03.2019, 19.03.2019, 22.03.2019 & 25.03.2019	2700.00

#### Department of Mechanical Engineering

Consultancy: 2018-19

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges received
22	R & D Lab	Wear Tester, UTM	Mr. G. Vinay Kumar (315175720095) Mr. I.N.K.S.S. Venkatesh (315175720102) Mr. J. Ramasurya Kiran (315175720110) Mr. K. Gopal Raju (315175720115) Mr. K. Pradeep Ramachnadra Reddy(315175720121) Miss K. Deepika (315175720127)	S.R.K.R. Engineering College, Bhimavaram	08.03.2019, 09.03.2019, 11.03.2019 &14.03.2019	4450.00
23	R & D Lab	Structure, Hardness Tester, Wear Tester, UTM	Mr. A. Phani (315175720006), Mr. A. Manuchandan (315175720010), Mr. B. Rohith (315175720024) and Mr. B.M. Arora (315175720027)	S.R.K.R. Engineering College, Bhimavaram	08.03.2019, 09.03.2019, 13.03.2019 & 14.03.2019	2900.00
24	R & D Lab	Pin on Disc Apparatus	Mr. Karnati Raja (178411D0406)	Tirumala Engineering College	28.03.2019	7000.00

TOTAL 79100.00

H.M.E

#### Cidlavalleru Engineering Coege

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Consultancy: 2017-18

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges received
1	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. Mamidipalli Sandeep (314177120061), Mr. Sayala Bhagya Raju (314177120133), Mr. Muppidi Dileep (314177120143) Mr. T.N.V.S.S. Chandra Mouli (4177120097)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	13.04.2018	1050.00
2	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. Kollimalla Uday Venkata Sai (314177120049), Mr. Pasupuleti Suresh Prabhu (314177120128), Mr. Duggina Sarath Babu (314177120029), Mr. Kastala Emiel Prabhakar (314177120045) Mr. Nakka Sai Kiran (313177120078)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	13.04.2018	1050.00
3	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. Mamidipalli Sandeep (314177120061), Mr. Sayala Bhagya Raju (314177120133), Mr. Muppidi Dileep (314177120143) Mr. T.N.V.S.S. Chandra Mouli (4177120097)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	20.03.2018 to 22.03.2018	1400.00
4	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. Kollimalla Uday Venkata Sai (314177120049), Mr. Pasupuleti Suresh Prabhu (314177120128), Mr. Duggina Sarath Babu (314177120029), Mr. Kastala Emiel Prabhakar (314177120045) Mr. Nakka Sai Kiran (313177120078)	Sir C.R. Reddy College of Engineering, Eluru, West Godavari Dist.	20.03.2018 to 22.03.2018	1750.00
5	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. Ch. Nrusimha Kumar (15H75A0324) Mr. P.J. Manoj Vikas (14H71A0375) Mr. N. John Vicor (14H71A0379) Mr. P. Jaswanth Sai (14H71A0377) Mr. K. Harish (14H71A0374)	DVR & Dr. HS MIC College of Technology, Kanchikacherla	17.03.2018	1750.00
6	Thermal Engineering Lab	Computerized VCR Diesel Engine	Mr. B. Venkanna Babu (15MQ5A0302), Mr. P. Naga Ashok (14MQ1A0332), Mr. K. Sai Ram (14MQ1A0318), Mr. P. Sandeep (14MQ1A0331) Mr. Mohammad Fayaz (14MQ1A0323)	Sri Vasavi Institute of Engineering and Technology, Nandamuru, Pedana	16.03.2018	750.00

#### Prartment of Mechanical Engineering

Consultancy: 2017-18

S. No.	Name of the utilized Laboratory	Name of the Equipment Utilized	Name of the students	Name of the Institute	Visisted dates	If any charges received
7	Thermal Engineering Lab	Computerized VCR Diesel	Mr. M. Vamsi Kumar (15MQ5A0310), Mr. Abdul Hafeezul Rehman (14MQ1A0302), Mr. Atumilli Rajani Kumar (15MQ5A0301), Mr. Abdul Wahed (14MQ1A0301) Mr. Veeramallu Bhanu Pradeep (14MQ1A0345)	Sri Vasavi Institute of Engineering and Technology, Nandamuru, Pedana	16.03.2018	1000.00

Medans H.M.E 8750.00

TOTAL

जमापर्ची / PAY-I	N-SLIP	न्द्र	ळ/अंत	रण/CA	SH/TR	ÄNSFER
भारतीय स्टे GUDLAVALLE खाते का प्रकार बंदत वें	ट जक । <b>S</b> RU, गुड्ल वही	TATE	BA	NK (	OF I	NDIA
TYPE OF ACCOUNT	क / चालू जाता / अ IT : SB / CA[	ावर्ती जमा ो/RDF	/ Bail	डिट / शार निरम	२२.४.५ विध / मां	रध्र.ः. ग ऋग
Ac Number	11/15	8/8	I. T		36	9/4
के बैक खाते में जमा GEC-GONE	करने हेतु/For	the cred	dit of the	ne bank	cacco	unt of
Details of Cash	वीं के दूसरी ओर)	1	राहि	T/AMO		
Cash Deposit in the	18 account	1	D	T. A.	AT	. Ps.
नकदी रखरसाव शुल्क Cash handling cha कुल जमा / TOTAL	rges /	13		T		
कार्यालय :	उपयोग हेतु ।	FOR	DFFI	FUS	00	0
?सहस्तयूओ SWO	रोक CASH C	अधिका	A /m	Ta	0 0	1

いれていれれないないない

a/c = Account	Generally used a	Pr = Principali
adj = Adjustment	Dft = Draft	
Amt = Amount	dish/dsh = Dishonour	proc = Processing Charge rd = Recurring Deposit
Ar = Arrear	DR = Debit	ret/rtn = Return
bal = Balance	DoB = Date	[1] · · · · · · · · · · · · · · · · · · ·
Capn = Capitalization	eft=Electro	Rnd = Round off
chg/ch = Charge	Inop=Inope	sb = Savings Bank
Chq = Cheque	ins = insuran	SC = Short Credit
Clos = Closure	int/in = linter	SI/So/SORD = Standing Instruction
coll = Collection	On/In = Loan	Son/Daughter/Wife/Husbando
comm = Commission		Mflxter + Fransfer
COR/CORR = Correction	os=Orisan	TE Telegraphic Transfer
CR = Credit	Provide the contract and the contract of the c	xi ≡ ransaction
csh = Cash	P & T = Postage & Telegration  Pos = Point of sale	+MOD bal = total balance (SB+linked MOD a

	A Proposition of
भारतीय स्टेट बैंक	State Bank of India
Savinos Bank Account  CIF No : 81295207277 Account No : 11588344394	GUDLAWARI ERII
Account No : 11588344394 Customer Name: GUDLAVALLERU EMGINEERING T	COLLEGE CONSULTANCY CERT OP PRINCIP
S/D/W/H/U.  Idress:AL GEC SUDLAVALLERU.AL GEC GUDLAVALLERU AL GEC GUDLAVALLERU.GUDLAVALLERU Phone:0	Phone:276367 Email:SBI 01461@3BI CO I Branch Gode:1461
Email: t	Date of Issue:13/03/2018 13/03/2018 8243751 1461
Nom. Red. No.: Light of Domes	IFSC:SBINDO01461 MICR:520日期到3月中日市 CONTINU <b>Branch Manage</b>
	HELP LINE 18001122

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 22/11/2018

RECEIPT

Name of the College

: KIIT University

Name of the Student(s)

: Chinnage e Korr.

Utilized Laboratory

: PaD.

Name of the Equipment Utilized

: Pin on Disc.

Amount charged toward utilizing the equipment:

7,000/-

Lab Taghnician

Lab In-charge

H.M.E

#### Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 21/02/19

#### RECEIPT

Name of the College

: SIR CR. Reddy college of Engineering

Name of the Student(s) with Roll No(s):

B. Jeyer Ram K. Kumara Swany G. Maremorbalas A. Upendha chowday ch. Arril Kumar

Utilized Laboratory

Name of the Equipment Utilized

Thermal Englass computerized VCR engine

Visited dates

21/02/19

Amount charged toward utilizing the equipment

H.M.E

Estd. 1989

### SIR C.R. REDDY COLLEGE OF ENGINEERING

ELURU - 534 007, West Godavari Dist., A.P., INDIA

APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,
AFFILIATED TO JNTUK, KAKINADA
www.sircrrengg.ac.in



TO OFF: (08812) 230840, 230565

FAX: (08812) 224193

Email: principal.sircrrengg@gmail.com

15.12.2018

Ref. No.

To
The Principal
Gudlavalleru College of Engineering
Gudlavalleru
Andhrapradesh

Sir,

The following final year Mechanical Engineering students of our Institute Sir CR Reddy college of engineering are interested to carry out their final Semester project work in your esteemed organization for a period of two weeks.

S. No	Name	Regd. No	Year
1	B Jairam	315177120128	IV/IV
2	K Kumara swamy	315177120045	IV/IV
3	G Prasanna babu	315177120036	IV/IV
4	A Upendranath Chowdary	315177120003	IV/IV
5	Ch Anil kumar	315177120019	IV/IV

We request you to kindly permit them to collect the necessary information and oblige for which we will be very much grateful to you.

Thanking you sir,

PROJECT GUIDE

HOD. MECH.ENGG

Yours faithfully

PRINCIPAL

SIR C.R.R. COLYEGE OF ENGINEERING

ELURU - 534 007,

(3)

#### Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 27/02/19

#### RECEIPT

Name of the College

: SIR CRREDDY COLLEGE OF ENGINEERING

Name of the Student(s) with Roll No(s):

G. Naresh - 315/77120031

G. S. V. Satish Reddy - 315177120034 B. Ashok Kumar Naik - 315177120016

V. Alekya

- 315177120003

Utilized Laboratory

Thermal Engineering Lab

Name of the Equipment Utilized

Computerized VCR engine

Visited dates

27/02/19

Amount charged toward utilizing the equipment

: 1500/-

Lab Technician

Lab In-charge

H.M.E

Estd. 1989

#### SIR C.R. REDDY COLLEGE OF ENGINEERING

ELURU - 534 007, West Godavari Dist., A.P., INDIA

APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,
AFFILIATED TO JNTUK, KAKINADA
www.sircrrengg.ac.in



☎ OFF: (08812) 230840, 230565

FAX: (08812) 224193

Email: principal.sircrrengg@gmail.com

15.12.2018

Date :.....

Ref. No.

To
The Principal
Gudlavalleru Engineering College
Gudlavalleru
Andhrapradesh

Sir,

The following final year Mechanical Engineering students of our Institute Sir CR Reddy college of Engineering are interested to carry out their final Semester project work in your esteemed organization for a period of two weeks.

S. No	Name	Regd. No	Year
1	G Naresh	315177120031	IV/IV
2	G Sai Venkata Satish Reddy	315177120034	IV/IV
3	B Ashok Kumar Naik	315177120016	IV/IV
4	V Alekhya	315177120003	IV/IV

We request you to kindly permit them to collect the necessary information and oblige for which we will be very much grateful to you.

Thanking you sir,

Yours faithfully

PROJECT GUIDE

HOD.MECH.ENGG.
Head of the Department
Machanical Income

Ş

SIR C.R.R. COLLEGE OF ENGINEERING

ELURU - 534 007.

94401 (450) Gu lavalleru Engineering College (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 2/03/19

RECEIPT

Name of the College

: MIC COLLEGE OF TECHNOLOGY, KANCHIKACHERLA

Name of the Students

: CH Venkata teja (16 H75 A0327)

Utilized Laboratory

: METROLOGY

Name of the Equipment Utilized

: PROFILE PROJECTOR

Amount charged toward utilizing the equipment

Md. Sileman

Lab Technician



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 2 - 3 - 19

#### RECEIPT

Name of the College

: Sir Cr reddy college of engineering

Name of the Students

B. Pavan kumar (315177120010)

K. Bhosker Rao (315177120047)

B. Prodeep (315177120007)

A. Ratna leumer (315177120001)

Utilized Laboratory

: Heat engine lab. Themal Engglob

Name of the Equipment Utilized

: Computerite VCR disel engine teatry

Amount charged toward utilizing the equipment

: 750/-

W. Kuma Lab Technician

K. COS FOSCOT ICO

received 2,0008

Guchavalleru Engineering Conege

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 07 | 03 | 19

Name of the Collège

: PBR. VITS, KAVALI

Name of the Student(s) : T. Ramsai, L. Bhavgara Reddy

Utilized Laboratory : Manufactoring process (ab

Name of the Equipment Utilized : Electric for nace

Amount charged toward utilizing the equipment 2 Cartings @ R8 1000 - Por Cart

Krehands = RS 2000 |-

Lab Technician

Lab In-charge

1 C. CH Kigher 1 Cm

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Mechanical Engineering

Date: 09/03/19

H.M.E

#### RECEIPT

: MIC college of Technology Name of the College

1 R. Siva krishma . 16 H75 A0 311 Name of the Student(s) with Roll No(s):

> 2 p. prarad 16 HZ5 AO 307

3. T. Gopi 15 HT A0310 4 P. Ajay vormen 15H7 A0302 5 MD. Rafivalla 15H71 A0328 Thermal Engelab Computerhed VCR Text Rig

Utilized Laboratory

Name of the Equipment Utilized

09/03/19 Visited dates

Amount charged toward utilizing the equipment : 3x210 = 710/

Lab Technician



#### Devineni Venkata Ramana & Dr.Hima Sekhar

#### MIC College of Technology

(Approved by AICTE & Permanently Affiliated to JNTUK, Kakinada)

Kanchikacherla - 521180, Krishna Dist, A.P, India. Phone: 08678 - 273535, 273623, Fax: 08678 - 273569 e mail: dvrhsmic@mictech.ac.in, Website: www.mictech.ac.in



Kanchikacherla,

Dt:-06-03-2019.

To

The Head of the department,

Mechanical engineering department,

Gudlavalleru Engineering College,

Gudlavalleru.

Respected sir/madam,

As a part of academic project (Final year final semester), the following students are doing project on Bio diesel. It includes estimation of the Performance and Emissions on sunflower biodiesel. In this contest we kindly request you allow our students to conduct Performance and Emissions test in your laboratories, for which act of yours we shall be very much thankful to you.

Name of the students	Register number:	
1.R.Siva Krishna	16H75A0311	
2.P.Prasad	16H75A0307	
3.T.Gopi	15H71A0310	
4.P.Ajay verma	15H71A0302	
5.MD.Rafivulla	15H71A0328	

Thanking you sir/madam.

PD DY JARB

Yours sincerely

(Dr. M. Sreenivasa Rao)

(HQD Mech. Engg. Dept).
TEAD OF THE DEPARTMENT
Department of Mechanical Engineering
Devineni Venkata Ramana & Dr. Herna-Sekhar
MIC College of Technology
KANCHIKACHERLA, A.P., INDIA-521180

Mensaso

guccived 3,000 Gu lavalleru Engineering Coll e

Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 19/03/19.

RECEIPT Name of the College

: VKR VNB & AG K college of Engg.

Name of the Student(s) with Roll No(s): P. lakshmana swam; & 16245A03196

G. Mohan Anjaneyulu & 16 N H 5A 0 305 g J. VENCATESh. & 16 N H 5 A U 308 g

Utilized Laboratory

Name of the Equipment Utilized

: RED, MOS, Labo : STIRCASTING, Eketoric And formace, UTM, HARDNESS MIC

Visited dates

: 10-3-19, 14-3-19, 15-03-19, 17-03-19, 18-03-19

Amount charged toward utilizing the equipment

: Rs 3000 /-

Lab Technician

Lab In-charge

K CH KYER KM

received soot

### Gu'lavalleru Engineering Collage

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 11 (08 / 19

RECEIPT

Name of the College : MIC college of technology

Name of the Student(s) with Roll Nos. : P. Vijay (15471AD388)

Utilized Laboratory : METROLOGY CAB

Name of the Equipment Utilized : PROFICE PROJECTOR

Visited dates : u(03 l

Amount charged toward utilizing the equipment

Lab Technician

Lab In charge

н.м.е

: 16 Nots @ P350/- Por Pierce

# G dlavalleru Engineering Conege

Date: 11/03/2019

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

RECEIPT

: D.M.S.S.V. H.C. E, Machilipatram Name of the College

Name of the Student(s) with Roll No(s): M. Venkato Naga Sa: 153C1A0355

V. Ayappa Swany 153C1A0384

: R&D Lab Utilized Laboratory

: Microscope, Sintering furnace, Hordress tester, Name of the Equipment Utilized

Visited dates

08/03/19, 09/03/19, 11/03/19 ment : R8 3600/-Amount charged toward utilizing the equipment

K. charlet K an Kylin K 1 Lab Technician

Gudlavalleru Engineering College

(An Auto nous Institute with Permanent Affiliation to JNTUK, akinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU Department of Mechanical Engineering

Date:

#### RECEIPT

Name of the College

: DMSSVH COLLEGE OF ENGINEERING

Name of the Student(s) with Roll No(s): R.B. Karya 163C5A03O7

A. Naga Raju 153C1A0304

A. Yasisanth 153C1A0309

J. Damel Linkon 153C1A0335

G. Dharma kishore 153C1A0327

Utilized Laboratory: R&D Lab, Metallurgy

Name of the Equipment Utilized: Tubular Jurnale, microstructure, Hardness

Visited dates

Visited dates

: 07.03.2019, 08.03.2019, 09.03.2019, 12.03.2019

Amount charged toward utilizing the equipment

RS 3,600 -

Killan Lab Technician

greceived 7,200V

Guutavalleru Engineering Colle

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

RECEIPT

Name of the College

: Andhra Loyola Institute of Engg & Technology

Name of the Student(s) with Roll Nos. :

P. Hareesh kumar 15 HP1A0319

Jaimon Johnson 154P/A0315

Utilized Laboratory

Y- Syinivas 15HPIAO 345 M. Ashur Ali 16 HP5AO 309 RSD, Metallwrgy, MOS

Name of the Equipment Utilized

(asting, Microstructure, Hardness, UTM)
12/02/19, 13/02/19 - 08/03/19

Visited dates

Amount charged toward utilizing the equipment

72001-

### Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 14-03-19.

#### RECEIPT

Name of the College : DMSSVH college of Engineering

Name of the Student(s) with Roll No(s): A. Anudeep

V. Krishna chaitanya — 153C1A0302
V. Krishna chaitanya — 163C5A0314
J. Raj Kumar — 153C1A0334
A. Naga Siva — 153C1A0307
ch. Gnana Sai Teja — 153C1A0307
: FUELS LAB.
: Computeri- 1

Utilized Laboratory

: Computerized Diesel Engine Test Rig. Name of the Equipment Utilized

Visited dates : 14-03-19

Amount charged toward utilizing the equipment

3 Sample) 750 1000/-

N. V. R. O. 10. Ren Lab Technician

Lab In-charge

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

14th March, 2019.

Dr. M.R.CH. SASTRY, M. Tech., Ph.D Head of the Department, Department of Mechanical Engineering,

#### CERTIFICATE

This is to certify that Mr. A. ANUDEEP (153C1A0302), Mr. J. RAJKUMAR (153C1A0334) Mr. V. KRISHNA CHAITANYA (163C5A0314) Mr. A. NAGA SIVA (153C1A0307) and Mr. CH. GNANA SAI TEJA (153C1A0320) IV B.Tech - II Sem students of Mechanical Engineering in D.M.S.S.V.H College of Engineering, Machilipatnam, undergone a Project work in our college by utilizing the equipments like 'Computerized VCR Diesel Engine on 14.03.2019.

During the period of project work, the students was found to be hard working and well behaved.

This certification is being issued upon the request of the above students.

Dr. M.R.CH. SASTRY

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356



Recieved Anuderp.

### Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

RECEIPT

Name of the College

DMSSVH college of Engineering

Name of the Student(s) with Roll No(s):

M. Chandra Sekhar - 153c1A0351

T. Teja venkata Satya Sai -153c1A0379

Utilized Laboratory

M. V. Ramu - 153c1A0357 S. Prudhvi RaJu - 153c1A0378 FUELS LAB

Name of the Equipment Utilized

computerized Diesel Engine Test Riq

Visited dates

Amount charged toward utilizing the equipment

4 Samples love L

N. V. R.B. N. Kenner Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

14th March, 2019.

Dr. M.R.CH. SASTRY, M. Tech., Ph.D. Head of the Department, Department of Mechanical Engineering,

#### CERTIFICATE

This is to certify that Mr. M. CHANDRA SEKHAR (153C1A0351), Mr. T. SATYA SAI (153C1A0379) Mr. M. VIJAYA RAMU (153C1A0357) and Mr. S. PRUDHVI RAJU (153C1A0378) IV B.Tech - II Sem students of Mechanical Engineering in D.M.S.S.V.H College of Engineering, Machilipatnam, undergone a Project work in our college by utilizing the equipments like 'Computerized VCR Diesel Engine on 14.03.2019.

During the period of project work, the students was found to be hard working and well behaved.

This certification is being issued upon the request of the above students.



ML いるりゃ Dr. M.R.CH. SASTRY

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

Recieved.
M. Chandra Sella.



### Daita Madhusudana Sastry Sri Venkateswara Hindu College of Engineering

Recognized by AICTE and Affiliated to JNTUK- Kakinada An ISO 9001-2015 Certified Institution

MACHILIPATNAM - 521 002, Krishna District, A.P., India.

College Code : 5

URL : www.svhce.org.in 🕜 08672-250546, 251993 E-mail : principal.dmssvhce@gmail.com

Fax: 08672-251677

Dt: 06-03-2019

To The Principal GUDLAVALLERU ENGINEERING COLLEGE, Gudlavalleru.

Respected Sir.

Sub:-Requesting permission for experimentation in your college laboratory- reg.

As part of their B.Tech project work, four of our IV B.Tech II Semester Mechanical Engineering students are interested to visit your college to do experimentation work in Thermal lab in your college. They are doing project work under the guidance Smt.. Ch.Sirisha, Assistant Professor, Department of Mechanical Engineering of our institution.

#### Details of the students:

SNo	Regd No.	Name of the student	Experiment/ Project title		
1	153C1A0351	M.Chandra Sekhar	Dorformones		
2	153C1A0378	T.Satya Sai	Computerized V.C.R Diesel		
3	153C1A0357	M.V.Ramu	Engine by using Palmstiriling		
4	153C1A0378	S.Prudhvi Rajo	Oil		

You may kindly facilitate our students to complete the experiment in your Thermal lab. They will follow the procedures and rules of your college during their stay in premises.

Thanking you sir,

Yours faithfully

Prof. T. Ravi Kumar

Head, Dept. of Mech. Engg.

Dept of Mechanical Engg DMS SVH College of Engg MACHILIPATNAM

Gudlavalleru Engineering College
(An Aut. mous Institute with Permanent Affiliation to JNTUK, Kakinada) succeived 1050}

Seshadri Rao Knowledge Village, GUDLAVALLERU Department of Mechanical Engineering

RECEIPT

Name of the College : Mrc College of Technology

Name of the Student(s) with Roll Nos. : 15 H71 A0387, K. Venkabesh

15H11A03 82, R. Surya Naik

Utilized Laboratory : RED Lab

Name of the Equipment Utilized : Inverted Metallurgical Microscope

Visited dates 15/3/19

Amount charged toward utilizing the equipment

: TNOK (2750/-- PS1050).

K m lengers /cm Lab In-charge

Date: 15/3/19

Gr Vavalleru Engineering Col' ge
(An Autonomas Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 16 (03 / 19.

RECEIPT

Name of the College

: MIC COLLEGE OF ENGG & TECHNOLOGY, Kanchikachers

Name of the Student(s) with Roll No(s): CH. Venkata teja.

16H75A0327

Utilized Laboratory

METROLOGY

Name of the Equipment Utilized

PROFILE PROJECTOR

Visited dates

16/03/19

Amount charged toward utilizing the equipment

: 2 Nots @ RS50/- = RS100

Lab Technician

k on titus kn Lab In-charge

k ca keguði ken

Gudlavalleru Engineering College

A. .omous Institute with Permanent Affiliation to JNT (Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 17-3-19

RECEIPT

: Gudlavallesu Engineesing College Name of the College

SK. Samees (15-108) Name of the Student(s) with Roll No(s):

SK.M. Jani Basha (15-167)

U pavan Kumar (15-1E2) (Cèv. 1 Dept V Tasun (15-1E6) (Cèv. 1 Dept G. Uma mahesh (16-148)

Mechanics of Solids

universal resting machine Name of the Equipment Utilized

17-3-19 Visited dates

. 8×50 = 400 Amount charged toward utilizing the equipment

Utilized Laboratory

N. Vale EverynRy

Lab Technician

neceived 13,000,

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 19/3/19

RECEIPT

Name of the College

SRKR, Bhimav aram

Name of the Student(s) with Roll No(s):

Utilized Laboratory

: R&D Lerb.

Name of the Equipment Utilized

: Stir cayting machine

Visited dates

16/3/19, 18/3/19, 19/3/19

Amount charged toward utilizing the equipment

: 13 NOIS ARS1000/-

= 13,000/-

Lab Technician

Kom Kylos Kon Lab In-charge

K CM KYLOTI ICM

sieceijeed 4,700)

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kannada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 19/3/19

RECEIPT

Name of the College

: Sai spurth institute of Technology, B. Gangaram

Name of the Student(s) with Roll No(s) : B. Horlsh 1505140312

N. Chandra Sekhoor 15051A0346

Bhargan INCHIA0327 Madhar 1505/AD367.

Utilized Laboratory

RLD stir casting, Wear, Microstructure, Hardness, Tensile, Compression 18/03/19, 19/08/19,

Name of the Equipment Utilized

Amount charged toward utilizing the equipment

: RS47001-

Visited dates

Lab In-charge

Ic cu tofue (co)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

19th March, 2019.

Dr. M.R.CH. SASTRY, M.Tech., Ph.D Head of the Department,
Department of Mechanical Engineering,

#### CERTIFICATE

This is to certify that Mr. B. Harish (15C51A0312), Mr. P. Siva Kumar (15C51A0349), Mr. P.N.S Manikanta (16C55A0320), Mr. D. Ricky Benson (16C55A0308) Mr. K. Praveen Kumar (15C51A0328), Mr. B. Naresh (16C55A0305), Mr. N. Chandra Sekhar (15C51A0346) Mr. S. Madhav (15C51A0363), Mr. K. Bhargav (15C51A0327) and Mr. M. Surya Teja Reddy (15C51A0339), IV B.Tech – II Sem students of Mechanical Engineering in SAI SPURTHI INSTITUTE OF TECHNOLOGY, Sattupalli Mandal, Khammam District, undergone a Project work in our college by utilizing the equipments like 'Stir Casting, Wear Tester, Microstructure, Hardness Tester and Compression Machine on 14.03.2019, 18.03.2019 & 19.03.2019.

During the period of project work, the students was found to be hard working and well behaved.

This certification is being issued upon the request of the above students.

dech. Englower CEC, Gualla

Received copy

Dr. M.R.CH. SASTRY

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALI FRU - 521 356

# received 8 900/ Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Name of the College

: P.B. R. Visvodaya institute of Technology

Name of the Student(s) with Roll No(s): (1) P. Kishore Babu - (5731 A03B1)

(2) 3. Gopichand - (5731A03B7)

(3) V. Vansi Krishna-(15731 A0303) (4) U. Srikanth-(15731 A03CA)

Utilized Laboratory

structure, Hardening set.

Name of the Equipment Utilized

Visited dates

: 15-3-19, 18-3-19, 19-3-19.

Amount charged toward utilizing the equipment

: PS 8900/-

K.Ozawl Lab Technician

Lab In-charge

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

19th March, 2019.

**Dr. M.R.CH. SASTRY**, M.Tech., Ph.D Head of the Department,
Department of Mechanical Engineering,

#### CERTIFICATE

This is to certify that Mr. P. Kishore Babu (15731A03B1), Mr. S. Gopichand (15731A03B7), Mr. V. Vamsi Krishna (15731A03D3) and Mr. U Srikanth (15731A03C7), IV B.Tech – II Sem students of Mechanical Engineering in PBR Visvodaya Institute of Technology and Science [PBR VITS], Nellore, undergone a Project work in our college by utilizing the equipments like 'Stir Casting, Wear Tester, Microstructure, Hardness Tester, Tensile Test and Compression Test on 15.03.2019, 18.03.2019 & 19.03.2019.

During the period of project work, the students was found to be hard working and well behaved.

This certification is being issued upon the request of the above students.

GDVL. GDVL. GDVL.

Dr. M.R.CH. SASTRY

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

· Relieved Panaji Kilide bah 19/3/19

Gudlavalleru Engineering College Helcured 2,700 (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

### Department of Mechanical Engineering

Date: 25-3-19

#### RECEIPT

Name of the College

S.R.K.R Engineering College

Name of the Student(s) with Roll No(s): N. Sai Bhargar [31517572019]

Manoj [315175720168]

M. Manikanta [315175720168]

Utilized Laboratory

M.D. Meharaj Bala (315175720169) N.S. Srikant h [315175720198) : Stir Casting Material testing and Research lab

Name of the Equipment Utilized

: stir Casting, tensile, wear, Hardner, density.

Visited dates

:13-3-19, 14-3-19 18-3-19, 19-3-19, compression 22-3-19,25-319

Amount charged toward utilizing the equipment

- CA KUJUET K Lab In-charge

IC CU Jaylis (Car

### SAGI RAMA KRISHNAM RAJU ENGINEERING COLLEGE

(AFFILIATED TO ANDHRA UNIVERSITY) (RECOGNISED BY ALL INDIA COUNCIL FOR TECH. EDN., NEW DELHI) ACCREDITED BY N.B.A. (ALL INDIA COUNCIL FOR TECH. EDN., NEW DELHI)

CHINNA AMIRAM. (P.O): BHIMAVARAM: W.G.DT., A.P., INDIA: PIN: 534 204

DEPARTMENT OF MECHANICAL ENGINEERING



College Fax: +918816-224516 Website: www.srkrec.ac.in

Date: 25-03-2019

Ref: SRKREC/MECH/PROJECT/STUDENT/

TO

Head of the Mech. Engg.Dept.

Gudlavalleru Engineering College

Gudlavalleru.

Dear sir.

Sub:- Permission for our Student to do the project work at your college. Req-Reg.

The following B.Tech students (Mechanical) of our college would like to do some tests in your college as a part of Final Year project work (Stir casting process and UTM, Wear, Hardness, Micro Structure, impact Tests)

S.No	Reg.No	Name of the student
1	315175720192	NAMBALLA SAIBHARGAV
2	315175720178	MORU MANOJ BABU
3	315175720168	MAVURI SAI MANIKANTA
4	315175720169	MD MEHARAJ BABA
5	315175720198	NIDADAVOLU SATYA SRIKANTH

I request you to grant necessary permission to him to do his project in your organization

Thanking you,

C.C:- 1) Student copy

2) Dept. file

Your's fai hfully

Head of the Department

Professor & Head

Dept. of Mechanical Enga

8.R.K.R. Engineering College

CHINA AMIRAM.

BHIMAVARAM-534 21

Gudlavalleru Engineering College

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 27/3/19

RECEIPT

	RECEII I
Name of the College	: SRKR Engineering College.
Name of the Student(s) with Roll N	10(s): k. Gopal Raju (315175720115)
K. Pradeep (3151757201	21) G. Vinay (315175720095)
K. Deepika (11 126)7	10(s): k:Gopal.Raju (315175720115) 21) G. Vinay (315175720095) N.K.S.S.Venkatesh (11 102) J. Kiszan (11 110)
	J. Kinan ( 11 110)
Utilized Laboratory	: RaD trustill wear, orm
Name of the Equipment Utilized	: Stin Costing, Michos Michael
Visited dates	: R G, D : Stin Casting, Michos tructure, wear, orm : 8th, 9th, 17th, 12th of March 2019
Amount charged toward utilizing the	he equipment : R1!-4450/-

K.clycul Lab Technician

K was Kighat ken Lab In-charge

Kin karyon

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

27th March, 2019.

Dr. M.R.CH. SASTRY, M.Tech., Ph.D Head of the Department,
Department of Mechanical Engineering,

#### CERTIFICATE

This is to certify that Mr. G. Vinay Kumar (315175720095), Mr. I.N.K.S.S. Venkatesh (315175720102), Mr. J. Ramasurya Kiran (315175720110), Mr. K. Gopal Raju (315175720115), Mr. K. Pradeep Ramachnadra Reddy (315175720121) and Miss K. Deepika (315175720127), IV B.Tech — II Sem students of Mechanical Engineering in S.R.K.R. Enginjeering College, Chinna Amiram, Bhimavarm, undergone a Project work in our college by utilizing the equipments like 'Stir Gasting, Micro Structure, Hardness Tester, Wear Tester, UTM' on 08.03.2019, 09.03.2019, 11.03.2019 and 14.03.2019.

During the period of project work, the students was found to be hard working and well behaved.

This certification is being issued upon the request of the above students.

Dr. M.R.CH. SASTRY

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

## Department of Mechanical Engineering

RECEIPT

Date:

H.M.E

Name of the College	: SRKR Engineering	College
Name of the Student(s) with Roll No(	: SRKR Engineering s): A. Phani (3,5,757	200000
B. Rohith (" 24	A. Manu Chandan	11 10
A. Madhavan (11 15)	B. Asrona ( 11	27)
	A. Sai Teja (11	(6)
Utilized Laboratory		
Name of the Equipment Utilized	: Stin Casting, Miche	structure, wear, or
Visited dates	: RGD : Stiss Costing, Miche : 8th, 9th, 13th, 1uth of	f march 2019
Amount charged toward utilizing the e	quipment : RS 2	
Lab Technician	Cou layer 1cm	tion phone

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

27th March, 2019.

Dr. M.R.CH. SASTRY, M.Tech., Ph.D Head of the Department,
Department of Mechanical Engineering,

### CERTIFICATE

This is to certify that Mr. A. Phani (315175720006), Mr. A. Manuchandan (315175720010), Mr. A. Madhavan (315175720015), Mr. A. Sai Teja (315175720016), Mr. B. Rohith (315175720024) and Mr. B.M. Arora (315175720027), IV B.Tech – II Sem students of Mechanical Engineering in S.R.K.R. Enginjeering College, Chinna Amiram, Bhimavarm, undergone a Project work in our college by utilizing the equipments like 'Stir Casting, Micro Structure, Hardness Tester, Wear Tester, UTM' on 08.03.2019, 09.03.2019, 13.03.2019 and 14.03.2019.

During the period of project work, the students was found to be hard working and well behaved.

This certification is being issued upon the request of the above students.

GDVL. \*

Dr. M.R.CH. SASTRY

Head of Mechanical Engineering Gudlavalleru Engineering College Seshadri Rao Knowledge Village GUDLAVALLERU - 521 356

Rosived

Gudlavalleru Engineering College (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Mechanical Engineering

Date: 22 03 2019

Name of the College

Name of the Student(s)

: Tivmula Engineering College

B. Nava Trascuol.

D. Nageshwana Roso.

v. Vivekila. PED lab.

Utilized Laboratory

Name of the Equipment Utilized

pain on disk, Conding, UTM.

Amount charged toward utilizing the equipment: 7,000/

Late Rechnician

Lab In charge

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AiCTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Bill Of Supply

LISP NAME: Gudlavalleru Engineering College

ADDRESS : Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Email:

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Invoice #: KDCB210718AP03

Invoice Date: 29 JULY 18

Assessment Name: KRISHNA DCCB Assessment Date: 21 JULY 18

Attention Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	TOTAL (INR)
Expenses towards conducting KRISHNA DCCB exam on 21 JULY	18 998599	21,932.50
	TOTAL	21,932.50

PAN: AAATA3093K Beneficiary Name: Principal Gudlavaller Engg College

IFSC: \$BIN0001461

Account #: 11588343210

Sanprints PAN #: AAICS0770L

Sanprints GST-#: 27AAICS0770L1Z0

PRINCIPAL

Sashadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & iT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Annexure

LISP NAME : Gudlavalleru Engineering College

ADDRESS: Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Email:

Place of Supply: Andhra Pradesh

San Prints Private Limited,

167, Raja Industrial Estate, Mumbal - 400 080. Reference Invoice #: KDCB210718AP03 Reference Invoice Date: 29 JULY 18

Assessment Name : KRISHNA DCCB Assessment Date : 21 JULY 18

Attention Email SMB Finance smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting KRISHNA DCCB exam on 21 JULY 18	998599	045	50	12,250.00
Nodes (count)	998599	245	50	12,230.00
Supervison Support Charges for:	144	<b>通数</b> 3. W		350 50
Test Center Administrator	998599	<b>克拉拉克 电</b> 机	750	750.00
1T Manager	998599	1	750	750.00
IT Assistant	998599	12010	400	400.00
invigilator	998599	9	500	4,500.00
Support Staff	998599	4	300	1,200.00
Genset and/or Fuel Charges	998599	245	4.5	1,102.50
Food Expenses	998599	245	2	490.00
Stationary Expenses	998599	245	2	490.00
	TO BY		, e	21,932.50
	Sign of the state	TOTAL		21,932.50

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

Ver

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P. GDVL GOOLAND CO



#### TATA CONSULTANCY SERVICES

#### WORK ORDER

GUDLAVALLERU ENGINEERING COLLEGE (1284) GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT ANDHRA PRADESH 521356

> Date: 19-Jul-2018 KRDCCB210718AP03

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by **Facilities Agreement** dated **15-Sep-2017**between Tata Consultancy Services Ltd. and GUDLAVALLERU ENGINEERING COLLEGE("Agreement").

Assessment Name	KRISHNA DCCB
Assessment Date(s)	21-Jul-2018
Assessment Shift(s) &Time(s)	Shift-110:00AM-12:05PM
Project Address	GUDLAVALLERU ENGINEERING COLLEGE, GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT ANDHRA PRADESH 521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number KRDCCB210718AP03 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

ForGUDLAVALLERU ENGINEERING COLLEGE

TOAC

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### TATA CONSULTANCY SERVICES

#### **WORK ORDER**

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT ANDHRA PRADESH 521356

> Date: 19-Jul-2018 KRDCCB210718AP03

Annexure "A"

			Annexure	"A"		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs
21-Jul-2018	245	AND DESCRIPTION OF THE PARTY OF		Count		
						12,250.00
						-
		***************************************				
						-
Anneyure A). Ama		1 LCDIO				
Annexure A): Amo	HEIR TOP INTO LATE	s Utilizatio	n (Single & N	lultiple)		12,250.00
Annexure B): Amo	unit for twan	ower Utiliz	ation(Single	& Multiple		7600.00
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)  (Annexure D): Amount for Surveillance Record Facility (Single & Multiple)				& Multiple)	9.00	
otal Amount (Anne	VELTO'S A P	elliance Rec	ord Facility	(Single & I	Aultiple)	0.00
Total Exam Days:	Aures Asion					19,850.00

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
ITAdmin	
IT Assistant	1 : 250 Candidates
Invigilators	1 : 250 Candidates
Registration Managers	1:30 Candidates
Support / Voluntoors (Ipolice)	Not Required
Support / Volunteers (Inclusive of Security Guards and Electrician) Frisking Manpower	1 : 75 Candidates
Surveillance Camera Facility to Record	Not Required
ourveillance Camera Facility to Record	Not Required

Аплехиге "В"

1) 0
INCIPAL
hadri Rag
Engineering colone
> Knowledge Village
1 356, Kristina District, A.P.
4

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	0.00
Registration Managers	0.00
Frisking Manpower	0.00
Total	0.00

Annexure "D" Surveillance Facility Surveillance Camera Record 0.00 Note: Surveillance Camera Facility to Record Rs.10/- per node for one day Total 0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Tata Consultancy Services Ltd iON Assessment, EmpirePlaza 1<sup>st</sup> floor, LBS Marg, Vikhroli (West), Mumbai – 400 083 Page 2 of 2

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### **Bill of Supply**

Lisp Name: Gudlavalleru Engineering College

Address: Gudlavalleru-Addada Road, Vijayawada, Krishna District,521356

Place of Supply: Andhra Pradesh

ARMEZO Solutions Pvt. Ltd.

New Delhi

Email: priyanka@armezo.com

Invoice Date: 12th February 2019

Assessment Name: STEP

Assessment Date: 27.01.19 & 10.02.2019

Description	No. of Students Attended	Amount per student	TOTAL (INR)
Expenses towards conducting STEP Exam on 27th January 2019	426	100	42,600.00
Expenses towards conducting STEP Exam on 10th February 2019	50	100	5,000.00
	TOTAL		47,600.00

Signture of Center Head

PAN: AAATA3093K GST: Not Applicable

Beneficiary Name: Principal, Gudlavalleru Engineering College, Gudlavalleru.

IFSC: SBIN0001461

Account No. 35339035882

Dr. G.V.S.N.R.V. PRASAD

M.S.M.Tech.,Ph.D

Vice Principal-Academics Gudlavalleru Engineering College

Seshadri Rao Knowledge Village, Gudlavalleru-521356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)



Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech-CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, kkburra62@gmail.com, Web; www.gecgudlavalleru.ac.in

### Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eng., MISTE Professor of Mechanical Engineering, Vice Principal - Administration

521356 Place of Supply: Andhra p	ERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTR	CICT GUDLAVALLERU	ANDHRA PRADESH
San Prints Private Limited 167, Raja Industrial Estate Mumbai - 400 080. Attention mail		Invoice #: CAN23121 Invoice Date: 26th D Assessment Name: ( Assessment Date: 23	ec 18 Canara Rank
		HSN /SAC Code	TOTAL (INR)
xpenses towards conduct	ing Ganara Bank exam on 23rd Dec 18	998599	30,330.0
	TOTAL		30,330.0

PRINCIPAL

Gudlavzilleru Engineering Cotlege GUDLAVALLERU-521356


PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudiavalleru - 521 356, Krishna District. A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)



Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech-CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudlavalleru.ac.in

### Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eng., MISTE Professor of Mechanical Engineering, Vice Principal - Administration

	OAD VIJAYAWADA KRISHNA DISTRICT GUDI	AVALLERU AND	HRA PRADI	SH 521356
Place of Supply: Andhra Pradesh				
San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.	Reference Reference Assessment Name: Canara Ban Assessment Date: 23rd Dec 201:	Invoice #: CA Invoice Date:	N231218UAI 26th Dec 18	P10
Attention Email	SMB Finance simb finance@tcs.com	1		
Description #	HSN/SAC Code	QUÂNTITY	PRICE PER	
Expenses towards conducting Canara ( Nodes (count)	Sank exem on 23rd Dec 18	4 4	DIALL	TOTAL (IN
Fest Center Administrator	99869	240	50	12,000.0
T Manager T Assisstant nvigilators /olunteers Registration Managers	99859 99859 99859 998595 998595 998596	1 1 8 4	1125 1125 600 750 450	1,125.0 1,125.0 600.0 6,000.0 1,800.0 3,600.0
upervison Support Charges for:				
ood Expenses tationary Expenses enset and/or Fuel Charges	908599 998599 998599	480 480 480	2 2 4.5	960.00 960.00 2,160.00
			-	30,330.00
	The second section is a second	TOTAL		30,330.00
inture of Center Head				
N: AAATA3093K		Signature of ROI Samprints PAN	VI	
neficiary name: Principal Gudlavaller E				



PRINCIPAL Gudlavalleru Engineering College GUDLAVALLERU-521356

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



### **YAYA CONSULTANCY SERVICES**

#### WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE(1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA

> Date: 19-Dec-2018 . IBPSCAN231218UAP10

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and GUDLAVALLERU ENGINEERING COLLEGE("Agreement").

		J OUT VICE
Project Details		
Assessment Name Assessment Date(s) Assessment Shift(s) & Time(s)	CANARA BANK 23-Dec-2018 Shift-1:: 10:00 AM-12:00 PM	
Project Address	Shift-2:: 02:00PM-04:00DM	angele erapplyterregische zu state geste der der der der der der der der der de
Invoice Address	GUDLAVALLERU ENGINEERING COLLEGE, GUDLAVALLERU-ADDADA ROAD VIJAYAN DISTRICT GUDLAVALLERU ANDHRA PRADESH San Prints Private Limited, 167, Raja Industrial Estate,	WADA KRISHNA 1 521356
Payment		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Email for Communication	100% Payment within 30 days of receipt of Invunder the Agreement.  Ion.assessment@tcs.com	oice or as agreed

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online

Please mention the Work Order Number IBPSCAN231218UAP10 for all your future correspondence to

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For TATA CONSULTANCY SERVICES

OrGUDLAVALLERU ENGINEERING COLLEGE

**PRINCIPAL** Gudlavalleru Engineering College GUDLAVALLERU-521356



Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.



### TATA CONSULTANCY SERVICES

#### WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE(1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

> Date: 19-Dec-2018 IBPSCAN231218UAP10

Annexure "A"

Assessment	Shift1	37975	Annexure	CONTRACTOR DATE:	T40	
Date(s)	Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs
23-Dec-2018	240	240		- Vocint		
		·····	· · · · · · · · · · · · · · · · · · ·			12,000.00
······································						
		·				
(Annexure A): Amo	int for blad					
(Annexure A): Amo (Annexure B): Amo Annexure C): Amo	unt for Man	S Utilizatio	n (Single & N	lultiple)	ja 211	12,000.00
Annexure C): Amor Annexure D): Amor	Int for Addit	JOWEL DINZ	ation(Single	& Multiple		10650.00
Annexure D): Amou	Int for Sun	ne in a serie	ower Utiliza	tion (Single	& Wultiple)	3,600.00
otal Amount (Anne	Marion Auri	Thantee Kec	ord Facility	(Single & 1	Viultiple)	The state of the s
Total Exam Days:	AUTES ATES	C+Dit				0.00
Town Exam Days.	1		- Total Control Control			26,250,00

Manpower / Facility Requirement Table	
Manpower / Facility Title	
Test Center Administrator	Requirement Ratio
1T Admin	1: Test Center
IT Assistant	1: 250 Candidates
Invigilators	1 : 250 Candidates
Registration Managers	1:30 Candidates
Support / Volunteers (Inclusive of Cont.)	1:30 Candidates
Frisking Manpower	1:75 Candidates
Surveillance Camera Facility to Record	Not Required
A COLUMN TO THE RESIDENCE OF THE PARTY OF TH	Not Required

Annexure "B"

Manager	e "B"
Manpower Title Test Center Administrator	Amount Rs.
JT Admin	1125.00
IT Assistant	1125.00 600.00
Invigilators	6000.00
Support / Volunteers Total	1800.00
	10650.00

Elizabeth Company	
Manpower (Additional)	Amount Rs.
Invigilators	
Registration Managers	0.00
Frisking Manpower	3,600.00
Total	0.00
	3,600.00
• File! Chargos for O-	The state of the s

Annexure "D" Surveillance Facility Surveillance Camera Record

Seshadri Rao Gudlavalleru Engineering College Seshadri San Knowledge Village Amount Registrict./ istrict, A.P. Note: Surveillance Camera Facility to Record Rs.10/- per node for one day

PRINCIPAL

Total Fuel Charges for Generator: Rs.4.5/- Per Candidate

GDVL

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a 0.00

Page 2 of 2

Tata Consultancy Services GUDLAVALLERU (GUDLAVALLERU (GUDLAVALLERU) (GUDLAVALLERU Tata Consultancy Services

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation : B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 Place of Supply: Andhra pradesh San Prints Private Limited, 187, Raja Industrial Estate, Mumbal - 400 080. Invoice #: DSC241218UAP47 Invoice Date: 25th Jan 19 Assessment Name : AP DSC Assessment Date :24,26 & 28th Dec 2018 Attention SMB Finance Email smb.finance@tcs.com Description HSN /SAC Code TOTAL (INR) Expenses towards conducting AP DSC exam on 24,26 & 28th Dec 2018 998599 41,200.00 Total 41,200.00 TOTAL 41,200,00 Signture of Center Head PAN: AAATA3093K Signature of ROM Beneficiary name: Principal Gudlavaller Engg College Sanprints PAN #: AAICS0770L Beneficiary Account No: 11588343210 IFSC: SBIN0001461 Sanprints GST #: 27AAICS0770L1Z0



PRINCIPAL Gudlavalleru Engineering College GUDLAVALLERU-521356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna Dietrict

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudiavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.ir

Annexure

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh San Prints Private Limited,

167, Raja Industrial Estate, Mumbal - 400 080.

Reference Reference

Invoice #: DSC241218UAP47 Invoice Date: 25th Jan 19

Assessment Name : AP DSC

Assessment Date :24,26 & 28th Dec 2018

Attention Email

SMB Finance amb\_finance@tcs.com

Description HSN/S/	C Code	OHAN	PRICE PER		
Nodes (count) AP DSC exam on 24th Dac 18		QUANTITY	UNIT	TOTAL (INR	)
Expenses towards conducting An Pop	998599	100			
Nodes (count) AP DSC exam on 26th Dec 18	MET AND		. 50		5,000.0
Expenses towards conducting AP DSC exam on 28th Dec 18	998599	100	50		
Nodes (count) AP DSC exam on 28th Dec 18	Philippin has		30		5,000.0
Tort Contract Living	998599	100	50		_
Test Center Administrator for Day 1 IT Manager for Day 1	Operan!		10000000000000000000000000000000000000		5,000.0
IT Assissant for Day 1	998599 998599	1	1125		4 40= 0
Invigilators for Day 1	998599	1	1125		1,125.0
Volunteers for Day 1	998599		600		1,125.00
Frisking Staff for Day 1	998599	4	750		3,000.00
and the second s	998599	2	450	•	900.00
Test Center Administrator for Day 2	200033	2	450		900.00
Manager for Day 2	998599		£ 7500		000.00
T Assissiant for Day 2	998599		1126	ř.	1,125.00
nvigilators for Day 2	998599	-	1125 600		1,125.00
folunteers for Day 2	998599	4	750		600,00
risking Staff for Day 2	998599	2	450	;	00.000,6
	998599	2	450		900.00
est Center Administrator for Day 3	281852		400		900,00
Manager for Day 3	998599		750		
Assisstant for Day 3 vigilators for Day 3	998599	111	750		750.00
ciunteers for Day 3	998599	1	400		750.00
isking Staff for Day 3	998599 998599	4	500		400.00
July 5	998599	2	300		000.00
·	290089	- 2	300		600.00
pervison Support Charges for:	1	1	1		600.00
od Expenses	4		1		100
od Expenses					- 1
nset and/or Fuel Charges	998599	500	2		- 1
nace and/or ruer charges	998599	500	2		00.00
ai\	998599				00.00
			TOTAL WORLD		00:00
		- 1		44.0	00.00
	1 ,	TOTAL	Seshadh Ra	10 P	00.00
THE OF Control		Chidlave	aru Enninge	ring College,2	1

Signture of Conter Head

PAN: AAATA3093K Beneficiary name: Principal Gudlavailer Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Seshadri Rao Knowledge Village

Signature of ROM Jeru - 521 356, Krishna District. A.F

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

(Sponsored by A.A.N.M, &

PRINCIPAL

ational Society, Gudlaval Gudlavalleru Engineering Colle GUDLAVALLERU-521358

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)

Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh

San Prints Private Limited.

167, Raja Industrial Estate,

Mumbai - 400 080.

Invoice #: DSC241218UAP47 Reference Reference Invoice Date: 25th Jan 19

Assessment Name: AP DSC

Assessment Date :24.26 & 28th Dec 2018

Attention

SMB Finance

	SAC Code	QUANTITY	PRICE PER	TOTAL (INR)
Expenses towards conducting AP DSC exam on 24th Dec 18			UNIT	
Expenses (owards conducting AP DSC exam on 25th Dec 18 Expenses towards conducting AP DSC exam on 26th Dec 18	998599	100	50	5,000.00
Nodes (count)  Expenses towards conducting AP DSC exam on 28th Dec 18	998599	100	50	5,000.00
Nodes (count)	998599	100	50	5,000.00
Test Center Administrator for Day 1	996599	1	1125	1,125.00
T Menager for Day 1	998599	1	1125	1,125.00
T Assisstant for Day 1	998599	1	600	600.00
nvigilators for Day 1	998599	4	750	3,000.00
Volunteers for Day 1	998599	2	450	20.000
Frisking Staff for Day 1	998599	2	450	900.00
Test Center Administrator for Day 2	998599	1	1125	1,125.60
T Manager for Day 2	998599	1	1125	1,129.06
T Assisstant for Day 2	998599	1	600	600.00
nvigilators for Day 2	998599	4	750	3,000.00
Volunteers for Day 2	998599	2	450	900 00
Frisking Staff for Day 2	998599	2	450	900 00
Test Center Administrator for Day 3	998599	1	750	750.00
T Manager for Day 3	998599	1	750	750.00
T Assisstant for Day 3	998599	1	400	400.00
Invigilators for Day 3	998599	4	500	2,000.00
Volunteers for Day 3	998599	2	300	600.08
Frisking Staif for Day 3	998599	2	300	600.00
Supervison Support Charges for:			[	
Food Expenses	998599	500	2	- 1,500,00
Stationary Expenses	998599	500	2	1,000.00
Genset and/or Fuel Charges for Day 1	998599		1	1,500,00
Genset and/or Fuel Charges for Day 2	998599			1,500.00
Genset and/or Fuel Charges for Day 3	998599			800.00
Fotal				41,200.00
		TOTAL		41,200.00
Signture of Center Head		Signature of R	OM	

PAN: AAATA3093K

Beneficiary name: Principal Gudlavatler Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0



Seshadri Rao udlavalleru Engineering College eshadfi Red Khowledge Village

Vice Principal Administration Gudlavalleru Engineering College Seshedi Ban Kray ed to Villago, Gudana 19 3

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) MSA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273937

E-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

Bill of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHIRA PRADESH 521356

Place of Supply: Andhra pradesh

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Invoice #: DSC180119UAP60 Invoice Date: 3rd Feb 2019 Assessment Name: AP DSC SGT

Assessment Date :18,19,20,2-,25,27,29,31st Jan

2019

Attaction

Email

SMB Finance smb.finance@tcs.com

Description	HSN /SAC Code	TOTAL (INR)
Expenses towards conducting AP DSC exam on 18,19,20,24,25,27,29,31st Jan 2019	998599	1,19,600.00
Total		1,19,600.00
TOTAL		1,19,600.00

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SEIN0001461

Sanprints PAN #: AAICS9770L

Sanprints GST #: 27AAICS0770L1Z0

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

PRINCIPAL

Gudlavalleru Engineering Colloge GUDLAVALLERU-82 1350.



(An Autonomous Institute with Permanent Affiliation to JNYUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavallaru.ac.in

Annexure

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Reference

Invoice #: DSC180119UAP50

Reference

Invoice Date: 3rd Feb 2019

Assessment Name : AP DSC SGT

Assessment Date :18,19,20,24,25,27,29,31st Jan 2019

Attention Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER	1
Expenses towards conducting A Nodes (count)	P DSC SGT exam on 18th Jan 19	COMMITTY	UNIT	TOTAL (INR)
Expenses towards conducting A Nodes (count)		100	50	5,000.0
expenses towards conducting Allodes (count)	P DSC SGT exam on 20th Jan 19	100	50	5,000.0
Expenses fewerds conducting Af-		100	50	5,000.0
xpenses towards conducting AF		100	50	5,000.00
xpenses (cwards conducting AF		100	50	5,000.00
xpenses towards conducting AP cdes (count)		100	50	5,000.00
xpenses fewards conducting AP		100	50	5,000.00
	998599	100	50	5,000.00
est Center Administrator for Day 1 Manager for Day 1	998599	4		
Assisslant for Day 1	998599	4	1125	1,125.00
rigilators for Day 1	998599	100 m	1125	1,125.00
dunteers for Day 1	998599	4	600	600.00
isking Stati for Day 1	998599	2	750	3,000.00
aveil gren lot bay 1	998599	2	450	900.00
ot Coste, ad 11.		4	450	900.00
st Cente: Administrator for Day 2	998599	4	l l	
Manager for Day 2 Assisstant for Day 2	998599	1 1	1125	1,125,00
Igilators for Day 2	998599	1	1125	1.125.00
lunteers for Day 2	998599	4	600	600.00
sking Stair for Day 2	998599		750	3,000,00
wing State for Day 2	998599	2 .	450	900.00
O Constant and activity of the con-		<u> </u>	450	900.00
of Center Administrator for Day 3	998599	1 1	1	
Manager for Day 3	998599	1 1	1125	1,125.00
ssisstant for Day 3	998599	1 1	1125	1,125.00
gilators for Day 3 Inteers for Day 3	998599		600	600.00
Flori Ctoris In	998599	4	750	3,000.00
king Staft for Day 3	998599	2	450	900.00
	030039		450	900.00

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 366 Kroke - Division - Managara - Mana

Gudlavalleru - 521 356, Krishna District Vce Principul-Administration Gudlavalleru Engineering College

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavallery)



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NSA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Test Ceriter Administrator for Day 4	HSN/SAC Code	QUANTITY	PRICE PER UNIT	
III Wenauer for Day 4	998599	1		TOTAL (INR)
IT Assissiant for Day 4	998599	1	1125	1,125
Invigilators for Day 4	998599	į į	1125	1,125
Volunteers for Day 4	9985991	4	600	600
Frisking Staff for Day 4	998599		750	3,000
Day 4	998599	2	450	900.
Test Center Administrator for Day 5	990099	2	450	
IT Manager for Day 5	500500		1 1	900.
IT Assissant for Day 5	998599	1	1125	
In resissiant for Day 5	998599	1	1125	1,125.
Invigitators for Day 5	998599	1	600	1,125.
Volunteers for Day 5	998599	4	750	600.
Frisking Staff for Day 5	998599	2	450	3,000.
	998599	2		900,4
Test Center Administrator for Day 6	100		450	900,0
In wanager for Day a	998599		1	-44,
IT Assissiant for Day 6	998599	1	1125	5.405.4
Invigilators for Day 6	998599	2 1	1125	1,125,0
Volunteers for Day 6	998599	1	600	1,125.0
Friskfing Staff for Day 6		4	750	600.0
Località aran lot nav e	998599	2	450	3,000.0
Tool (See Land	998599	2	450	900.0
Test Center Administrator for Day 7	4		750	900.00
ri Wallager for Day 7	998599	3 18 1	4404	_
IT Assiss ant for Day 7	998599	1	1125	1,125.00
Invisitators for Day 7	998599	1	1125	1,125,0(
Volunteers for Day 7	998599		600	600.00
Frisking Staff for Day 7	998599	4	750	
T Thin (a) Day /	998599	2	450 :	3,000.00
esi Center Administrator for Day 8	990398	2	450	900.00
Manager for Day 8	22222			900.00
T Assissant for Day 8	998599	1	1125	
Tylgilators for Day 8	998599	1	1125	1,125.00
officials for Day 8	998599	1	600	1,125,00
ofuniteels for Day 8	998599	4		600.00
risking Staff for Day 8	998599	2	750	3,000,00
	998599	2	450	900.00
apervison Support Charges for:		4	450	900.00
VVI LADGINAG	1.0			វាល:ពេលខ
alionary Evnange	998599	57	l	
hight stuffer European	998599	1600	2	
most antilor Fuel Charges for Day 1		1600	2	3,200,00
Inset antifor Fuel Charges for Day 3	998599		"	3,200.00
nset autifor First Charges for Day 3	998599	200	1	1,500.00
usef and/or free on arges for Day 4	998599	1	1	1,500.00
nset and/or Fuel Charges for Day 5	998599	]	1	1,500.00
nset and/or Fuel Charges for Day 5	998599	- 1	1	1,500,00
	998599	- 1	1	1,500.00
iset and/or Fuel Charges for Day 8	998599	}		1,500.00
	998599	- 1	1	
ai		1	1	1,500.00
	J	l l		1,500.00
	1	1	1	
	1	1		1,19,600.00
ture of Center Head : AAATA3083K	TC	TAL	1	1,19,600.00

Beneficiary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210 IFSC: 38/10001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AA/CS0770L1Z0

Gudlavalleru Engineering College Sessadridan Knowledge Village B. KARUNA KUM/
Gudlavalleru - 521356, Krishna District. Vice Principal Administration

Gudlavalleru Engineering College Sechadri Pao Kacrillang Allina Godiarallaro Se 1000

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)





### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284)

,Gudlavalleru-Addada Road,Vijayawada,Krishna District,Gudlavalleru,Andhra Pradesh,India,521356

Date: 16-Jan-2019 APDSC180119UAP50

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

	g grooment).	
Projectionalis	7-11	
Assessment Name		The second secon
Assessment Date(s)	AP DSC SGT	
Paragraphic Date(S)	18-Jan-2019	and the second s
	19-Jan-2019	
	20-Jan-2019	
	24-Jan-2019	
	25-Jan-2019	**
	27-Jan-2019	
	29-Jan-2019	
**************************************	31-Jan-2019	
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM	
	Shift-202:00PM-05:00PM	The state of the s
roject Address	Gudavallasi F	
	Gudlavalleru Engineering College, Gudlavalleru-Addada	and the state of t
· · · · · · · · · · · · · · · · · · ·	District Gudlevelle	Road, Vijayawada, Krishni
voice Address	District, Gudlavalleru, Andhra Pradesh, India,	521356
	1 3 Flivate Limited	The state of the s
	197, Raja Industrial Fetato	
iyment	<u></u>	
	100% Payment within 30 days of receipt	Control of the second s
nail for Communication	100% Payment within 30 days of receipt of under the Agreement.	or as agreed
- Servin Hunication	Ion.assessment@tcs.com	

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online

Please mention the Work Order Number APDSC180119UAP50 for all your future correspondence to easy

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

PRINCIPAL Gudlavalleru Engineering College GUDLAVALI ERU-521356



PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College

Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284)

,Gudlavalleru-Addada Road,Vijayawada,Krishna District,Gudlavalleru,Andhra Pradesh,India,521356

Date: 16-Jan-2019 APDSC180119UAP50

Annexure "A"

A COLUMN TO SERVICE AND ADDRESS OF THE PARTY	THE RESERVE THE PARTY OF THE PA		Annexure	"A"	-	
Assessment — Date <u>is)</u> .	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amountes
18-Jan-2019	100	100	Odin	- conut		
19-Jan-2019	100	100			2	5,000.00
20-Jan-2019	100	100			2	5,000.00
24-Jan-2019	100	100			2	5,000.00
25-Jan-2019	100	100			2	5,000.00
27-Jan-2019	100	100			2	5,000.00
29-Jan-2019	100	100	······································		2	5,000.00
31-Jan-2019	100	100			2	5,000.00
		100	·····		2	5,000.00
AA						the state of the s
(Annexure A): Amou	int for Node	s Utilization	ISlando PA	Analdint - 1		
C CHINAVALLE WIT WILLIAM	H	APARATES M. E. 14717	4.5	A STATE OF THE PARTY OF THE PAR		40,000.00
A THE PERSON OF	1	LOUDE Black	Accessed and all and the second	The second second second second	The second desirable and the second	54000.00
(Annexure D): Amou	nt for Surve	illance Pos	ower utiliza	tion (Single	& Multiple)	7,200.00
Total Aniont (Anne)	Kure's A+B+	(C. 1)	oru racility	(Single & M	ultiple)	0.10
<ul> <li>Total Exam Days:</li> </ul>	8		Arc Provide			101,200 (0

Manpower / Facility Requirement Table

Manpower acility Title	
Test Center Administrator	Requirement Ratio
[TAdr.in]	1: Test Center
IT Assistan:	1: 250 Candidates
Invigilators	1:250 Candidates
Registration Managers	1:30 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	Not Required
Frisking Manpower	1:75 Candidates
Surveillance Camera Facility to Record	Required
Tomay to Record	Not Required



Annexure "B"

Manager Till			
ManpowerTitle	Amount Rs.		
Test Center Administrator	9000.00		
IT Admin	The state of the s		
IT Assistant	9000.00		
Invigilators	4800,00		
Support / Volunteers	24000.00		
Total Total	7200.00		
10(8)	54000.00		
	Harris Harris Hamilton, total swittery which a man a street		

PRINCIPAL

Guduvalieru Engineering College GUDLAVALLERU-521356

Annexure "G"

Manpoller (Additional)	Amount Sa :
Invigilators	0.00
Registration Wanagers	0.00
Frisking Manpower Total	7,200.00
• Fuel Character	7,200.00

Annexure "D"

Surveillance Facility	nunt Ball
Surveillance Camera Record	2.70
Note: Surveillance Camera Facility to	0,00
Rs. 10/- per node for one day	Record
Total	

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

1284-Gudlavalleru Engineering College

Seshadri-Rao

Tata Cort plant vices Ltd

iON Assessment, EmpirePlaza 1<sup>st</sup> floor, LBS Marg, Vikhroli (West), Mumbai Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

GUDLAVALLERU ENGINEERING COLLEGE
(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web; www.gecgudiavalleru.ac.in

Dr. BURRA KARUNA KUMAR M.Tech., Ph.D., FIE, C.Eng., MISTE,

Professor of Mechanical Engineering, Vice Principal - Administration

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra pradesh San Prints Private Limited, 167, Raja Industrial Estate,

Mumbal - 400 080.

Invoice #: EAM200419UAP57 Invoice Date: 13th May 19 Assessment Name : AP EAMCET

Assessment Date :20,21,22,23 & 24th April 2019

Attention Email

SMB Finance amb.finance@tcs.com

			HSN /SAC Code	TOTAL (INR)
xpenses	towards conducting AP EAMCE?	BY97 OF 20 24 OF S		
		exam on 20,21,22,23 & 24th	998599	-2,29,315.50
otal				2 70 647 10
				2,29,315.50
		TOTAL		2,29,315.50

Signture of Center Head

PAN: AAATA3093K

ignature of ROM

Beneficiary name: Principal Gudiavaller Engg College

Beneficiary Account No: 11588343210 IFSC: SBIN0001461

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE FEE ME, ECE & 17 for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavalleru.ac.in

## Dr. BURRA KARUNA KUMAR

Professor of Mechanical Engineering, Vice Principal - Administration

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS : GUDLAVALLERU-ADDADA ROAD YIJAYAWADA KRISHNA DISTRICT GI Bleeg of Supply Augustia	IIDIAN/ALIERIA AAN			$\neg$
Place of Supply: Andhra Pradesh	DOLAVALLEKŲ ANDHR	A PRADESH 52	1356	8
San Printa Private Limited,				J
187, Raja Industrial Estate.				-
Mumbal - 400 080.		Reference	Invoice #: EAM200419UAP57	
		Reference	Invoice Date: 13th May 19	1
		Assessmen	ni Name : AP EAMCET	1
		Assessmen	nt Date :20,21,22,23 & 24th April 201	
Attention SMB Finance				* [
Email smb.finance@tcs.com				
		PRICE		
Description HSN/SAC Code	QUANTITY	PER UNIT		1
Expenses towards conducting AP EAMCET exam on 20th April 19	GORIGITI	TEX ONL	TOTAL (INR)	_
ioues (count)	8599 385	50	40.70	1
xpenses towards conducting AP EAMCET exam on 21th April 19		30	19,750.00	1
iodeli (count)	1599 349	- 00		1
xpenses towards conducting AP EAMCET exam on 22nd April 18	348	50	17,450.00	
lodes (count)	200	Ter	I .	1
xpenses towards conducting AP EAMCET exam on 23rd April 19	351	60	17,550,00	ſ
odes (count)	500	20305	Í.	
xpenses towards conducting AP EAMCET exam on 24th April 19	6689 402	50	20,100.00	1
	200			
190	1599 403	50	20,150.00	į.
	599 1	1125	1,125.00	1
Manager for Day 1		1126	2,250.00	1
Assistant for Day 1 998		600	1,200,00	1
Numbers for Day 1		750	12,750.00	1
Johns Chaff for Day 4		450	2,700,00	1
sking Staff for Day 1		450	1,800,00	1
gistration Managers For Day 1 998		450	4,500.00	1
at Center Administrator for Day 2	599 1	750		
manager for Day 2			750.00 1,500.00	ſ
Assasiant for Day 2		750 400		1
igliators for Day 2		500	800.00	1
COSE		300	7,500.00	1
awag alam or pay 2		300	1,500.00	8
gistration Managers For Day 2		300	1,200.00	
of Carter Administrator Co. D A.	Control Control	10 MW	2,700.00	1
Unitsper for Plau 1	Control of the Contro	1125	1,125.00	1
Assisting for Day 3	1977 1977	1125	2,250.00	1
initiative for Day 2	455,4776,460	600	1,200.00	1
uniteers for Day 3	CHARLEST HOUSE	750	11,250.00	
sking Staff for Day 3	Company of the Compan	450	2,250.00	<u> </u>
Distriction Managers For Day 2		450	1,600.00	
Contar Administrator for Day	THE RESERVE OF THE PERSON OF	450	4,050.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Innormer for Plant 4	1. P. W. (2005)	1125	1,125.00	1
ssissiant for Dov 4	W. A. S. C. C. C. C. C. C. C. C. C. C. C. C. C.	1125	2,250,00	
Diletors for Day 4	7	600	1,200.00	1
Integra for Day 4	256/02/14:	.750	12,000,00	ı
king Staff for Day 4		450	2,250.00	ŀ
istration Manager Fee Day 4		450	1,800.00	I
2004	9 10	450	4,500.00	
Center Administrator for Day 5 99858	9 1	750		
anager for t/ay 5		750	750.00	l
sassauri for Day 5		400	1,500.00	ľ
Mellur's for Liay 5		500	800.00 8 600 00	
HNUKETOF Day 5 .		300	8,500,00	
and preut for Day 6		300	1,800.00	
stration Managers For Day 5 99859		300	1,200.00 3,000.00	
Nvison Support Charges for:	[ " [	]	0,000.00	
Expenses		- 1		
MANU Expenses		2	6,986,00	
198591	2993	2	5,986.00	
set and/or Fuel Charges for Day 1 998599	789			
44 and/or Fuel Charges for Day 2		4.5	3,860.50	(8)
et and/of Fuel Charges for Day 3		4,5	1,570.60	
et and/or Fuel Charges for Day 4		4.6	3,160.00	HARMES!
et and/or Fuel Charges for Day \$ 998599		4.5		NCIPAL
59933	773	4.6	1,813.50	adri Rao
	l !			
	TOTAL		G2.29.386.68 !! Qf Li H	ngineering Colle
ire of Center Head				
ire of Center Head AAATA3083K Iciary name: Principal Gudlavaller Engg College	Signature of ROM		#: AAIC90776L adri Rac	Kamuladaa 179 = -

ENG

Beneficiary Account No: 11688343210, IFSC: SBIN0001461

356, Krishna Dictrict, A.

Sanprints GST #: 27AAICS0770L1Z0

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Sociendle Principal Administration



#### TATA CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College(1284)

Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru,Krishna District,Andhra Pradesh-521356

Date: 15-Apr-2019 APEAMT200419UAP57

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Assessment Name	AP EAMCET
Assessment Date(s)	20-Apr-2019
	21-Apr-2019
	22-Apr-2019
	23-Apr-2019
A	24-Apr-2019
Assessment Shift(s) &Time(s)	Shift-1:: 10:00AM-01:00PM
7-1-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	Shift-2:: 02:30PM-05:30PM
Project Address	Gudiavalleru Engineering College
	Gudiavalleru-Addada Road Vijavawada Cudiavall
nvoice Address	-   District, Arithra Pradesh-521356
TVOICE Address	San Prints Private Limited
	167, Raja Industrial Estate
Olemant	Mumbai - 400 080.
ayment	100% Payment within 30 days of receipt of live
mall for Co-	under the Agreement.
mall for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APEAMT200419UAP57 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

ENG!

**GDVI** 

Thanking you.

For TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

Dr.B.KARUNA KUMAR

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

Page 1 of 2



#### **TATA** CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College(1284)

Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru,Krishna District,Andhra Pradesh-521356

Date: 15-Apr-2019 APEAMT200419UAP57

A	PA 10 PAGE		Annexure	"A"		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
20-Apr-2019	395	394	Journe	Count		
21-Apr-2019	349	0			2	19,750.00
22-Apr-2019	349	351			1 1	17,450.00
23-Apr-2019	350	402			. 2	17,550.00
24-Apr-2019	403	0			2	20,100.00
	403	U	<u> </u>		1 1	20,150.00
			<u> </u>			
					<del></del>	
(Annexure A): Amo	unt for Nords	~ 1900° - 6°				
CALLICATION OF WILLO	unitor Mani	TOTALOR I Idilian	-41- 100			95,000,00
Annexure C): Amor	unt for Addi	lonel Man-	ation(Single	& Multiple		82,325,00
Annexure D): Amou	int for Sun	nonai wanp	ower Utiliza	tion (Single	& Multiple)	26,550,00
Annexure D): Amou Total Amount (Anne	N. R. R. S. CHILL CO. L. CHILL S. L. L. L. L. C. L. L. L. C. L. L. L. C. L. L. L. C. L. L. L. C. L. L. L. C. L. L. L. C. L. L. L. C. L. L. L. L. C. L. L. L. C. L. L. L. L. C. L. L. L. L. C. L. L. L. L. L. L. L. L. L. L. L. L. L.		ord Facility	(Single & N	Multiple)	0.00
Total Exam Days:	5	(0.45)	The state of the s			203,875.00

Manpower / Facility Requirement Table

Manpower / Facility Title	P- : -
Test Center Administrator	Requirement Ratio
IT Admin	1: Test Center
IT Assistant	1 : 250 Candidates
Invigilators	1:250 Candidates
Registration Managers	1 : 24 Candidates
Support / Volunteers (Inclusive of Samily Co.	1 : 40 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician) Frisking Manpower	1:75 Candidates
Surveillance Camera Facility to Record	Required
The state of the s	Not Required

Annexure "R"

Annexure "D"

The state of the s				
Manpower Title	Amount Rs.			
Test Center Administrator	4875.00			
IT Admin	9750.00			
IT Assistant	5200.00			
Invigilators	52000.00			
Support / Volunteers	10500.00			
Total	82325.00			

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village B District, A.P.

Surveillance Facility	y Lauden	alegre - 5		ount ks.
Surveillance Camera	Record		COLUMN TO A STATE OF THE PARTY	().00
Note: Surveillance Rs.10/- per node for o	Camera one dav	Facility	to	Record
lofa(				0.00

Invigilators 0.00 Registration Managers 18,750.00 Frisking Manpower 7,800.00 26,550.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a

Amount Rs.

Annexure "C"

Manpower (Additional)

Vice Principal-Administration

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957
e-mail: viceprincipal.administration@gecgudlavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudlavalleru.ac.in

### Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eng., MISTE,

Professor of Mechanical Engineering, Vice Principal - Administration

> Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 Place of Supply: Andhra pradesh San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080. Invoice #: ICET260419AP31 Invoice Date: 17th May 19 Assessment Name : AP ICET Assessment Date : 26th April 2019 Attention SMB Finance Emsil smb finance@tcs.com Description HSN /SAC Code TOTAL (INR) Expenses towards conducting AP ICET exam on 26th April 2019 998599 40,797,50 Total 40,797.50 TOTAL 40,797.50 Signture of Center Head PAN: AAATA3093K ignature of ROM Beneficiary name: Principal Gudlavaller Engg College Sanprints PAN #: AAICS0770L Beneficiary Account No: 11588343210 IFSC: SBIN0001461 Sanprints GST #: 27AAICS0770L1Z0

BAL





PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Spring School School Structure District A P.

Dr.B.KARUNA KUMAR

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudiavaileru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavaileru.ac.in

### Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eug., MISTE,

Professor of Mechanical Engineering. Vice Principal - Administration

Annexure

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Reference Invoice #: ICET260419AP31 Reference Invoice Date: 17th May 19

Assessment Name : AP ICET Assessment Date : 26th April 2019

Attention Email

SMB Finance smb\_finance@tcs.com

RICE DE Description HSN/SAC Code QUANTITY UNIT TOTAL (INR) Expenses towards conducting AP ICET exam on 26th April 19 Nodes (count) 998599 295 50 14,750.00 Test Center Administrator for Day 1 998599 1125 IT Manager for Day 1 1.125.00 998599 2 1125 IT Assisstant for Day 1 2,250.00 998599 2 Invigilators for Day 1 600 1,200.00 998599 13 750 Volunteers for Day 1 9,750,00 998599 4 Frisking Staff for Day 1 450 1,800.00 998599 3 Registration Managers For Day 1 450 1,350.00 998599 8 450 3,600,00 Supervison Support Charges for: Food Expenses 998599 585 Stationary Expenses 1,170,00 998599 585 2 1,170.00 Genset and/or Fuel Charges for Day 1 585 4,5 2,632,50 Total 40,797.50 TOTAL 40,797.50

Signture of Center Head

PAN: AAATA3093K

Seneficlary name: Principal Gudlavaller Engg College

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

ENGINE

PRINCIP

Seshadri Rao

mal

udlavalleru Engineerinin Cologic ARUNA KUMAR Seshagri Rao Knowledge Village Principal-Administration adlavalleru - 521 356, Krishea District affieru Engineering College

Sashadri Rao Knowledge Village, Gudlavalleru-52;356

# GUDLAVALLERU ENGINEERING COLLEGE (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-maii: viceprincipal.administration@gecgudlavalleru.ac.ln, kkburra62@gmail.com, Web: www.gecgudlavalleru.ac.in

## Dr. BURRA KARUNA KUMAR

Professor of Mechanical Engineering, Vice Principal - Administration

> Bill of Supply LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356 Place of Supply: Andhra pradesh San Prints Private Limited. 167, Raja Industrial Estate, Invoice #: NEL270419AP07 Mumbai - 400 080. Invoice Date: 3rd May 2019 Assessment Name : NPTEL Assessment Date :27th & 28th April 2019 Attention SMB Finance Email smb.finance@tcs.com Description HSN /SAC Code TOTAL (INR) Expenses towards conducting NPTEL exam on 27th & 28th April 19 998599 42,979,50 Total 42,979.50 TOTAL 42,979,50 Signture of Center Head Signature of ROM PAN: AAATA3093K Sanprints PAN #: AAICS0770L Beneficiary name: Principal Gudlavaller Engg College Beneficiary Account No: 11588343210 Sanprints GST #: 27AAICS0770L1Z0 IFSC: SBIN0001461



Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudavalleru-521356

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

# TUENGINEERING COLLEGE

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by ArCTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE FEE ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavalleru.ac.in


## Dr. BURRA KARUNA KUMAR M. Tech., Ph.D., FIE, C.Eng., MISTE.

Professor of Mechanical Engineering, Vice Principal - Administration

ADDRESS: GUDLAVALLERU-ADDADA RO. Place of Supply: Andhra Pradesh				PRADESH 521356
San Prints Private Limited.				
167, Raja Industrial Estate,				
Mumbal - 400 080.			D. C	
			Reference	Invoice #: NEL270419AP07
1	4.4		Reference	Invoice Date: 3rd May 2019
			Weesswell	Name : NPTEL
Attention		Section 1980.	Assessment	Date :27th & 28th April 2019
Email	SMB Finance			• • • • • • • • • • • • • • • • • • • •
Emair	smb.finance@tcs.com			
- T	site in an earth section		The same	
W-12			Ma.	
Description	HSN/SAC Code		PRICE PER	
Expenses towards conducting NPTEL exit Nodes (count)	am on 27th April 40	QUANTITY	UNIT	TOTAL (INR)
Nodes (count)			5	i o ive (nast)
Expenses towards conducting NPTEL exa	m on 28th April 19	250	50	40 504
vodes (count)		-	0.00	12,500
Tout Out to the second	998599	148	50	7.400
est Center Administrator for Day 1		13		7,400
Manager for Day 1	998599	1	1125	
Assisstant for Day 1	998599	14	1125	1,125
Digilators for Day 1	998599	-1	600	1,125
olunteers for Day 1	998599	8	750	•. 600,
	998599	3	450	6,000.
est Center Administrator for Day 2		Sign.	42 m	1,350.
Wallader for Day 2	998599	1	1125	
Assisstant for Day 2	998599	0.001	1125	1,125,
vigilators for Day 2	998599	comp. 1	600	1,125.6
funteers for Day 2	998599	4 50	750	600.0
	998599	. 2	450	3,000.0
pervison Support Charges for:				900.0
			Carl of	
od Expenses	1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A 1995 A		1.00	
tionary Expenses	998599	659	2	
feat 1	998599	659	2	1,318.0
nset and/or Fuel Charges For Day 1	0.0	W. W.	- 1	1,318.0
iset and/or Fuel Charges For Day 2	998599	443	4.5	
	998599	1		1,993.50
aŭ	- 1	- 1	- 1	1,500.00
		- 1	- 1	
	- 1	- 1	- 1	42,979.50
		OTAL	- 1	
				42,979.50
lure of Center Head				
: AAATA3093K rīiclary name: Principal Gudlavaller Engg ficlary Account No. 44588888888	Sign	ature of ROM		

IFSC: SBIN0001461

Sanprints GST #: 27AAICS0770L1Z0



PRINCIPAL

Seshadri Rap

Alesu Engineering College Dr.B. KARLIMA - KIMARına District A.P.

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

### WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Date: 22-Apr-2019 NPTEL270419AP07

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C& D below. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

<b>D</b> .	to the special part of the
Project Details	
Assessment Name	NPTEL
Assessment Date(s)	NPTEL
_	27-Apr-2019
Assessment Shift(s) &Time(s)	28-Apr-2019
omit(s) & nime(s)	Shift-1 09:00AM-12:00PM
roject Address	Srift-2 02:00PM-05:00PM
. Aport 4001 922	Gudlavalleru Engineering College,
N/ola- A Li	District, Gudlavalleru, Andhra Pradesh India
nvoice Address	District, Gudlavalleru, Andhra Pradesh, India
	San Prints Private Limited,
·	167, Raja Industrial Estate,
gyment	Mumbai - 400 080.
	100% Payment within 30 days of receipt of I-wait
nail for Communication	100% Payment within 30 days of receipt of Invoice or as agree under the Agreement.
The state of the s	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online

Please mention the Work Order Number NPTEL270419AP07 for all your future correspondence to easy

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering Coreo Dr.B.KARUNA K

Vice Principal-Administration Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.



#### TATA CONSULTANCY SERVICES

#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh, India

Date: 22-Apr-2019 NPTEL270419AP07

Annexure "A"

Assessment	Clica		Annexure	"A"		
Date(s) 27-Apr-2019	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs
28-Apr-2019	250	193			2	
14pi-20(3	148	68			2	12,500.00
						7,400.00
×13. ×						
Annexure A): Amoi Annexure B): Amoi	ant for Node	si Utilization	1/9 == 00			
Annexure B): Amou	unt for Mann	ower Utiliza	tion(Size	iuitiple)		19,900.00
Annexure C): Amou Annexure D): Amou	unt for Addit	ional Mana	ation(Single	& Multiple)		16950.00
Annexure D): Amou	int for Surve	Illanco Pac	ower Utiliza	tion (Single	& Multiple)	0.00
Annexure D): Amount (Anne	XUre's A+R+	CHD)	ord Facility	(Single & N	lultiple)	0.00
Total Exam Days:	2					36,850.00
- ayo.					Ham British St.	30,050.00

Manpower / Facility Requirement Table

Manpower / Facility Title	
Test Center Administrator	Requirement Ratio
IT Admin	1 : Test Center
IT Assistant	1 : 250 Candidates
Invigilators	1: 250 Candidates
Registration Managers	1:30 Candidates
Support / Volunteers (Inclusive of Security O	Not Required
Frisking Manpower	1:75 Candidates
Surveillance Camera Facility to Record	Not Required
3 - 1.000iq	Not Required

Annexure "B"

Manpower Title			
Test Costs Advisor	Amount Rs.		
Test Center Administrator	2250.00		
IT Assistant	2250.00		
Invigilators	1200.00		
Support / Volunteers	9000.00		
Total	2250.00		
	16950.00		

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Annexure "D" Surveillance Facility Amount Rs. District, A.P. Surveillance Camera Record Note: Surveillance Camera Facility Rs.10/- per node for one day

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	- 00
Registration Managers	0.00
Frisking Manpower	0.00
lotal	0.00
Fuel Chara	0.00

GDVI

29 \*

Fuel Charges for Generator: Rs 4.5/- Per Candidate
 Note: In case the number of entire specified above may increase or decrease. Billing agreed on a

IQAC

Vice Principal-Administration Gudlavalleru Engineering College Sashariri Ran Knowledne Villane, Gurikurdhen, 521255

# GUDLAVALLERU ENGINEERING COLLEGE (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273688, Mobile: 9848779123, Fax No. 08674-273957

e-mair: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavalleru.ac.in

### Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eng., MISTE,

Professor of Mechanical Engineering, Vice Principal - Administration

Bill of Supply

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra pradesh

San Prints Private Limited, 167, Raja Industrial Estate.

Mumbai - 400 080.

Invoice #: ECT300419UAP47

Invoice Date: 18th May 19 Assessment Name : AP ECET

Assessment Date : 30th April 2019

Attention

Email

SMB Finance

smb.finance@tcs.com

Description	N P		HSN /SAC Code	TOTAL (INR)
xpenses towards conduct	ting AP ECET exam o	on 30 <sup>th</sup> April 2019	998599	4. 40,950.00
Fotal		iii Viii Ai		40,950.00
1 758		TÓ	TAL	40,950.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudlavaller EnggrCollege

Beneficiary Account No: 11588343210

IFSC: SBIN0001461

Signature of ROM Samprints PAN #: AAICS0770L

Senprints GST #: 27AAICS0770L120

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Debra RARUNA KUMAR

Vice Principal-Administration Gudlavalleru Engineering College

Seshadri Rao Knowledge Village, Gudlavalleru-521355



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-maii: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavalleru.ac.in

## Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eng., MISTE,

Professor of Mechanical Engineering, Vice Principal - Administration

Annexure

LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh San Prints Private Limited,

187, Raja Industrial Estate, Mumbai - 400 080.

Reference Invoice #: ECT300419UAP47

Reference Invoice Date: 18th May 19 Assessment Name : AP ECET

Assessment Date : 30<sup>th</sup> April 2019

Attention Email

SMB Finance smb.finance@lcs.com

Description  Expenses towards conducting AP ECET expenses for the second	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Nodes (count)	998599	400	50	
Fest Center Administrator		40	Man 12	20,000.00
T Manager	998599	-1	750	750.00
T Assisstant	998599	2	750	750.00
nvigilators	998599	2	400	1,500.00
/ofuniteers	998599	17	500	. 800.00
risking Staff	998599	prompt 6	300	8,500.00
Registration Managers	998599	4	300	1,800.00
	998599	40	300	1,200.00
		10 30 25 3		3,000.00
5.01				
upervison Support Charges for:		an exercise to	20.00	
			2 4	
ood Expenses		A Part of the second		
ationary Expenses	998599	400	2	000.00
	998699	400	2	800.00
enset and/or Fuel Charges			£ 200	800.00
-	998599	400	4.5	1,800.00
	and the second s	Miss Co.		1,000.00
tal		35.Vi		
	William Control of the Control of th	ALCOHOL: NAME OF THE PARTY OF T	- 1	40,950.00
		2		40,000,00
		TOTAL		40,950.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary name: Principal Gudiavaller Engg College

Beneficiary Account No: 11588343210

FSC: SBIN0001461

Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L120

Seshadri Rao

Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

21 356, Krishn Distr. KARUNA K Vice Principal-Administration

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

GDV

ON9\*

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779123, Fax No. 08674-273957

e-mail: viceprincipal.administration@gecgudiavalleru.ac.in, kkburra62@gmail.com, Web: www.gecgudiavalleru.ac.in

#### Dr. BURRA KARUNA KUMAR

M.Tech., Ph.D., FIE, C.Eng., MISTE,

Professor of Mechanical Engineering, Vice Principal - Administration

Place of Supply: Andhra prade	sh	RICT GUDLAVALLERU AN	
San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.	p 4mm2.	Invoice #: JEEA270519/ Invoice Date: 4th June Assessment Name: JEI Assessment Date: 27th	19 E ADVANCED
Attention Email	SMB Finance smb.finance@tcs.com	Rest.	
Description		HSN /SAC Code	TOTAL (INR)
	JEE ADVANCED exam on 27th May 2019	998599	50,425.00
Total			50,425.00
2	TOTAL		50,425.00
		The state of the s	



Vice Principal-Administration

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru-521356

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavallery - 521 356 Krishna District

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

#### Seshadri Rao Knowledge Village, GUDLAVALLERU

#### Department of Computer Science and Engineering

#### CONSULTANCY DETAILS

Academic Year: 2018-19

Faculty Name	Purpose	Venue	Client	Amount	Dated	Check No
K. Ashok Reddy	LPU,SNU,AMITY Universities & Others	Pearson VUE	WU Business Solution	53,592	31-03-2019	DD & NEFT

Administrator

Hon, CSE

Head of the Department
Computer Science and Engineering
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
GUDLAVALLERU - 521 356

IQAC

Gudlavalleru Engineering College GUDLAVALLERU-521356

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, Gudlavalleru – 521356, Krishna District (A.P.)

Dt: 01-08-2019.

To The Principal, Gudlavalleru Engineering College, Seshadri Rao Knowledge Village, GUDLAVALLERU – 521 356.

Sir,

We have Conducted Entrance and Certification Examinations in our test center (Pearson VUE). In this connection we have received remuneration for conducting examination in our centre to LPU, SNU, AMITY Universities and other certification exams for an amount of **Rs. 53,592/- (10266+9425+26165+7736)** through DD.No: 601083 and NEFT from WU Business Solutions for the financial year 18-19.

I hereby request you to sanction an amount of Rs. 32,155/- as remuneration for the coordinators who have conducted the examinations.

Thanking you,

Cr. Ashok Reddy)

Yours faithfully,

(Dr. G.V.S.N.R.V. Prasad) Vice Principal-Academics

Account NOT 30649523963

Name & Ashak Reddy Kandula

IFSC ! SBIN0001002

Branch ! Chintalefudi

SESHADRI RAO KNOWLEDGE VILLAGE GUDLAVALLERU - 521356 KRISHNA DISTRICT

## MICROSOFT ED-VANTAGE CERTIFICATION HALL TICKET FEE

Ledger Account

1-Apr-16 to 31-Mar-20

		1-7-pi- to to 31-Mai-20			
Date Particu	lars	Vch Type	Vch No.	Debit	Page 1
20-May-16 By Cash		Receipt		Debit	Credit
15-Jun-16 By Cash		Receipt	349		14,000.00
7-Jul-16 By Cash		Receipt	489		28,000.00
22-Sep-16 To Cash		Payment	732		1,87,500.00
6-Oct-16 By Cash		Receipt	2325	3,83,837.00	
17-Oct-16 By Cash		Receipt	1904		1,50,000.00
14-Nov-16 By Cash		Receipt	1991		23,500.00
16-Feb-17 By Cash		Receipt	2266		13,650.00
		Reserve	3073		12,812.00
To Clos	ing Balance		_	3,83,837.00	4,29,462.00
			_	45,625.00	1.00 100
1-Apr-17 By Opening I	Balance		-	4,29,462.00	4,29,462.00
10-Apr-17 To Cash		Payment	40.		45,625.00
22-May-17 By Cash		Receipt	124	15,880.00	
1-Jul-17 By Cash		Receipt	303		16,387.00
14-Jul-17 By Cash		Receipt	548		10,842.00
23-Aug-17 By Cash		Receipt	707 1246		8,562.50
By Cash		Receipt	1247		7,740.50
29-Aug-17 To Cash		Payment	1890	26 120 00	2,33,837.00
9-Mar-18 To Cash		Payment	4476	26,120.00 2,67,000.00	
To Closi	ng Balance		-	3,09,000.00	3,22,994.00
. o olosi	ing paratice			13,994.00	-1,001.00
1-Anr-18 By Opening D	ala			3,22,994.00	3,22,994.00
1-Apr-18 By Opening B 4-Jun-18 By Cash	alance				13,994.00
3-Jul-18 By Cash		Receipt	360		2,67,000.00
4-Dec-18 To Cash		Receipt	659		10,266.00
31-Mar-19 By Cash		Payment	3295	2,67,000.00	10,200.00
Sy Casii		Receipt	3800	, , , , , , , , , , , , , , , , , , , ,	43,326.00
To Closin	ng Balance			2,67,000.00	3,34,586.00
	<b>3</b> = <b></b>			67,586.00	<u> </u>
1-Apr-19 By Opening Ba	alance			3,34,586.00	3,34,586.00
31-Jul-19 By Cash		Deserted			67,586. <b>00</b>
3-Aug-19 To Cash		Receipt	1018		24,575.50
		Payment	1532	46,900.00	, - · - · - ·
To Closin	g Balance			46,900.00	92,161.50
-10011	a -aminoc			45,261.50	
				92,161.50	92,161.50



## **SESHADRI RAO** GUDLAVALLERU ENGINEERING COLLEGE (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC

Phone Nos. 08674-273737, 273888, Mobile: +91 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### 3.5.1: Revenue generated from consultancy and corporate training for the Academic Year 2017-18

S. No	Name of Teacher/ Consultant	Name of the beneficiary/ corporate agency	Name of the beneficiary/ corporate agency	Revenue generated (INR in Lakhs)
1	K. Venkateswara Rao	Material test - 1 No's	Akshy Food Implex Pvt.Ltd At Pamaru	0.0023
2	K.Venkateswara Rao	Material test - 1 No's	jayachandra infrastuctures, mfrs of fly ash bricks, ramanapudi, gudivada rural	0.0045
3	Phani Kumar.V, Ch.Naga Bharath	material test - 2 No's	S.S.A , SITE Engineer, nuzuvid division	0.0143
4	Phani Kumar.V, Ch.Naga Bharath	Soil test - 18 No's	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	1.8000
5	K.Venkateswara Rao	Material test - 01 No's	Vasundhara Construction, Backside of Government hospital, Machilipatnam	0.0045
6	Phani Kumar.V, Ch.Naga Bharath	material test - 01 No's	vellero infratek projects food Itd, vijayawada	0.0045
7	Dr.B.Karuna Kumar, Sri.B.Srinivasu Kumar	APPSC DCCB Bank APPSC Armezo Step Syndicate Bank Canara Bank AP ICET AP ECET JEE Advance AP EAMCET	TCS ION	5.23
8	K. Ashok Reddy	LPU,SNU AMITY Universities and Others	WU Business Solution	0.07

_		Total		7.7600
12	K. Ashok Reddy	LPU,SNU AMITY Universities and Others	WU Business Solution	0.10
11	K. Ashok Reddy	SNU-SAT	WU Global Pay	0.03
10	K. Ashok Reddy	LPU,SNU AMITY Universities and Others	WU Business Solution	0.43
9	K. Ashok Reddy	LPU,SNU AMITY Universities and Others	WU Business Solution	0.07



Principal
PRINCIPAL
Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356, Krishna District, A. F.

#### **ANNEXURE-I**

#### SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village :: GUDLAVALLERU

DEPARTMENT OF CIVIL ENGINEERING

#### **CONSULTANCY CELL**

Consultancy work during 01-07-2017 to 30-06-2018

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
1.	19-07-2017 ST-71	Sub Soil investigation and recommendation for the foundation of "LOCNO10" D/s,Gedalalanka, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
2.	19-07-2017 RF-123	"LOCNO10" D/s, Gedalalanka, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
3.	07-07-2017 ST-74	Sub Soil investigation and recommendation for the foundation of "NMRAA" D/s,East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
4.	07-07-2017 RF-125	"NMRAA" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
5.	13-07-2017 ST-75	Soil test report chainage km.0.00–Km 36.74, Vijayawada division of South Central Railway, (1x 4,950)	Power Mech Projects Limited, Plot No.77, Opp.Hitex, Madhapur, Hyderabad - 500081	4,950-00
6.	13-07-2017 ST-76	Soil test report chainage km.0.00–Km 36.74, Vijayawada division of South Central Railway, (1x 4,950)	Power Mech Projects Limited, Plot No.77, Opp.Hitex, Madhapur, Hyderabad - 500081	4,950-00
7.	13-07-2017 ST-77	Soil test report chainage km.0.00–Km 36.74, Vijayawada division of South Central Railway, (1x 4,950)	Power Mech Projects Limited, Plot No.77, Opp.Hitex, Madhapur, Hyderabad - 500081	4,950-00
8.	19-07-2017 ST-38	Sub Soil investigation and recommendation for the foundation of "LOCNO15" D/s,East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
9.	19-07-2017 RF-119	"LOC15" D/s, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
10.	20-07-2017	Crushing test, Impact test, Aggregate breaking	The General Manager, GVR- Premco, Joint Venture, Gudivada	3,450-00
11.	25-07-2017 ST-78	Sub Soil investigation and recommendation for the foundation of "PKDAA" D/s, Dondapadu, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
12.	25-07-2017 RF-126	"PKDAA" D/s, Dondapadu, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
13.	25-07-2017 ST-79	Sub Soil investigation and recommendation for the foundation of "NGAE" D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
14.	25-07-2017 RF-127	"NGAE" D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
15.	29-07-2017	Fly ash bricks Testing – Cubes testing (3 No's)	Jayachandra infrastructures, MFRS of fly ash bricks, Ramanapudi, Gudivada Rural	450-00
16.	12-8-2017	Material Testing – Cubes testing (3 No's)	Akshay food impex Pvt. Ltd., Pammarru	225-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
17.	5-9-2017	Sub Soil investigation and recommendation for the foundation of KGBV School, Reddigudem, Krishna District – ST 81 & Material test coarse aggregate, fine aggregate, Tar steel rod testing	DEE (SSA), Site Engineer, Nuzuvid division	6,000-00
18.	19-9-2017	Material Testing – Cubes testing (6 No's)	DEE (SSA), Site Engineer, Nuzuvid division	625-00
19.	20-9-2017	Material Testing – Cubes testing (6 No's)	Vellero Infratek projects food Itd., Vijayawada	450-00
20.	03-10-2017 ST-80	Sub Soil investigation and recommendation for the foundation of proposed apartment building at Vijayawada, Krishna District, A.P	R.S.No.13/1, H.No.60-9- 10/2A, Siddhartha Nagar, Polytechnic Road, Vijayawada-10 (Reliance Building, Vijayawada)	6,000-00
21.	11-10-2017	Design of Two bridge, one a two spanned R.C.Deck slab and the other single span deck slab culvert bridge at Nagaram village, East Godavari District, A.P.	Sri S.Lakhmi Ram, DGM (Civil), ONGC,Rajamandry Asset, Godhavari Bhavan,Base Complex, Rajamandru – 533106 (A.P) DEE (SSA), Site Engineer,	50,500-00
22.	23-10-2017	12mm φ steel rods testing	Sarvasiksha Abhiyan, Nuzuvid division	800-00
23.	28-11-2017 ST-83	Sub Soil investigation and recommendations for the foundation of Proposed School building at Puligadda, Krishna District, A.P	Nagendra Constructions, Chaitanya Nagar, Old Gajuwaka, Visakhapatnam	6,000-00
24.	29-11-2017 ST-92	Services for the soil testing work, Road from R&B road to Seepudi village of Gudivada Mandal@ 1/102	The Asst. Executive Engineer, PRI/SD, Gudivada, Krishna District	2,000-00
25.	29-11-2017 ST-93	Services of the soil testing work, Road from G.P.K road to Gajulapadu of Nandivada Mandal @ 1/488	The Asst. Executive Engineer, PRI/SD, Gudivada, Krishna District	2,000-00
26.	29-11-2017 ST-94	Services for the soil testing work, Road from R&B road to Kasipudi village of Gudivada Mandal @ 0/512	The Asst. Executive Engineer, PRI/SD, Gudivada, Krishna District	2,000-00
27.	30-11-2017 ST-82	Sub Soil investigation and recommendations for the foundation of Proposed Residential building, Gudivada, Krishna District, A.P	Ch.Kalyanchakram, D.No.10/112, Opp.Gandhi statue, Eluru road, Gudivada, A.P.	6,000-00
28.	19-12-2017	Design of flexible road pavement for single lane carriage width providing shoulders on either side along with design details of RCC retaining wall to be constructed in irrigational canal side of the road at Kolamuru village, "NAK-AA" D/s, West Godavari District, A.P	Oil and Natural Gas Corporation Limited, Godavari Bhavan, Base Complex, Rajahmundry– 533 106 East Godavari District, A.P.	75,000-00
29.	20-12-2017 ST-84	Sub Soil investigation and recommendation of the foundation of "NAG-SE-VI" D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
30.	20-12-2017 RF-128	"NAG-SE-VI" D/s, Krishna District	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
31.	29-12-2017 ST-60	Soil investigation (LL, PL, Compaction and CBR) and submitting report for Nandigama.	The General Manager, GVR - Premco Joint Venture, Gudivada	3,850-00
32.	18-01-2018	BPS Certificate	Sri Jupudi Lakshmi Ramaprasad, S/o. Sri J.Sitha Rama Mohanda Rao,Door No. 12/35, 12 <sup>th</sup> ward, Eluru Road, Gudiwada	500-00
33.	18-01-2018 RF-129 (RF-110 Modified)	Modified Design of ONGC rig foundation at "MDDP" D/s, for RigJ#17, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	7,500-00
34.	20-01-2018 ST-86	Sub soil investigation and recommendations for the foundation of drill site "KBWCW1"D/s, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
35.	20-01-2018 RF-130	"KBKCW1"D/s, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
36.	20-01-2018 ST-88	Sub soil investigation and recommendations for the foundation of drill site "NAG-1-Z-V2"D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
37.	20-01-2018 RF-132	"NAG-1-Z-V2" D/s, Krishna District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
38.	20-01-2018 ST-89	Sub soil investigation and recommendations for the foundation of drill site "KPAF"D/s, Vodalarevu, East Godavari District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
39.	20-01-2018 RF-133	"KPAF"D/s, Vodalarevu, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
40.	20-01-2018 ST-91	Sub soil investigation and recommendations for the foundation of drill site "NAG-1-Z-VI"D/s, Krishna District, A.P	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
41.	20-01-2018 RF-134	"NAG-1-Z-VI"D/s, Krishna District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
42.	23-01-2018	Material Testing 3 cubes	Vasundhara Construction, Backside of Government hospital, Machilipatnam	225-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
43.	27-01-2018	Material Testing – 3 cubes	Vasundhara Constructions, Back side of Government Hospital, Machilipatnam	225-00
44.	05-02-2018	Submission of hard copy reports (3sets) for two bridges one, A two spanned R.C deck slab and the other single span deck slab culvert bridge at Nagaram village, East Godavri District, A.P. Inspection and submission of report on two spanned R.C deck slab bridge at Nagaram Village, East Godavri District. Rs.25,000/-Inspection and submission of report on single span culvert bridge at Nagaram Village, East Godavari District — Rs.20,000/-Transportation charges for inspection of above two sites. Rs.5,500/-	Sri S. Lakshmi Ram, DGM (Civil), ONGC, Rajahmundry Asset, Godavari Bhavan, Base Complex, Rajahmundry – 533106 (A.P)	59,590-00
45.	01-03-2018	Accelerated Curing Tank cube testing (6Nos)	Sri K.Prasanna Kumar (14481A0163), Sri Md.Navaz Babu (14481A0184), Sri K.Rajkumar (15485A0125), Sri K.Chitti Babu (15485A0131)	650-00
46.	20-04-2018 ST-101	Sub soil investigation and recommendations for the foundation of drill site "PS-DS-DR" D/s, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
47.	20-04-2018 RF-135	"PS-DS-DR" D/s, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
48.	20-04-2018 ST-90A/ ST90B/ST90 C/ST95A/ ST95B/ST96 A/ST96B/ST 96C/ ST97A/ST97 B/ST97C/ST 97D/ ST97E/ST98 A/ST98B/ST 98C/ ST98D/ST98 E/ST99A/ST 99B/ ST99C/ST99 D/ST99E/ST	ONGC 20" Gas export pipeline at Gowthami and Godavari river crossings, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	1,44,000-00
49.	24-04-2018 ST-102	Sub soil investigation and recommendations for the construction of the foundation at ch+13.100 & ch.+9.100, services for the soil testing work of our railway project – RNVL-GDV-MTM	The General Manager, Power Mech Projects Limited, Hyderabad	5,500-00

Sl. No.	Date	Name of the Work	Client	Consultancy charges (Rs.)
50.	03-05-2018 ST-87	Sub soil investigation and recommendations for the foundation of drill site "LKE" D/s, Krishna District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
51.	03-05-2018 RF-131	"LKE" D/s, Krishna District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
52.	18-05-2018 ST-105	Sub soil investigation and recommendations for the foundation of proposed plot for new RCMT at Narasapur, Rajahmundry Asset, West Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
53.	30-05-2018 ST-103	Sub soil investigation and recommendations for the foundation of proposed drill site "KTAC"D/s, West Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
54.	30-05-2018 RF-135-A	ONGC rig foundation at "KTAC"D/s, West Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
55.	30-05-2018 ST-104	Sub soil investigation and recommendations for the foundation of proposed drill site "BBKA" D/s, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
56.	30-05-2018 RF-136	"BBKA" D/s, East Godavari District, A.P.	Sri D.V.S.RAMA RAO, Contractor, Chinchinada	10,000-00
57.	06-06-2018 RF-134	ONGC rig foundation (Modified) at "NAG-1-A-VI" D/s, Krishna District.	Sri P.Vidhya Sagar, DGM (Civil), ONGC, Rajahmundry	7,500-00
58.	11-06-2018	NDT tests and TA charges	Anjaniputra construction, D.No.302/6- 265,Gollalakoderu Village, Palakoderu Mandal, West Godavari District.	7,500-00
59.			TD-4-1 A 4	(02 201 00
			Total Amount	603,391.00

**Consultancy Incharge** 

HoD

Cell : 98662 34177 E-mail : svtww15@gmail.com



# SREE VENKATESWARA TUBE WELL WORKS



Consultant for: Soil Exploration, Foundation, Geotechnical Projects

S. Venkateswara Rao

Special Class Contractor

Near Andhra Bank, PERAVALI - 534 328, Peravali Mandal West Godavari District, (A.P.)

Date: 23 · 6 · 1)

Ref. :

To

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Sub: Request for consultancy works -Reg.

Sir.

We M/S Sri Venkateswara Tube Wells, Peravalli, West Godavari Dt, A.P., request you to kindly take up the following consultancy works. The necessary charges will be paid as per the college norms.

SI No	Nature of work	Duration	No. of Samples (Tentative)
1	Sub Soil Investigation & Recommendation for SBC	July 2017 - June 2018	50
2	Design of Rig Foundation	July 2017 - June 2018	15

We request your kind approval.

Thanking you,

Freehold Cylells

SHEE VINKATESWARA TUBE WELL WORKS
S. Vallatelina Lifts

PROPRIETOR

Specialists in: Sub-soil Exploration In-situ Tests as S.P.T., S.C.P.T., D.C.P.T., Field Permeability Tests & Collection U.D.S., D.S. Samples, Diamond core Drilling & Collection of Rock Samples, Preparation of Foundation Investigation Reports & All Geotechnical Services.

Approved by : ONGC, R & B, Irrigation, APSRTC, APERL, Indian Railways, NTPC and Panchayat Raj, PH Departments

## **CIVIL ENGINEERING DEPARTMENT CONSULTANCY CELL**

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC with "A" Grade)
Mobile: 9848779130, Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: hod.ce@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

outry of w

To M/s.Sree Venkateswara Tube Well Works, Peravalli, West Godavari District.

Sub: Quotation for the following items.

	Conducting various Laboratory tests on SPT soil (As per IS:SP36 Part- 1) samples at an approved laboratory including preparation of soil samples to determine the following properties of soil, all complete as per specifications, along with Submission of Reports. Test on SPT/disturbed samples.	Per BH
. 1=	1. Sieve analysis	1,500/-
3	2. Hydrometer analysis	1,500/-
·	Liquid limit, plastic limit & Shrinkage limit	3,000/-
	4. Free swell index	1,500/-
	Test on UDS samples	1,000/-
	Bulk density and moisture content	1,000/-
	2. Unconfined compression test	
	3. Box shear test	4,000/-
	4. Consolidation	4,000/-
		6,000/-

#### **Terms & Conditions:**

1.Taxes

: The above rates excluding GST @18%.

2.Validity

: The above rates are valid for a period of 6 months.

Consultancy Cell,

Gudlavalleru Engineering College.

Gudlavalleru

CONSULTANCY CELL Gudlavalleru Engineering College, GUDLAVALLERU - 521 356

Krishna Dist., A.P.

H.C.E

Date: 01-03-2018

Head of Civil Engineering Sudlavalleru Engineering College Gudlavalleru 621 356.

## Design of Rig Foundation at 'LOC NO 10', Gedalalanka, East Godavari District, A.P

Clients:
Oil India Limited,
K.G. Basin Project
KAKINADA
&
Venkateswara Tube Wells,
Peravalli
West Godavari District,
ANDHRA PRADESH

Consultants:

Department of Civil Engineering

Gudlavalleru Engineering College
Seshadri Rao Knowledge Village

Gudlavalleru - 521 356

Krishna District, A.P.

An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
E-mail: principal@geogudlavalleru.ac.in, office@geogudlavalleru.ac.in, Web: www.geogudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

Principal

REF: GEC/ONGC/CONSULTANCY/2017/43

19th July, 2017

To Sree Venkateswara Tube Well Works,SS Peravalli, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "LOC NO 10", Gedalalanka, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 123

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "LOC NO 10", Gedalalanka, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-123	ONGC Rig foundation at "LOC NO 10", Gedalalanka, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
ST-71	Sub soil investigation and Recommendation for the foundation of Drill site "LOC NO 10", Gedalalanka, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupe	es Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.ii

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

Principal

REF: GEC/ONGC/CONSULTANCY/2017/430

19th July, 2017

To Sree Venkateswara Tube Well Works,SS Peravalli, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "LOC NO 15", East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 119

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "LOC NO 15", East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-119	ONGC Rig foundation at "LOC NO 15", East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
ST-38	Sub soil investigation and Recommendation for the foundation of Drill site "LOC NO 15", East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupee	es Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC Copy to Society file GDVL, GO

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC)

pproved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAA NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.F., Ph.D., M.I.S.T.E., F.I.E.

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2017/ 284

Date: 6th May, 2017

To

Sree Venkateswara Tube Well Works, Peravalli, West Godavari District.

Sir.

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "AVTAA"D/S, Seeta Ramapuram, Wes! Godavari Dist., A.P and Bill of charges – Reg.

Ref: Report RF - 120

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "AVTAA"D/S, Seeta Ramapuram, West Godavari Dist., A.P

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-120	ONGC Rig foundation at "AVTAA"D/S, Seeta Ramapuram, West Godavari Dist., A.P	Rs.10,000/-	Rs.10,000/-
ST-63	Sub soil investigation and Recommendation for the foundation of Drill site "AVTAA"D/S, Seeta Ramapuram, West Godavari Dist., A.P	Rs.10,000/-	Rs.10,000/-
Rupe	es Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings

Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC)

NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY M.E., Ph.D., M.LS.T.E., E.LE.

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2017/374

Date: 22<sup>nd</sup> June. 2017

To

Sree Venkateswara Tube Well Works,SS Peravalli.

West Godavari District.

Sir.

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "MWDA" D/s, Dewarapalli, East Godavari District, A.P. and Bill of charges – Reg.

Ref: Report RF - 122

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "MWDA" D/s, Dewarapalli, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-72	Sub soil investigation and Recommendation for the foundation of Drill site "MWDA" D/s, Dewarapalli, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
RF-122	ONGC Rig foundation at "MWDA" D/s, Dewarapalli, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupees Twenty Thousand Only) Total		Rs.20,000/-	

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

### Dr. P. NAGESWARA REDDY

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2017/346

Date: 28th June, 2017

To

Sree Venkateswara Tube Well Works, Peravalli, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "SSD-AA"D/s, Pallipalem, East Godavari Dist., A.P and Bill of charges – Reg.

Ref: Report RF - 124

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "SSD-AA"D/s, Pallipalem, East Godavari Dist., A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-124	ONGC Rig foundation at "SSD-AA"D/s, Pallipalem, East Godavari Dist., A.P	Rs.10,000/-	Rs.10,000/-
ST-73	Sub soil investigation and Recommendation for the foundation of Drill "SSD-AA"D/s, Pallipalem, East Godavari Dist., A.P	Rs.10,000/-	Rs.10,000/-
Rupe	es Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully.



Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY M.E., Ph.D., M.I.S.T.E., F.L.E.

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2017/4/2

Date: 7th July, 2017

To

Sree Venkateswara Tube Well Works, Peravalli, West Godavari District.

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "NMR AA", East Godavari Dist., A.P and Bill of charges - Reg.

Ref: Report RF - 125

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "NMR AA", East Godavari Dist., A.P.

SI. No.	Name of Work	Consultancy charges	Total Arnount
ST-74	Sub soil investigation and Recommendation for the foundation of Drill site "NMR AA", East Godavari Dist., A.P	Rs.10,000/-	Rs.10,000/-
RF-125	ONGC Rig foundation at "NMR AA", East Godavari Dist., A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

PRINCIPAL



An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

Principal

REF: GEC/ONGC/CONSULTANCY/2017/ HHS

25th July, 2017

To Sree Venkateswara Tube Well Works,SS Peravalli, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "PKD AA" Drill Site, Dondapadu, Krishna District, A.P. and Bill of charges – Reg.

Ref: Report RF - 126

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "PKD AA" Drill Site, Dondapadu, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-126	ONGC Rig foundation at "PKD AA" Drill Site, Dondapadu, Krishna District, A.P.		Rs.10,000/-
ST-78	Sub soil investigation and Recommendation for the foundation of Drill site "PKD AA" Drill Site, Dondapadu, Krishna District, A.P.	Rs.10,000/-	Rs.10,000/-
(Rupee	es Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

PRINCIPAL





NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for : Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-27

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecg

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

Principal

REF: GEC/ONGC/CONSULTANCY/2017/ 均格

25<sup>th</sup> Jul

Sree Venkateswara Tube Well Works, SS Peravalli. West Godavari District

Sir.

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & ONGC Rig foundation at "NGAE"D/s, Krishna District, A.P and Bill of Reg.

Ref: Report RF - 127

I am herewith submitting five sets of Hard copies on Soil testing reports & Do details of ONGC Rig foundation at "NGAE"D/s, Krishna District, A.P.

SI. No.	Name of Work	Consultancy charges	A
RF-127	ONGC Rig foundation at "NGAE"D/s, Krishna District, A.P.	Rs.10,000/-	Rs.
ST-79	Sub soil investigation and Recommendation for the foundation of Drill site "NGAE"D/s, Krishna District, A.P.	Rs.10,000/-	Rs.
(Rupe	s Twenty Thousand Only)	Total	Rs

Please send the bill amount through Demand Draft in favour of "Prin Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,





LERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM.

Principal

REF: GEC/ONGC/CONSULTANCY/2018/2/

18th January, 2018

Sri Atluri Srinivasa Rao, Chief Engineer (Civil), Oil and Natural Gas Corporation Limited, SH2. Godavari Bhavan, Civil Engineering Section, Engineering Services, ONGC Base Complex, Rajahmundry Asset, RAJAHMUNDRY - 533 106, A.P.

Sub: Submission of Hard copy Reports (4sets) on the Modified Design of ONGC Rig Foundation at "MDDP" D/s, for Rig J#17, East Godavari District, A.P and Bill of charges - Reg.

Ref: Report RF -129 (RF110 modified)

I am herewith submitting four sets of Hard copies on Design details of Modified Design of ONGC Rig Foundation at "MDDP" D/s, for Rig J#17, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-129 (RF110 modified)	Modified Design of ONGC Rig Foundation at "MDDP" D/s, for Rig J#17, East Godavari District, A.P	Rs.7,500/-	Rs.7,500/-
(Rupees \$	Seven Thousand Five Hundred Only)	Total	Rs.7,500/-

Please arrange the payment of the bill amount Rs.7,500/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: /11588344394

Thanking you, Yours faithfully.

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Cell : 98662 34177 E-mail : svtww15@gmail.com



# SREE VENKATESWARA TUBE WELL WORKS



Consultant for: Soil Exploration, Foundation, Geotechnical Projects

S. Venkateswara Rao

Special Class Contractor

Near Andhra Bank, PERAVALI - 534 328, Peravali Mandal West Godavari District, (A.P.)

Date: 23 · 6 · 1)

Ref. :

To

The Principal,

Gudlavalleru Engineering College,

Gudlavalleru.

Sub: Request for consultancy works -Reg.

Sir.

We M/S Sri Venkateswara Tube Wells, Peravalli, West Godavari Dt, A.P., request you to kindly take up the following consultancy works. The necessary charges will be paid as per the college norms.

SI No	Nature of work	Duration	No. of Samples (Tentative)
1	Sub Soil Investigation & Recommendation for SBC	July 2017 - June 2018	50
2	Design of Rig Foundation	July 2017 - June 2018	15

We request your kind approval.

Thanking you,

Freehold Cylells

SHEE VINKATESWARA TUBE WELL WORKS
S. Vallatelina Lifts

PROPRIETOR

Specialists in: Sub-soil Exploration In-situ Tests as S.P.T., S.C.P.T., D.C.P.T., Field Permeability Tests & Collection U.D.S., D.S. Samples, Diamond core Drilling & Collection of Rock Samples, Preparation of Foundation Investigation Reports & All Geotechnical Services.

Approved by : ONGC, R & B, Irrigation, APSRTC, APERL, Indian Railways, NTPC and Panchayat Raj, PH Departments

## **CIVIL ENGINEERING DEPARTMENT CONSULTANCY CELL**

**GUDLAVALLERU ENGINEERING COLLEGE** 

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC with "A" Grade)
Mobile: 9848779130, Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: hod.ce@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

outry of w

To M/s.Sree Venkateswara Tube Well Works, Peravalli, West Godavari District.

Sub: Quotation for the following items.

	Conducting various Laboratory tests on SPT soil (As per IS:SP36 Part- 1) samples at an approved laboratory including preparation of soil samples to determine the following properties of soil, all complete as per specifications, along with Submission of Reports. Test on SPT/disturbed samples.	Per BH
. 1 <sup>=</sup>	1. Sieve analysis	1,500/-
3	2. Hydrometer analysis	1,500/-
· ·	Liquid limit, plastic limit & Shrinkage limit	3,000/-
	4. Free swell index	1,500/-
	Test on UDS samples	1,000/-
	Bulk density and moisture content	1,000/-
	2. Unconfined compression test	
	3. Box shear test	4,000/-
	4. Consolidation	4,000/-
		6,000/-

#### **Terms & Conditions:**

1.Taxes

: The above rates excluding GST @18%.

2.Validity

: The above rates are valid for a period of 6 months.

Consultancy Cell,

Gudlavalleru Engineering College.

Gudlavalleru

CONSULTANCY CELL Gudlavalleru Engineering College, GUDLAVALLERU - 521 356

Krishna Dist., A.P.

H.C.E

Date: 01-03-2018

Head of Civil Engineering Sudlavalleru Engineering College Gudlavalleru 621 356.

REPORT ON
SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE
FOUNDATION OF PROPOSED DRILL SITE "NAG-1-Z-V1"
KRISHNA DISTRICT
ANDHRA PRADESH

LOCATION

ONGC DRILL SITE "NAG-1-Z-V1" KRISHNA DISTRICT - A.P

**CLIENTS** 

THE SUPERINTENDING ENGINEER
ONGC - KG PROJECT – RAJAHAMUNDRY, E.G. Dt., A.P
&

D.V.S.RAMA RAO, CONTRACTOR, CHINCHINADA, W.G. Dt., A.P

**SOIL BORING & INVESTIGATION** 

By

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/ 29

Date: 20th January, 2018

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "NAG-1-Z-V1" D/s, Krishna District, A.P and Bill of charges – Reg.

Ref: Report RF - 134

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "NAG-1-Z-V1" D/s, Krishna District, A.P

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-91	Sub soil investigation and Recommendation for the foundation of Drill site "NAG-1-Z-V1" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
RF-134	ONGC Rig foundation at "NAG-1-Z-V1" D/s, Krishna District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru

Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

**Principal** 

REF: GEC/ONGC/CONSULTANCY/2017/ a32-

Date: 10<sup>th</sup> April, 2017

To Sree Venkateswara Tube Well Works, Peravalli, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "LOC-13"D/s, East Godavari Dist., A.P and Bill of charges – Reg.

Ref: Report RF - 118 & ST-37

I am herewith submitting four sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "LOC-13"D/s, East Godavari Dist., A.P

SI. No.	Name of Work	Consultancy charges	Total Amount
RF-118	Design of Rig Foundation at 'LOC NO 13', East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
ST-37	Sub Soil Investigation And Recommendations For The Rig Foundation At Proposed Drill Site "LOC NO 13" East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupe	es Twenty Thousand Only)	Total	Rs.20,000/-

Please send the bill amount through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru.

Thanking you,

Yours faithfully,

RPRINCIPAL



NAME OF THE PROJECT – "Package-4: CONSTRUCTION OF ROADBED, MAJOR AND MINOR BRIDGES, TRACK LINKING (EXCLUDING SUPPLY OF RAILS AND PSC LINE SLEEPERS), GENERAL ELECTRICAL, TRACTION AND SIGNAL & TELECOMMUNICATION WORKS (OUTDOOR) AND CONSTRUCTION OF STAFF QUARTERS IN VIJAYAWADA - GUDIVADA - MACHILIPATNAM SECTION IN CONNECTION WITH DOUBLING WITH RAILWAY ELECTRIFICATION OF GUDIVADA - MACHILIPATNAM SECTION FROM KM.0.00 TO KM. 36.74 ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY."

#### LOCATION

STAFF QUARTERS AT MACHILIPATNAM (Km 36.400)

**CLIENTS** 

RVNL VIJAYAWADA

SOIL TEST REPORT SUBMITTED BY



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIJM,

Principal

REF: GEC/CONSULTANCY/2017/ 777

29th December, 2017

To The General Manager, Power Mech Projects Limited, Hyderabad

Sir,

Name of the work: Services for the soil testing work of our railway project .RVML-GDV-MTM.

Sub: Bill of charges for ST-60 for conducting soil tests and submission of reports- Reg.

Ref: Your work order 6000011559, dated: 01-12-2016

In response to your work order mentioned in reference above, We are herewith submitting two copies of bill of charges for conducting tests on soil properties and submitting the reports for samples supplied by you.

S. No	Description of Work	Code	No. of Samples	Each sample rate	Total Amount
1	Soil investigation (LL,PL, Compaction and CBR) and submitting report for Nandigama	ST-60	1	3,850-00	3,850-00
(Rup	ees Three thousand and Eight hundred Fifty	only)	To	tal Amount:	3,850-00

Please arrange the bill amount Rs.3,850/- through RTGS mode payment to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to the Saving A/c no. 11588344394 of Consultancy cell, Gudlavalleru Engineering College .
Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of bill of charges Copy to Consultancy Cell of GEC

Copy to Society file

Reched by

Reched by

Reched by

Reched by

Reched by

Reched by

NAME OF THE PROJECT – "Package-4: CONSTRUCTION OF ROADBED, MAJOR AND MINOR BRIDGES, TRACK LINKING (EXCLUDING SUPPLY OF RAILS AND PSC LINE SLEEPERS), GENERAL ELECTRICAL, TRACTION AND SIGNAL & TELECOMMUNICATION WORKS (OUTDOOR) AND CONSTRUCTION OF STAFF QUARTERS IN VIJAYAWADA -GUDIVADA - MACHILIPATNAM SECTION IN CONNECTION WITH DOUBLING WITH RAILWAY ELECTRIFICATION OF GUDIVADA -MACHILIPATNAM SECTION FROM KM. 0.00 TO KM. 36.74 ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY."

#### LOCATION

#### STAFF QUARTERS AT GUDIVADA

QUARRY - NANDIGAMA VILLAGE (Borrow Area Sample 3)

**CLIENTS** 

RVNL VIJAYAWADA

SOIL TEST REPORT SUBMITTED BY



# REPORT ON RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED COMPOUND WALL TO ZPH SCHOOL GURAJA, KRISHNA DISTRICT, ANDHRA PRADESH

#### LOCATION

ZPH SCHOOL, GURAJA, KRISHNA DISTRICT, ANDHRA PRADESH

#### **CLIENTS**

THE DEPUTY EXECUTIVE ENGINEER SSA, GUDIVADA

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL
DEPARTMENT OF CIVIL ENGINEERING

#### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru — 521356, A.P

NAME OF THE PROJECT - "Package-4: CONSTRUCTION OF ROADBED, MAJOR AND MINOR BRIDGES, TRACK LINKING (EXCLUDING SUPPLY OF RAILS AND PSC LINE SLEEPERS), GENERAL ELECTRICAL, TRACTION AND SIGNAL & TELECOMMUNICATION WORKS (OUTDOOR) AND CONSTRUCTION OF STAFF QUARTERS IN VIJAYAWADA - GUDIVADA - MACHILIPATNAM SECTION IN CONNECTION WITH DOUBLING WITH RAILWAY ELECTRIFICATION OF GUDIVADA - MACHILIPATNAM SECTION FROM KM.0.00 TO KM. 36.74 ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY."

#### **BLANKETING MATERIAL (Sample-1)**

**CLIENTS** 

RVNL VIJAYAWADA

SOIL TEST REPORT SUBMITTED BY



NAME OF THE PROJECT – "Package-4: CONSTRUCTION OF ROADBED, MAJOR AND MINOR BRIDGES, TRACK LINKING (EXCLUDING SUPPLY OF RAILS AND PSC LINE SLEEPERS), GENERAL ELECTRICAL, TRACTION AND SIGNAL & TELECOMMUNICATION WORKS (OUTDOOR) AND CONSTRUCTION OF STAFF QUARTERS IN VIJAYAWADA - GUDIVADA - MACHILIPATNAM SECTION IN CONNECTION WITH DOUBLING WITH RAILWAY ELECTRIFICATION OF GUDIVADA - MACHILIPATNAM SECTION FROM KM.0.00 TO KM. 36.74 ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY."

#### **BLANKETING MATERIAL (Sample-2)**

**CLIENTS** 

RVNL VIJAYAWADA

SOIL TEST REPORT SUBMITTED BY



NAME OF THE PROJECT – "Package-4: CONSTRUCTION OF ROADBED, MAJOR AND MINOR BRIDGES, TRACK LINKING (EXCLUDING SUPPLY OF RAILS AND PSC LINE SLEEPERS), GENERAL "ELECTRICAL, TRACTION AND SIGNAL & TELECOMMUNICATION WORKS (OUTDOOR) AND CONSTRUCTION OF STAFF QUARTERS IN VIJAYAWADA - GUDIVADA - MACHILIPATNAM SECTION IN CONNECTION WITH DOUBLING WITH RAILWAY ELECTRIFICATION OF GUDIVADA - MACHILIPATNAM SECTION FROM KM.0.00 TO KM. 36.74 ON VIJAYAWADA DIVISION OF SOUTH CENTRAL RAILWAY."

**BLANKETING MATERIAL (Sample-3)** 

**CLIENTS** 

RVNL VIJAYAWADA

SOIL TEST REPORT SUBMITTED BY



# REPORT ON RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED COMPOUND WALL KGBV SCHOOL REDDIGUDEM, KRISHNA DISTRICT, ANDHRA PRADESH

#### LOCATION

# KGBV SCHOOL, REDDIGUDEM, KRISHNA DISTRICT, ANDHRA PRADESH

#### **CLIENTS**

## THE DEPUTY EXECUTIVE ENGINEER SSA, NUZVIDU

SOIL TEST REPORT

Submitted by



#### CONSULTANCY CELL DEPARIMENT OF CIVIL ENGINEERING

### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P

30/11/17

# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED RESIDENTIAL BUILDING GUDIVADA, KRISHNA DISTRICT ANDHRA PRADESH

LOCATION

D-No-10/112, OPPOSITE GANDHI STATUE ELURU ROAD, GUDIVADA, KRISHNA DISTRICT - A.P

**CLIENTS** 

CH KALYAN CHAKRAN
D-No-10/112, OPPOSITE GANDHI STATUE
ELURU ROAD, GUDIVADA,
KRISHNA DISTRICT,
ANDHRA PRADESH

SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



# REPORT ON SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED RESIDENTIAL BUILDING GUDIVADA, KRISHNA DISTRICT ANDHRA PRADESH

#### LOCATION

D-No-10/112, OPPOSITE GANDHI STATUE ELURU ROAD, GUDIVADA, KRISHNA DISTRICT - A.P

#### **CLIENTS**

CH KALYAN CHAKRAN
D-No-10/112, OPPOSITE GANDHI STATUE
ELURU ROAD, GUDIVADA,
KRISHNA DISTRICT,
ANDHRA PRADESH

SOIL BORING & INVESTIGATION BY

M/S. SREE VENKATESWARA TUBE WELL WORKS, PERAVALI, WEST GODAVARI DISTRICT

SOIL TEST REPORT

Submitted by



28/11/17

REPORT ON

SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR THE FOUNDATION OF PROPOSED SCHOOL BUILDING AT PULIGADDA KRISHNA DISTRICT, ANDHRA PRADESH

LOCATION

GURUKUL PATASALA PULIGADDA AVANIGADDA MANDAL

**CLIENTS** 

SRI NAGENDRA CONSTRUCTIONS CHAITANYA NAGAR OLD GAJUWAKA, VISHAKAPATNAM

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL
DEPARTMENT OF CIVIL ENGINEERING

#### GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao Knowledge Village

Gudlavalleru – 521356, A.P

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web; www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.Eng., MISTE, MSESI, MASME, MSAF, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/30

Date: 20th January, 2018

Sree Venkateswara Tube Well Works,

Narasapur, West Godavari District

Sir.

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "KBKCW1" D/S, East Godavari District, A.P and Bill of

charges - Reg.

Ref: Report RF - 130

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "KBKCW1" D/S, East Godavari District, A.P

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-86	Sub soil investigation and Recommendation for the foundation of Drill site "KBKCW1" D/S, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-130	ONGC Rig foundation at "KBKCW1" D/S, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully.

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

GUDLAVALLERU ENGINEERING

(An Autonomous Institute with Permanent Affiliation to JNTU Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna Dist (Approved by AICTE, New Delhi and Permitted by A.P. State Government Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & I
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 086
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/3

Date: 20th Janua

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports ONGC Rig foundation at "NAG-1-Z-V2" D/s, Krishna District, A.P and B – Reg.

Ref: Report RF - 132

I am herewith submitting five sets of Hard copies on Soil testing reports & details of ONGC Rig foundation at "NAG-1-Z-V2" D/s, Krishna District, A.P

SI. No.	Manie Of MADIK	Consultancy charges	140
ST-88	Sub soil investigation and Recommendation for the foundation of Drill site "NAG-1-Z-V2" D/s, Krishna District, A.P	Rs.10,000/-	
RF-132	ONGC Rig foundation at "NAG-1-Z-V2" D/s, Krishna District, A.P	Rs.10,000/-	F
Rupees	Twenty Thousand Only)	Total	F

Please arrange the payment of the bill amount Rs.20,000/- through Demand Drafavour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with I code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

Copy to Society file

GONT COO TO

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B. Tech., M.S., M. Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/32

Date: 20th January, 2018

To

Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Soil testing reports & Design of ONGC Rig foundation at "KPAF" D/s, Vodalarevu, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report RF - 133

I am herewith submitting five sets of Hard copies on Soil testing reports & Design details of ONGC Rig foundation at "KPAF" D/s, Vodalarevu, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-89	Sub soil investigation and Recommendation for the foundation of Drill site "KPAF" D/s, Vodalarevu, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
RF-133	ONGC Rig foundation at "KPAF" D/s, Vodalarevu, East Godavari District, A.P	Rs.10,000/-	Rs.10,000/-
(Rupees	Twenty Thousand Only)	Total	Rs.20,000/-

Please arrange the payment of the bill amount Rs.20,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBi, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394. Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 4 sets of Design and Drawings Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D.,

FIE, C.EZG., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/28

19th January, 2018

To Sree Venkateswara Tube Well Works, Narasapur, West Godavari District

Sir.

Sub: Submission of Hard copy Reports (5sets) on the Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report ST-90

I am herewith submitting five sets of Hard copies on Submission of Hard copy Reports (5sets) on the Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-90	Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P.	Rs.12,000/-	Rs.12,000/-
(Rupees	Twelve Thousand Only)	Total	Rs.12,000/-

Please arrange the payment of the bill amount Rs.12,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394

Thanking you, Yours faithfully.

PRINCIPAL

Encl: 5 sets of Design and Drawings Copy to Consultancy Cell of GEC

GUDLAVALLERU ENGINEERING COI

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/CONSULTANCY/2017/ 3/3

29th November, 2017

The Asst. Executive Engineer, PRI/SD. Gudivada. Krishna District

Sir.

Name of the work: Services for the soil testing work.

Sub: Bill of charges for ST-92 to ST-94 for conducting soil tests and submission of reports- Reg.

Ref: Lr.No.Nil, dt.24-11-2017

In response to your letter mentioned in reference above, We are herewith submitting two copies of bill of charges for conducting tests on soil properties and submitting the reports for samples supplied by you.

S. No	Description of Work	Code	No. of Samples	Each sample rate	Total Amount
1	Road from R&B road to Seepudi village of Gudivada Mandal @ 1/012	ST-92	1	2,000-00	2,000-00
2	Road from G.P.K. road to Gajulapadu of Nandivada Mandal @ 1/488	ST-93	1	2,000-00	2,000-00
3	Road from R&B Road to Kasipudi Village of Gudivada Mandal @ 0/512	ST-94	1	2,000-00	2,000-00
(Rup	ees Six thousand only)	***	Total	l Amount:	6,000-00

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of bill of charges Copy to Consultancy Cell of GEC

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/ONGC/CONSULTANCY/2018/6 7

2<sup>nd</sup> February,

To D.V.S. RAMA RAO, Chinchinada, West Godavari District

Sir,

Sub: Submission of Hard copy Reports (5sets) on the Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P and Bill of charges – Reg.

Ref: Report ST-95

I am herewith submitting five sets of Hard copy report of ST-95 & ST-96 each on the Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P.

SI. No.	Name of Work	Consultancy charges	Total Amount
ST-95	Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P.	Rs.10,000/-	Rs.10,000/-
ST-96	Sub Soil Investigation And Recommendations For Laying of Proposed 20" Gas Export Pipe Line, East Godavari District, A.P.	Rs.12,000/-	Rs.12,000/-
(Rupees	Twenty two Thousand Only)	Total	Rs.22,000/-

Please arrange the payment of the bill amount Rs.22,000/- through Demand Draft in favour of "Principal, Gudlavalleru Engineering College Gudlavalleru" payable at SBI, Gudlavalleru or through RTGS mode to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to Saving A/c no. of college consultancy cell: 11588344394
Thanking you.

Yours faithfully,

DDININAL

Encl: 5 sets of ST-95 & ST-96 each Copy to Consultancy Cell of GEC

REPORT ON
SUB SOIL INVESTIGATION AND RECOMMENDATIONS FOR LAYING
THE PROPOSED 20" GAS EXPORT PIPE LINE, EAST GODAVARI
DISTRICT, ANDHRA PRADESH

#### LOCATION

ONGC 20"GAS EXPORT PIPE LINE AT GODAVARI RIVER CROSSINGS, EAST GODAVARI DISTRICT - A.P

#### **CLIENTS**

THE CHIEF ENGINEER (CIVIL),
ONGC, RAJAHMUNDRY ASSET, RAJAHMUNDRY
ON BEHALF OF
THE D.G.M. (PRODUCTION), KG-DWN-98/2 PROJECT,
ONGC - KAKINADA, E.G. Dt., A.P

D.V.S. RAMA RAO, CONTRACTOR, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL BORING & INVESTIGATION

By

D.V.S. RAMA RAO, CHINCHINADA, WEST GODAVARI DISTRICT, ANDHRA PRADESH

SOIL TEST REPORT

Submitted by



CONSULTANCY CELL

DEPARTMENT OF CIVIL ENGINEERING

#### **GUDLAVALLERU ENGINEERING COLLEGE**

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada, NAAC Accredited with A Grade & Accredited by NBA)

SeshadriRao knowledge village

Gudlavalleru – 521356, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years
Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957
e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

REF: GEC/CONSULTANCY/2018/ 212/

24th April, 2018

To The General Manager, Power Mech Projects Limited, Hyderabad

Sir,

Name of the work: Services for the soil testing work of our railway project .RVNL-GDV-MTM. Sub: Bill of charges for ST-102 for conducting soil tests and submission of reports- Reg.

In response to your work order mentioned in reference above, We are herewith submitting two copies of bill of charges for conducting tests on soil properties and submitting the reports for samples supplied by you.

S. No	Description of Work	Code	No. of Samples	Each sample rate	Total Amount
1	Sub soil investigation and recommendations for the construction of ohe foundation at ch.+13.100 & ch.+9.100	ST-102	1	5,500-00	5,500-00
(Rup	ees Five thousand Five hundred only)	ER	Total	Amount:	5,500-00

Please arrange the bill amount Rs.5,500/- through RTGS mode payment to State Bank of India, Gudlavalleru with IFCS code SBIN0001461 to the Saving A/c no. 11588344394 of Consultancy cell, Gudlavalleru Engineering College.

Thanking you,

Yours faithfully,

PRINCIPAL

Encl: 2 sets of bill of charges Copy to Consultancy Cell of GEC Copy to Society file Revent by
Lamin 26/4/18.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

Principal

Ref: GEC/Consult/CE/MT-80

Date: 29-07-2017

Tο Jayachandra Infrastructures, MFRS.Of Flyash Bricks, Ramanapudi, Gudivada Rural.

Sir.

Sub: Test results of Fly ash Bricks Your Letter Dated: 07-07-2017 .

With reference to your letter we have conducted the compressive strength test for on Flyash Bricks Cubes Samples, which are supplied by you. The Test results are as follows:

Description	Date of Testing		essive Str (N/mm²)	Total	Average	
Description	Date of Testing	1	2	3	Total	(N/mm²)
Flyash Bricks Sample NO-1	22-07-2017	14.15	10.75	15.5	40.4	13.46
Flyash Bricks Sample NO-2	22-07-2017	6.5	7.95	10.11	24.54	8.18

This is for your kind information

Thanking you,

Yours faithfully,

Tested by

(K.Venkateswara Rao)

(P.Kodanda Ramarao)

H.O.D

(Dr.P. Nageswara Reddy) PRÍNCIPAL

(Ab.Jilani)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC)

NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

**Principal** 

Ref: GEC/Consult/CE/MT-78

Date: 08-04-2017

To Final year B.Tech students, Sri Vasavi Engineering College, Nandamuru.

Sir,

Sub:- Test results of CC Cubes for the Project work of the B-tech Civil Engineering final year students. Sri Vasavi Engineering college Nandamuru.

With reference to your letter we have conducted the compressive strength test for on CC Cubes Cured in Accelerating curing tank, which are supplied by you. The Test results are as follows:

Grade of	Sample	Date of	Date of	Compre (I	ssive Str V/mm²)	ength	Total	Average
concrete	Identification & Source	Casting	Testing	1	2	3	TOTAL	(N/mm <sup>2</sup> )
M 35	Cement with Fly ash	03-04-2017	04-04-2017	36.64	41.92	41.25	122.82	40.94
M35	Cement with Sawdust	03-04-2017	04-04-2017	36.16	37.97	36.57	110.70	36.90

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(K.Venkateswara Rao)

(P.Kodanda Ramarao) H.O.D

- (

(Dr.P.Nageswara Reddy)
PRINCIPAL

AB J. Jam' (Ab. Jilani)

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi, Permitted by A.P. State Government and Accredited by NAAC)

NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., E.I.E.

**Principal** 

Ref: GEC/Consult/CE/MT-79

Date: 4-5-2017

To Site Engineer, Bridge Works, Dokiparu.

Sir.

Sub:- Construction of Bridge works, Dokiparu.

With reference to your letter we have conducted the compressive strength test on CC Cubes which are supplied by you. The Test results are as follows:

Grade of			e of Date of Compressiv	Comp	ressive S (N/mm²	Total	Averag e	
concret e	Casting	Testing	Testing required for 1 2 3	3	(N/mm² )			
M 20	1-4-2017	28-4-2017	28 Days	28.22	27.43	28.64	84.29	28.09
M 20	4-4-2017	1-5-2017	28 Days	28.45	27.62	28.54	84.61	28.20

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(K.Venkateswara Rao)

(Dr.P.Kodanda Rama Rao)

(Dr.P.Nageswara Reddy)

H.O.D

PRINCIPAL

(A. Jilani) AR. Jilani

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

## Dr. P. NAGESWARA REDDY M.E., PLD., M.I.S.T.E., F.I.E.

Principal

Ref: GEC/Consult/CE/MT-81

Date: 12-08-2017

Akshay Food Impex Pvt. Ltd. Pamarrru.

Sir.

Sub:- Construction Work of Akshay Food Impex Pvt. Ltd. at Pamarru.

With reference to your letter we have conducted the compressive strength test for CC Cubes which are supplied by you. The Test results are as follows:

Date of Casting	Date of Testing	Compressive Strength required for		essive Stre V/mm²)	ength	Total	Average (N/mm²)
<del></del>	1711	(d) (d)	1	2	3	<del>-</del>  -	t t
03-08-2017	09-04-2017	7 Days	21.28	22.94	21.24	65.46	21.82

This is for your kind information,

Thanking you.

Tested by

(K.Venkateswara Rao)

Associate Professor

(Ab.Jilani)

(P.Kodanda Ramarao)

H.O.D

Yours faithfully,

(Dr.P.Ravidera Babu)

PRINCIPAL I/c

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

## Dr. P. NAGESWARA REDDY M.E., PLD., M.I.S.T.E., F.I.E.

Principal 1

Ref: GEC/Consult/CE/MT-82

Date: 20-07-2017

To Sarva Siksha Abhiyan (S.S.A) Nuzivid-Sub Division.

Sir

Sub: Testing of clay bricks for construction of compound wall to KGBV school, Reddigudem, Krishna District.

With reference to your letter we have conducted the compressive strength test and water absorption test for clay brick samples which are supplied by you. The Test results are as follows: Compressive Strength:

Date of Testing	Compressive Strength (As per IS code IS1077-1922)	Strength Compressive Stre (As per IS code (N/mm²)		Strength	Total	Average (N/mm²)
	1 5 C St	1	2	3	1	,
17-07-2017	Compressive Strength	32.89	33.68	32.72	99.29	33.09

#### Water Absorption:

Date of Testing	Water Absorption (As per IS code IS1077-1922)	Wate	er Absorp	otion	Total	Average (%)
		1	2	3 .		()
17-07-2017	Water Absorption	10.02	9.96	10.08	30.06	10.02

This is for your kind information,

Thanking you,

Tested by

(K. Venkateswara Rac)

Associate Professor

P.Kodanda Ramarao)

H.O.D

Yours faithfully,

(Dr.P. Nageswara Reddy) **PRINCIPAL** 

(Ab.Jilani)

Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudiavalleru.ac.in, office@gecgudiavalleru.ac.in, Web: www.gecgudiavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E.

Principal

Ref: GEC/Consult/CE/MT-83

Date: 25-09-2017

To Velkro Infratek Projects Food Ltd, Gayatri Nagar, Vijayawada.

Sir.

Sub:- Water Tank Construction Work (500kl) at Vasavi Nagar Gudivada

With reference to your letter we have conducted the compressive strength test for on CC Cubes which are supplied by you. The Test results are as follows:

Date of Casting	Date of Testing	Compressive Strength required for	Compi	ressive St (N/mm²)	Total	Average (N/mm²)	
	2	A 7575	1	2	3		
24-08-2017	30-0 <del>9</del> -2017	7 Days	25.28	26.84	25.48	77.60	25.86
24-08-2017	20-09-2017	28 Days	38.94	39.68	38.87	117.49	39.16

This is for your kind information

Thanking you

Yours faithfully,

Tested by

(K.Venkateswara Rao) Lab Incharge (P.Kodanda Ramarao) H.O.D (Dr.P.Nageswara Reddy) PRINCIPAL

AR. Jihni

(Ab.Jilani) Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi and Permitted by A.P. State Government) Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957 E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY M.E., Ph.D., M.I.S. LE., F.I.E.

Principal

Ref: GEC/Consult/CE/MT-84

Date: 20-07-2017

Sarva Siksha Abhiyan (S.S.A) Nuzivid-Sub Division

Sir.

Sub: Testing of aggregates for construction of compound wall to KGBV school, Reddigudem, Krishna District.

With reference to your letter we have conducted the following tests coarse aggregate & fine aggregate sample which are supplied by you. The Test results are as follows:

ggregate sai		e supplied by you. The Test resu		Value			Average
ggregate	Date of	tests	1	2	3	<u></u>	
Type	Testing	Impact Value	13.26 %	14.29%	15.11%	42.66	14.22
	17-07-2017	(As per IS code IS 2300 Total					7.11%
Coarse Aggregate	17-07-2017	Flakiness Index (As per IS code IS 2386-1963 Part-1)		0			14.49 %
		Elongation Index (As per IS code IS 2386-1963					[4.45]
	17-07-2017	Pan-1)		Zo	one - II aterial		2.77%
Fine	17-07-2017	(As per IS code IS 383-1970	-		0/ of	moistur	e content
Aggregate	17-07-2017	Bulking of Sand (As per IS code IS 2386-1963 Part-3)	³ √ of sa	bulking and 26.6%		and 4%	at bulking

This is for your kind information,

Thanking you,

Tested by

(K.Venkateswara Rao) Associate Professor

P.Kodanda Ramarao) H.O.D

Yours faithfully,

(Dr.P. Nageswara Reddy) PRINCIPAL

(Ab.Jilani) Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi and Permitted by A.P. State Government)
Accredited by NAAC with 'A'Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. P. NAGESWARA REDDY

M.E., Pa.D., M.I.S.T.E., F.I.E.

**Principal** 

Ref: GEC/Consuit/CE/MT-85

Date: 20-07-2017

To

Sarva Siksha Abhiyan (S.S.A) Nuzivid-Sub Division.

Sir,

Sub:- Test results of Tor steel samples - Regarding.

With reference to your letter we have conducted tests for on tor steel sample supplied by you.

The details:

S. No	Dia of bar (mm)	Weight (kg /m)	Ultimate Tensile Strength (MPa)	Yield Stress (MPa)	% elongation
1	8 mm	0.36	730	633.0	20.1
2	10 mm	0.54	737	634.4	19.6

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

(K.Venkateswara Rao)

Lab Incharge

(P.Kodanda Ramarao)

H.O.D

Dr.P.Nageswara Reddy) PRINCIPAL

N-Koleswara Rao)
Lab technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIF, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-86

Date: 20-07-2017

Sarva Siksha Abhiyan (S.S.A) Nuzivid-Sub Division.

Sub:- Test results of Tor steel samples - Regarding.

With reference to your letter we have conducted tests for on tor steel sample supplied by you.

The details:

The detail	ls:					
S. No	Dia of bar (mm)	Weight (kg /m)	Ultimate Tensile Strength (MPa)	Yield Stress (MPa)	% elongation	
	12 mm	0.73	654.09	514.70	20.2	
1						

This is for your kind information,

Thanking you,

Tested by

Yours faithfully,

( K.Venkateswara Rao ) Lab Incharge

(Dr. P.Kodanda Ramarao)

H.O.D

ndra Babu) RINCIPAL

Nikote xwava Ru (N.Koteswara Rao) Lab technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail; principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT- 87

Date: 23-01-2018

To

Vasundhara Constructions,

Back side of Government Hospital,

Machilipatnam.

Sir.

Sub:- Construction of Vasundhara enclave apartment at Machilipatnam.

With reference to your letter we have conducted the compressive strength test on CC Cubes which are supplied by you. The Test results are as follows:

Date of Casting	Date of Testing	Compressive Strength required for	Compressive Strength (N/mm²)		Total	Average (N/mm²)	
			1	2	3		G.
11-01-2018	17-01-2018	7 Days	17.56	19.08	14.45	51.09	17.03

This is for your kind information,

Thanking you,

Yours faithfully,

Tested by

(K.Venkateswara Rao)

Lab Incharge

(P.Kodanda Ramarao)

H.O.D

(Dr.P.Rwindra Babu)

**PRINCIPAL** 

(Ab.Jilani) Lab Technician

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years

Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Ref: GEC/Consult/CE/MT-88

Date: 27-01-2018

Τo

Vasundhara Constructions, Back side of Government Hospital, Machilipatnam.

Sir,

Sub:- Construction of Vasundhara enclave apartment at Machilipatnam.

With reference to your letter we have conducted the compressive strength test on CC Cubes which are supplied by you. The Test results are as follows:

Date of Casting	Date of Testing	Compressive Strength required for	Compressive Strength (N/mm²)		Total	Average (N/mm²)	
			1	2	3		
20-01-2018	26-01-2018	7 Days	15.38	16.32	15.89	47.59	15.86

This is for your kind information,

Thanking you,

Tested by

(K.Venkateswara Rao) Lab Incharge (P.Kodanda Ramarao) H.O.D (Dr.P.Ravindra Babu) PRINCIPAL

Yours faithfully,

(Ab.Jilani)

Lab Technician

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

No.

190

Date: 314/2017...

(Rupees. Methongand lifty my )
from Sri/Smt. SVIET allege, Nondomian
Aciderate and take blage — bee co
towards Edited (Maye)

(475 = 475 = 475 = 7

Faculty Incharge
Consultancy Cell

# SESHALISHAD KIN WILLISH VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT



Date: 215.1247...

Received an Amount Rs. 450.k
Rupees. for hundred fifty rely
trom Sri/Smt. Site confiner, Budge Engel.
Dekkufredill
towardscuses-lepting. (6. Ender.)

Faculty Incharge Consultancy Cell

Consultancy Cell

### RECEIPT

vo. 192

Date: 515.1.20.11.

Received an Amount Rs. 15,000.

(Rupees.....Fillian. Manyana). (2014).

from Sti/Smt. saladi yenkatyansa. pa.o., (10... Siee vankatyansa. pa.o., (10... Siee vankatyansa. pa.o., (10... Siee vankatyansa. ja.o., (10... Siee v

Faculty Incharge Consultancy Cell

# Consultancy Cell



vo. 193

Date: 31.05.2017

(Rupees Jenthausand fine hondraft of

from Sri/Smt. R. V.N.L. V. I. Jaya Mala

towards ... S. o. J. Leg. F. . S. J. . 66, 6.7.2.68

Faculty Incharge
Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

#### Consultancy Cell

## RECEIPT

No. 194

Date: 91.6120.17.

Received an Amount Rs2,000
(Rupees. Two Thougard Rupes only
from Sri/Smt. 2p. High School, Ganaja.
towards Entitleting for compound well

Faculty Incharge
Consultancy Cell

Consultancy Cell

### RECEIPT

No.

195

Date: .21.71.17....

Received an Amount Rs. 420 (Rupees. 100) Individual May Rufty rely () from Sri/Smt. Trayochandra washing he language towards. Carbo kalang of fly cash By Clarent towards. Carbo kalang of fly cash By Clarent Company of

Faculty Incharge Consultancy Cell

## SESHADBIRAD ANOWI EDGE VALAGE GUDLAVALLERU

Consultancy Cell

#### RECEIPT

196

Date: LUBLALIA...

Received an Amount Rs. 225
(RupeesthechinodisdTwomty.hve.orly)
from Sri/Smt. Akyly food Inthe Portate
Lemested y Described
towards. Luby Tetling (Juby)

Faculty Incharge Consultancy Cell Arincipal

# GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

No. 197

Date: .5/9/11.

Received an Amount Rs. 6,000.
(Rupees Siz Margand only)
from Sri/SmtOEE. (33A), Site Emgners
towards. solluling material tell cocase of Mark
towards soltulime material till cocase agonget
Annagregale, Tarstell mod

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

## RECEIPT

8		ă.		
r	Ų.	ŧ	1	
6	`	ů.	ě.	

198

Date: 19/09/17

Received an Amount Rs625
(Rupees Sir hund read trienty firenty
(Rupees)
from Sri/Smt. OEC (S(A) S. 6 Gres Jac
NUZIVILLA Sub Divina
towards cube testing (6 Cubes)

Faculty Incharge Consultancy Cell Prindipal

## GUDLAVALI ERU ENGINEERING COLLEGE SESHALISHEAD KNOWLEDGE VELLERU

Consultancy Cell

## RECEIPT

199

Date: 46.19.11

Received an Amount Rs	
(Rupees. Think of by high cont	
from SrVSmtVa.L.I.K	
Li I JA PWAda -	
towards	

Faculty Incharge Consultancy Cell

## GUDLAVALLERU ENGINEERING COLLEGE SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

Consultancy Cell

RECEIPT

Date: .23/10/2017

Received an Amount Rs. 200	
(RupeesEight: Hendred only	)
from Sri/Smt. DEE. (.55A) Site. 6mgn.	9-66
western done dried now	
towards. 1.2. mm. of steet sieds telt	ng

Faculty Incharge Consultancy Cell





## Consultancy Cell RECEIPT

No.

Date: 28/11/17

Received an Amount Rs.6,.000. from Sri/Smt. Abgendia. Continuel out. Charternya Nogar, Ald Goynwaka, 1) Sch Gallme towards subsal lifting 51.83

Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell

RECEIPT

Date: 3/11/17

Received an Amount Rs6, co.l
(Rupees Sa Haymod My
from Sri/Smt. ch. Kulymachakom, D. No. 10/112
off Gardhe Statue, Chew. Load, Guderich, Ap
towards. Sus. Sal. Lelling, 57.82

Faculty Incharge Consultancy Cell



SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell

RECEIPT

No4 303

Date: 18/11/2018....

Received an Amount Rs. 6,000/
(Rupees. 8121/12 and only

from Sri/Smt. The All Wlood Exercitive Engineer

PRILSD, Gudwada, Kushman Dishiel

towards. Servey Sithe Sal Kiting Wilk

Sit - 12, 31-13 K. 51-94

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

# Consultancy Cell RECEIPT

No. 304

Date: 32-01-2018

Faculty Incharge Consultancy Cell

SEBHADRIRAD KNOWLEDGE VILLAGE GUDLAVALLERIJ

Consultancy Cell

### RECEIPT

No. 305

Date: \$2.+01.-2018

Received an Amount Rs. 201-
(Rupees Live bundard m/x)
from Sri/Smt. Sa. Jupudi. Intshow. Momalingel,
towards.
C- 1 J. R. Hina

Faculty Incharge Consultancy Cell

Illan nely. 1. F.

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU

## Consultancy Cell RECEIPT

No.

Date	25/	1	21	18

Received an Amount Rs. 225
(Rupees. Two. hundred tracetly here only)
from Sri/Smt. Vaguard have constructions. Back.
Ende At Government happilal, rachilipatnam
towards. (1861 testing (3.Nd)

Faculty Incharge Consultancy Cell

SESHADRIRAO KNOWLEDGE VILLAGE GUDLAVALLERU



# Consultancy Cell RECEIPT

No. 20

307

Date : 01/03/2018

Received an Amount Rs. 6.50.
(Rupees Sakhundid Asty my)
from Sri/Smth. Research Summer (14:163), ad. Haunz B. S.
(14-184), 18 by Kromm (15-12-125), K. Unith Bash (15-1-15
towards. Accelerated aning Lank - ruse.
14log (Lad)

Faculty Incharge Consultancy Cell



#### **FACILITIES AGREEMENT**

THIS FACILITIES AGREEMENT ("this Agreement") is made effective as of the Effective Date (specified in Schedule 1) by and between Tata Consultancy Services Limited, a company incorporated under the Companies Act 1956, with its corporate office located at TCS House. Raveline Street, 21 D. S. Marg, Fort, Mumbai 400001, hereinafter referred as 'TCS' (which expression shall include its successors and assigns) and the Party specified in the Schedule 1 to this Agreement hereinafter referred as a 'LISP' (which expressions shall, unless the context requires otherwise, includes its successors and permitted assigns). In this Agreement, TCS and LISP are collectively referred as "Parties" and individually as a "Party".

#### WHEREAS:

a) TCS has certain shared software applications ("TCS Application System") which will be accessed/used by its customers ("Services"); b) TCS needs certain infrastructure and facilities for delivering the Services to its Customer(s) effectively and LISP agreed to provide such infrastructure and Facilities ("Facilities");

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

#### 1. Definitions:-

"Confidential Information" shall mean and include all business strategies, plans and procedures, proprietary information, software program, documentation, tools, processes, methodologies, data and trade secrets, information relating to customers, employees, or business partners, and any other confidential or proprietary information and materials of the Disclosing Party, its affiliates, clients or suppliers that may be received or obtained by the Receiving Party as a result of this Agreement.

"Customer" shall mean the customer or customers of TCS to whom TCS is required to render Services from or using the Facilities.

"Facilities" shall mean the facilities as set out in Schedule 2:

"Location" shall mean the location or place of the LISP where the Facilities shall be made available to TCS.

"Term" shall mean the term as set out in the Schedule 1.

"Usage Perlod" shall mean the period during which the Facilities shall be made available by the LISP and shall be used by TCS. Usage Period shall be notified by TCS from time to time through a written notice to the LISP or can be agreed under the relevant Work

"LISP" shall mean Local Infrastructure Service Provider

- 2. Scope of Service:-LISP hereby agrees to allow TCS and its Customers to use the Facilities during the Term of this Agreement. From time to time TCS shall notify the LISP of its requirement to use the Facilities prior to the commencement of the Usage Period, informing the LISP to make available the Facilities to TCS and allow free access to and use the Location(s) during the Usage Period to enable TCS to render Services to its Customers. This will be done by TCS by issuing specific Work Orders in the format attached herein as Schedule 3. The LISP, at their own discretion can choose to accept providing the Facilities to TCS by signing the aforesaid specific Work Order, LISP understands and agrees that time is of the essence of this Agreement and in the event of non-availability of the Facilities within the time agreed; TCS and its Customers would incur irreparable loss and damage both financial and reputational.
- 3. Term and Renewal:-This Agreement is effective during the Term as sell out in Schedule 1 unless terminated earlier in accordance with the provisions of this Agreement.
- 4. Facilities; On acceptance of the Work Order of TCS LISP shall make available the Facilities (as setout and specified in the said agreed Work Order) in working condition to TCS for the Usage Period throughout the Term. LiSP shall allow free access to the Locations and the Facilities and shall assist and cooperate with TCS to enable TCS to render Services to its Customers. In the event, the LISP has agreed to provide personnel as part of Facilities; the LISP

shall ensure that such personnel have necessary expertise as required by TCS, LISP shall, at all times, comply with all work place Location related rules, regulations or policies including confidentiality and other obligations under this Agreement, Notwithstanding anything contained herein, TCS shall be entitled to bring and take out its own tools, items, hardware, software, fixture, equipments or other materials as may be required for the purpose of rendering Services. TCS has the right to postpone the Usage Period

- 5. Fees: TCS shall pay Fees to LISP as per Schedule 2. Each Work Order will specify the number of units to be supplied by LISP as may be mutually agreed between the Parties. All Fees payable under this Agreement shall be inclusive of all taxes,
- 6. Representation and Warranties:- Each Party represents, warrants and covenants to the other that: (i) it is duly organized and validly existing and in good standing under the laws of the country; (ii) it has the full right and authority to enter into this Agreement and to perform all the obligations (including providing Facilities) under this Agreement and that this Agreement constitutes a legal, valid and binding obligation; and (iii) its execution, delivery and performance of this Agreement does not and will not conflict with, or constitute a breach or default under, its charter of organization, or any contract or other instrument to which it is a party., LISP shall indemnify, defend and hold harmless TCS and the Customer from andcagainstrapy and all liabilities, damages, claims, fines, penalties, and expenses of whetever nature arising or resulting from breach of the aforesaid warranties or from the violation of any laws, rules regulations or statutory requirements.
- Limitation of Liability:- Neither Party shall be liable to the other for any special, indirect, incidental, consequential (including loss bot revenue and/or profit), exemplary or punitive damages, whether in contract, fort or other theories of law, even if the Barty has been advised of the possibility of such damages. The lighted climinative liability of either party under this Agreement shall not exceed in aggregate the amount paid by TCS to the LISP under this Agreement. The limitation on any Party's liability harein shall bot apply to liability for damages, resulting from (i) gross negligencetor wilful misconduct; or (ii) breach of confidentiality obligations or (iii) breach of clause 4 (Facilities) and clause 6 (Representations and Warranties) by LISP
- 8. Confidential Information: Each Party eceiving the Confidential Information (the "Receiving Party") acknowledges and gight maintain the confidentiality of Confidential information provided by the other Party (the "Disclosing Party") riercunder. The Receiving Party shall not disclose or disseminate the Usclosing Party shall not disclose or disseminate the Usclosing Party shall information to any person other than those employees agents, contractors, subcontractors and Toensees of the Receiving Party, or its affiliates, who have a need tooknow. In order to assist the Beautying Party in party many the the Receiving Party in performing its obligations for to permit the Receiving Party to exercise its rights under this Agreement. The provisions of this Clause with respect to Confidential Information shall not apply to the extent, that such Confidential Information is \$\frac{1}{42}\$) already known to the Receiving Party free of attrestriction at the

TCS Proprietary and Confidential

Gudlavalleru Engineering Colleg GUDLAWALLERU - 521 350

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

Confidential Information is: (a) already known to the Receiving Party free of any restriction at the time it is obtained from the Disclosing Party. (b) subsequently learned from an independent third party free of any restriction and without breach of this provision; (c) is or becomes publicly available through no wrongful act of the Receiving Party or any third party: (d) is independently developed by the Receiving Party without reference to or use of any Confidential Information of the Disclosing Party; or (e) is required to be disclosed pursuant to an applicable law, rule, regulation, government requirement or court order, or the rules of any stock exchange. Upon the Disclosing Party's written request at any time, or following the completion or termination of this Agreement, the Receiving Party shall promptly return to the Disclosing Party, or destroy, all Confidential Information of the Disclosing Party provided under or in connection with this Agreement, including all copies, portions and summaries thereof.

9, Intellectual Property Rights:- LISP agrees that all TCS Application System, deliverables and work products created or developed by LISP and/or TCS or its employees, representatives etc. using TCS Application System and/or Facilities under this Agreement, Together with any associated copyright and other intellectual property rights, shall be the sole and exclusive property of TCS. TCS is allowed to use the name and address of the LISP which may be necessary to render the Services to its Customers.

10, Termination:- (10.1) Termination for convenience by TCS. TCS is entitled to terminate this Agreement by giving fifteen (15) days prior written notice to the LISP. (10.2) Termination for Material

Breach. Either Party may terminate this Agreement immediately by a written notice to the other Party in the event of a material breach which is not cured within thirty days of the receipt of the said notice period. (10.3) Effect of termination. Either party shall return to other party any of other party's confidential and proprietary information and material in its possession. LISP agrees that in the event of expiry or termination of this Agreement for any reason, any accepted and unexecuted Work Order shall be executed by the LISP and all the obligations under such Work Order shall be performed by the LISP.

11. Miscellaneous:- (11.1) LISP shall not assign or transfer this Agreement or any obligations hereunder to any third party, without the prior written consent of TCS. (11.2)Governing Law, Dispute Resolution and Jurisdiction. This Agreement shall be governed by and interpreted in accordance with the laws of India. All disputes arising between the Parties, out of this Agreement shall be referred for arbitration to a sole Arbitrator to be mutually agreed upon and proceedings shall be governed by the Arbitration and Conciliation Act 1996. The venue and seat of arbitration shall be Mumbai. Subject to arbitration, the courts in Mumbai shall have exclusive jurisdiction. (11.3)Entire Agreement. This Agreement sets forth the entire understanding of the Parties and supersedes all prior agreements and understandings between the Parties, with respect to the subject matter hereof) (11.4) Notice:- Any notice in connection with this Agreement shall be in writing in English and delivered by hand, facsimile, email (as specified in the Work Order) registered post or courier of international repute to the address mentioned in the introduction clause or any other address as may be informed to each writing bγ

Gudlavalleru Engineering College

By: Program reg

Name; Dr. P. Nageswara Reddy

Title: Principal

PRINCIPAL diavalleru Engineering College Gunt AVALLERU - 521 356



TATA Consultancy Services Ltd.

Ву: \_\_\_\_\_

Name: Mr. Venguswamy Ramaswamy

Title: Global Head - TCS iON

TOAC

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

#### SCHEDULE 1

#### TERMS OF AGREEMENT

	LISP Name	Registered office address	Details of Contact person
1000	Gudlavalleru Engineering College	D.No. 8-180, Seshadri Rao Knowledge Village, Gudlavalleru – 521 356. Krishna District. Andhra Pradesh	Prof. B. Karuna Kumar Dean, Pianning and Monitoring Contact No. 9848779123 Email ID: dean.pm@gecgudlavalleru.ac.in

à	Contract Term	Effective Date	
	3 years from Effective Date	October 08, 2012	
		= 10 427	

#### SCHEDULE 2

#### **FACILITIES**

Before (I	During Testing) and During Assessment	Price (INR)
#	Description	₹40 per node per session
1	Computer Nodes ( Per Node Contracted and Used Per Session)	Assumed that contracted nodes are on LAN
2	LAN Facility	
3	Surveillance Camera facility to record a session	₹5,000 per session
4	Recording Charges per CD/ DVD	₹50 per CD/DVD
5	Webcam for registration	₹10 per day per webcam
6	Internet Connectivity (with at least 30KBPS connectivity)	Assumed to be available
7	Laser / Ink Jet Printer (Per Unit )	₹100 por unit for the Usage period
8	Printer	₹100 per day per printer
8	Print Per Sheet	₹1 per sheet
9	UPS	Assumed to be available
10	Generator back Up	Assumed to be available
11	Fuel Charges per Hour of Generator Usage	₹600 per hour
# 1 2 3 4 5	Manpower Test centre Administrator IT Managers IT Assistants Invigilators Volunteers	Pric2 (INR)  ₹500 par cay ₹500 par day ₹400 par day ₹500 par day ₹500 par day ₹300 par day
Below	mentioned items are assumed to be included by LISP at no charge.	
First Aid		Орел Ѕрасе
	inguishers	Luggage Room
Drinking		Lockers
Cafeter		Notice Boards
	poms and Toilets	Parking Facilities

Any other facilities as agreed by the parties under a relevant Work Order

Location for provision of the aforesaid Infrastructure facilities is as agreed under the relevant Work Order;

home hi

TCS will raise a Work order every time the Facilities of the LISP are to be used and LISP shall raise invoice after the Usage Period. The payment will be made by TCS within thirty (30) days from the date of receipt of invoice.

TCS Proprietary and Confidential 3

Gudlevalleru Engineering Cohego GUDLAVALLERU-521 888

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.

#### SCHEDULE 3

#### WORK ORDER TEMPLATE

<LISP Address>

<Date>

<Work Order reference #>

<Date>

<Job number>

Dear Sirs,

We are pleased to release a Work Order for the item/s as given in Annexure A below.

Assessment Name, Date & Hour	<name> &amp; <date></date></name>
Usage Period	<from &="" completion="" dates="" project="" till="" to=""></from>
Project Address	<lisp &="" location="" name=""></lisp>
Invoice Address	Tata Consultancy Services Ltd iON Assessment Empire Plaza 1 <sup>st</sup> floor LBS Marg, Vikhroli (W) Mumbai – 400 083
Payment	100% payment within 30 days of receipt of invoice or as agreed under the Agreement
Email for communication	Ion.assessment@tcs.com

Please mention Work Order <reference #> in all your future correspondence for easy reference and payment facilitation.

Kindly accept of this Work Order.

Thanking you.

<LISP Name>

For Tata Consultancy Services

<Signatory>

<Signatory>

#### Annexure "A"

'. No	Item Descripti	on	<b>SER 1</b> 100	Unit
		Vision	N 178	
2	A SHEET NA	4:00	148	H
3	10000			
4 VSRA.	V831985	(3a).	0240	
5	- T	LAND.	CED	
6	88. N		All files	<b>1</b> 200 100 100 100 100 100 100 100 100 100
7	<b>电影</b>	CHEMISTRA .	MARIA	AMELIA V
3	The state of the s		N/SS	
9 .	W.O.	NOTE THE SECOND	W	A STATE OF THE STA
10	WAY.		and the same of th	

TOAC
TCS Proprietary and Confidential 4

Proceded Proceded

Gudiavaliaru Engineering College GUDLAVALLERU- C2 (303 PRINCIPAL

Gudlavalleru Engineering College Seshadri Rad Kroyvledge Village

Gudlavalleru - 521 356, Krishna District, A.P.



SESHADRI RAO KNOWLEDGE VILLAGE

GUDLAVALLERU - 521 356 Krishna District (A.P.)

(Accredited by NBA of AICTE, New Delhi and Affiliated to J.N.T.U: KAKINADA)

Sponsored by A.A.N.M & V.V.R.S.R Educational Society Ph. Nos. Off: 08674-273737, 273888, Fax: 273957

email: vjwgdlvengg@sancharnet,in website: www.gecgudlavalleru.ac.in

1	LISP Name	GUDLAVALLERU ENGINEERING COLLEGE
2	LISP Address	D.No 8-180,Seshadri Rao Knowledge Village,Gudlavalleru, Krishna Dist Andhra Pradesh-521356
3	LISP's PAN - Permanent Account Number	NA NA
4	Name of PAN (if different from LISP name, will need authorisation from PAN card owner)	NA
5	LISP's Work Contract Tax Number	No
6	LISP's VAT TIN Number	No
7	LISP's Central Sales Tax Number	No
8	LISP's TDS status (exempted, special rate, normal)	Normal
9	LISP's Service Tax Registration Number	· No
10	LISP's Service Tax Code	No
11	Beneficiary Name (Name appearing on the cheque leaf, if different from the Lisp name)	PRINCIPAL GUDLAVALLER ENGG COLLEGE
12	Beneficiary Bank Name	State Bank of India
13	Beneficiary Bank Branch Address	GUDLAVALLERU, POST BAG NO.1, GUDIVADA TALUK, Dist Krishna, Andhara Pradesh-521356.
14	Beneficiary Bank A/c No	11588343210
15	Type of Bank A/c ( Current A/c / Saving A/c or Cash Credit A/c)	Savings Account
16	NEFT IFSC Code of the bank branch of the Beneficiary	SBIN0001461
17	RTGS IFSC Code of the bank branch of the Beneficiary if different from NEFT	SBIN0001461
18	MICR Code appearing on the cheque of the bank a/c of Beneficiary	520002783
19	E-mail id where TCS should send payment information to the beneficiary	dean.pm@gecgudlavalleru.ac.m



Cudlavalleru Engineering College GUDLAVALLERU-521 368 PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

SESHADRI RAO KNOWLEDGE VILLAGE



(Accredited by NBA of AICTE, New Delhi and Affiliated to J.N.T.U. KAKINADA)

Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society

Ph. Nos. Off: 08674 - 273737, 273888, Fax: 273957

e-mail: vjwgdlvengg@bsnl.in, office@gecgudlavalleru.ac.in,

Web: www.gecgudlavalleru.ac.in

Dr. P. NAGESWARA REDDY

M.E., Ph.D., M.I.S.T.E., F.I.E. Principal

#### **Payment Declaration**

This is to certify that GUDLAVALLERU ENGINEERING COLLEGE is using the account with the name of PRINCIPAL GUDLAVALLER ENGG COLLEGE. So please release the payment to the same account.

(GEN ) 4

PRINCIPAL
PRINCIPAL
PRINCIPAL
Gudtavalleru Englnosning Octions
GudLavalleru-p21 368

IQAC

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

190/



#### National Securities Depository Limited

Trade World, 'A' wing, 4th Floor, Kamala Mills Compound, Senapati Bapat Marg, Lower Parel, Mumbai - 400 915 Tel: 91-22-2499 4650, Fax: 91-22-2495 0664, e-mail: tininf@usdl.co.ir

e-TDS Intermediary

Miksk.

Mar 11, 2005

PkgID: 01331 / TANPTGNTP11030501

TIOCAR

Ref. No.: 709501000441211117FAN

TO, p
GUDLAVALLERU ENGINGERING COLLEGE
GUDLAVALLERU,
DOOR NO 8-180, GUDLAVALLERU ENGINIERING-,
COLLEGE, GUDLAVALLERU,
KRISHNA DIST,
Andhra Pradesh-521356

Sir/Madani,

TEL, NO.:08674-273737

Sub: Allotment of Tax Deduction Account Number (TAN) as per the Income Tax Act, 1961.

Kindly refer to your application (Form 49B) dated Feb 28, 2005 for allotment of Tax Deduction Account Number. In this connection, the following TAN has been issued to you/your organisation:

#### HYDG02223E

Please quote the same in all TDS challans, TDS certificates, TDS returns, Tax Collection at Source (TCS) returns as well as other documents pertaining to such transaction.

Quoting of TAN on all TDS returns and challans for payment of TDS is necessary to ensure credit of TDS paid by you and faster processing of TDS returns.

The above TAN should also be used as Tax collection at Source Account Number under Section 206CA.

Kindly note that it is mandatory to quote TAN while furnishing TDS returns, including e-TDS returns. e-TDS return will not be accepted if TAN is not quoted.

This supersedes all the TAX Deduction/Collection Account Number, alloted to you earlier.

Income Tax Department

This is a computer-generated letter. Hence, signature is not required.

PRINCIPAL

Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 356, Krishna District, A.P.



#### TATA CONSULTANCY SERVICES

#### WORK ORDER

Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

> Date: 01-Aug-2017 APPSC060817AP81

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 01-Aug-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details			
Assessment Name	APPSC Group-III Mains		
Assessment Date(s)	06-Aug-2017 07-Aug-2017		
Assessment Shift(s) & Time(s)	Shift-1 09:30 AM - 12:00 PM Shift-2 03:00 PM - 05:30 PM		
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District,Gudlavalleru,Andhra Pradesh-521356		
Invoice Address	Tata Consultancy Services, D.No.49-24-12, 2nd Floor, Krupa City Centre, Above SBI Lalithanagar Branch, Sankaramatam Main Road, Visakhapatnam - 530016, Andhra Pradesh.		
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.		
Email for Communication	Ion.assessment@tcs.com		

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APPSC060817AP81 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College Dr. B. KARUNA KUMAR

Vice Principal Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru.

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishpa Dieliptot 2.

Tata Consultancy Services Ltd iON Assessment, Empire Plaza 1st floor, LBS Marg, Vikhroli (West), Mumbai – 400 083 Annexure "A"

	Shift1	Shift2	Shift3	Shift4		
Assessment Date(s)	Count	Count	Count	Count	# of Shifts	Amount Rs.
06-Aug-2017	250	250			2	12,500.00
07-Aug-2017	0	0			·	
						-
		<u> </u>	<u> </u>			ţ <del>-</del>
			I			
			<u> </u>			
						- 40 F00 00
Annexure A): Amo						12,500.00
Annexure B): Âmo	unt for Man	power Utiliz	ation (Doub	le Shift)		11400
Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)				5250		
Annexure D): Amo						
Total Amount (Annexure's A+B+C+D)				29150		

Total Exam Days: 2

Mannower / Facility Requirement Table

Manpower / Facility  Manpower / Facility	Requirement Ratio
Test Center Administrator / Chief Superintendent	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1:250 Candidates
Invigilators	1:30 Candidates
Registration Managers	1:30 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1:75 Candidates
Frisking Manpower	Required (Male and Female Volunteers)
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Manpower Title	For 1Shift Rs.	For 2Shifts Rs.	For 3 Shifts Rs.	For 4 Shifts Rs.	
Test Center Administrator	As per contract	1125	As per contract	As per contract	
IT Admin	As per contract	1125	As per contract	As per contract	
IT Assistant	As per contract	600	As per contract	As per contract	
Invigilators	As per contract	6750	As per contract	As per contract	
Support / Volunteers	As per contract	1800	As per contract	As per contract	
pa	As per contract	11400	As per Contract	As per Contract	

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	
Registration Managers	4050
Frisking Manpower	1200
Total	5250

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Record	
Note: Surveillance Camera	
Facility to Record Rs.10/- per	
node for one day	
Total	

Fuel Charges for Generator: Rs.4.5/- Per Candidate

The Fuel charges will be applicable as confirmed by the TCS SPOC available in the LISP Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudiavalieru.

> PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 358, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### **Bill Of Supply**

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District,Gudlavalleru,Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

iON Finance.

Tata Consultancy Services,

D.No.49-24-12, 2nd Floor, Krupa City Centre.

Above SBI Lalithanagar Branch, Sankaramatam Main Road,

Visakhapatnam - 530016, Andhra Pradesh

Invoice #: APSC060817AP81 Invoice Date: 15th Sep 17

Assessment Name : APPSC Group-III Mains

Assessment Date : 6th Aug 17

Attention

**SMB Finance** 

Email

smb.finance@tcs.com

Description

TOTAL (INR) **HSN /SAC Code** 

Expenses towards conducting APPSC Group-III Mains exam on 6th Aug 17

33,400.00 998599

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461

Account #: 11588343210

Signature of ROM

TCS PAN #: AAACR4849R

TCS GST #: 37AAACR4849R2ZJ

paid by Jes an 9/1/18
with 201. tandebate

Dr. B. KARUNA KUMAR

Vice Frincipal

Gudlavalleru Englisering College Seshadri Rao Knowledge Village, Gudlavalleru.

Seshadri Rao

#### Annexure

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District,Gudlavalleru,Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

iON Finance,

Tata Consultancy Services,

D.No.49-24-12, 2nd Floor, Krupa City Centre,

Above SBI Lalithanagar Branch, Sankaramatam Main Road,

Visakhapatnam - 530016, Andhra Pradesh

Reference Invoice #: APSC060817AP81 Reference Invoice Date: 15th Sep 17

Assessment Name : APPSC Group-III Mains

Assessment Date: 6th Aug 17

Attention Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting APPS		n on 6th Aug 1	7	
Nodes (count)	998599	250	50	12,500.00
Supervison Support Charges for:	000500	-4	1125	1,125.00
TCA	998599 <b>99859</b> 9		1125	1,125.00
IT Manager	998599	1	600	600.00
IT Assistant	998599	9	750	6,750.00
Invigilator	998599	. J	450	1,800.00
Support Staff	998599	9	450	4,050.00
Registration Manager		4	300	1,200.00
Frisking Volunteer	998599	500	2	1,000.00
Stationary Expenses	998599	500	2	1,000.00
Food Expenses	998599	500	4.5	2,250.00
Genset and/or Fuel Charges	998599	500	4.0	2,200.00
Total			-	33,400.00
				(2) .
			13 N 7 S 1 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T	300 400 00
		TOTAL	Same Market	33,400.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

TCS PAN #: AAACR4849R

TCS GST #: 37AAACR4849R2ZJ

Dr. B. KARUNA KUMAR

Vice Principal

Gudlavalleru Eng....ering College Seshadri Rao Knowledge Village, Gudlavalleru.

> PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



#### TAYA CONSULTANCY SERVICES WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavaileru-Addada Road, Vijayawada, Krishna District,521356

Date: 16-Aug-2017 KRHDCCB200817AP03

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 01-Aug-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College ("Agreement").

Project Details	
Assessment Name	IBPS - Krishna DCCB Rect Exam
Assessment Date(s)	20-Aug-2017
Assessment Shift(s) & Time(s)	Shift-1:10:00 to 11:35 AM Shift-2: 02:00 to 03:35 PM
Project Address	Gudlavalleru Engineering College (1284) Gudlavalleru-Addada Road, Vijayawada, Krishna District,521356.
Invoice Address	Tata Consultancy Services, D.No.49-24-12, 2nd Floor, Krupa City Centre, Above SBI Lalithanagar Branch, Sankaramatam Main Road, Visakhapatnam - 530016, Andhra Pradesh.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number KRHDCCB200817AP03 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

For TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College Dr. B. KARUNA KUMAR

Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru.

TOAC

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### TATA CONSULTANCY SERVICES **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District,521356

Date: 16-Aug-2017 KRHDCCB200817AP03

Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
20-Aug-2017		225			1 , ,	11250
						-
		,			<u> </u>	-
		•	·			
						<del>-</del>
	<u> </u>				· · · · · · · · · · · · · · · · · · ·	
			<u></u>			
(Annexure A): Amou	int for Nocle	s Utilization	(Single &	Mulipie)		11250
(Annexure B): Amou	unt for Manp	ower Utiliz	ation			6800
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)			0.00			
(Annexure D): Amount for Surveillance Record Facility (Single & Multiple)				0.00		
Total Amount (Annexure's A+B+C+D)			18050			

Total Exam Days:1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1:250 Candidates
Invigilators	1 : 30 Candidates
Registration Managers	Not Required
Support / Volunteers (Inclusive of Security Guards and Electrician)	1 : 75 Candidates
Frisking Manpower	Not Required
Surveillance Camera Facility to Record	Not Required .

Annexure "B"

Manpower Title	For 1Shift Rs.	For 2Shifts Rs.	For 3 Shifts Rs.	For 4 Shifts Rs.
Test Center Administrator	As per contract	750	As per contract	As per contract
IT Admin	As per contract	750	As per contract	As per contract
IT Assistant	As per contract	400	As per contract	As per contract
Invigilators	As per contract	4000	As per contract	As per contract
Support / Volunteers	As per contract	900	As per contract	As per contract
Total	As per contract	6800	As per Contract	As per Contract

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	0.00
Registration Managers	0.00
Frisking Manpower	0.00
Total	0.00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Record	0.00
Note: Surveillance Camera Facility to Record Rs.10/- per node for one day	1
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate.

The Fuel charges will be applicable as confirmed by the TCS SPOC available in the LISP Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

Dr. B. KARUNOutvevalent Engineering College
Vice Principalent RacPage/Engineering College
Vice Principalent RacPage/Engineering College
Gudlavalleru Engineering College
iON Assessment, EmpirePlaze Filoor, LBS Marg, Vikhroli (Mass a Wilhohating Anage Sudlavalleru).

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Viilage, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

	Bill of Supp	oly .
Lisp Name : Gudlavalleru Enginee	ering College	
Address : Gudlavalleru-Addada Ro	oad, Viiavawada, Krish	na Dietrict 521256
	, , , , , , , , , , , , , , , , , , , ,	11d D13t11CL,32 1355
		T T
•		
Place of Supply 4 - 1		
lace of Supply: Andhra Pradesh ON Finance,	<u> </u>	
ata Consultancy Services,		No.
No.49-24-12, 2nd Floor, Krupa City		invoice #: KRDCCB200817AP03
bove SBI Lalithanagar Branch, Sant	Centre,	Invoice Date: 15 Sep 17
isakhapatnam - 530016, Andhra Pra	karamatam Main Road,	Assessment Name : Krishna DCCB
-Familia Pra	auesn .	Assessment Date : 20 Aug 17
ttention	SMB Finance	
nail		
	smb.finance@tcs.com	
Description	F. Q 34	200 0 01.5 5
A 80 A A 200 A	(1925)	HSN/SAC Code TOTAL (INR)
Inonese towards to all the	A STANDARD A	
penses towards conducting Kris	hna DCCB Exam on 20	th Aug 17 998599  19,962.50
penses towards conducting Kris	hna DCCB Exam on 20	th Aug 17 998599  19,962.50
rpenses towards conducting Kris	hna DCCB Exam on 20	0,002.00
penses towards conducting Kris	hna DCCB Exam on 20	th Aug 17 998599 19,962.50
penses towards conducting Kris	hna DCCB Exam on 20	0,002.00
	hna DCCB Exam on 20	0,002.00
nture of Center Head	hna DCCB Exam on 20	TOTAL 19,962,50
nture of Center Head		TOTAL 19,962,50
nture of Center Head I: AAATA3093K eficiary Name: Principal Gudlava		Signature of ROM TCS PAN #: AAACR4849P
nture of Center Head I: AAATA3093K eficiary Name: Principal Gudlaval		Signature of ROM TCS PAN #: AAACR4849P
nture of Center Head I: AAATA3093K eficiary Name: Principal Gudlava		TOTAL 19,962,50

IQAC



12 COOLINGO PRINCIPAL

Dr. B. KARUNA KUMAR Seshadri Rao

Vice Principallavalleru Engineering College Gudlavalleru Engineering Gellege Rao Knowledge Village Seshadri Rao Knowledge Village Gudlavalleru 21 353, Krishna District. A

#### **Annexure**

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District,521356

Place of Supply: Andhra Pradesh

iON Finance,

Tata Consultancy Services,

D.No.49-24-12, 2nd Floor, Krupa City Centre,

Above SBI Lalithanagar Branch, Sankaramatam Main Road,

Visakhapatnam - 530016, Andhra Pradesh

Reference Invoice #: KRDCCB200817AP03

Reference Invoice Date: 15 Sep 17 Assessment Name: Krishna DCCB

Assessment Date: 20 Aug 17

Attention Email SMB Finance

smb.finance@tcs.com

Supervison Support Charges for:  ICA 998599 1 750 750.0  I Manager 998599 1 750 750.0  I Assistant 998599 1 400 400.0  Invigilator 998599 8 500 4,000.0  I Colunteer 998599 3 300 900.0  I Stationary Expenses 998599 225 2 450.0  I Senset and/or Fuel Charges 998599 225 4.5 1,012.5					
Supervison Support Charges for:	Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR
Supervison Support Charges for:  ICA  IT Manager  IT Assistant  Invigilator  Volunteer  Stationary Expenses  Senset and/or Fuel Charges  Support Charges for:  998599  1 750 750.0 7	<b>Expenses towards conducting Krisl</b>	hna DCCB Exam on 20	h Aug 17		
TCA         998599         1         750         750.0           T Manager         998599         1         750         750.0           T Assistant         998599         1         400         400.0           Invigilator         998599         8         500         4,000.0           Volunteer         998599         3         300         900.0           Stationary Expenses         998599         225         2         450.0           Good Expenses         998599         225         2         450.0           Genset and/or Fuel Charges         998599         225         4.5         1,012.5           Invitationary Expenses         998599         225         2         450.0           Genset and/or Fuel Charges         998599         225         4.5         1,012.5	Nodes (count)	998599	225	50	11,250.00
TCA         998599         1         750         750.0           T Manager         998599         1         750         750.0           T Assistant         998599         1         400         400.0           Invigilator         998599         8         500         4,000.0           Volunteer         998599         3         300         900.0           Stationary Expenses         998599         225         2         450.0           Good Expenses         998599         225         2         450.0           Genset and/or Fuel Charges         998599         225         4.5         1,012.5           Invitationary Expenses         998599         225         2         450.0           Genset and/or Fuel Charges         998599         225         4.5         1,012.5					
T Manager 998599 1 750 750.00 T Assistant 998599 1 400 400.00 rivigilator 998599 8 500 4,000.00 rollinteer 998599 3 300 900.00 rotationary Expenses 998599 225 2 450.00 rotal 998599 225 4.5 1,012.50 rotal 19,962.50		i		5 5	l
T Assistant 998599 1 400 400.00 100 100 100 100 100 100 100 100 10	TCA	998599	1	750	750.00
198599   8   500   4,000.00   198599   3   300   900.00   198599   225   2   450.00   198599   225   2   450.00   198599   225   2   450.00   198599   225   2   450.00   198599   225   2   450.00   198599   225   2   450.00   198599   225   25   2   450.00   198599   225   25   25   25   25   25   25	IT Manager	998599	1	750	750.00
Volunteer         998599         3         300         900.00           Stationary Expenses         998599         225         2         450.00           Senset and/or Fuel Charges         998599         225         2         450.00           otal         19,962.50	IT Assistant	998599	1	400	400.00
Volunteer         998599         3         300         900.00           Stationary Expenses         998599         225         2         450.00           Sood Expenses         998599         225         2         450.00           Senset and/or Fuel Charges         998599         225         4.5         1,012.50           otal         19,962.50	Invigilator	998599	8 ·	500	4,000.00
Good Expenses         998599         225         2         450.00           Genset and/or Fuel Charges         998599         225         4.5         1,012.50           otal         19,962.50	Volunteer	998599	3	300	900.00
Good Expenses         998599         225         2         450.00           Genset and/or Fuel Charges         998599         225         4.5         1,012.50           Interval of the control of the cont	Stationary Expenses	998599	225	2	450.00
Senset and/or Fuel Charges 998599 225 4.5 1,012.50 19,962.50	Food Expenses	998599	225	2	
13,502.50	Genset and/or Fuel Charges	998599	225	4.5	1,012.50
19,962,50	Total				19,962.50
19,962,50					
			TOTAL		19.962.50
		with the starting to the start	The state of the s		A A A A A A A A A A A A A A A A A A A

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

TCS PAN #: AAACR4849R

TCS GST #: 37AAACR4849R2ZJ

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Roo Knowledge Village

audlavallegu - 521 358, Krishna District. A.P.

Dr. B. KARUNA KUMAR

Vice - rcipal

Gudlavalleru Englanding College Seshadri Rao Knowledge v.....ge, Gudlavalleru.





(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Lisp Name : Gudlavalleru I Address : Gudlavalleru-Ad	Engineering College	f-Supply na District,Gudlavalleru,Andhra Pradesh-521356
Address : Gudlavalleru-Ad	Engineering College Idada Road, Vijayawada, Krish	na District,Gudlavalleru,Andhra Pradesh-521356
	idada Road, Vijayawada, Krish	na District,Gudlavalleru,Andhra Pradesh-521356
Particular de un decidado de constitución de la con	2	e e e e
lace of Supply Andhor B		8 8 8 8 8
lace of Supply Andher B		
lace of Supply Andhea D		
lace of Supply Andher D		
TAVE OF SUDDIVE ANODICS PR	radesh	
ON Finance,		Day Day of the Control of the Contro
ata Consultancy Services	A STATE OF THE STA	Involve the ADDOORAGE DOG
.No.49-24-12, 2nd Floor, Kr	rupa City Centre	Invoice #: APSC231117AP21
bove SBI Lalithanagar Bran	nch, Sankaramatam Main Road,	Invoice Date: 11 Dec 17 Assessment Name : APPSC
isakhapatnam - 530016, An	idhra Pradesh	Assessment Date : 26 Nov 17
		Assessment Date : 50 MOA 11
ttention	SMB Finance	
mail *	smb.finance@tcs.com	
8		Marine Mile Marine A. S. Commission of the Commi
Description		HSN /SAC Code TOTAL (INR)
	TATE	
		TOTAL A LANGUAGE
	The second	en la companya de la companya de la companya de la companya de la companya de la companya de la companya de la
DILIFO Of Contar Lland		Cignoture of DOM
		Signature of ROM
N: AAATA3093K	Cudloudle	TCS PAN #: AAACR4849R
N: AAATA3093K neficiary Name: Principal	Gudlavaller Engg College	TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ COLUMN
N: AAATA3093K neficiary Name: Principal C: SBIN0001461	Gudlavaller Engg College	TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ TCS GST #: 37AAACR4849R2ZJ
N: AAATA3093K neficiary Name: Principal C: SBIN0001461	Gudlavaller Engg College	TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ 9/61/18 TOS GST #: 170x defection
N: AAATA3093K neficiary Name: Principal C: SBIN0001461	Gudlavaller Engg College	TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ 9/61/18 Paid by TCS 201. Tax defects
Inture of Center Head IN: AAATA3093K Ineficiary Name: Principal SC: SBIN0001461 Count #: 11588343210	Gudlavaller Engg College	TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ 9/01/18 Paid by TCS Paid by TCS Paid by TCS Paid by TCS
N: AAATA3093K neficiary Name: Principal C: SBIN0001461		TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ 9/61/18 Paid by TCS Paid by TCS Paid by TCS Paid by TCS Paid by TCS
N: AAATA3093K neficiary Name: Principal C: SBIN0001461	Gudlavaller Engg College	TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ 9/61/18 Paid by TCS Paid by TCS PAINCIPAL
N: AAATA3093K neficiary Name: Principal C: SBIN0001461		TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ  PRINCIPAL Seshadri Rag
N: AAATA3093K neficiary Name: Principal C: SBIN0001461		TCS PAN #: AAACR4849R TCS GST #: 37AAACR4849R2ZJ 9/61/18 Paid by TCS Paid by TCS PAINCIPAL

Vice Principal
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village, Gudlavallery,

## Annexure

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District,Gudlavalleru,

Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

iON Finance.

Tata Consultancy Services,

D.No.49-24-12, 2nd Floor, Krupa City Centre.

Above SBI Lalithanagar Branch, Sankaramatam Main Road,

Visakhapatnam - 530016, Andhra Pradesh

Reference Invoice #: APSC231117AP21

Reference Invoice Date: 11 Dec 17

Assessment Name : APPSC

Assessment Date: 26 Nov 17,

Attention Email SMB Finance

smb.finance@tes.com

Description	HSN/SAC Code		PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting APPSC	exam on 26 Nov 17	7		
Nodes (count)	998599	211	50	10,550.00
Supervison Support Charges for:				
Test Center Administrator	998599	1	750	750.00
IT Manager	998599	1	750	750.00
IT Assistant	998599	1 🖘	400	400.00
Invigilator	998599	7	500	3,500.00
Support Staff	998599	3	300	900.00
Registration Managers	998599	7	300	2,100.00
Frisking Volunteer	998599	2	300	600.00
Genset and/or Fuel Charges	998599	211	4.5	949.50
Food Expenses	998599	211	2	422.00
Stationary Expenses	998599	211	2	422.00
Totai				21,343.50
		TOTAL		21,343.50

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

TCS PAN #: AAACR4849R

TCS GST #: 37AAACR4849R2ZJ

PRINCIPAL

Seshadri Rao

Gudlavatleru Engineering Cotlege Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.

Dr. B. KARUNA KUMAR

Vice Principal

Gudlava Engineering College Seshadri Rao Knowledge Village, Gudlavallens.



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India

(Approved by AICTE, New Delhi and Permitted by A.P. State Government)

Accredited by NAAC with 'A' Grade

NBA Accreditation: B.Tech - CSE for 5 Years and CE, EEE, ME, ECE & IT for 3 Years Phone Nos. 08674-273737, 273888, Mobile: 9848779121 Fax No. 08674-273957

e-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## Dr. POTLURI RAVINDRA BABU

B.Tech., M.S., M.Tech., Ph.D., FIE, C.Eng., MISTE, MSESI, MASME, MSAE, MSFA, MIIM,

Principal

Bill of Supply

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District,521356

Place of Supply: Andhra Pradesh

ARMEZO Solutions Pvt. Ltd.

New Delhi

Email: priyanka@armezo.com

Invoice Date: 12th February 2018

Assessment Name: STEP

Assessment Date: 11th February 2018

Description	No. of Students Attended	Amount per student	TOTAL (INR)
Expenses towards conducting STEP Exam on 11th February 2018	530	100	53,000.00
	TOTAL		53,000.00

Signture of Center Head

Beneficiary Name: Principal, Gudlavalleru Engineering College, Gudlavalleru.

IFSC: SBIN0001461 Account #: 11588343210

PRINCIPAL

badri Reo

caering College ledge Village

alleru Engineering College **GUDLAVALLERU 521 356** 



## WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA **PRADESH 521356** 

> Date: 19-Feb-2018 IBPSSYB250218UAP08

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 01-Aug-2017 between Tata Consultancy Services Ltd. and GUDLAVALLERU ENGINEERING COLLEGE("Agreement").

Project Details	
Assessment Name	Syndicate Bank
Assessment Date(s)	25-Feb-2018
Assessment Shift(s) & Time(s)	Shift-109:00AM-11:30AM Shift-201:30PM-04:00PM
Project Address	GUDLAVALLERU ENGINEERING COLLEGE, GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356
Invoice Address	San Prints Private Limited 167, Raja Industrial Estate, P. K. Road, Mulund West, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order NumberIBPSSYB250218UAP08 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR YATA CONSULTANCY SERVICES

ForGUDLAVALLERU ENGINEERING COLLEGE

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru.

Seshadri Rao

Gudiavalleru Engineering College Seshadri Rao Khowledge Village



## WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA **PRADESH 521356** 

> Date: 19-Feb-2018 IBPSSYB250218UAP08

			Annexure	A		Control Control Day
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
25-Feb-2018	250	250			2	12,500.00
4040						-
-,		Maria de la compansión de la compansión de la compansión de la compansión de la compansión de la compansión de				
· · · · · · · · · · · · · · · · · · ·	-					
		and the state of t				-
						And the second s
**************************************		·			_	*
(Annoxure A): Amo	unt for Nod	oe Utilizatio	n (Single &	Multinle)		12,500.00
Annexure B): Amo					el T	11400
Annexure C): Amo						4050
(Annexure D): Amo						ALT SIX II
Total Amount (Ann						27,950.00

Total Exam Days:1

Manpower / Facility Requirement Table

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1:250 Candidates
Invigilators	1 : 30 Candidates
Registration Managers	1 : 30 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1:75 Candidates
Frisking Manpower	Not Required
Surveillance Camera Facility to Record	Not Required

## Annexure "B"



Alliexule 0		
Manpower Title	Rs.	
Test Center Administrator	1125	
IT Admin	1125	
IT Assistant	600	
Invigilators	6750	
Support / Volunteers	1800	
	44.400	

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru,

Annexure "C"

Children A	
Manpower (Additional)	Amount Rs.
Invigilators	
Registration Managers	4050
Frisking Manpower	
Total Sales Sales Sales Sales	4050

Annexure "D"

Survei	llance Facility	/		Ame	ount Rs.
Surveil	lance Camera	Record			0.00
	Surveillance per node for		Facility	to	Record
Total				WEEK.	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

PREMIUDAL

Bage 200f Rao

Tata Consultancy Services Lice Tata Consultancy Services Ltd

Gudlavalleru Engineering College
iON Assessment, EmpirePlaza 1st floor, LBS Marg. Vikhroli (West), Mumbai – 400 083 Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### WORK ORDER

GUDLAVALLERU ENGINEERING COLLEGE (1284)
GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA
PRADESH 521356

Date: 19-Feb-2018 IBPSSYB250218UAP08

Note: In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.



Dr. B. KARUNA KUMAR
Vice Principal
Gudlavalleru Engineering College
Seshadri Rzo Knowledge Village, Gudlavalleru.

IQAC

PRINCIPAL

Seshadri Rao
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
Gudlavalleru - 521 358, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## Bill Of Supply

LISP NAME: GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU

ANDHRA PRADESH 521356

Email:

Place of Supply. Andhra Pradesh

San Prints Private Limited,

167. Raia Industrial Estate.

Mumbai - 400 080.

Invoice #: SYB250218UAP08

Invoice Date: 26 Feb 18

Assessment Name : Syndicate Bank

Assessment Date: 25 Feb 18

Attention

Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	TOTAL (INR)
Expanses towards conducting Syndicate Bank exam on 25 Feb 18	998599	32,200.00
TOTAL	24 X25 (1982)	32,200.00

Signture of Center Head

PAN AAATA3093K

Beneficiary Name. Principal Gudiavaller Engo College

IFSC: \$BIN0001461 Account #: 11588343210 Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Välage, Gudlavalleru.

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P. LISP NAME : GUDLAVALLERU ENGINEERING COLLEGE

ADDRESS : GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 621356

Email:

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbai - 400 080.

Reference Invoice #: SYB250218UAP08 Reference Invoice Date: 25 Feb 18

Assessment Name : Syndicate Bank Assessment Date : 25 Feb 18

Attention

Email

SMB Finance smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting Syndicate Bank (	xam on 25 Feb 18			T. O. I. SE (II ALC)
Nodes (count)	998599	250	50	12,500.00
Supervison Support Charges for:				
TCA	998599	1	1125	1,125.00
IT Admin	998599	1	1125	1,125.00
IT Assistant	998599	1	600	600.00
Invigilator	998599	9	750	6,750.00
Volunteer	998599	4	450	1,800.00
Registration Manager	998599	9	450	and the second s
Food Expenses	998599	500	2	4,050.00 1,000.00
Stationary Expenses	998599	500	2	100000000000000000000000000000000000000
Genset and/or Fuel Charges	998599	500	4.5	1,000.00 2,250.00
Total				20 000 00
				32,200.00
		TOTAL		32,200.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

Sanprints PAN #: AAIC80770L

Sanprints GST #: 27AAICS0770L120

IQAC



Or. B. KARUNA KUMAR
Vice Principal
Gudlavalleru Engineering College

Gudfavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru.

PRINCIPAL

Seshadri Rao Gudiavalleru Engineering College Seshadri Rao Knowledge Village

Gudlavalleru - 521 356, Krishna District, A.P.



#### WORK ORDER

GUDLAVALLERU ENGINEERING COLLEGE (1284) GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA **PRADESH 521356** 

> Date: 01-Mar-2018 IBPSCNBK040218UAP09

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by Facilities Agreement dated 01-Sep-2017between Tata Consultancy Services Ltd. and GUDLAVALLERU ENGINEERING COLLEGE("Agreement").

Assessment Name	Canara bank
Assessment Date(s)	04-Mar-2018
Assessment Shift(s) & Time(s)	Shift-109:00AM-11:00AM Shift-201:00PM-03:00PM
Project Address	GUDLAVALLERU ENGINEERING COLLEGE, GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA PRADESH 521356
Invoice Address	San Prints Private Limited 167, Raja Industrial Estate, P. K. Road, Mulund West, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	Ion.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order NumberIBPSCNBK040218UAP09 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR THY A CONSULTANCY SERVICES

FORGUDLAVALLERU ENGINEERING COLLEGE

Dr. B. KARUNA KUMAR

Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru.

PRINCIPAL

Sashadri Rao

Gudlavalleru EiRagedripfo3College

Tata Consultancy Services Ltd Tata Consultancy Services Ltd

Seshadri Rao Knowledge Village
ION Assessment, EmpirePlaza 1st floor, LBS Marg, Vikhroli (West), Mumbai Gudiavalleru - 521 356, Krishna District, A.P.



## WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA

> Date: 01-Mar-2018 IBPSCNBK040218UAP09

			Annexure	"Д"		
Assessment Date(s) 04-Mar-2018	Shift1 Count 250	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs
	200	250		· · · · · · · · · · · · · · · · · · ·	2	12,500.00
	7.00			- an - White to develop the same of	- market house, and an analysis and	
			e en en en en en en en en en en en en en			
				***************************************		No. of the last of
	The state of the s	· · · · · · · · · · · · · · · · · · ·				
	· · · · · · · · · · · · · · · · · · ·		***			
(Annexure A): Amou	Int for Node	s Utilization	i Cinala d			
THE PARTY OF THE PARTY OF	JEST SENE PURSESSE	COURSE ! I fillion.	making the second	The United States		12,500.00
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	HELL BUSE MAKESTER	CODDINGS	MARKET I SAIRS	A STATE OF THE PARTY OF THE PAR	Andrew Colored States and States	11400 0.00
			ord Facility	uon (Single	& Multiple)	2,250.00
	AULU O PEDT	C+D)	ord racinty	roingle & N	nultiple)	0.00
Total Exam Days:	1	the state of	THE REAL PROPERTY.			26,150.00

Manpower / Facility Requirement Table

Manpower / Facility Title Test Center Administrator	Requirement Ratio
1 Admin	1 Test Center
Assistant	1 : 250 Candidates
nvigilators	1:250 Candidates
Registration Managers	1 30 Candidates
2000ort / Volunteers (Isolusius at 6	1 : 50 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1:75 Candidates
urveillance Camera Facility to Record	Not Required
Control Carlos In Record	Not Required





WHI CARLE	
Manpower Title	Rs
Test Center Administrator	1125
IT Admin	1125
IT Assistant	the second secon
Invigilators	600
Support / Volunteers	6750
Total	1800
	11400

Dr. B. KARUNA KUMAR

Vice Principal Gudlavalleru Engineering College Sestadri Rao Knowledge Village, Gudlavalleru.

Annexura "C"

Williamis C	
Manpower (Additional)	Amount Rs.
Invigilators	0.00
Registration Managers	2,250.00
Frisking Manpower	0.00
Total	2,250.00

wuuexhte "i)"	and the control of the state of the state of
Surveillance Facility	Amount Rs.
Surveillance Camera Re	cord 0.00
Note: Surveillance Ca Rs. 10/- per node for one	mera Facility to Record
Total	

Fuel Charges for Generator: Rs.4.5/- Per Candidate.

PRINCIPAL Page 206 shadri Rao

0.00

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 358, Krishna District. A.P.

Tata Consultancy Services Ltd iON Assessment, EmpirePlaza 1st floor, LBS Marg, Vikhroli (West), Mumbai – 400 083



## WORK ORDER

**GUDLAVALLERU ENGINEERING COLLEGE (1284)** GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU ANDHRA **PRADESH 521356** 

> Date: 01-Mar-2018 IBPSCNBK040218UAP09

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.



Dr. B. KARUNA KUMAR Vice Principal Gudiavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavelleru.

Sashadri Rao Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

Gudlavalleru - 521 350, Krishna District, A.P.

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, GUDI.AVALLERU-521 356, Krishna District, A.P., India
(Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC)
NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally)
Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## **BILL OF SUPPLY**

Lisp Name: GUDLAVALLERU ENGINEERING COLLEGE

Address: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU

ANDHRA PRADESH 521356

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167. Raja Industrial Estate.

Mumbai - 400 080.

Invoice #: CNB040318UAP09 Invoice Date: 13 Mar 18

Assessment Name :Canara Bank Assessment Date : 04th Mar 18

Attention

SMB Finance

Email

emb finance@tcs.com

Description	HSN 	SAC Code	TOTAL (INR)
Expenses towards conducting Canara Bank exam on 04th Mar 18		998599	30,400.00
Total	1		30,400.00
TOTAL			30,400.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

CONT CONTRACTOR

Or. B. KARUNA KUMAR

Oudlavelleru Engineering College Sechadi Rao Knowledge Village, Goullavalle U.

IQAC

PRINCIPAL

#### Annexure

Lisp Name : GUDLAVALLERU ENGINEERING COLLEGE

Address: GUDLAVALLERU-ADDADA ROAD VIJAYAWADA KRISHNA DISTRICT GUDLAVALLERU

ANDHRA PRADESH 521366

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja industrial Estate.

Mumbai - 400 080.

Reference

Invoice #: CNB040318UAP09

Reference

Invoice Date: 13 Mar 18 Assessment Name : Canara Bank

Assessment Date: 04th Mar 18

Attention Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conduct	ling Canara Bank exam on 04th M	ar 18		
Nodes (count)	998599	250	50	12,500.00
Supervison Support Charge	es for:			
TCA	998599	1	1125	1,125.00
IT Manager	998599	1	1125	1.125.00
IT Assistant	998599	1	600	600.00
Invigilators	998599	9	750	6,750.00
Registration Managers	998599	5	450	2,250.00
Support Staff	998599	4	450	1,800.00
Food	998599	500	2	1,000.00
Stationary	998599	500	2	1,000.00
Genset and/or Fuel Char	998599	500	4.5	2,250.00
Total				30,400.00
	<b>数字数是现代数分为图象是图</b>	TOTAL		30,400.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudtavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAJCS0770L1Z0





todoumas Dr. B. HARMNA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowlodge Village, Gudlavalleru.

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering College Seshadri Rab Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



#### **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra-Pradesh-521356

Date: 29-Apr-2018 APICET020518AP31

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in AnnexureA, B, C & Dbelow This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavatleru Engineering College("Agreement").

Project Details			
Assessment Name	APICET		
Assessment Date(s)	02-May-2018		
Assessment Shift(s) &Time(s)	Shift-110:00AM-12:30PM Shift-202:30AM-05:00PM		
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District Gudlavalleru,Andhra Pradesh-521356		
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.		
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.		
Email for Communication	Ion.assessment@tcs.com		

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number APICET020518AP31 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Or. B. KARIINA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru,

NGIN

Sashadri Rao

Gudiavalleru Pagedening College



## **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra-Pradesh-521356

Date: 29-Apr-2018 APICET020518AP31

Annexure "A"

THE R. P. LEWIS CO., LANSING, MICH.					
Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
253	0				12,650.00
**********	and the second s	~			-
T. W	The second second second second second second second second second second second second second second second se				-
***** **** ***************************			-bearing and the second		-
	was and the same of the same o				_
		- Are r at any v - Al			
					v2.
ni the Ward	1 444411 45			140 Maria - 1,00 M	*
IL TOT NOGE	s ounzauo	n (Single &	numpie)		12,850.00
it for Man	power Utiliz	ation(Single	& Multiple	Shifts )	8600.00
nt for Addi	tional Manp	ower Utiliza	ition (Singl	e & Multiple)	3,600.00
nt for Surv	eillance Re	cord Facility	(Single &	Multiple)	0.00
ure's A+B-	+C+D)				24,850.00
	Count 253  In for Node It for Man Int for Addi It for Surv Ure's A+B	Count Count 253 0  In for Nodes Utilization of the Manpower Utilization of the Manpower Utilization of the Manpower Utilization of the Manpower Utilization of Surveillance Reduce's A+B+C+D)	Count Count 253 0  In for Nodes Utilization (Single & Int for Manpower Utilization (Single int for Additional Manpower Utilization for Surveillance Record Facility ure's A+B+C+D)	Count Count Count  253 0  Int ior Nodes Utilization (Single & Multiple) Int for Manpower Utilization(Single & Multiple Int for Additional Manpower Utilization (Single Int for Surveillance Record Facility (Single & ure's A+B+C+D)	Count Count Count # of Shifts  253 0 1  Int for Nodes Utilization (Single & Multiple) Int for Manpower Utilization(Single & Multiple Shifts) Int for Additional Manpower Utilization (Single & Multiple) Int for Surveillance Record Facility (Single & Multiple) Int for Surveillance Record Facility (Single & Multiple) Int for Surveillance Record Facility (Single & Multiple) Int for Surveillance Record Facility (Single & Multiple)  In for Surveillance Record Facility (Single & Multiple)  In for Surveillance Record Facility (Single & Multiple)

Total Exam Days: 1

Manpower / Facility RequirementTable

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1 : 250 Candidates
IT Assistant	1 : 250 Candidates
Invigilators	1 : 24 Candidates
Registration Managers	1:40 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1:75 Candidates
Frisking Manpower	2:100 Candidates
Surveillance Camera Facility to Record	Not Required

Annayura "P"



Williaydia D			
ManpowerTitle	Rs.		
Test Center Administrator	750.00		
IT Admin	750.00		
IT Assistant	400.00		
Invigilators	5500.00		
Support / Volunteers	1200.00		
'Total	8600.00		

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalteru Engineering College Sashadri Rao Knowledge Village, Gudlavalleni.

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	
Registration Managers	2,100.00
Frisking Manpower	1,500.00
Total	3,600.00

WINNEYOLG P			 cana .
Surveillance	Facility		Amo
Surveillance (	Camera I	Record	

unt Rs. 0.00 Note: Surveillance Camera Facility to Record Rs.10/- per node for one day 0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

Tata Consultancy Services Ltd

iON Assessment, EmpirePlaza 1st floor, LBS Marg, Vikhroli (West), Mumbai - 400 083-

Page 2 of 2

PRINCIPAL

Səshadri Rao Gudlavalleru Engineering College

Seshadri Rao Knowledge Village

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishne District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

#### BILL OF SUPPLY

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijavawada, Krishna District,Gudlavalleru,Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167. Raia Industrial Estate.

Mumbai - 400 080.

Invoice #: ICET020518AP31

Invoice Date: 23 MAY 18 Assessment Name : AP ICET Assessment Date: 02 MAY 18

Attention

**SMB** Finance

Email

smb.finance@tcs.com

Description	HS	V/SAC Code	TOTAL (INR)
Expenses towards conducting AP ICET exam on 02 MAY 18		998699	27,000.50
Total	- 1/	5/ L	27,000.50
	TOTAL		27,000.50

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Sanprints PAN #: AAICS0770L

Beneficiary Name: Principal Gudlavaller Engg College

Sanprints GST #: 27AAICS0770L1Z0

ounds

IFSC: SBIN0001461 Account #: 11588343210

Dr. B. KARIINA KUMAR

Vice Principal

Gudtavallery Engineering College Sashadri Rao Knoviledge Village, Gudlavallens.

PRINCIPAL

(Sponsored by A.A.N.M. & V.V.R.S.R. Educational Society, Gudlavalleru) Gudlavalleru Engineering College

Seshadri Rec Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

## **Annexure**

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

San Prints Private Limited. 167, Raja Industrial Estate,

Mumbai - 400 080.

Reference

Invoice #: ICET020518AP31

Reference

Invoice Date: 23 MAY 18

Assessment Name : AP ICET Assessment Date: 02 MAY 18

Attention Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting AP	ICET exam on 02 MAY	18		22422(1111)
Nodes (count)	998599	253	50	12,650.00
Supervison Support Charges for:				12,000.00
Test Center Administrator	998599	1	750	750,00
IT Manager	998599	1	760	750.00
IT Assistant	998599	1	400	400.00
Invigilator	998599	11	500	5,500.00
Support Staff	998599	4	300	1,200.00
Registration Managers	998599	7	300	2,100.00
Frisking Volunteer	998599	5	300	1,500.00
Food	998599	253	2	506.00
Stationary	998599	253	2	506.00
Genset and/or Fuel Charges	998599	253	4.5	1,138.50
Total				27,000.50
<b>有人有不足。但是</b> 是是一个人		TOTAL		27,000.50

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

Dr. B. KARUNA KUMAR

Vice Principal
Gudlavalleru Engineering College Seshadri Rao Knowladge Village, Gudiavalleru.

Sashadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 353, Krishna District, A.P.



#### WORK ORDER

Gudlavalleru Enginearing College (1284)

Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru, Krishna District, Andhra Pradesh-521356

Date: 29-Apr-2018 APECET030518AP45

Dear Sir/Madam.

We are pleased to release a Work Order for the item/s as given in AnnexureA, B, C & Dbelow. This Work Order shall be governed by Facilities Agreement dated 16-Sep-2017between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	AP ECET
Assessment Date(s)	03-May-2018
Assessment Shift(s) & Time(s)	Shift-110:00AM-01:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru,Krishna District,Andhra Pradesh-521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080,
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	for assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period.

Please mention the Work Order Number APECET030518AP45 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TAYA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Dr. B. KARUNA KUMAR

Vice Principal

Gudlavalleru Engineering College Sashadri Rao Knowledge Village, Gudlavalleru.

IQAC

PRINCIPAL

Sashadri Rao

Gudlavalleru ERagedrate College

Tata Consultancy Services Ltd
ON Assessment, EmpirePlaza 1<sup>st</sup> floor, LBS Marg, Vikhroli (West), Mumbai Guniavailleru - 521 353, Krishna District. A.P.



## WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru, Krishna District, Andhra Pradesh-521356

Date: 29-Apr-2018 APECET030518AP45

		The sales and the sales are	<b>OJUKOROM</b>	A		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
03-R4ay-2018	400				1 [	20,000.00
And the second of the second o	ļ					
	1	~~~~	**************************************	W	***	-
			w			
+++ = 21 + 1 + 1	1	a and the second control of the control of	. 4			
			*	***************************************		The second secon
			**************************************	****	No. of the latest and	
<b>~</b>	}		to an anti-tellura taribe or appropriate acting			-
(Annexure A): Amo	unt for Node	es Utilizatio	n (Single &	Viultiple)		20,000.00
(Annexure B): Amo	unt for Man	power Utiliz	ation(Singl	& Multiple	Shifts)	13360.00
(Annexure C): Amo	unt for Addi	tional Many	ower Utiliza	ation (Single	e & Multiple)	5,400.00
(Annexure D): Amo	unt for Surv	eillance Re	cord Facility	(Single &	Multiple)	0.00
Total Amount (Ann	exure's A+B	+G+D)				38,750.00

Total Exam Days:1

Manpower / Facility RequirementTable

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1: 250 Candidates
IT Assistant	1 : 250 Candidates
Invigilators	1 : 24 Candidates
Registration Managers	1 : 40 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1:75 Candidates
Frisking Manpower	2 : 100 Candidates
Surveillance Camera Facility to Record	Not Required



Annexure "B" ManpowerTitle Rs. Test Center Administrator 750.00 IT Admin 1500.00 IT Assistant 800.00 Invigilators 8500.00 Support / Volunteers 1800.00 Total 13350.00

Or. B. KARUNA KUMAR Vice Principal Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavallens

Annexure "C"

Annexure "C"		Annexure "D"
Manpower (Additional)	Amount Rs.	Surveillance Fa
Invigilators		Surveillance Ca
Registration Managers	3,000.00	Note: Surveilla
Frisking Manpower	2,400.00	Rs. 10/- per node
Total	5,400.00	Total

illance Facility Amount Rs. lance Camera Record 0.00 Surveillance Camera Facility to Record per node for one day

Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis -

IOAC

PRINCIPAL

Tata Consultancy Services Ltd iON Assessment, EmpirePlaza 1st floor, LBS Marg, Vikhroli (West), Mumbai - 400 083

Seshadri Rao

Page 2 of 2

Gudlavalleru Engineering College Seshadri Rac Knowledge Village Gudiavalleru - 521 356, Krishna District A D

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.inf, Web: www.gecgudlavalleru.ac.in

## BILL OF SUPPLY

Lisp Name : Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru, Krishna District, Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Invoice #: ECET030518AP45 invoice Date: 17 MAY 18 Assessment Name : AP ECET Assessment Date: 03 MAY 18

Attention Email

SMB Finance

smb.finance@tcs.com

Description		HSN /SAC Code	TOTAL (INR)
Expenses towards conducting AP ECET exam on 03 MAY 18		998599	42,150.00
Total			42,150.00
THE REPORT OF THE PARTY OF THE PARTY OF THE PARTY.	TOTAL	ayata 124	42,150.00

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Sanprints PAN #: AAICS0770L

Beneficiary Name: Principal Gudlavaller Engg College

Sanprints GST #: 27AAICS0770L1Z0

IFSC: SBIN0001461 Account #: 11588343210

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge V. Jage, Gudlavalleni.

Seshadri Rao

#### Annexure

Lisp Name: Gudlavalleru Engineering College

Address : Gudlavalleru-Addada Road, Vijayawada, Gudlavalleru, Krishna District, Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

San Prints Private Limited,

167, Raja Industrial Estate,

Mumbai - 400 080.

Reference Invoice #: ECET030518AP45
Reference Invoice Date: 17 MAY 18

Assessment Name : AP ECET

Assessment Date: 03 MAY 18

Attention Email SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting AP	ECET exam on 03 MAY 18	3		
Nodes (count)	998599	400	50	20,000.00
Supervison Support Charges for:				
Test Center Administrator	998599	1	750	750.00
IT Manager	998599	2	750	1,500.00
IT Assistant	998599	2	400	800.00
Invigilator	998599	17	500	8,500.00
Support Staff	998599	6	300	1,800.00
Registration Managers	998599	10	300	3,000.00
Frisking Volunteer	998599	8	300	2,400.00
Food	998599	400	2	800.00
Stationary	998599	400	2	800.00
Genset and/or Fuel Charges	998589	400	4.5	1,800.00
Total				42,150.00
2000年表演图第三年间 2000年		TOTAL		42,150.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461

Signature of ROM

Sanprinis PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

GDVL GDVL S

Dr. B. KARISNA KUMAR

Mice Principal
Gudlavallen, Erelnstring College
Seshadri Rao Knowledge V.//aga, Gudlavalleru.

PRINCIPAL

Seshadri Rao Gudlavalleru Engineering College

Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.



## **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Date: 17-May-2018 JEEADV200518AP20

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in Annexure A, B, C & D below. This Work Order shall be governed by **Facilities Agreement** dated **15-Sep-2017**between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

Project Details	
Assessment Name	JEE ADVANCED
Assessment Date(s)	20-May-2018
Assessment Shift(s) &Time(s)	Shift-109:00AM-12:00PM Shift-202:00PM-05:00PM
Project Address	Gudlavalleru Engineering College, Gudlavalleru-Addada Road, Vijayawada, Krishna District,Gudlavalleru,Andhra Pradesh-521356
Invoice Address	San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number **JEEADV200518AP20** for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

ForGudlavalleru Engineering College

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalleru Enginearing College Seshadri Rao Knowledge Village, Gudlavalleru.

GDVL CONT

PRINCIPAL Sashadri Rao

Gudlavalleru Engineering College



## WORK ORDER

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Date: 17-May-2018 JEEADV200518AP20

Annexure "A"

			Annexure	"A"		
Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs
20-May-2018	300	300		Joanne		
					2	15,000.00
						<u></u>
	······································					-
	·····					
		· · · · · · · · · · · · · · · · · · ·				
						-
			<u></u>			
						-
Annexure A): Amou	nt for Node	e Hellisaria	- 1011- 01			
Annexure B): Amou	nt for Man	OWON [ MILE	i (Single & N	luttiple)		15,000.00
Annexure Cl: Amou	nt for Addi	Jower Utiliz	ation(Single	Shift)		15000.00
Annexure C): Amou	nt for Sum	IOHAI WARD	ower Utiliza	tion (Single	& Multiple)	8,100.00
Annexure D): Amou Total Amount (Annex	durata 6 (B)	emance Rec	ord Facility	(Single & I	Multiple)	0.00
Total Exam Days:	THIC S MAD	-C+D)		in the way		38,100.00

Manpower / Facility Requirement Table

Manpower / Facility Title	
Test Center Administrator (PO)	Requirement Ratio
Test Center Administrator (DPO)	1 : Test Center
IT Admin	1 : Test Center
IT Assistant	1: 250 Candidates
Invigilators	1 : 250 Candidates
Registration Managers	1:30 Candidates
Support / Voluntoors / Inclusion	1 : 30 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician) Relieving Invigilator	1 : 75 Candidates
Frisking Manpower	3 Required
Surveillance Campro Tavilla	Required
Surveillance Camera Facility to Record	Not Required

PAC	Val
	PAC
(3)	
(E) GDVC	ひなく ノベル

Annexure "B" Manpower Title Rs. Test Center Administrator (PO) PRINCIPAL 1125.00 Test Center Administrator (DPO) Seshadri Rao 1125.00 2250.00 udlavalleru Engineering College 1200.00 Seshadri Ray Knowledge Village 7500 Gedlavalleru - 520 College District A. IT Admin IT Assistant Invigilators

Support / Volunteers 1800.00 B. KARUNA KUMAR Total 15000.00

Manpower (Additional)	Amount Rs.
Relieving Invigilator	2,250,00
Registration Managers	4,500.00
Frisking Manpower	1,350.00
Total	8,100.00

Surveillance Facility Surveillance Camera Rec	NEWS THE STATE OF		Am	ount Rs.	College Sudlavalleru
	COLD	1			ą.
Note: Surveillance Ca	mera	Facility	to	0.00 Record	
Rs 10/- per node for one Total	day				

Vice Principal

(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

## BILL OF SUPPLY

Lisp Name: Gudlavalleru Engineering College

Address: Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

San Prints Private Limited,

167, Raja Industrial Estate,

Mumbai - 400 080.

Invoice #: JEEA200518AP20

Invoice Date: 01 JUN 18

Assessment Name: JEE ADVANCE

Assessment Date: 20 MAY 18

Attention

SMB Finance

Email

smb.finance@tcs.com

998599	44,100.00
- 1	44,100.00
	44,100.00

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

Sanprints PAN #: AAICS0770L

FSC: SBIN0001461

Account #: 11588343210

Sanprints GST #: 27AAICS0770L1Z0

PRINCIPAL

Sashadri Rao

Gudlavaller@Engineering College Seshadri Reg Knowledge Village

Gudlavalleru - 52 1985, Krishna District, A.

Dr. B. KARRINA KUMAR Vice Principal

Gudlavalleru Engunessing College Seshadra Rao Knowledge Village, Gudlavall-





## WORK ORDER

Gudiavaileru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Date: 17-May-2018 JEEADV200518AP20

• Fuel Charges for Generator: Rs.4.5/- Per Candidate

Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

GONT SOUTH THE STATE OF THE STA

Dr. B. KARUNA KUMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru

IQAC

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District, A.P.

#### Annexure

Lisp Name : Gudlavalleru Engineering College

Address: Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Place of Supply: Andhra Pradesh

San Prints Private Limited,

167, Raja Industrial Estate,

Mumbai - 400 080.

Reference Invoice #: JEEA200518AP20

Reference Invoice Date: 01 JUN 18

Assessment Name : JEE ADVANCE

Assessment Date: 20 MAY 18

Attention

SMB Finance

Email

smb.finance@tcs.com

Description	HSN/SAC Code	QUANTITY	PRICE PER UNIT	TOTAL (INR)
Expenses towards conducting JEE	ADVANCE avam a	n 20 MAV 40		
Laberiaes towards conducting SEE	ADVANCE exam o	11 20 WAT 10		
Nodes (count)	998599	300	50	15,000.00
Supervison Support Charges for:				ĺ
Test Center Administrator(PO)	998599	1	1125	1,125.00
Test Center Administrator(DPO)	998599	1	1125	1,125.00
IT Manager	998599	2	1125	2,250.00
IT Assistant	998599	2	600	1,200.00
Invigilator	998599	10	750	7,500.00
Support Staff	998599	4	450	1,800.00
Releiving Invigilator	998599	3	750	2,250.00
Registration Managers	998599	10	450	4,500.00
Frisking Volunteer	998599	3	450	1,350.00
Food	998599	600	3.5	2,100.00
Stationary	998599	600	2	1,200.00
Genset and/or Fuel Charges	998599	600	4.5	2,700.00
Total	5/010-99 N. N. SANSON - 1450 - PART - 4	t in Maria on a sector	COOL TERMINAL PROPERTY OF THE COOL	44,100.00
		TOTAL		44,100.00

Signture of Center Head

PAN: AAATA3093K

Signature of ROM
Sanprints PAN #: AAICS0770L

Beneficiary Name: Principal Gudłavaller Engg College

Sanprints GST #: 27AAICS0770L1Z0

IFSC: SBIN0001461 Account #: 11588343210

\$

Dr. B. KARUNA RUMAR Vice Principal

Gudlavalteru Engineering Cottege Seshadri Rao Knowledge Village, Gudlavalleru.

TOAC GOVL CONSTRUCTIONS + 300

PRINCIPAL Seshadri Rao

Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudlavalleru - 521 356, Krishna District. A.P.



## **WORK ORDER**

Gudlavalleru Engineering College (1284)

Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521356

Date: 20-Apr-2018 EAMCET220418UAP44

Dear Sir/Madam,

We are pleased to release a Work Order for the item/s as given in AnnexureA, B, C & Obelow. This Work Order shall be governed by Facilities Agreement dated 15-Sep-2017 between Tata Consultancy Services Ltd. and Gudlavalleru Engineering College("Agreement").

AND ACCULATION OF THE PROPERTY	
Project Details	
Assessment Name	AP EAMCET
Assessment Date(s)	22-Apr-2018
1	23-Apr-2018
	24-Apr-2018
	25-Apr-2018
Assessment Shift(s) &Time(s)	Shift-110:00AM-01:00PM
	Shift-202:30PM-05:30PM
Project Address	Gudlavalleru Engineering College,
	Gudlavalleru-Addada Road, Vijayawada, Krishna
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	District, Gudlavalleru, Andhra Pradesh-521356
Invoice Address	San Prints Private Limited,
1	167, Raja Industrial Estate,
	Mumbai - 400 080.
Payment	100% Payment within 30 days of receipt of Invoice or as agreed
	under the Agreement.
Email for Communication	lon.assessment@tcs.com

LISP facilities are exclusively for TCS use. LISP agrees that should not conduct any other online assessment(s) during the usage period,

Please mention the Work Order Number EAMCET220418UAP44 for all your future correspondence to easy reference and payment facilitation.

Request you to kindly acknowledge and accept this Work Order.

Thanking you.

FOR TATA CONSULTANCY SERVICES

For Gudlavalleru Engineering College

Dr. B. KARŪNA KŪMAR Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavalleru.

PRINCIPAL

Seshadri Rao

Gudlavalleru Engineering Colleg Seshadri Rao Krowedge Village

Tata Consultancy Services Ltd iON Assessment, EmpirePlaza 1<sup>st</sup> floor, LBS Marg, Vikhroli (West), Mumbai – 400 083 Annexure "A"

Assessment Date(s)	Shift1 Count	Shift2 Count	Shift3 Count	Shift4 Count	# of Shifts	Amount Rs.
22-Apr-2018	400	401			2	20050
23-Арт-2018	399	400			2	20,000.00
24-Apr-2018	400	402			2	20100
25-Apr-2018	400	402			2	20100
<u> </u>		<u> </u>				-
						-
		I	7	I.		-
	1	L				
(Anneyure A). Amo	unt for Node	s Utilizatio	n (Single &	Multiple)		80250
(Annexure A): Amount for Nodes Utilization (Single &Multiple) (Annexure B): Amount for Manpower Utilization(Single & Multiple Shifts)			80100.00			
(Annexure C): Amount for Additional Manpower Utilization (Single & Multiple)			32,400,00			
(Annexure C): Amount for Additional Manpower Offization (Single & Multiple)			0.00			
			cord Facilit	y (Single a	Marribie	
Total Amount (Ann	exure's A+B	+C+D)				192750

Total Exam Days:4

wer / Facility RequirementTable

Manpower / Facility Title	Requirement Ratio
Test Center Administrator	1 : Test Center
IT Admin	1:250 Candidates
IT Assistant	1 : 250 Candidates
Invigilators	1 : 24 Candidates
Registration Managers	1 : 40 Candidates
Support / Volunteers (Inclusive of Security Guards and Electrician)	1 : 75 Candidates
Frisking Manpower	2 : 100 Candidates
Surveillance Camera Facility to Record	Not Required

Annexure "B"

Rs.
4500.00
9000.00
4800.00
51000.00
10800.00
80100.00

Annexure "C"

Manpower (Additional)	Amount Rs.
Invigilators	
Registration Managers	18,000.00
Frisking Manpower	14,400.00
Total	32,400.00

Annexure "D"

Surveillance Facility	Amount Rs.
Surveillance Camera Record	0.00
Note: Surveillance Camera Facility to Record Rs.10/- pe node for one day	
Total	0.00

Fuel Charges for Generator: Rs.4.5/- Per Candidate Note:In case the number of days/nodes specified above may increase or decrease. Billing agreed on a Pro-Rata basis.

Dr. B. KARUNA KUMAR Vice Principal

Gudiavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavallery.

PRINCIPAL

Sashadri Rao Gudlavalleru Engineering College Seshadri Rao Knowledge Village Gudiavalleru - 521 356, Krishna District, A.P. GUDLAVALLERU ENGINEERING COLLEGE (An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU-521 356, Krishna District, A.P., India (Approved by AICTE, New Delhi, Recognized by A.P. State Government and Accredited by NAAC) NBA Accreditation: B.Tech - CSE for 5 Years, EEE, ME, ECE & IT for 2 Years (Provisionally) Phone Nos. 08674-273737, 273888, Fax No. 08674-273957

E-mail: principal@gecgudlavalleru.ac.in, office@gecgudlavalleru.ac.in, Web: www.gecgudlavalleru.ac.in

Bill Of Supply

LISP NAME: Gudlavalleru Engineering College

ADDRESS: Gudlavalleru-Addada Road, Vijayawada, Krîshna District,Gudlavalleru,Andhra Pradesh-521356

Email:

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate,

Mumbal - 400 080.

Invoice #: EMET220418AP44

Invoice Date: 13 MAY 18

Assessment Name: AP EAMCET

Assessment Date: 22,23,24,25 APR 18

Attention

Email

SMB Finance

smb.finance@tcs.com

Description	HSN/SAC Code	TOTAL (INR)
Expenses towards conducting AP EAMCET exam on 22,23,24,25 APR 18	998599	2,19,984.00
	QTAL 3	2,19,984.00

Signture of Center Head

Signature of ROM

PAN: AAATA3093K

Sanprints PAN #: AAICS0770L

Beneficiary Name: Principal Gudlavaller Engg College

Sanprints GST #: 27AAICS0770L1Z0

IFSC: SBIN0001461 Account #: 11588343210

PRINCIPAL

Sashadri Rao

Gudla Palleru Engineering College Knowledge Village Krishna District, A.P.

ARUNA KUMLAR

Vice Principal

Gudlavalleru Engineering College Seshadri Rao Knowledge Village, Gudlavallery,



(Sponsored by A.A.N.M. & V.V.R.S.R, Educational Society, Gudfavalleru)



LISP NAME: Gudlavalleru Engineering College

ADDRESS: Gudlavalleru-Addada Road, Vijayawada, Krishna District, Gudlavalleru, Andhra Pradesh-521358

Email:

Place of Supply: Andhra Pradesh

San Prints Private Limited, 167, Raja Industrial Estate, Mumbai - 400 080.

Reference Reference Invoice #: EMET220418AP44 Invoice Date: 13 MAY 18

Assessment Name : AP EAMCET

**Assessment SMB Finance** 

Attention

smh finance@tcs.com

Email	mb.finance@	otcs.com		
Description	HSN/SAC	QUANTITY	PRICE PER UNIT	TOTAL (INR)
	Code		PERUNIT	(INIX)
Expenses towards conducting AP EAMCET exam on 22 APR 18		404	50	20,050.00
Nodes (count)	998599	401	. 50	20,000.00
Expenses towards conducting AP EAMCET exam on 23 APR 18		400		20,000,00
Nodes (count)	998599	400	50	20,000.00
Expenses towards conducting AP EAMCET exam on 24 APR 18		400	50	20,100.00
Nodes (count)	998599	402	50	20,100.00
Expenses towards conducting AP EAMCET exam on 25 APR 18	000500	402	50	20,100.00
odes (count)	998599	402	50	20,100.00
Supervison Support Charges for:		,	4405	1 125 00
Test Center Administrator on Day 1	998599	1	1125	1,125.00 2,250.00
IT Manager on Day 1	998599		1125	1,200.00
IT Assistant on Day 1	998599		600	
Invigilator on Day 1	998599		750	12,750.00 2,700.00
Support Staff on Day 1	998599		450	4,500.00
Registration Managers on Day 1	998599		450	3,600.00
Frisking Volunteer on Day 1	998599		450	
Test Center Administrator on Day 2	998599		1125	1,125.00
IT Manager on Day 2	998599	1	1125	2,250.00
IT Assistant on Day 2	998599		600	1,200.00
Invigilator on Day 2	998599		750	12,750.00
Support Staff on Day 2	998599		450	2,700.00
Registration Managers on Day 2	998599		450	4,500.00 3,600.00
Frisking Volunteer on Day 2	998599		450 1125	1,125.00
Test Center Administrator on Day 3	998599		1125	
IT Manager on Day 3	998599			2,250.00
IT Assistant on Day 3	998599		600	1,200.00
Invigilator on Day 3	998599		750	12,750.00
upport Staff on Day 3	998599		450	2,700.00
Registration Managers on Day 3	998599		450	4,500.00
Frisking Volunteer on Day 3	998599		450	3,600.00
Test Center Administrator on Day 4	998599		1125	1,125.00
IT Manager on Day 4	998599		1125	2,250.00
IT Assistant on Day 4	998599		600	1,200.00
Invigilator on Day 4	998599		750 450	12,750.00
Support Staff on Day 4	998599		450	2,700.00
Registration Managers on Day 4	998599		450	4,500.00
Frisking Volunteer on Day 4	998599		450	3,600.00
Genset and/or Fuel Charges	998599		4.5	14,418.00
Food Expenses	998599		2	6,408.00
Stationary Expenses	998599	3204	2	6,408.00
		TOTAL	agent planter to the Applica	2,19,984.00
	President des	TOTAL		2,19,984.00

Signture of Center Head

PAN: AAATA3093K

Beneficiary Name: Principal Gudlavaller Engg College

IFSC: SBIN0001461 Account #: 11588343210 Signature of ROM

Sanprints PAN #: AAICS0770L

Sanprints GST #: 27AAICS0770L1Z0

PRINCIPAL

Seshadri Rao

Seshadri Rao
Citudlavalleru Engineering College
Seshadri Rao Knowledge Village
Signal And The Angle And The Angle

Seshadri Rao Knowledge Village, Gudlavailleri

GINEER lone \*3

(An Autonomous fustitute with Permanent Affiliation to JNT1 K, Kakinada)

Seshadri Rao Knowledge Village, GUDLAVALLERU

Department of Computer Science and Engineering

## CONSULTANCY DETAILS

Academic Year: 2017-18

Faculty Name	Purpose	Venue	Client	Amount	Dated	Check No
K. Ashok Reddy	LPU,SNU,AMITY Universities & Others	Pearson VUE	WU Business Solution	7740	05-07-2017	NEFT
K. Ashok Reddy	LPU,SNU,AMITY Universities & Others	Pearson VUE	WU Business Solution	7,740	25-07-2017	600082
K. Ashok Reddy	LPU, SNU, AMITY Universities & Others	Pearson VUE	WU Business Solution	43,532	23-08-2017	DD
K. Ashok Reddy	SNU-SAT	Pearson VUE	Western Union Global Pay	3,219	05-09-2017	NEFT
K. Ashok Reddy	LPU,SNU,AMITY Universities & Others	Pearson VUE	WU Business Solution	10,266	28-05-2018	601083

Administrator

Gudiavalleru Engineering College GUDLAVALLERU-521356

PRINCIPAL

IOAC

. . .

Head of the Department
Computer Science and Engineering
Gudlavalleru Engineering College
Seshadri Rao Knowledge Village
GUDLAYALLERU • 521 356



## **Monthly Service Revenue**

## **Certification Testing**

Customer Number: 1782330

Gudlavalleru Engineering College Ashok Reddy Kandula Seshadri Rao Knowledge Village Gudlavalleru, AND 521356 India Invoice #: V17060000073285 Invoice Date: 05 Jul 2017 Reporting Period: June 2017

## Remittance Address:

Pearson India Education Services Private Limited Ground Floor, SB Tower 1A/1 Sector 16A, Noida, U.P. 201301 India

Telephone: 91 0120 4001600 Email: pvapfinance@pearson.com

Center VAT ID: NOTAXIDONFILE01
Center Contract Currency: INR

Εx	a	m	¢

Exams Reg ID	Candidate Name	Status	Description	Date	Form of Payment	Amount	Fx Rate	Amount Collected by Center	Reg Fee	Del Fea	Vol Fee	Net
Lovely Profe	ssional University (LPU	NEST)										_
317598852	Naga Sumanth Kundi	NOS	1001	20Jun17	None	INR0,00	1.0000	0.00	0.00	68.50	0.00	68.50
318402103	Sai Phani Teja Chapa	DEL	1003	20Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317729559	Kunapareddy Naga	DEL	1020	20Jun17	None	INR0.00	1.0000	0.00	0.00	137.90	0.00	137.00
318949979	Manidhar Chebrolu .	DEL	1001	29Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
								0.00	0.00	479.50	0.90	479.50
Shiv Nadar L	níversity (SNU-SAT)											
315471716	Sai Monalisa Kethine	DEL	SNUSAT-APT1-A-20	01Jun17	Nane	INR0.00	1.0000	0,00	0.00	137.00	0.00	137,00
317371067	Anjan Kavyesh Pagar	DEL	SNUSAT-APT1-A-20	01Jun17	None	(NR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317253469	Raghu Medarametla	DEL	SNUSAT-APT1-A-20	01Jun17	Nane	INR0.00	1.0000	0.00	0.00	137,00	0.00	137.00
317132850	Polepalli Srinlvas	DEL	SNUSAT-APT1-A-20	02Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317487147	Manchala Sekhar	DEL	SNUŞAT-APT1-A-20	02Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317205778	Vayigandla Bhavye S	DEL	SNUSAT-APT1-A-20	02Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317408263	Ravipati .	DEL	SNUSAT-APT1-A-20	02Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
316833393	Abhijay Gadde	NOS	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
317552390	Juturi Mallika	DEL	APT1-A-2017	03Jun17	Nane	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
315714228	Veeramachaneni .	NOS	SNUSAT-APT1-A-20	03Jun17	None	(NR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
317308013	Movva Vishnu Sai	DEL	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317551282	Kayulavarapu .	DEL	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317391193	Praneeth Nadella	DEL	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317685445	Bipin Chandra Nambu	DEL	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317454804	Chalumuri Bharat Sur	DEL	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137,00
317552479	Juturi Mallika	DEL	APT2-8-2017	03Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317380618	Potnuri Praveen	DEL	SNUSAT-APT1-A-20	03Jun17	None	INR0.00	1,0000	0.00	0.00	137.00	0.00	137.00





Rag 1D	Candidate Name	Status	Description	Date	Form of Payment	Amouni	Fa Raie	Amount Collected by Center	Reg Fee	Del Fee	Vol Fee	Net
			SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317587843	Teja Sai Srinivas Kha		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317153286	Ishwarya Bangaru	DEL	SNUSAT-APT3-B-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317552593	Juturi Mallika Kamamaki	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317060115 317206297	Komaragiri . Anshuman Konduri	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0,00	0,00	137.00	0.00	137.00
31/206297	Bommareddy Reddy	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
	Chirumamilla Tarun	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317890266 317239138	Ravitejaswar Vengoti		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
	Abhiram Karumanchi		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317443701	Thallu Madhu Meghai		SNUSAT-APT1-A-20		None	INR0.00	1,0000	0.00	0.00	137.00	0.00	137.00
317391194	_		SNUSAT-APT2-B-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317761815	Banda Kamala Naray	NOS	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
316836853	Manda Joy Michael	OEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
316958730	Garikapati Roy	DEL	SNUSAT-APT1-A-20		None	NR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317588019	Avinash Morampudi Peddineni Chowdary		SNUSAT-APT1-A-20		None	INRO.00	1.0000	0.00	0.00	68.50	0.00	68.50
317696528	G Siva Krishna Reddy		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317324899	Chaitanya Gudivada	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317545196		NOS	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
317500481	Marupudi .		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317762140	Lanka Maneesh Kum Movva Naga Sumanti		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
	Venkata Maharshi Vis		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317697515	Kruthi Onteddu	NOS	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
317547753	Thokala Venkatesh	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317898477	Velidi -	DEL	SNUSAT-APT1-A-20		None	INR0.00	1,0000	0.00	0.00	137.00	0.00	137.00
317571975 317698292	Pappu Lokesh Reddy		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
	Sanagapalli Ruchira (		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	68.50	9.00	68.50
317718958 317520596	Hema Sal Sarth Kum:		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317520596	Chennupali Revanth		SNUSAT-APT1-A-20		None	INRO.00	1.0000	0.00	0.00	137.00	0.00	137 00
317509522	Narendra Uppala	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.9000	0.00	0.00	137.00	0.00	137.00
317604528	Abhishek Kasina	DEL	SNUSAT-APT3-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
316304038	Sathagopam Vishal	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
317731935	Repalle Varnsi	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	, 137.00
317745230	Abhishek Katta	NOS	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
317935855	Kalyan Tummala	DEL	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
318229904	P Prathyusha	DEL	SNUSAT-2014	14Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
318230293	Badeti Chandrika	NOS	SNUSAT-2014	14Jun17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
318566127	Chikkam Mallika Nikil-		SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
318532626	Devareddyarshitha .	DEL	SNUSAT-2014	19Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
318533819	Gogineni Lalasa	DEL	SNUSAT-2014	19Jun17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
318524839	Abhishek Kaita	NOS	SNUSAT-APT1-A-20		None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
310324000	A THE PARTY AND	1100					_	0.00	0.00	7,124.00	0.00	7,124.00
Teradata												
318279165	Srinivasa Raju Potturi	DEL	TE0-141	20Jun17	Credit Card	USD155.00	64.6112	0.00	0.00	137.00	0.00	137.00
								0.00	0.00	137.00	0.00	137.00



## Summary of Activities

		Quantity	Amount Collected by Center	Registration Fees	Delivery Fees	Volume Fees	Net
	A Professional Literature & A Child ECTA	4	0.00	0.00	479.50	0.00	479.50
Exams	Lovely Professional University (LPUNEST)	57	0.00	0.00	7,124.00	0.00	7,124.00
	Shiv Nadar University (SNU-SAT)	1	0.00	0.00	137.00	0.00	137.00
Total	Teradata	62	0.90	0.00	7,740.50	0.00	7,740.50

European Union Customers Only: If the tax amount is zero (0.00), this
service may be subject to reverse charge procedures by the customer.
Article 44 VAT Directive 200/112/EC applies.

Pearson VUE Owes:	7,740.50	INR
(Do Not Pay)		



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, Gudlavalleru – 521356, Krishna District (A.P.)

Dt: 19-08-2017.

To
The Principal,
Gudlavalleru Engineering College,
Seshadri Rao Knowledge Village,
GUDLAVALLERU – 521 356.

\* \* \*

Sir,

We have Conducted Entrance and Certification Examinations in our test center (Pearson VUE). In this connection we have received remuneration for conducting examination in our centre to LPU, SNU, AMITY Universities and other certification exams for an amount of **Rs. 7,740.50**/- through DD.No: 600082 dated 25-07-2017 from WU Business Solutions.

I here with inclosing the same to debit in your account.

Thanking you,

Yours faithfully,

(Dr.G.V.S.N.R.V.Prasad)

Dean Academic Affairs



## PAYEE COPY

600082

Date:

25 Jul 2017

In Settlement of:

Client:

Payee:

NCS PEARSON INCORPORATED

Transaction Date: 21 Jul 2017

Transaction No: OTR4496849

**GUDLAVALLERU ENGINEERING COLLEGE** 

WIRE TRANSFER GUDLAVALLERU

India

879501 / WIRE-00 P1101

Detach and retain for your records



To: The Bank of New York Mellon, NY's account at:
HDFC Bank Limited
Dr. Annie Besant Road Sandoz House Worli
Mumbai 400 018 India

Amount

Acct: 00600390000102

600082

Date:

25 Jul 2017

Pay:

GUDLAVALLERU ENGINEERING COLLEGE\*\*\*\*\*\*\*\*

Indian Rupee

Cum of

\*\*\*SEVEN THOUSAND SEVEN HUNDRED FORTY AND 50/100 INDIAN RUPEES\*\*\*

\*\*\*\*\*\*\* 740 50

GUDLAVALLERU ENGINEERING COLLEGE WIRE TRANSFER GUDLAVALLERU India

Per

Ridals. writt

#600082# 400240015# 905282#/30



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, Gudlavalleru - 521356, Krishna District (A.P.)

Dt: 22-08-2017.

Ta. The Principal, Gudlavalleru Engineering College, Seshadri Rao Knowledge Village, GUDLAVALLERU - 521 356.

Sir,

We have Conducted MCP Examinations in our test center (Pearson VUE). In this connection we have received remuneration for booking the slot and conducting certification examination in our centre to our students, externals and entrance exams for LPU, SNU & Amity Universities for an amount of Rs. 43,532/- through DD.No: 100173 dated 02-05-2017, DD.No: 100323 dated 26-05-2017, DD.No: 100454 dated 27-06-2017 and DD.No: 600082 dated 25-07-2017 from WU Business Solutions and deposited the amount in the college account.

I hereby request you to sanction an amount of Rs. 26,120/- as remuneration for the coordinators who have conducted the examinations.

hanking you,

Yours faithfully,

(Dr.G.V.S.N.R.V.Prasad)

Dean Academic Affairs

SESHADRI RAO KNOWLEDGE VILLAGE GUDLAVALLERU - 521356 KRISHNA DISTRICT

# MICROSOFT ED-VANTAGE CERTIFICATION HALL TICKET FEE

Ledger Account

1-Apr-16 to 31-Mar-20

			1-Apr-10 to 31-War-20			
	Date	Particulars	Vch Type	Vch No.	Debit	Page 1
	20-May-16	By Cash	Receipt		Debit	Credit
	15-Jun-16 [	By <b>Cash</b>	Receipt	349		14,000.00
	7-Jul-16 [	By Cash	Receipt	489 732		28,000.00
	22-Sep-16	o Cash	Payment	2325	2.00.007.00	1,87,500.00
	6-Oct-16 E	By Cash	Receipt	1904	3,83,837.00	
	17-Oct-16 E	By Cash	Receipt	1991	¥.	1,50,000.00
	14-Nov-16 E	Sy Cash	Receipt	2266		23,500.00
	16-Feb-17 E	Sy Cash	Receipt	3073		13,650,00 12,812.00
(	Ţ	O Closing Balanc	ee	_	3,83,837.00 45,625.00	4,29,462.00
	1-Apr-17 B	y Opening Balance		_	4,29,462.00	4,29,462.00
	10-Apr-17 T	n Cach	_			45,625.00
	22-May-17 B	∨ Cash	Payment	124	15,880.00	,,
	1-Jul-17 B	v Cash	Receipt	303	•	16,387.00
	14-Jul-17 By	v Cash	Receipt	548		10,842.00
	23-Aug-17 By	Cash	Receipt	707		8,562.50
	By	/ Cash	Receipt Receipt	1246		7,740.50
	29-Aug-17 To	Cash	Payment	1247		2,33,837.00
	9-Mar-18 To	Cash	Payment	1890 4476	26,120.00 2,67,000.00	
	To	Closing Balance	•		3,09,000.00 13,994.00	3,22,994.00
	1-Apr-18 By	Opening Balance			3,22,994.00	3,22,994.00
	4-Jun-18 By	Cach				13,994.00
	3-Jul-18 By	Cash	Receipt	360		2,67,000.00
	4-Dec-18 To	Cash	Receipt	659		10,266.00
	31-Mar-19 By	Cash	Payment	3295	2,67,000.00	10,200.00
	,		Receipt	3800	·	43,326.00
	То	Closing Balance			2,67,000.00 67,586.00	3,34,586.00
	1-Apr-19 By	Opening Balance		-	3,34,586.00	3,34,586.00
	31-Jul-19 By	Cash				67,586.00
	3-Aug-19 To	Cash	Receipt	1018		24,575.50
		- 4011	Payment	1532	46,900.00	*
	To	Closing Balance			46,900.00	92,161.50
		<b>9</b>			45,261.50	
					92,161.50	92,161.50



## **PEARSON**

Site ID: 73285

Site Name: Gudlavalleru Engineering College

Please find attached either your Pearson VUE monthly invoice, monthly revenue statement or activity statement.

Please note following:

- INVOICES Any invoice that reflects an amount due is payable within 30 days. Late payments will result in loss of credit terms. To avoid an interruption in service please forward this to the appropriate person for payment within your organization.
- MONTHLY SERVICE REVENUE The bank draft for the monthly revenue statement will be sent to you separately by mail. Please note if you have any past due invoices, payment may be delayed.
- PRINTING By printing out the PDF document attached, you will be in possession of an exact replica of the hard copy invoice. Please forward it to the appropriate person.

**IMPORTANT NOTICE**: Monthly statements and invoices are sent using the Billing Contact information in SITE MANAGER. <u>Please be sure to keep the billing contact name and email address current at all times</u>. Refer to the Test Center Guide for instructions on how to update this information.

Should you have any inquiries in regards to your account with us, please e-mail pvapfinance@pearson.com.

Kind regards, Finance Department Pearson VUE

Please be sure to always include your site number and name on any correspondence.





India

## **Monthly Service Revenue**

## **Certification Testing**

Customer Number: 1782330

Gudlavalleru Engineering College Ashok Reddy Kandula Seshadri Rao Knowledge Village Gudlavalleru, AND 521356 Invoice #: V17080000073285 Invoice Date: 05 Sep 2017 Reporting Period: August 2017

Remittance Address:

Pearson India Education Services Private Limited

Ground Floor, SB Tower 1A/1 Sector 16A, Noida, U.P. 201301

India

Telephone: 91 0120 4001600 Email: pvapfinance@pearson.com

Center VAT ID: NOTAXIDONFILE01 Center Contract Currency: INR

#### Exams

LAGINIS								Amount				
Reg ID	Candidate Name	Status	Description	Date	Form of Payment	Amount	Fx Rate	Collected by Center	Reg Fee	Del Fee	Vol Fee	Net
IMWIA												
317574702	Chakradhar Koppara	NOS	CCRA-L1	12Aug17	None	GBP0,00	82.7319	0.00	0.00	68.50	0.00	68.50
								0.00	0.00	68,50	0,00	68.50
Chartered Ins	Stitute of Management A	S.D.C.O.U.B.t.C	unta									
321121137	Kamala Geethika Ma		CIMAPRO15-CS1-1-	12Aun17	Voucher - 3625	GBP134 00	82.7319	0.00	0.00	137.00	A.00	107.00
				is wgii	7000161 - 5023	301 134.00	QZ.7315				0.00	137.00
								0.00	0.00	137.00	0.00	137.00
Oracle Certifi	cation Program											
321482249	Chethan Garapati	DEL	120-808	28Aug17	Credit Card	INR9,701.00	1.0000	0.00	0.00	137,00	0.00	137 00
								0.00	0.00	137.00	0.00	137.00
Shiv Nadar Uı	niversity (SNU-SAT)											
320568303	Srinivas Kandregula	NOS	SNUSAT-2014	03Aug17	None	INR0.00	1.0000	0.00	0,00	68.50	0.00	68.50
320568752	Laxmi Supriya Paidim	NOS	SNUSAT-2014	03Aug 17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320567628	Krishna Koppineni	NOS	SNUSAT-2014	03Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68,50
320567453	Lavanya Koppineni	NOS	SNUSAT-2014	03Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320587797	Naga Venkata Sai Kir	DEL	SNUSAT-2014	03Aug17	None	INR0.00	1.0000	0.00	0.00	137,00	0.00	137.00
320567294	Satya Sai Sushlesha	NOS	SNUSAT-2014	03Aug17	None	INR0.00	1.0000	0.00	0.00	60.50	0.00	68.50
320568041	Krishna Sasanka Kha	NOS	SNUSAT-2014	03Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320570370	Satish Kumar	DEL	SNUSAT-2014	03Aug17	None	INR0.00	1,0000	0.00	0.00	137.00	0.00	137.00
320620258	Anil Kumar Gonnabha	DEL	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
320621239	Denny Naga Sridevl F	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0,00	68.50





					Form of		٣x	Amount Collected by	Reg	Dei	Voi	
Reg ID	Candidate Name	Status	Description	Date	Payment	Amount	Rate	Center	Fee	Fee	Fee	Net
320621364	Shavani Şatti	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320621629	Manikanta Reddy Var	DEL	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	6.00	137.00	0.00	137.00
320621669	Taviti Naidu Kandala	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1,0000	0.00	0.00	68.50	0.00	68.50
320621413	Sri Santhi Kadati	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320621457	Mani Kamalasri Bang	Nos	SNUSAT-2014	04Aug17	None	INR0,00	1,0000	0.00	0.00	68.50	0.00	68.50
320621518	Kasi Eswari Medichar	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320621710	Rudra Rao Kadali	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	88.50
320521776	Divya Vuyyurl	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320621801	Ajay Siva Kumar Nuje	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
320621874	Venkata Madhu Babu	DEL	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
320621572	Mohan Veera Siva Pr	NOS	SNUSAT-2014	04Aug17	None	INR0.00	1,0000	0.00	0.00	68,50	0 00	68.50
320622401	Shaik Ashabee	DEL	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
320620619	Suma Arthi	DEL	SNUSAT-2014	04Aug17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
321002323	Sal Bharat G	DEL	SNUSAT-2014	11Aug17	None	INR0.00	1.0000	0.00	0.00	137.00	0.00	137.00
321323240	Bhavani Satti	NOS	SNUSAT-2014	18Aug17	None	1NR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
321322510	Divya Vuyyuri	NOS	SNUSAT-2014	18Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
321322713	Krishna Koppineni	NOS	SNUSAT-2014	18Aug17	Nane	INR0.00	1.0000	0.00	0,00	68,50	0.00	68.50
321322880	Laxmi Supriya Paldim	NOS	SNUSAT-2014	18Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
321322155	Ajay Siva Kumar Nuje	NOS	SNUSAT-2014	18Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
201324611	Srinives Kandregula	NOS	SNUSAT-2014	18Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68,50
,26661	Taviti Naidu Kandaia	NOS	SNUSAT-2014	18Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
321324497	Sri Santhi Kadali	NOS	SNUSAT-2014	19Aug17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
321325460	Kasi Eswari Medichar	EON	SNUSAT-2014	19Aug 17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
321325663	Krishna Sasanka Kha	NOS	SNUSAT-2014	19Aug 17	None	INR0.00	1.0000	0.00	0.00	68.50	0.00	68.50
							-	0.00	0.00	2,877.00	0.00	2,877.00

## Summary of Activities

		Quantity	Amount Collected by Center	Registration Feas	Delivery Fæs	Volume Fees	Net
Exams	AIWMI	1	0.00	0.00	68.50	0.00	68.50
	Chartered Institute of Management Accountants	1	0.00	0.00	137.00	0.00	137.00
	Oracle Certification Program	1	0.00	0.00	137.00	0.00	137.00
	Shiv Nadar University (SNU-SAT)	34	0.00	0.00	2,877.00	0.00	2,877.00
Total		37	0.00	0.00	3,219.50	0.00	3,219.50

European Union Customers Only: If the tax amount is zero (0.00), this a may be subject to reverse charge procedures by the customer. 44 VAT Directive 200/112/EC applies. Pearson VUE Owes: (Do Not Pay) 3,219.50 INR



(An Autonomous Institute with Permanent Affiliation to JNTUK, Kakinada) Seshadri Rao Knowledge Village, Gudlavalleru – 521356, Krishna District (A.P.)

Dt: 03-07-2018.

To
The Principal,
Gudlavalleru Engineering College,
Seshadri Rao Knowledge Village,
GUDLAVALLERU – 521 356.

Sir,

We have Conducted Entrance and Certification Examinations in our test center (Pearson VUE). In this connection we have received remuneration for conducting examination in our centre to LPU, SNU, AMITY Universities and other certification exams for an amount of **Rs. 10,266/-** through DD.No: 601083 dated 28-05-2018 from WU Business Solutions.

I here with inclosing the same to debit in your account.

Thanking you,

Yours faithfully,

(Dr.G.V.S.N.R.V.Prasad)

Vice Principal -AcademicAlministration

M31 375118

37

Received Pono 601083 dated 28/5/18 PS.10.266/2





## PAYEE COPY

Ŗ,

EIPT ONL

601083

Date: 28 May 201

In Settlement of:

NCS PEARSON INCORPORATED

Transaction Date: 24 May 2018 Transaction No: OTR4652203

Payee:

GUDLAVALLERU ENGINEERING COLLEGE

WIRE TRANSFER **GUDLAVALLERU** 

India

1012991 WIRE-00 P1101

JNR10266.00

Detach and retain for your records

DOCUMENT CONTAINS INVISIBLE FLUORESCENT FIBERS, TONER GRIP, AND WATERMARK PAPER - HOLD TO LIGHT TO VIEW SOLUTIONS

HDFC Bank Limited Dr. Annie Besant Road Sandoz House Worli

Mumbai 400 018 India

601083

Acet: 00600390000102

Date:

28 May 2018

Pay:

Indian Rupee

\*\*\*TEN THOUSAND TWO HUNDRED SIXTY SIX INDIAN RUPEES ONLY\*\*\*

\*\*\*\*\*\*10,266.00

GUDLAVALLERU ENGINEERING COLLEGE WIRE TRANSFER GUDLAVALLERU

\*\* 60 108 3 (\*\* 4002400151 905282#

Microsoft Educatge Pertitication Hell ticket fee